

INFORMATION Redacted PURSUANT TO THE FREEDOM OF  
INFORMATION ACT (FOIA), 5 U.S.C. 552(B)(6)

PE14-017

CHRYSLER

08/20/2014

ENCLOSURE

FIELD DATA ALLEGED

DEFECT 2

CONSUMER COMPLAINTS

20014026

PHOTOS

S48K45C

MFD BY DAIMLERCHRYSLER CORPORATION

DATE OF MFR: 10-04


GAWR FRONT: 1339 KG 2950 LB  
17X7.5

GAWR REAR: 1452 KG 3200 LB  
17X7.5

GWR: 2586 KG 5700 LB

WITH P235/65R17 TIRES  
RIMS AT 228 KPA ( 33 PSI) COLD

WITH P235/65R17 TIRES  
RIMS AT 228 KPA ( 33 PSI) COLD



THIS VEHICLE CO  
PREVENTION STA

VIN: 1J4G  
VEHICLE MAD

ATION

GWR:

2586 KG 05700 LB

WITH

P235/65R17 TIRES

RIMS AT



228 KPA ( 33 PSI) COLD

WITH

P235/65R17 TIRES

RIMS AT

228 KPA ( 33 PSI) COLD



THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J4GS48K45C [REDACTED]

TYPE:

MPV

MDH: 101319 094AA

VEHICLE MADE IN U.S.A.

PAINT: PBB

TRIM: A7D5

4648509














Jeep

LAREDO





Jeep

LAREDO




Jeep

4x4





College Oaks










































**WARNING**  
EVEN WITH ADVANCED AIR BAGS  
Always use proper seat belt technique.  
• Sit upright with your back against the seat back.  
• Keep your feet flat on the floor.  
• Do not drink alcohol or use drugs before driving.  
• Do not use the vehicle if you are feeling drowsy or fatigued.  
• Do not use the vehicle if you are under the influence of any medication that may impair your ability to drive safely.  
• Do not use the vehicle if you are feeling dizzy or lightheaded.  
• Do not use the vehicle if you are feeling any of the symptoms listed above.

**WARNING**  
Do not touch the air bag cover.  
Do not touch the air bag cover when the vehicle is moving.  
Do not touch the air bag cover when the vehicle is stopped.  
Do not touch the air bag cover when the vehicle is parked.

**⚠ WARNING**

**EVEN WITH ADVANCED AIR BAGS**



89941230AA

- CHILDREN CAN BE KILLED OR SERIOUSLY INJURED BY THE AIR BAG.
- THE BACK SEAT IS THE SAFEST PLACE FOR CHILDREN.
- NEVER PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- ALWAYS USE SEAT BELTS AND CHILD RESTRAINTS.
- SEE OWNER'S MANUAL FOR MORE INFORMATION ABOUT AIR BAGS.



**⚠ WARNING: HIGHER**



- AVOID ABRUPT MANEUVERS AND EXCESSIVE SPEED.
- ALWAYS BUCKLE UP.
- SEE OWNER'S MANUAL FOR FURTHER INFORMATION.









PE14-017 - Chrysler - 10580



km/h

PRND  
108639 mile

All DTC's

Active DTC's (7)

Stored DTC's (8)

Pending DTC's (0)

Clear All Stored

BACK

2005-WK

SELECT



Standalone Diag



Active DTC's

P1637	TCM	Active
B1BBC	OCM	Active
U0171	ORC	Active
B1B2E	ORC	Active
B223D	ORC	Active
B1407	RADIO	Active
U0155	RADIO	Active

BACK

2005-WK

SELECT



Standalone Diag




TCM Internal - EEPROM  
Performance

BACK

2005-WK



Standalone Diag



Active DTC's

P1637	TCM	Active
B1BBC	OCM	Active
U0171	ORC	Active
B1B2E	ORC	Active
B223D	ORC	Active
B1407	RADIO	Active
U0155	RADIO	Active

BACK

2005-WK

SELECT





OCS Negative System Weight

BACK

2005-WK



Active DTC's

P1637	TCM	Active
B1BBC	OCM	Active
U0171	ORC	Active
B1B2E	ORC	Active
B223D	ORC	Active
B1407	RADIO	Active
U0155	RADIO	Active

BACK

2005-WK

SELECT

Lost Communication w/  
Up-Front Right Satellite  
Acceleration Sensor

BACK

2005-WK

# Active DTC's

P1637	TCM	Active
B1BBC	OCM	Active
U0171	ORC	Active
B1B2E	ORC	Active
B223D	ORC	Active
B1407	RADIO	Active
U0155	RADIO	Active

BACK

2005-WK

SELECT

1st Row Passenger Seat  
Belt Pretensioner Circuit  
Open

BACK

2005-WK

Standalone Diag

Active DTC's

P1637	TCM	Active
B1BBC	OCM	Active
U0171	ORC	Active
B1B2E	ORC	Active
B223D	ORC	Active
B1407	RADIO	Active
U0155	RADIO	Active

BACK

2005-WK

SELECT

OCM DTC Present

BACK

2005-W/K



Standalone DTC



Active DTC's

P1637	TCM	Active
B1BBC	OCM	Active
U0171	ORC	Active
B1B2E	ORC	Active
B223D	ORC	Active
<b>B1407</b>	<b>RADIO</b>	<b>Active</b>
U0155	RADIO	Active

BACK


2005-WK

SELECT





Standalone Diag



Front Right Audio Speaker  
Output Circuit Open

BACK

2005-WK



Standalone Diag



Active DTC's

P1637	TCM	Active
B1BBC	OCM	Active
U0171	ORC	Active
B1B2E	ORC	Active
B223D	ORC	Active
B1407	RADIO	Active
U0155	RADIO	Active

BACK

2005-WK

SELECT




Standalone Diag



Lost Communication With  
Cluster/CCN

BACK

2005-WK



Standalone Diag



Stored DTC's

U1409	TCM	Stored
U0164	TCM	Stored
U110B	TCM	Stored
U1408	TCM	Stored
P0710	TCM	Stored
U0151	EOM	Stored
B1421	RADIO	Stored
C0077	WOM	Stored

BACK

2005-WK

SELECT



Standalone Diag



Implausible Left Front  
Wheel Speed Signal  
Received

BACK

2005-WK



# Standalone Diag



## Stored DTC's

U1409	TCM	Stored
U0164	TCM	Stored
U110B	TCM	Stored
U1408	TCM	Stored
P0710	TCM	Stored
U0151	EOM	Stored
B1421	RADIO	Stored
C0077	WCM	Stored


BACK

2005-WK

SELECT



# Standalone Diag




Unknown

BACK

2005-WK



Standalone Diagnostic



Stored DTC's

U1409	TCM	Stored
U0184	TCM	Stored
<b>U110B</b>	<b>TCM</b>	<b>Stored</b>
U1408	TCM	Stored
P0710	TCM	Stored
U0151	EOM	Stored
B1421	RADIO	Stored
C0077	WCM	Stored

BACK


2005-WK

SELECT





Standalone Diag




Lost Engine Coolant  
Message

BACK

2005-WK



Standalone Diag



### Stored DTC's

U1409	TCM	Stored
U0164	TCM	Stored
U110B	TCM	Stored
U1408	TCM	Stored
P0710	TCM	Stored
U0151	EOM	Stored
B1421	RADIO	Stored
C0077	WCM	Stored

BACK

2005-WK

SELECT



Standalone Diag



Implausible Brake Signal  
Received

BACK

2005-WK



Standalone Diag



## Stored DTC's

U1409	TCM	Stored
U0164	TCM	Stored
U110B	TCM	Stored
U1408	TCM	Stored
P0710	TCM	Stored
U0151	EOM	Stored
B1421	RADIO	Stored
C0077	WCM	Stored

BACK

2005-WK

SELECT

Transmission Temperature  
Sensor Circuit

BACK

2005-WK



# Standalone Diag



## Stored DTC's

U1409	TCM	Stored
U0164	TCM	Stored
U1108	TCM	Stored
U1408	TCM	Stored
P0710	TCM	Stored
U0151	TCM	Stored
B1421	RADIO	Stored
C0077	WOM	Stored


BACK

2005-WK

SELECT




Standalone Diag



Lost Communication with  
Occupant Restraint  
Controller (ORC)

BACK

2005-WK



# Standalone Diag



## Stored DTC's

U1409	TCM	Stored
U0164	TCM	Stored
U110B	TCM	Stored
U1408	TCM	Stored
P0710	TCM	Stored
U0151	EOM	Stored
<b>B1421</b>	<b>RADIO</b>	<b>Stored</b>
C0077	WCM	Stored

BACK

2005-WK

SELECT





Standalone Diag



Audio CD Read Error /  
Inoperable Disc

BACK

2005-WK



Standalone Diag



Stored DTC's

U1409	TCM	Stored
U0164	TCM	Stored
U110B	TCM	Stored
U1408	TCM	Stored
P0710	TCM	Stored
U0151	EOM	Stored
B1421	RADIO	Stored
C0077	WCM	Stored

BACK

2005-WK

SELECT



Standalone Diag



Low Tire Pressure

BACK

2005-WK

PXFB36 25 5



PXF536

30 2



























PE14-017

CHRYSLER

08/20/2014

ENCLOSURE

FIELD DATA ALLEGED

DEFECT 2

CONSUMER COMPLAINTS

20155711

PHOTOS

1J8HR58245C








P R N D  
0829 12

DRIVER  
DOOR OPEN



















Jeep

ON-OFF  
CRUISE  
SET

RESUME ACCEL  
CANCEL  
DECEL

SPS  
AIRRIDE



**⚠ WARNING**

**WITH ADVANCED AIR BAGS**



- CHILDREN CAN BE KILLED OR SERIOUSLY INJURED BY THE AIR BAG.
- THE **BACK SEAT** IS THE **SAFEST** PLACE FOR CHILDREN.
- **NEVER** PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- **ALWAYS** USE **SEAT BELTS** AND **CHILD RESTRAINTS**.
- SEE OWNER'S MANUAL FOR MORE INFORMATION ABOUT AIR BAGS.



**⚠ WARNING: HIGHER ROLL**



**AVOID ABRUPT MANEUVERS  
AND EXCESSIVE SPEED.**

**ALWAYS BUCKLE UP.**

**SEE OWNER'S MANUAL  
FOR FURTHER INFORMATION.**

55361154







PXF538 49 1



























2752201351  
025  
04671779AC  
310105

**⚠ WARNING**

**HIGH-PRESSURE REFRIGERANT SYSTEM TO BE SERVICED BY QUALIFIED PERSONNEL ONLY.**  
**CONSULT SERVICE MANUAL.**  
**IMPROPER SERVICE METHODS MAY CAUSE PERSONAL INJURY.**  
**SYSTEM MEETS SAFETY REQUIREMENTS OF SAE STANDARD J639.**

**ATTENTION**

**R-340 A/C REFRIGERANT  
FACTORY CHARGE**


**SINGLE UNIT: 36oz (1.0 lbs, 443 g)  
DUAL UNIT: 34oz (0.75 lbs, 340 g)  
#40110-323000**

**COMPRESSOR OIL**

**3.7L (3.3L) 3.3  
10.9 1945C PART NO. 8230002  
3.0L (3.0L) 1405C PART NO. 8230002**















WASHER  
FLUID ONLY














Barcode label on the engine block.

BOUCHON DE REMPLISSAGE  
FILLER CAP  
REMOVING  
BEFORE

5055  
S-0014.4




72472W	4671168E	M2L72L	38911L9F	72472W	4671168E	38911L9F	M2L72L
--------	----------	--------	----------	--------	----------	----------	--------


Pluses  
0.1.221  
Friday



4 10UDER245C



AUTO ARMOR  
1J8HR58245C


















Jeep

5.7L  
LIMITED

4x4



Jeep

3.7L  
LIMITED

ROADIAN HT

Jeep





















