

**INFORMATION Redacted PURSUANT TO THE FREEDOM OF  
INFORMATION ACT (FOIA), 5 U.S.C. 552(B)(6)**

PE14-017

CHRYSLER

08/20/2014

ENCLOSURE 7

FIELD DATA ALLEGED

DEFECT 2

CONSUMER COMPLAINTS

20987868

PHOTOS

MFD BY DAIMLERCHRYSLER CORPORATION  
DATE OF MFR: 5-07

GAWR FRONT: 1339 KG 2950 LB  
17X7.5

GAWR REAR: 1452 KG 3200 LB  
17X7.5

GAWR: 2677 KG 5900 LB  
WITH P245/65R17 TIRES  
RIMS AT 228 KPA ( 33 PSI) COLD  
WITH P245/65R17 TIRES  
RIMS AT 228 KPA ( 33 PSI) COLD



THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.  
VIN: 1J8GR4BK270 [REDACTED] TYPE: MPV  
VEHICLE MADE IN U.S.A. PRINT: PEN TRIM: 4735  
KCH-258813 00544



Jeep























20

MPH

60

40

20

km/h

150

180

200

220

120

140

35005 mile























Protractor

Magnetic base and back

**FRITSMAN**

Made in U.S.A.

939840

0 10 20 30 40 50 60 70 80 90  
0 10 20 30 40 50 60 70 80 90  
0 10 20 30 40 50 60 70 80 90  
0 10 20 30 40 50 60 70 80 90

0 10 20 30 40 50 60 70 80 90













2007 WK  
3.7L 1J8GR40K27C

Home

9.03

Show  
Shortcut

ECU View

Flash Download

Network View

Vehicle Preparation

System View

More Options

# **▲ WARNING**

## **EVEN WITH ADVANCED AIR BAGS**



- CHILDREN CAN BE KILLED OR SERIOUSLY INJURED BY THE AIR BAG.
- THE BACK SEAT IS THE SAFEST PLACE FOR CHILDREN.
- NEVER PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- ALWAYS USE SEAT BELTS AND CHILD RESTRAINTS.
- SEE OWNER'S MANUAL FOR MORE INFORMATION ABOUT AIR BAGS.



66391230AA

Back

2007 WK  
3.7L 1J8GR48K27C

All DTCs

9:03

ECU	Code	Status	Description
PCM	P2503	Stored	Charging System Output Low
FCMCG	B162C	Active	Left Low Beam Control Circuit High
FCMCG	B1634	Active	Left Hi Beam Control Circuit High
FCMCG	B1630	Active	Right Low Beam Control Circuit High
FCMCG	B1638	Active	Right Hi Beam Control Circuit High
RADIO	B1421	Active	Audio CD Read Error / Inoperable Disc

Clear All Stored DTCs


Tech Tips

More Options

2007 WK  
3.7L 1J8GR48K27C

### ECU View

9.03



Start

Controler Name	Active	DTCs	Bus
PCM Powertrain Control Module	<input checked="" type="checkbox"/>	1	CAN C
TCM Transmission Control Module	<input checked="" type="checkbox"/>	0	CAN C
ABS Anti Lock Brakes	<input checked="" type="checkbox"/>	0	CAN C
ESM Electronic Shifter	<input checked="" type="checkbox"/>	0	CAN C
CCN Instrument Cluster/Cabin Compartment	<input checked="" type="checkbox"/>	0	CAN B
DDM Driver Door Module	<input checked="" type="checkbox"/>	0	CAN B
EOM Electronic Overhead	<input checked="" type="checkbox"/>	0	CAN B
FCMCGW Central Gateway	<input checked="" type="checkbox"/>	4	DIAG CAN C



2007 WK

### ECU View

9.03

3.7L 1J8GR48K27C



	Controller Name	Active	DTCs	Bus
▲	EOM Electronic Overhead	<input checked="" type="checkbox"/>	0	CAN B
↙	FCMCGW Central Gateway	<input checked="" type="checkbox"/>	4	DIAG CAN C
	ORC Occupant Restraint	<input checked="" type="checkbox"/>	0	CAN B
	PDM Passenger Door Module	<input checked="" type="checkbox"/>	0	CAN B
	RADIO Radio	<input checked="" type="checkbox"/>	1	CAN B
↙	SCM Steering Column	<input checked="" type="checkbox"/>	0	CAN B
	WCM Wireless Control	<input checked="" type="checkbox"/>	0	CAN B



Back

2007 WK

ECU Overview - ORC

9.03

3.7L 1J8GR48K27C



Show  
Shortcut

Hardware Version: 00.00

Software Version: 07.D6.15

Part Number: 04896901AE

Country Code: USA

Data Display

Actuators

Misc.  
Functions

More  
Options

View DTCs

Active: 0

Stored: 0

Pending: 0















PE14-017

CHRYSLER

08/20/2014

ENCLOSURE 7

FIELD DATA ALLEGED

DEFECT 2

CONSUMER COMPLAINTS

21179319

203 South Broad Street  
London, Kentucky 40741  
(606) 864-6600  
Fax: (606) 864-3494

**Laurel County  
Sheriff's Department**

# Fax

To: <u>TOM Muthig</u>	From: <u>LAUREL COUNTY SHERIFFS OFFICE</u>
Fax: <u>513.831.2356</u>	Pages: _____
Phone: _____	Date: _____
Re: _____	CC: _____
<input type="checkbox"/> Urgent <input type="checkbox"/> For Review <input type="checkbox"/> Please Comment <input type="checkbox"/> Please Reply <input type="checkbox"/> Please Recycle	

*Page 1*

PE14-017 - Chrysler - 11275



**KENTUCKY UNIFORM POLICE  
TRAFFIC COLLISION REPORT**

**DRAFT**

MASTER FILE #

INVESTIGATING AGENCY <b>LAUREL COUNTY SHERIFF DEPT.</b>	AGENCY ORI NUMBER [REDACTED]	LOCAL CODE <b>0719-000</b>
--	---------------------------------	-------------------------------

ROADWAY NAME <b>SINKING CREEK RD</b>	PARKING LOT: N	INTERSECTION WITH: N	BETWEEN STREETS: N
---	----------------	----------------------	--------------------

ROADWAY # CY1535	DISTANCE FROM MILEPOINT	MILEPOINT # 2.02	INJURED 1	KILLED	# UNITS INVOLVED 1	HIT & RUN NO	ONE WAY NO	SPEED LIMIT 045 MPH
---------------------	-------------------------	---------------------	--------------	--------	-----------------------	-----------------	---------------	------------------------

IN CITY LIMITS? NO	LATITUDE DEG: 37 MIN: 7.688	COLLISION DATE AND TIME 07/19/2011 16:51
WILES FROM CITY 5 MILES WEST	LONGITUDE DEG: 84 MIN: 10.351	

CITY/TOWN: 06301 - LONDON	RAMP: NO	DIR:
COUNTY: 063 - LAUREL	FROM:	DIR:
SECONDARY COLLISION: NO	MEDIAN CROSSOVER: NO	TO:

MANNER OF COLLISION 09 - SINGLE VEHICLE	LOCATION 1ST EVENT 03 - ON ROADWAY	TRAFFIC CONTROL 02 - CENTER LINE
--	---------------------------------------	-------------------------------------

ROADWAY TYPE 07 - STATE	TOTAL LANES 2	ROADWAY CHARACTER 01 - CURVE & GRADE	ROADWAY SURFACE 01 - ASPHALT	ROADWAY CONDITION 01 - DRY
----------------------------	------------------	---	---------------------------------	-------------------------------

WEATHER 02 - CLEAR	LIGHT CONDITION 02 - DAYLIGHT	LAND USE 07 - RURAL	SCHOOL BUS RELATED 03 - NOT APPLICABLE
-----------------------	----------------------------------	------------------------	---

FIRST AID AT SCENE YES FIRST AID GIVEN BY **AMBULANCE INC OF LAUREL**

INJURED REMOVED TO  
06302 - ST JOSEPH (LONDON)

EMS AGENCY AND RUN # 13775291	EMS AGENCY AND RUN #	EMS AGENCY AND RUN #
NOTIFIED TIME 16:51	ARRIVED TIME 16:59	TIME AT HOSPITAL 17:35
NOTIFIED TIME :	ARRIVED TIME :	TIME AT HOSPITAL :

INJURED OR DECEASED REMOVED BY  
06 - PRIVATE AMBULANCE

1 PROPERTY DAMAGE - OTHER THAN VEHICLES	PROPERTY
OWNER/ADDRESS	
2 PROPERTY DAMAGE - OTHER THAN VEHICLES	PROPERTY
OWNER/ADDRESS	
3 PROPERTY DAMAGE - OTHER THAN VEHICLES	PROPERTY
OWNER/ADDRESS	

INV. COMPLETE YES	PHOTOS NO	PHOTOGRAPHER UNIT NO.
INVESTIGATOR LUNTSCHI J	ID NUMBER 1194	BEAT OR POST NO. COUNTY
TIME NOTIFIED 16:51	TIME ARRIVED 17:02	ROWY OPENED 17:31
REVIEWED BY	PAGE 1 OF 4	

PAGE (2)

4-017  
1-1276

KENTUCKY UNIFORM POLICE TRAFFIC COLLISION REPORT - NARRATIVE

KSP 74 Revised 1/2000

**DRAFT**

MASTER FILE #

INVESTIGATING AGENCY

LAUREL COUNTY SHERIFF DEPT.

AGENCY ORI NUMBER

LOCAL CODE

0719-454

Unit 1 was headed South on Hwy. 1535 when she left the roadway on the right shoulder and went into the ditch, traveling through the ditch, south, then hitting a culvert, then going air born making a complete flip, then landing on the top of the vehicle inside the ditch. Unit 1 stated that she does not remember anything about the accident. She stated she just remembers traveling down the roadway before the accident.

Witness stated that she heard a loud bang then looked and observed unit 1 traveling through the ditch line, then hitting the culvert and making a complete flip in the air and landing on the top of the vehicle in the ditch line.

It appears that the right front tire blown when the vehicle struck the culvert after traveling through the ditch line.

PAGE (3)

KENTUCKY UNIFORM POLICE TRAFFIC COLLISION REPORT - UNIT

**DRAFT**

MASTER FILE #

INVESTIGATING AGENCY **LAUREL COUNTY SHERIFF DEPT.** AGENCY ORI NUMBER [REDACTED] LOCAL CODE **0719-454**

UNIT # **1** TOWED? **YES - SEELEY'S TOWING** TOWED DUE TO DISABLED? **YES** # OCCUPANTS **1** PEDESTRIAN FACTORS

OPERATOR'S LIC. NO. [REDACTED] STATE **KY** LIC. CLASS [REDACTED] ENDORSEMENT [REDACTED] OPERATORS LICENSE RESTRICTIONS  
 CDL **NO** CO. RESIDENT **YES** OWNER **YES**  
 OPERATOR NAME (LN, FN, MI) [REDACTED]  
 DATE OF BIRTH [REDACTED] ADDRESS [REDACTED] **LONDON, KY** COMPLIANT **YES**

A. PRE-COLLISION VEHICLE ACTION **05 - GOING STRAIGHT AHEAD** B. UNIT TYPE **08-LT TRUCK(VAN/SPORTS UTILITY/PICKUP)** C. FIRE **YES** D. OVERTURNED **YES**

E. HUMAN FACTORS **14 - INATTENTION**

F-H. EVENT COLLISION  
**1ST: 16 - EARTH EMBANKMENT/ROCKCUT/DITCH** **3RD: 34 - FIRE/EXPLOSION**  
**2ND: 36 - OVERTURNED**

I. VEHICULAR FACTORS **99 - NONE DETECTED** J. ENVIRONMENTAL FACTORS **99 - NONE DETECTED**

K. UNDERRIDE/OVERRIDE **01 - NO UNDERRIDE/OVERRIDE**

INVOLVED PERSONS: NAME ADDRESS, CITY, STATE AND ZIP	DOB/DOD	14	15	16	17	18	19	20	21	22	23
[REDACTED] FEMALE LONDON, KY	DOB [REDACTED]	08,01	YES	01	04	02	01	01	01	01	01

VEH YEAR **2006** MAKE **JEEP** MODEL **GRAND CHEROKEE LIMITED** TYPE **LL** STATE **KY** REGISTRATION NUMBER [REDACTED] YEAR **2010**

VEHICLE ID NUMBER **1J4HR58206C** VEHICLE INSURED **YES** NAME OF INSURANCE CO. **KENTUCKY FARM BUREAU INS. CO.** INSURANCE POLICY # [REDACTED] COLOR OF VEH **GRAY**

1ST AREA OF CONTACT **T - TOP** 1ST AREA CONTACT - COMBINATION VEHICLE **EXTENT OF DAMAGE VERY SEVERE** AIR BAG SWITCH **ON** TRAVEL DIRECTION **SOUTH**

ESTIMATED TRAVEL SPEED **BETWEEN 40 & 45 MPH** MOST HARMFUL EVENT

COMMERCIAL VEH. **NO** LARGE TRUCK OR BUS **NO** PLACARD PRESENT **NO** HAZ. CARGO **NO** HAZ. SPILL **NO** HAZ. MAT. # **NO** TYPE CARGO/COMMODITY **NO** NAS SAFETY REPORT # **NO**

HM CLASS **NO** CARRIER TYPE **NO**  
 SINGLE/COMBINATION/BOBTAIL **NO** NO. AXLES **NO** NO. TRAILERS **NO** US DOT # **NO** ICC MC # **NO** CRASH AVOIDANCE (Fatal Only) **NO**

VEHICLE CONFIGURATION **NO** CARGO BODY TYPE **NO** BUS USE **NO**

GVWR TOTAL **NO** MOTOR CARRIER NAME **NO** CARRIER NAME SOURCE **NO**

MOTOR CARRIER ADDRESS **NO**

VIOLATION CODES **NO** CITATION NUMBER **NO** CASE NUMBER **NO** SUSPECTED DRINKING DRIVER **NO** METHOD OF DETERMINATION **02 - OBSERVATION**

*Proctor (4)*

TAKEN BY **NO**

TEST OFFERED **NO** CHEMICAL TEST **NO** TESTED FOR **NO** SENT TO **NO** RESULTS **NO** PAGE **2 of 4**






Jeep

WARNING  
GLASS/SHARP EDGES/  
DO NOT TOUCH

R

06150 LB  
TIRES  
( 33 PSI) COLD  
TIRES  
( 33 PSI) COLD



THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J4HR58206C

TYPE:

MPV

MDH: 051017 382AA

VEHICLE MADE IN U.S.A.


PAINT: PJT

TRIM: PLJ3

4648509



KG 06150 LB  
65R17 TIRES  
PA ( 33 PSI) COLD  
65R17 TIRES  
PA ( 33 PSI) COLD



THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J4HR58206C3  
VEHICLE MADE IN U.S.A.

[REDACTED] TYPE:  
PRINT: PJT

MPV  
TRIM: PLJ3

MDH: 051017 382AA  
4648509



Back

2006 WK

Home

9.05

Show  
Shortcuts

5.7L IJ4HF532060 [REDACTED]



ECU View

Flash Download

Network View

Vehicle Preparation

System View

More Options



2008 WR  
 Loss of Comm Summary 9:55  
 Back [Redacted] Show Shortcuts

Description	Network	Active	Stored
U0231 Lost Communication With Light Rain	<input checked="" type="checkbox"/>	1	13

Enabling Conditions

Ignition Status: RUN Position	Battery/Ignition DTC's: Yes
VIN Mismatch DTC: No	ECU Config DTC: No
CAN Electrical DTC's: No	CAN Signal DTC's: No



- Network Topology
- Advanced EAC
- View Details
- Tech Tips




Back

2006 WK  
5.7L 1J4HR502060 [REDACTED]

### Network Topology

9.05

Show Shortcuts



- Not Built on Vehicle
- Responsive
- CAN-C
- Not Responsive
- Diag CAN-C
- CAN-B

Tech Tips

Back

2006 WK

# ECU Overview - ORC

9.05

5.7L 1J4HR582060 [REDACTED]



Show Shortcuts

Hardware Version: 00.00

Software Version: 06.D9.01

Part Number: 68002601AA

Country Code: USA

Data Display

Actuators

Misc.  
Functions

More  
Options

View DTCs

Active: 0

Stored: 3

Pending: 0



Back

2006 WK  
5.7L 1J4HR58206C [REDACTED]

### DTCs - ORC

9.05



Show Shortcuts

Code	Status	Description
B210D	Stored	Battery Voltage Low
B223D	Stored	OCM DTC Present
U0231	Stored	Lost Communication With Light Rain Sensing Module

Clear Stored DTCs

Environ Data

Tech Tips

Toggle Row Height



Back

2006 WK  
5.7L 1J4HR5B206C [REDACTED]

### DTCs - ORC

9.05



Show Shortcuts

Code	Status	Description
B210D	Stored	Battery Voltage Low
B223D	Active	OCM DTC Present
U0231	Stored	Lost Communication With Light Rain Sensing Module

Clear Stored DTCs

Environ. Data

Tech Tips

Toggle Row Height



BACK

SHIFT



Name	Value	Unit
OCM DTC Present	B223D	
DTC Readiness Flag	Complete	
DTC Storage State	Active	
Warning Indicator Request State	Off	
Odometer	48246.2	miles
Accumulation Timer	5	minutes
Ignition Key Cycles	0	cycles

Show Shortcuts  
Toggle Row Height



BACK

SHIFT

Back

2006 WK

5.7L 1J4HR58206C [REDACTED]

# DTCs - ORC

9.05



Show Shortcuts

Code	Status	Description
B210D	Stored	Battery Voltage Low
B223D	Active	OCM DTC Present
U0231	Stored	Lost Communication With Light Rain Sensing Module

Clear Stored DTCs

Environ. Data

Tech Tips

Toggle Row Height



Back

2006 WK

5.7L 1J4HR582060

# ECU Overview - OCM

9.05

Show Shortcuts



Hardware Version: 00.C0

Software Version: 03.04.03

Part Number: 56043195BD

Country Code: USA

Data Display

Actuators

Misc.  
Functions

More  
Options

View DTCs

Active: 1

Stored: 1

Pending: 0



Back

2006 WK

### DTCs - OCM

9.05

5.7L 1J4HR58206C [REDACTED]



Show Shortcuts

Code	Status	Description
B1BBC	Active	OCS Negative System Weight
U0231	Stored	Lost Communication With Light Rain Sensing Module

Clear Stored DTCs

Environ. Data

Tech Tips

Toggle Row Height





BRAKE



TOW/  
HAUL

ESP  
BAS





**BRAKE**



**LOW BRAKE  
FLUID LEVEL**



BRAKE









Jeep



PE14-017 - Chrysler - 11299

Jeep





Jeep

141400315

141400315





21163241 x

P









3.7L  
HEMI





GRAND CHEROKEE







WARNING  
DO NOT REMOVE THIS LABEL

1150  
1118  
1157  
103  
115





























VINCE GILL  
When Love Finds You



CHRYSLER  
CORPORATION  
CHRYSLER GROUP LLC  
CHRYSLER GROUP LLC


































# WARNING

## EVEN WITH ADVANCED AIR BAGS



55361230AA

- CHILDREN CAN BE KILLED OR SERIOUSLY INJURED BY THE AIR BAG.
- THE BACK SEAT IS THE SAFEST PLACE FOR CHILDREN.
- NEVER PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- ALWAYS USE SEAT BELTS AND CHILD RESTRAINTS.
- SEE OWNER'S MANUAL FOR MORE INFORMATION ABOUT AIR BAGS.



# ⚠ WARNING

## EVEN WITH ADVANCED AIR BAGS



- CHILDREN CAN BE KILLED OR SERIOUSLY INJURED BY THE AIR BAG
- THE BACK SEAT IS THE SAFEST PLACE FOR CHILDREN
- NEVER PUT A CHILD IN THE FRONT SEAT
- ALWAYS USE SEAT BELTS AND ONLY RESTRAINTS
- SEE OWNER'S MANUAL FOR MORE INFORMATION ABOUT AIR BAGS


Model 2-2344

# ⚠ WARNING



• ALWAYS BRING CHILDREN INTO THE CAR SEAT

• ALWAYS BRING CHILDREN INTO THE CAR SEAT



**⚠ WARNING**

**EVEN WITH ADVANCED AIR BAGS**



- CHILDREN CAN BE KILLED OR SERIOUSLY INJURED BY THE AIR BAG.
- THE **BACK SEAT** IS THE **SAFEST** PLACE FOR CHILDREN.
- **NEVER** PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- **ALWAYS** USE **SEAT BELTS** AND **CHILD RESTRAINTS**.
- SEE OWNER'S MANUAL FOR MORE INFORMATION ABOUT AIR BAGS. 

55361230AA









































21103241x









1413  
538  
592  
285





















538  
592  
285

















AGW











WARNING  
SLIPPERY WHEN  
WET  
DO NOT USE



PE14-017 - Chrysler - 11385









DAIMLER CHRYSLER

THIS BELT CONFORMS TO FMVSS No. 209

MODEL SHQ37ZJ3AH

ASSEMBLED IN MEXICO



P5HQ37ZJ3AH



QNS 10

TUHT11006Q0636







**SWANSON®**

**Angle Finder**