INFORMATION Redacted PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552(B)(6)

PE14-017
CHRYSLER
08/20/2014
ENCLOSURE 7
FIELD DATA ALLEGED
DEFECT 2
CONSUMER COMPLAINTS
23790725
PHOTOS


10/02/2013 13:43
PE14-017 - Chrysler - 13059



PE14-017 - Chrysler - 13060



PE14-017 - Chrysler - 13061



PE14-017 - Chrysler - 13062



PE14-017 - Chrysler - 13063



PE14-017 - Chrysler - 13064


FIS
10/02/2013 11:50
PE14-017 - Chrysler - 13065

PE14-017 - Chrysler - 13066

10/02/2013 12:00
3
4
5
6
7
8
9
10

PE14-017 - Chrysler - 13068

PE14-017 - Chrysler - 13069



PE14-017 - Chrysler - 13070



PE14-017 - Chrysler - 13071



PE14-017 - Chrysler - 13072



PE14-017 - Chrysler - 13073



PE14-017 - Chrysler - 13074



PE14-017 - Chrysler - 13075



PE14-017 - Chrysler - 13076


AUTO
Range-H
Data-H
Relative
NPN
PNP
EBCE
hFE
10/02/2013 12:08
PE14-017 - Chrysler - 13077


AUTO
1057
Range-H
Data-H
Relative
10/02/2013 12:13
PE14-017 - Chrysler - 13078



PE14-017 - Chrysler - 13079



PE14-017 - Chrysler - 13080

PE14-017 - Chrysler - 13081



PE14-017 - Chrysler - 13082


Left Front
10/02/2013 12:26
PE14-017 - Chrysler - 13083

PE14-017 - Chrysler - 13084



PE14-017 - Chrysler - 13085



PE14-017 - Chrysler - 13086


10/02/2013 12:37
PE14-017 - Chrysler - 13087


10/02/2013 12:37
PE14-017 - Chrysler - 13088



PE14-017 - Chrysler - 13089


10/02/2013 12:39
PE14-017 - Chrysler - 13090



PE14-017 - Chrysler - 13091



PE14-017 - Chrysler - 13092


10/02/2013 12:39
PE14-017 - Chrysler - 13093


10/02/2013 12:40
PE14-017 - Chrysler - 13094



PE14-017 - Chrysler - 13095



PE14-017 - Chrysler - 13096



PE14-017 - Chrysler - 13097


10/02/2013 12:41
PP14-017 - Chrysler - 13098



PE14-017 - Chrysler - 13099



PE14-017 - Chrysler - 13100



PE14-017 - Chrysler - 13101



PE14-017 - Chrysler - 13102



PE14-017 - Chrysler - 13103


10/02/2013 12:43



PE14-017 - Chrysler - 13105



PE14-017 - Chrysler - 13106



PE14-017 - Chrysler - 13107

Right Rear

10/02/2013 12:44

PE14-017 - Chrysler - 13108



PE14-017 - Chrysler - 13109



PE14-017 - Chrysler - 13110

PE14-017 - Chrysler - 13111



PE14-017 - Chrysler - 13112



PE14-017 - Chrysler - 13113





PE14-017 - Chrysler - 13114



PRESS
10/02/2013 12:52




PE14-017 - Chrysler - 13116



Back
ECU View
Show Shortcuts
Controller Name
Active
DTCs
Bus
PCM
Powertrain Control Module
1
CAN C
TCM
Transmission Control Module
2
CAN C
ABS
Anti Lock Brakes
8
CAN C
FDCM
Final Drive Control/All Wheel Drive
2
CAN C
AHBM
Automatic High Beam
1
CAN B
AMP
Amplifier
2
CAN B
CCN
Instrument Cluster/Cabin Compartment
1
CAN B
DDM
Driver Door Module
5
CAN B
ENTER
BACK
SHIFT
10/02/2013 13:13
PE14-017 - Chrysler - 13117


Back
ECU View
Show Shortcuts
Controller Name
Active
DTCs
Bus
DDM
Driver Door Module
5
CAN B
FCMCGW
Central Gateway
11
DIAG CAN C
HFM
Hands Free Module(cell phone)
2
CAN B
HSM
Heated Seat Module
2
CAN B
HVAC
Heat, Ventilation and A/C
2
CAN B
LRSM
Light Rain Sensor module
2
CAN B
MSMD
Memory Seat
2
CAN B
OCM
Occupant Classification
2
CAN B
ENT
BACK
SHIF
10/02/2013 13:14
PE14-017 - Chrysler - 13118



Back
ECU View
Show Shortcuts
Controller Name
Active
DTCs
Bus
OCM
Occupant Classification
2
CAN B
ORC


CAN B
PDM
Passenger Door Module
5
CAN B
PTS
Parktronics
2
CAN B
RADIO
Radio
4
CAN B
SCM
Steering Column
1
CAN B
SDAR
Satellite Radio
1
CAN B
SUNR
Sunroof
3
CAN B
10/02/2013 13:15
PE14-017 - Chrysler - 13119



Back
ECU Overview – ORC
Show Shortcuts
Hardware Version: Not Available
Software Version: Not Available
Part Number: Not Available
Country Code: N/A
Data Display
Actuators
Misc Functions
More Options
Stored: ---
Active: ---
10/02/2013 13:15
PE14-017 - Chrysler - 13120



Controller Name
Active
DTCs
PDM
Passenger Door Module
5
CAN B
PTS
Parktronics
2
CAN B
RADIO
Radio
4
CAN B
SCM
Steering Column
1
CAN B
SDAR
Satellite Radio
1
CAN B
SUNR
Sunroof
3
CAN B
WCM
Wireless Control
3
CAN B
10/02/2013 13:16
PE14-017 - Chrysler - 13121



9.06
10/02/2013 13:17
Back
DTCs - PCM
9.06
Show Shortcuts
Code
Status
Description
P0700
Pending
Transmission Control System (MIL Request)
Clear Stored DTCs
Freeze Frame
Tech Tips
Toggle Row Height
ENTER
BACK
SHIFT
PE14-017 - Chrysler - 13122



9.06
Back
DTCs - TCM
9 06
Show Shortcuts
Code
Status
Description
P1684
Stored
Battery Was Disconnected
P0562
Pending
Battery/System Voltage Low
Clear Stored DTCs
Event Data
Tech Tips
Toggle
Height
ENTER
BACK
SHIFT
10/02/2013 13:17
PE14-017 - Chrysler - 13123



Back
DTCs - ABS
Show Shortcuts
Code
Status
Description
C100A
Active
Left Front Wheel Speed Sensor Circuit
C107C
Stored
Brake Pedal Switch 1/2 Stuck
C2100
Stored
Battery Voltage Low
U140E
Stored
Implausible Vehicle Configuration Data Received
C2202
Stored
Original VIN Mismatch/Missing
C2204
Stored
Dynamics Sensor Internal
C2205
Stored
Steering Angle Sensor Internal
C1011
Stored
Left Front Wheel Speed Sensor Signal Erratic Performance
Clear Stored DTCs
Tech Tips
Toggle Row Height
ENTER
BACK
SHIFT
10/02/2013 13:18
PE14-017 - Chrysler - 13124



Back
DTCs - FDCM
9.06
Show Shortcuts
Code
Status
Description
U0415
Active
Implausible Data Received from ABS
C140A
Stored
Transfer Case Motor Performance
Clear Stored DTCs
Tech Tips
Toggle
10/02/2013 13:18
PE14-017 - Chrysler - 13125


9.06
Back
2006 XK
5.7L 1J8HG58216C
DTCs – AHBM
9.06
Show Shortcuts
Code
Status
Description
U0151
Active
Lost Communication with Occupant Restraint Controller (ORC)
Clear Stored DTCs
Tech Tips
10/02/2013 13:19



9.06
Back
2006 XK
5.7L 1J8HG58216C
DTCs – AMP
9.06
Show Shortcuts
Code
Status
Description
U0151
Active
Lost Communication with Occupant Restraint Controller (ORC)
U0019
Stored
CAN B Bus
Clear Stored DTCs
Tech
Toggle
Height
ENTER
BACK
SHIFT
10/02/2013 13:20
PE14-017 - Chrysler - 13127



9.06
Back
2006 XK
5.7L 1J8HG58216C
DTCs – CCN
9.06
Show Shortcuts
Code
Status
Description
U0151
Active
Lost Communication with Occupant Restraint Controller (ORC)
Clear Stored DTCs
Tips
10/02/2013 13:20
PE14-017 - Chrysler - 13128



9.06
Back
DTCs - DDM
9.06
Show Shortcuts
Code
Status
Description
B210D
Stored
Battery Voltage Low
B1D35
Active
Driver Mirror Heater Control Circuit Open
B1D10
Active
Driver Mirror Horizontal Position Sensor Input Circuit High
B1D0D
Active
Driver Mirror Vertical Position Sensor Input Circuit High
U1001
Active
CAN B Bus (-) Circuit
Clear Stored DTCs
Tech Tips
Toggle Row
ENTER
BACK
SHIFT
10/02/2013 13:21
PE14-017 - Chrysler - 13129




PE14-017 - Chrysler - 13130


Code
Status
Description
B1648
Active
Rear Right Turn Lamp Control Circuit High
B163C
Stored
Front Left Turn Lamp Control Circuit High
B1634
Active
Left Hi Beam Control Circuit High
B162C
Active
Left Low Beam Control Circuit High
B1630
Active
Right Low Beam Control Circuit High
U0151
Active
Lost Communication with Occupant Restraint Controller (ORC)
U0024
Active
CAN B Bus (-) Circuit Open
U1108
Active
Additional CAN B ECU Detected
Clear Stored DTCs
Tech Tips
Toggle Row Height
BACK
SHIFT
10/02/2013 13:21



9.06
Back
DTCs – HFM
9.06
Show Shortcuts
Code
Status
Description
U0151
Active
Lost Communication with Occupant Restraint Controller (ORC)
U0019
Stored
CAN B Bus
Clear Stored DTCs
Tech Tips
10/02/2013 13:22
Toggle Row Height
PE14-017 - Chrysler - 13132



9.06
Back
DTCs – HSM
9.06
[redacted]
Show Shortcuts
Code
Status
Description
U0151
Active
Lost Communication with Occupant Restraint Controller (ORC)
U1107
Stored
ECU in Single-Wire Mode
Clear Stored DTCs
Tech Tips
Toggle
10/02/2013 13:22
PE14-017 - Chrysler - 13133



9.06
Back
DTCs – HVAC
9.06
Show Shortcuts
Code
Status
Description
B10A5
Stored
Left Blend Door 1 Control Circuit Open
U0151
Active
Lost Communication with Occupant Restraint Controller (ORC)
Clear Stored DTCs
Tech Tips
ENTER
BACK
SHIFT
10/02/2013 13:23
PE14-017 - Chrysler - 13134





PE14-017 - Chrysler - 13135


9.06
Back
DTCs - MSMD
9.06
Show Shortcuts
[redacted]
Code
Status
Description
U0024
Stored
CAN B Bus (-) Circuit Open
U0151
Active
Lost Communication with Occupant Restraint Controller (ORC)
Clear Stored DTCs
Tech Tips
Height
ENTER
BACK
SHIFT
10/02/2013 13:25
PE14-017 - Chrysler - 13136



9.06
Back
2006 XK
DTCs - OCM
9.06
Show Shortcuts
Code
Status
Description
B210D
Stored
Battery Voltage Low
U0151
Active
Lost Communication with Occupant Restraint Controller (ORC)
Clear Stored DTCs
Tech Tips
Toggle
BACK
SHIFT
10/02/2013 13:25
PE14-017 - Chrysler - 13137


9.06
Back
DTCs - PDM
9.06
Show Shortcuts
Code
Status
Description
B210D
Stored
Battery Voltage Low
U0151
Active
Lost Communication with Occupant Restraint Controller (ORC)
B1D39
Active
Passenger Mirror Heater Control Circuit Open
B1D16
Active
Passenger Mirror Vertical Position Sensor Input Circuit High
B1D19
Active
Passenger Mirror Horizontal Position Sensor Input Circuit High
Clear Stored DTCs
Freeze Frame Data
Tech Tips
Toggle Row Height
ENTER
BACK
SHIFT
10/02/2013 13:27
PE14-017 - Chrysler - 13138


9.06
Back
DTCs - PTS
9.06
Show Shortcuts
Code
Status
Description
U0019
Stored
CAN B Bus
U0151
Active
Lost Communication with Occupant Restraint Controller (ORC)
Clear Stored DTCs
Tech Tips
10/02/2013 13:27
PE14-017 - Chrysler - 13139



PE14-017 - Chrysler - 13140


9.06
Back
2006 XK
5.7L 1J8HG58216C
DTCs – SCM
9.06
Show Shortcuts
Code
Status
Description
U0151
Active
Lost Communication with Occupant Restraint Controller (ORC)
Clear Stored DTCs
Tech Tips
10/02/2013 13:28
PE14-017 - Chrysler - 13.41

10/02/2013 13:47

PE14-017 - Chrysler - 13142

PE14-017 - Chrysler - 13143



PE14-017 - Chrysler - 13144

PE14-017 - Chrysler - 13145



PE14-017 - Chrysler - 13146



PE14-017 - Chrysler - 13147


10/02/2013 14:00
PE14-017 - Chrysler - 13148



PE14-017 - Chrysler - 13149



PE14-017 - Chrysler - 13150



PE14-017 - Chrysler - 13151



PE14-017 - Chrysler - 13152



PE14-017 - Chrysler - 13153



PE14-017 - Chrysler - 13154

PE14-017 - Chrysler - 13155

PE14-017 - Chrysler - 13156



PE14-017 - Chrysler - 13157



PE14-017 - Chrysler - 13158



PE14-017 - Chrysler - 13159

10/02/2013 14:03

PE14-017 - Chrysler - 13160



PE14-017 - Chrysler - 13161



PE14-017 - Chrysler - 13162



PE14-017 - Chrysler - 13163



PE14-017 - Chrysler - 13164



PE14-017 - Chrysler - 13165



PE14-017 - Chrysler - 13166



PE14-017 - Chrysler - 13167



PE14-017 - Chrysler - 13168



PE14-017 - Chrysler - 13169


Jeep
4x4
LIMITED
SRT
HEMI
10/02/2013 11:49
PE14-017 - Chrysler - 13170



PE14-017 - Chrysler - 13171



PE14-017 - Chrysler - 13172



PE14-017 - Chrysler - 13173


10/02/2013 12:37


10/02/2013 12:37
PE14-017 - Chrysler - 13175



PE14-017 - Chrysler - 13176


10/02/2013 12:38
PE14-017 - Chrysler - 13177


10/02/2013 12:38



PE14-017 - Chrysler - 13179




PE14-017 - Chrysler - 13180


LOAD/
CD-R-S
6 DISC - MP3
INFO
SET/RND
CANCEL
ZOOM
1
2
3
4
5
6
ENTER/
PTY/
TUNE/AUDIO
PUSH ON/VOL
NAVIGATION DISC
AM/FM
MODE
NAV
MUTE
C/T
RESET
STOP
MENU
INFORMATION CENTER
LO
HI
AUTO
OFF
ACC
ON
START
10/02/2013 12:38



PE14-017 - Chrysler - 13182


MFD BY DAIMLERCHRYSLER CORPORATION
DATE OF MFR: 10-05
GAWR FRONT: 1339 KG 2950 LB
17X7.5
GAWR REAR: 1656 KG 3650 LB
17X7.5
WITH RIMS AT
WITH RIMS AT
GVWR: 2903 KG 06400 LB
P245/65R17 TIRES
242 KPA (35 PSI) COLD
P245/65R17 TIRES
242 KPA (35 PSI) COLD
THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.
VIN: 1J8HG582160 [redacted] TYPE: MPV MDH:102109 38944
VEHICLE MADE IN U.S.A. PAINT: PSB TRIM: SLD1
10/02/2013 12:56
PE14-017 - Chrysler - 13183



PE14-017 - Chrysler - 13184



PE14-017 - Chrysler - 13185


BlueDriver™
Model LSB2
Bluetooth®
US Patent #7,853,375
Other Patents Pending
Designed in Canada
Assembled in China
12.0V
10/02/2013 12:59
PE14-017 - Chrysler - 13186



PE14-017 - Chrysler - 13187



PE14-017 - Chrysler - 13188



PE14-017 - Chrysler - 13189




PE14-017 - Chrysler - 13190





PE14-017 - Chrysler - 13191



PE14-017 - Chrysler - 13192


9.06
Back
2006 XK
5.7L 1J8HG58216C
DTCs – SDAR
9.06
Show Shortcuts
Code
Status
Description
U0151
Active
Lost Communication with Occupant Restraint Controller (ORC)
Clear Stored DTCs
10/02/2013 13:28


9.06
Back
2006 XK
5.7L 1J8HG58216C
DTCs - SUNR
9.06
Show Shortcuts
Code
Status
Description
U0019
Stored
CAN B Bus
B2227
Stored
Sunroof ECU Internal
B210D
Stored
Battery Voltage Low
Clear Stored DTCs
Tech Tips
Toggle Row Height
10/02/2013 13:29
PE14-017 - Chrysler - 13194


9.06
Back
2006 XK
5.7L 1J8HG58216C
DTCs – WCM
9.06
Show Shortcuts
Code
Status
Description
C0077
Stored
Low Tire Pressure
C1509
Stored
Right Rear Tire Pressure Trigger Module Performance
C1509
Stored
Right Rear Tire Pressure Trigger Module Performance
Clear Stored DTCs
Tech Tips
Toggle Row Height
10/02/2013 13:29
PE14-017 - Chrysler - 13195


OFF
10/02/2013 13:43


Sleek 800/1900 MHz
SmartTech Amplifier
U.S. Patent No 7,684,838
FCC ID: PWO2B5225
IC: 4726A-2B5225
S/N: 815225D2011489250
2B5225
FCC requires to never use the cell phone in the cradle next to your ear.
See installation guide.
10/02/2013 13:43

PE14-017

CHRYSLER

08/20/2014

ENCLOSURE 7

FIELD DATA ALLEGED DEFECT 2

CONSUMER COMPLAINTS

238354442

Sep 3 04:49p Thomas Jones 817-417-7787

Chrysler Special Investigations New Project# CHRY-2012

Field Services, Service
580

Owner [redacted] CAIR#: 23835444

Assigned To: Tom Jones FROM: EAAFC

Region: STW Date Sent: 08/20/1

DUE DATE: 08/

PLEASE ACKNOWLEDGE PROMPTLY BY EMAILING YOUR RESPONS
EAAFC@SERVICESOLUTIONS.SPX.COM

*Receipt of CAIR and Accepting case for investigation? ☐ Yes ☐
Date:

*Closure Date: ____

(Always send case closure date to EAAFC box upon completion of case – Th

Chrysler Special Investigations New Fax No.: 586-497-2112

Please email all case acceptances, closures, delay notices and updates
EAAFC@servicesolutions.spx.com
Please upload photos and report to the Special Investigations website
www.covisint.com
Email Closure to EAAFC@servicesolutions.spx.com upon uploading
photos to Covisint.

RESPONS

For technical assistance, please call one of the following Chrysler Special
contacts:

☒ Mark Gentry's New Phone: 586-274-8160

☐ Jay Kallal's Phone# 586-274-8171

Comments: ____

PE14-017

[redacted] 7391444

20[redacted] XK 5.7L | VIN [redacted]J8HG5820[redacted]
Device Serial Number: WVP-00[redacted]
Device Software Version: 4.0.2

wi

Thur[redacted]

ECU	Code	Status	Description
TCM	P1[redacted]4	Stored	Battery Was Disconnected
ABS	C2[redacted]0	Stored	Battery Voltage Low
ABS	U1[redacted]0E	Stored	Implausible Vehicle Configuration Data Received
ABS	C2[redacted]2	Stored	Original VIN Mismatch/Missing
ABS	C2[redacted]4	Stored	Dynamics Sensor Internal
FDCM	U0[redacted]5	Active	Implausible Data Received from ABS
FDCM	C1[redacted]0A	Stored	Transfer Case Motor Performance
DDM	B2[redacted]0D	Stored	Battery Voltage Low
DDM	B1[redacted]35	Active	Driver Mirror Heater Control Circuit Open
DDM	B1[redacted]10	Active	Driver Mirror Horizontal Position Sensor Input Circuit High
DDM	B1[redacted]0D	Active	Driver Mirror Vertical Position Sensor Input Circuit High
FCMCGW	B1[redacted]3C	Stored	Front Left Turn Lamp Control Circuit High
LRSM	B2[redacted]0D	Stored	Battery Voltage Low
MSM[redacted]	B1[redacted]9B	Stored	Seat Horizontal Front Stop Not Learned
OCM	B1[redacted]83	Active	Passenger Seat Weight Sensor 4 - Left Rear Input Circuit Low
OCM	[redacted]A7	Active	Occupant Classification System Verification Required
ORC	B1B2C	Active	1st Row Passenger Seat Belt Pretensioner Circuit Low
ORC	B1B2A	Active	1st Row Driver Seat Belt Pretensioner Circuit Open
ORC	B1BFF	Active	Unknown
ORC	B1B28	Stored	1st Row Driver Seat Belt Pretensioner Circuit Low
PDM	B1B65	Active	Passenger Window Position Sensor Circuit Performance
PDM	B210D	Stored	Battery Voltage Low
PTS	B210D	Stored	Battery Voltage Low
RADIO	U0020	Stored	CAN B Bus Off Performance
SUNR	B210D	Stored	Battery Voltage Low
WCM	C0077	Stored	Low Tire Pressure
WCM	C1502	Stored	Tire Pressure Sensor 2 Internal

PE14-017
CHRYSLER
08/20/2014
ENCLOSURE 7
FIELD DATA ALLEGED
DEFECT 2
CONSUMER COMPLAINTS
2383544

DTCs | Actuators | System Tests | Misc Functions | ECU Details

Double-click row selection to view environmental data. Click on column heading to sort table.

All | Active | Stored | Pending

View Freeze Frame | View Event Data | Clear Stor

		ECU	Code	Status	Description
		LRSM	B210D	Stored	Battery Voltage Low



PE14-017 - Chrysler - 13201



PE14-017 - Chrysler - 13202

MFD BY DAIMLERCHRYSLER CORPORATION

DATE OF MFR: 10-05

GAWR: 2903 KG 06400 LB

GAWR FRONT: 1339 KG 2950 LB WITH P245/65R17 TIRES
17X7.5 RIMS AT 242 KPA (35 PSI) COLD

GAWR REAR: 1656 KG 3650 LB WITH P245/65R17 TIRES
17X7.5 RIMS AT 242 KPA (35 PSI) COLD

[redacted]

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J8HG582[redacted] TYPE: MPV MDH:102017 38900

VEHICLE MADE IN U.S.A. PAINT: PXB TRIM: SLD1 4648503

PE14-017 - Chrysler - 1200


MFD BY DAIMLERCHRYSLER CORPORATION
DATE OF MFR: 10-05
GAWR FRONT: 1339 KG 2950 LB
17X7.5
GAWR REAR: 1656 KG 3650 LB
17X7.5
GVWR: 2903 KG 06400 LB
WITH P245/65R17 TIRES
RIMS AT 242 KPA (35 PSI) COLD
WITH P245/65R17 TIRES
RIMS AT 242 KPA (35 PSI) COLD
THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.
VIN: 1J8HG582060
TYPE: MPV
VEHICLE MADE IN U.S.A.
PAINT: PXB
TRIM: SLT


PE14-017 - Chrysler - 13205



PE14-017 - Chrysler - 13206


PE14-017 - Chrysler - 13207



PE14-017 - Chrysler - 13208


PE14-017 - Chrysler - 13209



PE14-017 - Chrysler - 13210


PE14-017 - Chrysler - 13211


PE14-017 - Chrysler - 13212



PE14-017 - Chrysler - 13213



PE14-017 - Chrysler - 13214


PE14-017 - Chrysler - 13215


PE14-017 - Chrysler - 13216


PE14-017 - Chrysler - 1321



PE14-017 - Chrysler - 13218


PE14-017 - Chrysler - 13219



PE14-017 - Chrysler - 13220




PE14-017 - Chrysler - 13222



PE14-017 - Chrysler - 13223



PE14-017 - Chrysler - 13224




PE14-017 - Chrysler - 13226


PE14-017 - Chrysler - 13227



PE14-017 - Chrysler - 13228



PE14-017 - Chrysler - 13229

PE14-017 - Chrysler - 13230



PE14-017 - Chrysler - 13232

PE14-017 - Chrysler - 13233



PE14-017 - Chrysler - 13234



PE14-017 - Chrysler - 13235



PE14-017 - Chrysler - 13236


PE14-017 - Chrysler - 13237



PE14-017 - Chrysler - 13238



PE14-017 - Chrysler - 13239



PE14-017 - Chrysler - 13240


PE14-017 - Chrysler - 13241


PE14-017 - Chrysler - 13242



Chrysler - 13243


PE14-017 - Chrysler - 13244



PE14-017 - Chrysler - 13245



PE14-017 - Chrysler - 13246



PE14-017 - Chrysler - 13247



PE14-017 - Chrysler - 13248



PE14-017 - Chrysler - 13249



PE14-017 - Chrysler - 13250



PE14-017 - Chrysler - 13251

Utilities Reports Monitors Preferences About Help

Vehicle View

Roll over an ECU to see full name. Click on an ECU for complete details.


2006 XK 5.7L

VIN: 1J8HG58206C[redacted]


Battery: 13.23 volts

Legend

- Active ECU
- Non-responsive ECU
- DTCs Present
- ECU Not Built
- Scanning ECU
- New Flash Available
- Diag CAN-C
- CAN-C
- CAN-B



PE14-017 - Chrysler - 13252



PE14-017 - Chrysler - 13253

Flash | Data | DTCs | Actuators | System Tests | Misc Functions | ECU Details

Double-click row selection to view environmental data. Click on column heading to sort table.

All | Active | Stored | Pending

View Freeze Frame | View Event Data | Clear Stored DTCs

		ECU	Code	Status	Description
		TCM	P1684	Stored	Battery Was Disconnected

A A

PE14-017 - Chrysler - 13254

Disconnect

Warnings: 0 Errors: 0

Utilities Reports Monitors Preferences About Help

WCM View

Click on tabs to access various ECU operations and information for the selected ECU.



Overview

56040543AR
Bus Type:
CAN B
Hardware Version:
41.4C
Software Version:
20.00.06
Spare Part Number:
Not Available
ISO Code:

Software Number:
Not Available
Hardware Number:
Not Available
Original VIN
1J8HG582060[redacted]
Current VIN
Invalid
Variant & Version:
02 - 55

Flash | Data | DTCs | Actuators | System Tests | Misc Functions | ECU Details

Double-click row selection to view environmental data. Click on column heading to sort table.

All | Active | Stored | Pending

View Freeze Frame | View Event Data

		ECU	Code	Status	Description
		WCM	C0077	Stored	Low Tire Pressure
		WCM	C1502	Stored	Tire Pressure Sensor 2 Internal

Flash | Data | DTCs | Actuators | System Tests | Misc Functions | ECU Details

Double-click row selection to view environmental data. Click on column heading to sort table.

All | Active | Stored | Pending

View Freeze Frame | View Event Data | Clear Stored DTCs

		ECU	Code	Status	Description
		WCM	C0077	Stored	Low Tire Pressure
		WCM	C1502	Stored	Tire Pressure Sensor 2 Internal

Utilities Reports Monitors Preferences About Help

OCM View

Click on tabs to access various ECU operations and information for the selected ECU.



Overview

56043195BB
Bus Type:
CAN B
Hardware Version:
00.B0
Software Version:
03.03.08
Spare Part Number:
Not Available
ISO Code:

Software Number:
Not Available
Hardware Number:
Not Available
Original VIN
1J8HG58206C [redacted]
Current VIN
1J8HG58206C [redacted]
Variant & Version:
01 - 54

Flash | Data | DTCs | Actuators | System Tests | Misc Functions | ECU Details

Double-click row selection to view environmental data. Click on column heading to sort table.

All | Active | Stored | Pending

View Freeze Frame | View Event Data | Clear Store

		ECU	Code	Status	Description
		OCM	B1B83	Active	Passenger Seat Weight Sensor 4 - Left Rear Input Circuit Low
		OCM	B1BA7	Active	Occupant Classification System Verification Required

A A

Login Off-line Disconnect

PE14-017 - Chrysler - 13257

k row selection to view environmental data. Click on column heading to sort table.

tive | Stored | Pending

View Freeze Frame | View Event Data | Clear Sto

ECU	Code	Status	Description
OCM	B1B83	Active	Passenger Seat Weight Sensor 4 - Left r Input Circuit Low
OCM	B1BA7	Active	Occupant Classification System tion Required

FDCM View

Click on tabs to access various ECU operations and information for the selected ECU.



Overview

56044199AK

Bus Type:
CAN C

Hardware Version:
33.31

Software Version:
06.01.31

Spare Part Number:
Not Available

ISO Code:

Software Number:
Not Available

Hardware Number:
Not Available

Original VIN
1J8HG58206C [redacted]

Current VIN
1J8HG58206C [redacted]

Variant & Version:
01 : 53

Flash | Data | DTCs | Actuators | System Tests | Misc Functions | ECU Details

Double-click row selection to view environmental data. Click on column heading to sort table.

All | Active | Stored | Pending

View Freeze Frame | View Event Data

ECU	Code	Status	Description
FDCM	U0415	Active	Implausible Data Received from ABS
FDCM	C140A	Stored	Transfer Case Motor Performance

A A

Access various ECU operations and information for the selected ECU.


Flash | Data | DTCs | Actuators | System Tests | Misc Functions | ECU Details


Double-click row selection to view environmental data. Click on column heading to sort table.

All | Active | Stored | Pending


View Freeze Frame | View Event | Clear Stored DTCs

ECU	Code	Status	Description
FDCM	U0415	Active	Implausible Data Received from ABS
FDCM	C140A	Stored	Transfer Case Motor Performance


All | Active | Stored | Pending
View Freeze Frame
ECU
Code
Status
Description
FDCM
U0415
Active
Implausible Data Received from ABS
FDCM
C140A
Stored
Transfer Case Motor Performance
Overview
56044199AK
Bus Type:
CAN C
Hardware Version:
33.31
Software Version:
06.01.31
Spare Part Number:
Not Available
ISO Code:
Software Number:
Not Available
Hardware Number:
Not Available
Original VIN
1J8HG58206
Current VIN
1J8HG58206C
Variant & Version:
01 - 53
Login
Off-line



PE14-017 - Chrysler - 13262


Flash
Data
DTCs
Actuators
System Tests
Misc Functions
ECU Details
Double-click row selection to view environmental data. Click on column heading to sort table.
All
Active
Stored
Pending
View Freeze Frame
View Event Data
Clear Stored DTCs
ECU
Code
Status
Description
FCMCGW
B163C
Stored
Front Left Turn Lamp Control Circuit High

Utilities Reports Monitors Preferences About Help

PTS View

Click on tabs to access various ECU operations and information for the selected ECU.



Flash | Data | DTCs | Actuators | System Tests | Misc Functions | ECU...

Double-click row selection to view environmental data. Click on column heading to sort table.

All | Active | Stored | Pending

View Freeze Frame | View Event Data

		ECU	Code	Status	Description
		PTS	B210D	Stored	Battery Voltage Low

Overview

05026016AC
Bus Type:
CAN B
Hardware Version:
05.00
Software Version:
04.00.00
Spare Part Number:
Not Available
ISO Code:

Software Number:
Not Available
Hardware Number:
Not Available
Original VIN
1J8HG58206C[redacted]
Current VIN
1J8HG58206[redacted]
Variant & Version:
01 - 52

PE14-017 - Chrysler - 13264

Flash | Data | DTCs | Actuators | System Tests | Misc Functions | ECU Details

Double-click row selection to view environmental data. Click on column heading to sort table.

All | Active | Stored | Pending


View Freeze Frame | View Event Data | Clear Stored DTCs

		ECU	Code	Status	Description
		PTS	B210D	Stored	Battery Voltage Low

Utilities Reports Monitors Preferences About Help

RADIO View

Click on tabs to access various ECU operations and information for the selected ECU.



Flash | Data | DTCs | Actuators | System Tests | Misc Functions | ECU Data

Double-click row selection to view environmental data. Click on column heading to sor

All | Active | Stored | Pending

View Freeze Frame

		ECU	Code	Status	Description
		RADIO	U0020	Stored	CAN B Bus Off Performance

Overview

04843068AC

Bus Type:
CAN B

Hardware Version:
41.34

Software Version:
06.00.04

Spare Part Number:
Not Available

ISO Code:

Software Number:

PE14-017 - Chrysler - 13266

various ECU operations and information for the selected ECU.

Flash | Data | DTCs | Actuators | System Tests | Misc Functions | ECU Details


Double-click row selection to view environmental data. Click on column heading to sort table.

All | Active | Stored | Pending

View Freeze Frame | View Event Data | Clear Stored DTCs

		ECU	Code	Status	Description
		RADIO	U0020	Stored	CAN B Bus Off Performance

PE14-017 - Chrysler - 13267


DTC
Code
Status
Description
U0020
Stored
CAN B Bus Off Performance

Utilities Reports Monitors Preferences About Help

PDM View

Click on tabs to access various ECU operations and information for the selected ECU.



Flash | Data | DTCs | Actuators | System Tests | Misc Functions | ECU Details

Double-click row selection to view environmental data. Click on column heading to sort table.

All | Active | Stored | Pending

View Freeze Frame | View E

		ECU	Code	Status	Description
		PDM	B1865	Active	Passenger Window Position Sensor Circuit Perfo
		PDM	B210D	Stored	Battery Voltage Low

Overview

04602621AD

Bus Type:
CAN B

Hardware Version:
05.03

Software Version:
05.01.42

Spare Part Number:
Not Available

ISO Code:

Software Number:
Not Available

Hardware Number:
Not Available

Original VIN
[redacted]

Current VIN

Flash | Data | DTCs | Actuators | System Tests | Misc Functions | ECU Details

Double-click row selection to view environmental data. Click on column heading to sort table.

All | Active | Stored | Pending

View Freeze Frame | View Event Data | Clear Stor

		ECU	Code	Status	Description
		PDM	B1865	Active	Passenger Window Position Sensor Circuit Performance
		PDM	B210D	Stored	Battery Voltage Low

PE14-017 - Chrysler - 13270

Utilities Reports Monitors Preferences About Help

MSMD View

Click on tabs to access various ECU operations and information for the selected ECU.



Flash | Data | DTCs | Actuators | System Tests | Misc Functions | ECU Details

Double-click row selection to view environmental data. Click on column heading to sort table.

All | Active | Stored | Pending

View Freeze Frame | View Event D

		ECU	Code	Status	Description
		MSMD	B1D9B	Stored	Seat Horizontal Front Stop Not Learned

Overview

04602437AN

Bus Type:
CAN B

Hardware Version:
03.02

Software Version:
05.13.00

Spare Part Number:
Not Available

ISO Code:

Software Number:
Not Available

Hardware Number:
Not Available

Original VIN
1J8HG58206C [redacted]

Current VIN
1J8HG58206C [redacted]

PE14-017 - Chrysler - 13271



Overview

04602437AN

Bus Type:
CAN B

Hardware Version:
03.02

Software Version:
05.13.00

Spare Part Number:
Not Available

ISO Code:

Software Number:
Not Available

Hardware Number:
Not Available

Original VIN
1J8HG58206C[redacted]

Current VIN
1J8HG58206C[redacted]

Variant & Version:
01 - 28

Double-click row selection to view environmental data. Click on column heading to sort table.

All | Active | Stored | Pending

View Freeze Frame | View Event

		ECU	Code	Status	Description
		MSMD	B1D9B	Stored	Seat Horizontal Front Stop Not Learned

A A

Login | Off-line

Double-click row selection to view environmental data. Click on column heading to sort table.

All | Active | Stored | Pending

View Freeze Frame | View Event Data | Clear Stored DT

		ECU	Code	Status	Description
		MSMD	B1D9B	Stored	Seat Horizontal Front Stop Not Learned

Disconnect

Utilities Reports Monitors Preferences About Help

DDM View

Click on tabs to access various ECU operations and information for the selected ECU.



Flash | Data | DTCs | Actuators | System Tests | Misc Functions | ECU Details

Double-click row selection to view environmental data. Click on column heading[illegible] table.

All | Active | Stored | Pending

View Freeze Frame | View Event Data

ECU	Code	Status	Description
DDM	B210D	Stored	Battery Voltage Low
DDM	B1D35	Active	Driver Mirror Heater Control Circuit Open
DDM	B1D10	Active	Driver Mirror Horizontal Position Sensor Input Circuit High
DDM	B1D0D	Active	Driver Mirror Vertical Position Sensor Input Circuit High

Overview

04602621AD

Bus Type:
CAN B

Hardware Version:
05.03

Software Version:
05.01.42

Spare Part Number:
Not Available

ISO Code:

Software Number:
Not Available

Hardware Number:
Not Available

Original VIN
1J8HC58206C[redacted]

Current VIN
1J8HC58206C[redacted]

Variant & Version:
05-01

A A

Double-click row selection to view environmental data. Click on column heading to sort table.

All | Active | Stored | Pending

View Freeze Frame | View Event Data | Clear Stored DTCs

		ECU	Code	Status	Description
		DDM	B210D	Stored	Battery Voltage Low
		DDM	B1D35	Active	Driver Mirror Heater Control Circuit Open
		DDM	B1D10	Active	Driver Mirror Horizontal Position Sensor Input Circuit High
		DDM	B1D0D	Active	Driver Mirror Vertical Position Sensor Input Circuit High


Disconnect

PE14-017 - Chrysler - 13275

Utilities Reports Monitors Preferences About Help

SUNR View

Click on tabs to access various ECU operations and information for the selected ECU.



Flash | Data | DTCs | Actuators | System Tests | Misc Functions | ECU Details

Double-click row selection to view environmental data. Click on column heading to sort table.

All | Active | Stored | Pending

View Freeze Frame | View Event Da

		ECU	Code	Status	Description
		SUNR	B210D	Stored	Battery Voltage Low

Overview

56010699AL

Bus Type:
CAN B

Hardware Version:
01.04

Software Version:
05.02.00

Spare Part Number:
Not Available

ISO Code:

Software Number:
Not Available

Hardware Number:
Not Available

Original VIN

Current VIN

PE14-017 - Chrysler - 13276

Double-click row selection to view environmental data. Click on column heading to sort table.

All | Active | Stored | Pending

View Freeze Frame | View Event Data | Clear St

		ECU	Code	Status	Description
		SUNR	B210D	Stored	Battery Voltage Low


A A

PE14-017 - Chrysler - 13277

Utilities Reports Monitors Preferences About Help

LRSM View

Click on tabs to access various ECU operations and information for the selected ECU.



Flash | Data | DTCs | Actuators | System Tests | Misc Functions | ECU Details

Double-click row selection to view environmental data. Click on column heading to sort table.

All | Active | Stored | Pending

View Freeze Frame | View Event Data

ECU	Code	Status	Description
LRSM	B210D	Stored	Battery Voltage Low

Overview

05026087AB

Bus Type:
CAN B

Hardware Version:
01.00

Software Version:
02.02.00

Spare Part Number:
Not Available


ISO Code:

Software Number:
Not Available

Hardware Number:
Not Available

Original VIN
?????????????

Current VIN
1J8HC582066 [redacted]



PE14-017 - Chrysler - 13279


RE14-017 - Chrysler - 13280



PE14-017 - Chrysler - 13281



PE14-017 - Chrysler - 13282



PE14-017 - Chrysler - 13283



PE14-017 - Chrysler - 13284



PE14-017 - Chrysler - 13285



PE14-017 - Chrysler - 13286



PE14-017 - Chrysler - 13287



PE14-017 - Chrysler - 13288

PE14-017 - Chrysler - 13289



PE14-017 - Chrysler - 13290



PE14-017 - Chrysler - 13291


PE14-017 - Chrysler - 13292


PE14-017 - Chrysler - 13293


PE14-017 - Chrysler - 13294



PE14-017 - Chrysler - 13295





PE14-017 - Chrysler - 13296


PE14-017 - Chrysler - 13297




PE14-017 - Chrysler - 13298



Click on an ECU for complete details.
ABS
TCM
PCM
ESM
WCM
CCN
OCM
SDAR
ITM
AMP
LRSM
FDCM
SCM
FCMCGW
SUNR
PTS
PDM
DDM
AHBM
HSMD
HVAC
RADIO
VES
HSM
Customer Preferences
Vehicle Preparations
mental data. Click on column heading to sort table.
Clear Stored DT



PE14-017 - Chrysler - 13300



PE14-017 - Chrysler - 13301


New Part Number
Overview
00.00
Software Version:
06.D2.E1
Spare Part Number:
Not Available
ISO Code:
Software Number:
Not Available
Hardware Number:
Not Available
Original VIN
1J8HG58206C
Current VIN
1J8HG58206C
Variant & Version:
01 - 54
Country Code
USA
DTC Count:
4
Not logged into DealerCONNECT. Please log
Login
Off-line

ouble-click row selection to view environmental data. Click on column heading to sort table.

All | Active | Stored | Pending

View Freeze Frame | View Event Data | Clear Stored

		ECU	Code	Status	Description
		ORC	B1B2C	Active	1st Row Passenger Seat Belt Pretensioner Circuit Low
		ORC	B1B2A	Active	1st Row Driver Seat Belt Pretensioner Circuit Open
		ORC	B1BFF	Active	Unknown
		ORC	B1B28	Stored	1st Row Driver Seat Belt Pretensioner Circuit

Utilities Reports Monitors Preferences About Help

ORC View

Click on tabs to access various ECU operations and information for the selected ECU.



Flash | Data | DTCs | Actuators | System Tests | Misc Functions | ECU Detail

Overview

56038801AD
Bus Type:
CAN B
Hardware Version:
00.00
Software Version:
06.D2.E1
Spare Part Number:
Not Available
ISO Code:

Software Number:
Not Available
Hardware Number:
Not Available
Original VIN
1J8HG58206C [redacted]
Current VIN
1J8HG58206C [redacted]
Variant & Version:
01 - 54

Double-click row selection to view environmental data. Click on column heading to sort table

All | Active | Stored | Pending

View Freeze Frame | View Event Data | Clear Stored DTCs

		ECU	Code	Status	Description
		ORC	B1B2C	Active	1st Row Passenger Seat Belt Pretensioner Circuit Low
		ORC	B1B2A	Active	1st Row Driver Seat Belt Pretensioner Circuit Open
		ORC	B1BFF	Active	Unknown
		ORC	B1B28	Stored	1st Row Driver Seat Belt Pretensioner Circuit Low

Login Off-line



Double-click row selection to view environmental data. Click on column heading to

All | Active | Stored | Pending

View Freeze Frame

		ECU	Code	Status	Description
		ABS	C2100	Stored	Battery Voltage Low
		ABS	U140E	Stored	Implausible Vehicle Configuration
		ABS	C2202	Stored	Original VIN Mismatch/Missing
		ABS	C2204	Stored	Dynamics Sensor Internal

Overview

52124492AD

Bus Type:
CAN C

Hardware Version:
07.02

Software Version:
07.00.05

Spare Part Number:
Not Available

ISO Code:

Software Number:
Not Available

Hardware Number:
Not Available

Original VIN
Invalid

Current VIN
1J8HG58206C[redacted]

Variant & Version:
07 - 04

A A

Flash | Data | DTCs | Actuators | System Tests | Misc Functions | ECU Details

Double-click row selection to view environmental data. Click on column heading to sort table.

All | Active | Stored | Pending

View Freeze Frame | View Event Data | Clear Stored


		ECU	Code	Status	Description
		ABS	C2100	Stored	Battery Voltage Low
		ABS	U140E	Stored	Implausible Vehicle Configuration Data Received
		ABS	C2202	Stored	Original VIN Mismatch/Missing
		ABS	C2204	Stored	Dynamics Sensor Internal

wi 14.01.20

Utilities Reports Monitors Preferences About Help

ABS View

Click on tabs to access various ECU operations and information for the selected ECU.



Flash Data DTCs Actuators System Tests Misc Functions ECU Details

Double-click row selection to view environmental data. Click on column heading to sort tab

All Active Stored Pending

View Freeze Frame

		ECU	Code	Status	Description
		ABS	C2100	Stored	Battery Voltage Low
		ABS	U140E	Stored	Implausible Vehicle Configuration Dat
		ABS	C2202	Stored	Original VIN Mismatch/Missing
		ABS	C2204	Stored	Dynamics Sensor Internal

Ove r

52124492AD

Bus Type:

CAN C

Hardware Versi

07.02

Software Version:

07.00.05

Spare Part Number:

Not Available

ISO Code:

PE14-017 - Chrysler - 13307

Utilities Reports Monitors Preferences About Help

TCM View

Click on tabs to access various ECU operations and information for the selected ECU.



Flash Data DTCs Actuators System Tests Misc Functions

Double-click row selection to view environmental data. Click on column heading to sort table.

All Active Stored Pending

View Freeze Frame View Event Data

		ECU	Code	Status	Description
		TCM	P1684	Stored	Battery Was Disconnected

Overview

56044771AF

Bus Type:
CAN C

Hardware Version:
FF.FF

Software Version:
00.01.00

Spare Part Number:
Not Available

ISO Code:

Software Number:
Not Available

Hardware Number:
Not Available

Original VIN

PE14-017 - Chrysler - 13308