



TEST OK
1257-20





⚠ WARNING

DEATH OR SERIOUS INJURY CAN OCCUR



- CHILDREN 12 AND UNDER CAN BE KILLED BY THE AIR BAG.
- THE BACK SEAT IS THE SAFEST PLACE FOR CHILDREN.
- NEVER PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- SIT AS FAR BACK AS POSSIBLE FROM THE AIR BAG.
- ALWAYS USE SEAT BELTS AND CHILD RESTRAINTS.

⚠ WARNING: HIGHER ROLLOVER RISK



AVOID ABRUPT MANEUVERS
AND EXCESSIVE SPEED.

ALWAYS BUCKLE UP

SEE OWNER'S MANUAL
FOR FURTHER INFORMATION.



⚠ WARNING

**DEATH OR SERIOUS
INJURY CAN OCCUR**



- CHILDREN 12 AND UNDER CAN BE KILLED BY THE AIR BAG
- THE **BACK SEAT** IS THE **SAFEST** PLACE FOR CHILDREN
- **NEVER** PUT A **REAR-FACING** CHILD SEAT IN THE FRONT
- GET AS FAR BACK AS POSSIBLE FROM THE AIR BAG
- **ALWAYS** USE SEAT BELTS AND CHILD RESTRAINTS



AIR
BAG



AIR
SAG





CHECK
GAGES





134612

AL393 133



MAGNETIC BASE





1

2

FT & IN
INCHES

3



16 FT

4

3

FT & IN
INCHES

2






































Jeep

CRS
1998















HIGH OUTPUT

CAUTION FAN

Jeep





EverStart
A Maxima 17000
12V 45Ah 550 CCA

A Maxima 17000
12V 45Ah 550 CCA

SAFETY
Always wear eye protection when working with acids.
Do not drink or eat anything from the car.
Do not touch the battery terminals with your hands.
Do not use tools on the battery terminals.















A VITA DOT'S
USE FRONT SEWARD
FLUID CONTAINER



72A72M
046A0075AA
48-11781-20A
Dodge
Vantage
48-11781-20A
Vantage
48-11781-20A

START NOT
CAR NOT
STARTING?
START BATTERY NOW

10713







POWERTECH
HIGH OUTPUT

EverStart
WALMART

CAUTION: Do not touch the terminals or the battery when the engine is running. Do not touch the terminals or the battery when the engine is running. Do not touch the terminals or the battery when the engine is running.

WARRANTY INFORMATION

CAR NOT STARTING?
Check the battery level. If the battery is low, it may not have enough power to start the car. Check the battery level. If the battery is low, it may not have enough power to start the car. Check the battery level. If the battery is low, it may not have enough power to start the car.

Walmart
WALMART







PAR572 11 2





A close-up photograph of the rear of a silver Jeep SUV. The focus is on the rear bumper, which has a prominent dent on the left side. To the left of the bumper is the red and white taillight. On the rear panel, the word "Jeep" is written in a large, silver, italicized font. Below it, a smaller badge reads "QUADRA-DRIVE". The car is parked on a light-colored concrete surface, and a shadow is cast on the ground below the bumper.

Jeep

QUADRA-DRIVE















TEST OK
140012701404

TEST OK

1#002129316040

1S065929-14913

Powertrain Control Module I

2003 WJ/WG 4.7L V8 SPI

Module: Cal 14.0, JAN 14

Natural Asp, Unleaded Fuel

Low Emission Vehicle (NBV)

Automatic Trans, RW Drive

Chrysler Engine, JTEC+

Single Fan, Var. Hydraulic

PCM Part#: 56044631AC

Homologation ID: WBJAP0

CARB OBD II Vehicle

CHRYSLER



DTCs

NO DTCs DETECTED

Starts Since 2100

Floor back in rest



RAMS from DRB
Please make certain of the
following items:

- 1) Ignition is turned on.
- 2) DRB III is properly
connected to the Data
connector.

NO RESPONSE from DRB

Please make certain of the following items:

- 1) Ignition is turned on.
- 2) DRB III is properly connected to the Data Connector.

Unable to ID Module for
ORC

press any key to continue



QUADRA-DRIVE

4.3L I6

























CAUTION

WARNING













RQ14-001

CHRYSLER

8/7/2014

ENCLOSURE 2

FIELD DATA

CAIRS

25105418

1J4GK48K03W

06/05/2014 10:22

CORPORATION

8-02

2427

GAWR FRONT

WITH TIRES

RIMS AT

1248 KG(2750 LB)

P215/75R16

16X7

GAWR REAR

WITH TIRES

RIMS AT

1429 KG(3150 LB)

R215/75R16

16X7

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN

VIN: 1J4GK48K03W

TYPE:

MPV



MDH:

082119 776AB PNT:PB7

VEHICLE MADE IN U.S.A. TRH:MSD

06/05/2014 10:23



Jeep

06/05/2014 10:23



06/05/2014 10:23



0285
1 5

06/05/2014 10:24



06/05/2014 10:24

52-1615



THERE'S ONLY ONE



Jeep

3.7L

06/05/2014 10:24



3.7L

06/05/2014 10:25

LIBERTY sport

4295

06/05/2014 10:25

MICHELIN



4295

LIBERTY sport

MICHELIN

06/05/2014 10:25



4295

LIBERTY sport

06/05/2014 10:26



06/05/2014 10:26

THANKS FOR COMING IN

... HAS BEEN A PLEASURE TO SERVE YOU



06/05/2014 10:26



06/05/2014 10:26



06/05/2014 10:27



06/05/2014 10:28



4295

4295

4295

06/05/2014 10:28



4295
4295

AMT
HEMI

06/05/2014 10:29



06/05/2014 10:29



06/05/2014 10:29




06/05/2014 10:30



06/05/2014 10:30



4295



THANKS FOR COMING

WE HAVE EVERYTHING YOU NEED TO KEEP YOUR CAR RUNNING LIKE A NEW CAR WITH THIS GREAT DEAL!

- A customer is the most important part of our business.
- We appreciate your business.
- We appreciate your business.

06/05/2014 10:31



06/05/2014 10:31



09-14

06/05/2014 10:36



06/05/2014 10:36



06/05/2014 10:36



06/05/2014 10:39

BLOWER MOTOR	RADIATOR FAN	JB POWER
1 40A	2 40A	3 60A

ASD FEED	15A	17	18
19			

FUEL PUMP
28

BLOWER MOTOR
35

AC CLUTCH
35

HBL
19 30A 20

STARTER

REAR O2 SENSOR



06/05/2014 10:40



06/05/2014 10:42



06/05/2014 10:42

ABS



06/05/2014 10:42



108000


06/05/2014 10:44



06/05/2014 10:53

10119

06/05/2014 10:54



06/05/2014 10:54



06/05/2014 10:55



06/05/2014 10:56



06/05/2014 10:56



06/05/2014 10:57

TU 112

06/05/2014 10:58

315022

3300892

06/05/2014 10:59

5022

06/05/2014 11:00

5 LR 33008991A

3
1
5
0
2
2

06/05/2014 11:00



06/05/2014 11:10



JOHNSON
Magnetic Protractor
Angle Locator
700



06/05/2014 11:13

! WARNING



DEATH OR SERIOUS INJURY CAN OCCUR

- CHILDREN 12 AND UNDER CAN BE KILLED BY THE AIR BAG.
- THE **BACK SEAT** IS THE **SAFEST** PLACE FOR CHILDREN.
- **NEVER** PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- SIT AS FAR BACK AS POSSIBLE FROM THE AIR BAG.
- **ALWAYS** USE SEAT BELTS AND CHILD RESTRAINTS.

06/05/2014 11:23

WARNING

DEATH OR SERIOUS INJURY CAN OCCUR



- CHILDREN 12 AND UNDER CAN BE KILLED BY THE AIR BAG.
- THE BACK SEAT IS THE SAFEST PLACE FOR CHILDREN.
- NEVER PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- SIT AS FAR BACK AS POSSIBLE FROM THE AIR BAG.
- ALWAYS USE SEAT BELTS AND CHILD RESTRAINTS.

06/05/2014 11:23



06/05/2014 11:25

FOR COMING IN

WE HAVE TRIED TO KEEP
YOUR CARPETING CLEAN
WITH THIS PAPER MAT

Customer is
important person
to us.

06/05/2014 11:25

URE

wi

14.02.56

Connection Wizard

Select Tool

Double-click row or select tool and press

Hide Unresponsive Devices 06/05/2014 11:41

Hide Unresponsive Devices

Device	Year	Body	IP Address	Workgroup	Interface	Locked	Lock Owner
● RDM-WMP-00000	????	??	172.22.22.22		usb		
● *unresolved*			10.199.201.122				
● *unresolved*			10.199.201.123				
● *unresolved*			10.199.201.115				
● CHRY-POD-1	2003	KJ	10.199.201.133		Wi-Fi		
● RDM-WMP-00000	2013	DJ	10.199.201.144		Wi-Fi		johnscomput
● CHRY-POD-3	2013	PF	10.199.201.124		Wi-Fi		
● CHRY-POD-1	2006	XK	10.199.201.116		Wi-Fi		

06/05/2014 11:41

Work in standalone mode

Display

Before operating, carefully read the DRB III Software License Agreement provided with the originally purchased DRB III or with any other periodically provided updates to the software.

The DRB III Software License Agreement can also be viewed at the internet: <http://www.networkvehicle.com> or contact Controller Technologies Corp. in the USA: 1-586-532-8400

Press YES

If you agree to be bound by the terms of that License Agreement

Exit

Keypad

F1	F2	F3	F4
Enter	UP	Enter	
Left		Right	
	Down		
DVOM	Yes	Page FWD	
Read Hold	No	Page Back	
1	2	3	
4	5	6	
7	8	9	
Shift	0	More	

06/05/2014 11:41

File Help

Display

- Main Menu
1. DRB III Standalone
 2. Connect to TechTOOLS
 3. Generic Scan Tool
 4. PEP Module Tools
 5. Run Memory Card Program
 6. DRB Utilities
 7. Vehicle Flash
 8. Legacy MDS1 Support

Page 1 of 1

HELP

Keypad

F1

F2

Enter

UP

Left

Do

DVOM

Read Hold

1

4


7

06/05/2014 11:41

Exit

Display

DRB III CDRB Application
Chrysler Corp.
Copyright © 1993-2011
All Rights Reserved
RELEASE 64.2 01
Released: 08:47:09 Feb 1 2013
Bios Version: N/A
Database: 8:18:38 7/19/2007
Cable in use: J1962 (CH7000A)



Keypad

F1 F2

Enter

Left

DVOM

Read Hold

1

4

06/05/2014 11:43

Display

SELECT RESTRAINT SYSTEM

- 1. Airbag
- 2. Side Airbags
- 3. Airbag On/Off Switch System
- 4. Occupant Classification Sys

Page 1 of 1

F1
HELP

F2
SYS

F3
MAIN

Keypad

F1

F2

F3

Enter

UP

Left

Down

DVOM

Yes

Read Hold

No

1

2

4

5

7

8

06/05/2014 11:44

Exit

File Help

Display

----- AIRBAG DIAGNOSTICS -----

Determining Controller
Type

Please Wait...

F1
HELP

F2
SYS

F3
MAIN

Keypad

F1

F2

Enter

Left

DVOM

Read Hold

1

06/05/2014 11:45

NO RESPONSE from ORC

Please make certain of the following items:

- 1) Ignition is turned on.
- 2) DRB III is properly connected to the Data connector.

F1
HELP

F2
SYS

F3
MAIN

06/05/2014 11:46

Display

-- PCM DTCs --

NO DTCs DETECTED

Page back to exit

06/05/2014 11:47

Key

DRB III CDRB Application
Chrysler Corp.

Copyright © 1993-2006

All Rights Reserved

RELEASE 64.1 01

Released: 15:51:24 10/11/2007

Bios Version: 4.01

Database: 8:18:38 7/19/2007

Cable in use: J1962 (CH7000A)

 F1
HELP

64.1

06/05/2014 11:50

SELECT RESTRAINT SYSTEM

1. Airbag
2. Side Airbags
3. Airbag On/Off Switch System
4. Occupant Classification Sys

Page 1 of 1

F1
HELP

F2
SYS

F3
MAIN

64.1

06/05/2014 11:51

SELECT FUNCTION

System Tests

Read DTCs

Module Display

Sensor Display

Input/Output Display

Monitor Display

Custom Display

Actuator Tests

Miscellaneous

Page 1 of 1

HELP


F2

64.1

F3
MAIN

06/05/2014 11:51

PART NUM: 56010420AH
2003 KJ Premium BCM

Country: United States
VIN 3W 

06/05/2014 11:52

Plant Classification Module

Body Style: ZB

S/W Version: 0.0

Siemens OCS

06/05/2014 11:53

Determining Controller
Type

Please Wait...

F1
HELP

F2
SYS 64.1

F3
MAIN

06/05/2014 11:56

F3 F4

This Diagnostic Control
Module is not supported by
this software. Please use the
DRB III with the Supercard
software to diagnose this
vehicle.

HELP

SYS
04.1

MAIN

06/05/2014 11:56

SAE Trouble Code : P 0000
Starts Since Set : 29

06/05/2014 11:59



06/05/2014 12:05



06/05/2011 12:05



06/05/2014 12:05



06/05/2014 12:05



06/05/2014 12:06



06/05/2014 12:06



06/05/2014 12:06



43802166
L

06/05/2014 12:06



06/05/2014 12:06



06/05/2014 12:07



06/05/2014 12:07



06/05/2014 12:07





06/05/2014 12:07





06/05/2014 12:08



RQ14-001

CHRYSLER

8/7/2014

ENCLOSURE 2

FIELD DATA

CAIRS

25170615

MFD BY DAIMLERCHRYSLER CORPORATION

DATE OF MFR 7-02

GWR 2541 KG(05600 LB)

GAWR FRONT WITH TIRES
1248 KG(2750 LB) P235/70R16

RIMS AT COLD
16X7 227 KPA(33 PSI)

GAWR REAR WITH TIRES
1429 KG(3150 LB) P235/70R16

RIMS AT COLD
16X7 227 KPA(33 PSI)


THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J4GL58K23W [REDACTED] TYPE: MPV SINGLE X DUAL



MDH: 072301 776AB PNT:PX8 VEHICLE MADE IN U.S.A. TRM:DLD2 4648503

06/23/2014



06/23/2014



06/23/2014



06/23/2014



06/23/2014



06/23/2014



06/23/2014



06/23/2014



06/23/2014



06/23/2014

15*

NA
UPSTARS
SEEP
476
REDUCED 159
C. 110
15-14



Jeep

06/23/2014



06/23/2014

06/23/2014



06/23/2014





06/23/2014



12-14

TEXAS
DEPARTMENT OF PUBLIC SAFETY
2 5

06/23/2014



Jeep

06/23/2014

! WARNING



DEATH OR SERIOUS INJURY CAN OCCUR

- CHILDREN 12 AND UNDER CAN BE KILLED BY THE AIR BAG.
- THE **BACK SEAT** IS THE **SAFEST** PLACE FOR CHILDREN.
- **NEVER** PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- SIT AS FAR BACK AS POSSIBLE FROM THE AIR BAG.
- **ALWAYS** USE **SEAT BELTS** AND **CHILD RESTRAINTS**.



06/23/2014

!WARNING: HIGHER ROLLOVER RISK



**AVOID ABRUPT MANEUVERS
AND EXCESSIVE SPEED.**

ALWAYS BUCKLE UP.

**SEE OWNER'S MANUAL
FOR FURTHER INFORMATION.**



06/23/2014

! WARNING

DEATH OR SERIOUS INJURY CAN OCCUR



- CHILDREN 12 AND UNDER CAN BE KILLED BY THE AIR BAG.
- THE **BACK SEAT** IS THE **SAFEST PLACE** FOR CHILDREN.
- **NEVER** PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- SIT AS FAR BACK AS POSSIBLE FROM THE AIR BAG.
- **ALWAYS** USE **SEAT BELTS** AND **CHILD RESTRAINTS**.

06/23/2014



06/23/2014



06/23/2014



06/23/2014

INSTALL ONLY
WITH AN AIRBAG.

À INSTALLER
SEULEMENT AVEC
UN SAC GONFLABLE

06/23/2014

1 TRIP 33008997A


284021

06/23/2014




06/23/2014

29099292176266062



P5HG341DVAF



DAIMLER CHRYSLER



H01-06

262021R

MEETS FMVSS 209

ASSEMBLED IN MEXICO

06/23/2014



**CHRYSLER
CORPORATION**

DRB III™

NO RESPONSE from ORC

Please make certain of the
following items:

- 1) Ignition is turned on.
- 2) DRB III is properly
connected to the Data
connector.

06/23/2014



DRB III™

NO RESPONSE from ORC
Please make certain of the
following items:

- 1) Ignition is turned on.
- 2) DRB III is properly
connected to the Data
connector.

HELP

SETS

MAIN

06/23/2014

Unable to ID Module for
ORC

press any key to continue

06/23/2014



06/23/2014

Jeep
INTERSTATE
CATALYST



06/23/2014

DaimlerChrysler Corporation
IMPORTANT VEHICLE INFORMATION
SEE USER MANUAL FOR MORE INFORMATION
FOR THE U.S. EPA ESTIMATED FUEL ECONOMY
AND EMISSIONS RATES FOR THIS TRUCK AND EQUIPMENT



06/23/2014

1111111111



FORCED LOCK
SERIAL 1000
PART # 1000000000

06/23/2014



DRB III™

-- MIC DTCs 1 of 1 --

NO ORC BUS
MESSAGES RECEIVED

06/23/2014



06/23/2014



06/23/2014



06/23/2014



06/23/2014



06/23/2014



06/23/2014



06/23/2014



11 11 11 11 11 11
11 11 11 11 11 11
11 11 11 11 11 11
11 11 11 11 11 11
11 11 11 11 11 11

06/23/2014

GY 4862

CAUTION
Do Not Open When HOT
Coolant Required - 80% Ethylene Glycol

Part No.
1R1ZWE1772A1632
Manufacturer Part No.
P56010319AB
59784C

06/23/2014



CAUTION
Do Not Open When HOT

ENGINE OIL
FOR GASOLINE ENGINES
SEE OWNER'S MANUAL

06/23/2014

5/8 IN

GY 4862




Do Not Open When HOT
CAUTION
Special Caution Required - See Service Manual
Do Not Exceed Pressure

06/23/2014



06/23/2014

BELT



BELT
REMOVAL

53030 960



06/23/2014




06/23/2014

CHRYSLER P/N P56010501AH



WARNING. REFER TO SERVICE MANUAL BEFORE SERVICING.
IMPROPER SERVICING CAN RESULT IN AIR BAG SYSTEM
FAILURE AND POSSIBLE DRIVER AND/OR PASSENGER INJURY.

CHRYSLER S/N TSFME1842E1955



SUPPLIER CODE

06/23/2014

39734C

CHRYSLER P/N P560



WARNING. REFER TO SERVICE MANUAL BEFORE SERVICING.
IMPROPER SERVICING CAN RESULT IN AIR BAG SYSTEM
FAILURE AND POSSIBLE DRIVER AND/OR PASSENGER INJURY.

CHRYSLER S/N TSFME1842E



SUPPLIER CODE


39754C

06/23/2014



www.foxconn.com

06/23/2014



06/23/2014



06/23/2014



06/23/2014



06/23/2014



06/23/2014



06/23/2014



06/23/2014

Texas Department of Motor Vehicles
BH4P709
17731391
12-14
DENTON 3W503159
Vehicle Registration

T E X A S
DEPARTMENT OF PUBLIC SAFETY
2  **5**
MONTH E2880563 YEAR
APPROVED MOTOR VEHICLE INSPECTION CERTIFICATE

1J4GL58K23W503159

06/23/2014



06/23/2014



06/23/2014



06/23/2014




06/23/2014





06/23/2014






06/23/2014



23/2014





06/23/2014



06/23/2014



06/23/2014



06/23/2014



Jeep
4x4

GOODYEAR

06/23/2014



Jeep
4x4

3.7L

06/23/2014



06/23/2014



06/23/2014




06/23/2014



06/23/2014



06/23/2014





06/23/2014



06/23/2014