THERMO KING

THERMO KING CORPORATION
World Headquarters
314 West 90th Street
Minneapolis, Minnesota 55420
Tel (952) 887-2200
Fax (952) 887-2615
www.thermoking.com

February 7, 2014

Recall Management Division
Office of Defects Investigation
National Highway Traffic Safety Administration
U.S. Department of Transportation
1200 New Jersey Ave., SE
Washington, DC 20590

Via E-Mail: cynthia.glass@dot.gov

RE: NVS-215cg; EQ 14-002 (Sure Power Recall: 13E-050)

Dear Ms. Glass:


Thermo King Corporation ("Thermo King") is responding to Jennifer Timian's Equipment Query (EQ) letter dated January 16, 2013 regarding a Sure Power recall (13E0-050) that included certain DC-DC converters. According to Ms. Timian's letter, Sure Power had advised NHTSA in Sure Power's section 573.6 report that Sure Power had provided some of these recalled units to Thermo King.

In a Product Safety Recall Notice to its customers dated September 10, 2013, Sure Power informed Thermo King and other Sure Power customers that Sure Power would be recalling various models of its battery equalizers and DC-DC converters for electrical/thermal issues. The DC-DC converters that Sure Power had supplied to Thermo King, however, had already been recalled by Thermo King for these issues in September, 2012 in NHTSA recall 12E-023. The replacement unit that Sure Power supplied to Thermo King for the Thermo King recall is not one of the Sure Power converters subsequently recalled by Sure Power in recall 13E-050.

Based on the above facts, Thermo King determined that it was unnecessary to take any action in connection with Sure Power recall 13E-050 or the recalled/replaced units in Thermo King's recall 12E-023. Please note that Thermo King recently filed its quarterly section 573.7 report which includes the most recent tracking numbers for the Thermo King 12E-023 recall.

Please contact me if you have any questions regarding this Thermo King EQ response.

Very truly yours,



Jay A. Kopp
Counsel
314 W. 90th Street
Minneapolis, MN 55420
Office Phone: (651) 407-3850
Mobile Phone: (651) 587-0124
E-mail address: jay.kopp@trane.com

Ingersoll Rand