CEJJ, Inc.

Distributors of Highest Quality
Refuse & Recycling Equipment Since 1967
939 Route 9
Schodack Landing, NY 12156
(518) 732-7733

To:Cynthia Glass
General Engineer, RMD
US DOT/NHTSA
1200 New Jersey Ave, SE
Washington, DC 20590
202-366-2920

August 6, 2014

Greetings Cynthia,

In response to the information request for EQ 14-006, CEJJ, Inc. checked our records and found that CEJJ, Inc. is not on Muncie Power Product's (Muncie) list of customers who purchased the subject PTO pressure switches. We talked with Muncie and found that the switches themselves are not defective, that the problem that occurred was only present when there were specific PTO models (FR67-F1506-F4; FR67-F1506-G4; FR67-1506-R4) installed on Gasoline-powered trucks only, not Diesel powered trucks.

We reviewed all of the CEJJ, Inc. Invoices from June 2009 to June 2013 which had these specific FR67-1506 PTO models listed and all of them were for Diesel trucks. In addition, we reviewed the one Invoice from September 2009 which indicated that we had purchased 2 PTOs for installation on 2 Ford Super Duty Gasoline powered trucks, and that particular model of PTO was not one of the ones in question. It was a model FR63-F1506-G4TX. From June 2009 to June 2013 we only installed those 2 PTOs for Ford Super Duty Chassis equipped with 6.8L gasoline powered engines, our business is almost exclusively Diesel powered trucks.

In conclusion, after a careful review of our Invoices from Muncie, and our Sales Invoices to customers, we have determined that none of the parts we purchased from Muncie are subject to investigation number EQ 14-006. Therefore, CEJJ, Inc. is not conducting a recall on this issue.

Sincerely,

Laura Pfeffer

Laura Pfeffer, Treasurer
CEJJ, Inc.
939 Route 9
Schodack Landing, NY 12156
518-732-7733