EQ15-001

HERCULER TIRE AND RUBBER CO.

Attachment for #3

EQ15-001

Attachment for Response of Hercules Tire & Rubber Company to NHTSA Information Request No. 3

Pattern	Size	Load Index	Speed Rating	Load	Side Wall	UTQG	Tread Depth mm	Tread Depth 32/in	Weight(lb)	O.D.	S.W.	recommeded rim width inches	Tread Width	Max Load(lb)	Pressure (PSI)
All Trac A/T	23575R15	109	T	XL	OWL	460AB	n/a	13	28.9	28.9	9.25	6.5	6.8	2271	50
All Trac A/T	26575R16	116	T	STD	OWL	460AB	n/a	13	37.2	31.7	10.51	7.5	7.7	2756	44
All Trac A/T	23570R16	106	T	STD	OWL	460AB	n/a	13	30.2	29	9.45	7	6.9	2094	44
All Trac A/T	24570R16	111	T	XL	OWL	460AB	n/a	13	32.3	29.5	9.75	7	7.2	2149	44
All Trac A/T	25570R16	111	T	STD	OWL	460AB	n/a	13	33.9	30.1	10.24	7.5	7.5	2403	44
All Trac A/T	26570R16	112	T	STD	OWL	460AB	n/a	13	35.6	30.6	10.71	8	7.8	2469	44
All Trac A/T	26570R17	115	T	STD	OWL	460AB	n/a	13	37.2	31.7	10.71	8	7.8	2679	44
All Trac A/T	27570R16	114	T	XL	OWL	460AB	n/a	13	28.9	28.9	9.2	6.5	8	2271	44
All Trac A/T	27565R18	116	T	STD	OWL	460AB	n/a	13	38.9	32.1	10.9	8	8	2756	44
All Trac A/T	24570R16	107	T	XL	OWL	460AB	n/a	13	32.3	29.5	9.75	7	7.2	2149	44

EQ15-001

HERCULER TIRE AND RUBBER CO.

Attachment for #6

EQ15-001

Attachment for Response of Hercules Tire & Rubber Company to NHTSA Information Request No. 6

ITG VOMA CORP.
5815 E. Shelby DR. Memphis, TN 38141
Phone: 901-672-0816 Fax: 901-672-0817



P-Metric

Item Code	UPC Code	Size	Load Index	Speed Rating	Side Wall	UTQG	Tread Depth mm	Tread Depth 32/in	Weight(lb)	O.D.	S.W.	recommeded rim width inches	Tread Width	Max Load(lb)	Pressure (PSI)	Capitol Precision Trac II	Part No.	DOT Sequence	DOT begin		DOT End	DOT Explanation
60101	94922275905	235/75R15	109	T	OWL	460 A B	10	13	27.73	30.0	11	6.0 - 8.0	8	2271	50	235/70R16	60105	JEKJETP	**5008**	-	**2010**	50th week of 2008 through 20th week of 2010
60102	94922275912	245/75R16	111	T	OWL	460 A B	10	13	33.11	31.0	10	6.5 - 8.0	7	2403	44	235/75R15	60101	JEKKDTP	**0909**	-	**2010**	9th week of 2009 through 20th week of 2010
60103	94922275929	265/75R16	116	T	OWL	460 A B	10.5	13	38.32	32.0	11	7.0 - 9.0	8	2756	44	245/70R16	60106	JELJETR	**0909**	-	**2010**	9th week of 2009 through 20th week of 2010
60105	94922275936	235/70R16	106	T	OWL	460 A B	10	13	31.13	29.0	10	6.0 - 8.0	7	2094	44	245/70R17	60109	JELJFTP	**2209**	-	**2010**	22nd week of 2009 through 20th week of 2010
60106	94922275943	245/70R16	107	T	OWL	460 A B	10	13	32.70	30.0	10	6.5 - 8.0	8	2149	44	245/75R16	60102	JELKETP	**1009**	-	**2010**	10th week of 2009 through 20th week of 2010
60107	94922275950	255/70R16	111	T	OWL	460 A B	10	13	35.16	30.0	11	6.5 - 8.5	8	2403	44	255/70R16	60107	JEMJETP	**0909**	-	**2010**	9th week of 2009 through 20th week of 2010
60108	94922275967	265/70R16	112	T	OWL	460 A B	10.5	13	36.27	31.0	11	7.0 - 9.0	8	2469	44	265/75R16	60103	JENKETP	**0909**	-	**2010**	9th week of 2009 through 20th week of 2010
60109	94922275974	245/70R17	110	T	OWL	460 A B	10	13	34.83	31.0	10	6.5 - 8.0	8	2337	44							
60110	94922056863	255/70R17	112	T	OWL	460 A B																
60111	94922275981	265/70R17	115	T	OWL	460 A B	10	13	39.51	32.0	11	7.0 - 9.0	8	2679	44							
60114	94922056870	245/65R17	107	T	OWL	460 A B																
60115	94922056887	255/65R17	110	T	OWL	460 A B																
60116	94922056894	265/65R17	112	T	OWL	460 A B																

235/70R16	X
235/75R15	X
245/70R16	X
245/70R17	X
245/75R16	X
255/70R16	X
265/75R16	X

.

EQ15-001

HERCULER TIRE AND RUBBER CO.

REQUEST NO. 1

Hercules Tire & Rubber (Supp. Info Req. No. 1)

Hercules Tire & Rubber Co.

EQ15-001

Supplemental Information Provided in Response to Request No. 1

Hercules Tire & Rubber Co.

EQ15-001

	TIN with Range of Manufacture Dates
235/70R16 106T OWL	JEKJ ECP 2508-2114
235/75R15 XL 109T OWL	JEKK DCP 2708-2014
245/70R16 107T OWL	JELJ ECP 2508-3114
245/70R16 XL 111T OWL	JELJ ECP 3410-1314
255/70R16 111T OWL	JEMJ ECP 2508-3114
265/70R16 112T OWL	JENJ ECP 2508-2714
265/70R17 115T OWL	JENJ FCP 3508-3014
265/75R16 116T OWL	JENK ECP 3008-2314
275/65R18 116T OWL	JERH 5CP 3608-2214
275/70R16 114T OWL	JERJ ECP 1309-2014