



02701 083

















02701 058







PASS  
AIR BAG  
OFF

A yellow icon of a passenger air bag with a red 'X' over it and a child icon with the number '2' below it, indicating a child seat.

ESP  
OFF





PASS  
AIR BAG  
OFF

A yellow icon of a passenger air bag with a crossed-out circle and a child seat symbol, indicating the passenger air bag is off.

ESP  
OFF





A row of five rectangular buttons on a black dashboard. From left to right: a blank button, a blank button, a button with a red triangle hazard warning symbol, a button with yellow text and a child safety seat icon, and a button with white text.

PASS  
AIR BAG  
OFF



ESP  
OFF





Standalone Diag



All DTC's

Active DTC's (13)

Stored DTC's (3)

Pending DTC's (1)

Clear All Stored

BACK

2007-JK

SELECT



Standalone Diag



All DTC's

Active DTC's (13)

Stored DTC's (3)


Pending DTC's (1)

Clear All Stored

BACK

2007-JK

SELECT



Standalone Diag



Stored DTC's

C2204	ABS	Stored
B1640	TIPM (CGW)	Stored
B1935	TIPM (CGW)	Stored

BACK

2007-JK

SELECT



Standalone Diag



Dynamics Sensor Internal

BACK

2007-JK



Standalone Diag



Stored DTC's

C2204	ABS	Stored
B1640	TIPM (CGW)	Stored
B1935	TIPM (CGW)	Stored

BACK

2007-JK

SELECT



Standalone Diag



Front Right Turn Lamp  
Control Circuit High

BACK

2007-JK



Standalone Diag




Stored DTC's

C2204	ABS	Stored
B1640	TIPM (CGW)	Stored
B1935	TIPM (CGW)	Stored

BACK

2007-JK

SELECT




Standalone Diag



Passenger Door Lock/Unlock  
Switch Circuit Stuck

BACK

2007-JK



Standalone Diag



Active DTC's

B210D	AMP	Active
B1BA7	OCM	Active
B1BA6	ORC	Active
B1B0E	ORC	Active
B1C49	ORC	Active
B1C3A	ORC	Active
B1B06	ORC	Active
B1B0A	ORC	Active
B1B00	ORC	Active

BACK

2007-JK

SELECT



Standalone Diag



Battery Voltage Low

BACK

2007-JK



Standalone Diag



Active DTC's

B210D	AMP	Active
B1BA7	OCM	Active
B1BA6	ORC	Active
B1B0E	ORC	Active
B1C49	ORC	Active
B1C3A	ORC	Active
B1B06	ORC	Active
B1B0A	ORC	Active
B1B00	ORC	Active

BACK

2007-JK

SELECT



Standalone Diag




Occupant Classification  
System Verification  
Required

BACK

2007-JK



Standalone Diag



Active DTC's

B210D	AMP	Active
B1BA7	OCM	Active
<b>B1BA6</b>	<b>ORC</b>	<b>Active</b>
B1B0E	ORC	Active
B1C49	ORC	Active
B1C3A	ORC	Active
B1B06	ORC	Active
B1B0A	ORC	Active
B1B00	ORC	Active

BACK

2007-JK

SELECT



Standalone Diag



Occupant Classification  
Undetermined

BACK

2007-JK

Active DTC's

B210D	AMP	Active
B1BA7	OCM	Active
B1BA6	ORC	Active
<b>B1B0E</b>	<b>ORC</b>	<b>Active</b>
B1C49	ORC	Active
B1C3A	ORC	Active
B1B06	ORC	Active
B1B0A	ORC	Active
B1B00	ORC	Active

BACK

2007-JK

SELECT



Standalone Diag



Passenger Airbag Squib 2  
Circuit Open

BACK

2007-JK



Standalone Diag



Active DTC's

B210D	AMP	Active
B1BA7	OCM	Active
B1BA6	ORC	Active
B1B0E	ORC	Active
<b>B1C49</b>	<b>ORC</b>	<b>Active</b>
B1C3A	ORC	Active
B1B06	ORC	Active
B1B0A	ORC	Active
B1B02	ORC	Active

BACK


2007-JK

SELECT





Standalone Diag



1st Row Passenger  
Retractor Pretensioner  
Circuit Open

BACK

2007-JK

Stand-alone Diag

Active DTC's

B210D	AMP	Active
B1BA7	OCM	Active
B1BA6	ORC	Active
B1B0E	ORC	Active
B1C49	ORC	Active
<b>B1C3A</b>	<b>ORC</b>	<b>Active</b>
B1B08	ORC	Active
B1B0A	ORC	Active
B1B09	ORC	Active

BACK

2007-JK

SELECT





Standalone Diag



1st Row Driver Retractor  
Pretensioner Circuit Open


BACK

2007-JK





Standalone Diag



Active DTC's

B210D	AMP	Active
B1BA7	OCM	Active
B1BA8	ORC	Active
B1B0E	ORC	Active
B1C49	ORC	Active
B1C3A	ORC	Active
<b>B1B06</b>	<b>ORC</b>	<b>Active</b>
B1B0A	ORC	Active
B1B00	ORC	Active

BACK

2007-JK

SELECT



Standalone Diag



Driver Airbag Squib 2  
Circuit Open

BACK

2007-JK



Standalone Diag



Active DTC's


B210D	AMP	Active
B1BA7	OCM	Active
B1BA6	ORC	Active
B1B0E	ORC	Active
B1C49	ORC	Active
B1C3A	ORC	Active
B1B06	ORC	Active
<b>B1B0A</b>	<b>ORC</b>	<b>Active</b>
B1B02	ORC	Active

BACK

2007-JK

SELECT





Standalone Diag



Passenger Airbag Squib 1  
Circuit Open

BACK

2007-JK





Standalone Diag



Active DTC's

B1BA7	OCM	Active
B1BA8	ORC	Active
B1B0E	ORC	Active
B1C49	ORC	Active
B1C3A	ORC	Active
B1B06	ORC	Active
B1B0A	ORC	Active
<b>B1B02</b>	<b>ORC</b>	<b>Active</b>

BACK

2007-JK

SELECT





Standalone Diag



Driver Airbag Squib 1  
Circuit Open

BACK

2007-JK

6000/MS


Standalone Diag

Active DTC's

DTC	Code	Status
B1BA6	ORC	Active
B1B0E	ORC	Active
B1C49	ORC	Active
B1C3A	ORC	Active
B1B06	ORC	Active
B1B0A	ORC	Active
B1B02	ORC	Active
<b>B223D</b>	<b>ORC</b>	<b>Active</b>

BACK      2007-JK      SELECT





Standalone Diag



OCM DTC Present

BACK

2007-JK



Active DTC's


DTC	Code	Status
B1B0E	ORC	Active
B1C49	ORC	Active
B1C3A	ORC	Active
B1B06	ORC	Active
B1B0A	ORC	Active
B1B02	ORC	Active
B223D	ORC	Active
<b>U0171</b>	<b>ORC</b>	<b>Active</b>

BACK

2007-JK

SELECT





Standalone Diag



Lost Communication w/  
Up-Front Right Satellite  
Acceleration Sensor

BACK

2007-JK

Active DTC's

DTC	Code	Status
B1C49	ORC	Active
B1C3A	ORC	Active
B1B06	ORC	Active
B1B0A	ORC	Active
B1B02	ORC	Active
B223D	ORC	Active
U0171	ORC	Active
U0170	ORC	Active

BACK


2007-JK

SELECT





Standalone Diag



Lost Communication w/  
Up-Front Left Satellite  
Acceleration Sensor

BACK

2007-JK



Standalone Diag



Active DTC's

DTC Code	System	Status
B1C3A	ORC	Active
B1B06	ORC	Active
B1B0A	ORC	Active
B1B02	ORC	Active
B223D	ORC	Active
U0171	ORC	Active
U0170	ORC	Active
<b>B210D</b>	<b>RADIO</b>	<b>Active</b>

BACK

2007-JK

SELECT

6002/A  
A/2009



Standalone Diag

Battery Voltage Low

BACK

2007-JK






Standalone Diag



Initiating Standalone  
Diagnostic mode  
Version 7.01.240  
Please wait..





Standalone Diag



All DTC's

Active DTC's (13)

Stored DTC's (3)

Pending DTC's (1)

Clear All Stored

BACK

2007-JK

SELECT

PE15-025

FCA CHRYSLER

8/19/2015

ENCLOSURE 4



From: [REDACTED]  
To: customerassist@chrysler.com  
Date: Fri May 08 09:55:28 EDT 2009  
Subject: Chrysler LLC Customer Assistance  
Form Selected:

-----  
Category: US Customer Service  
Brief Description:  
-----

cannot get our jeep fixed

Comments:  
-----

We bought our 07 Unlimited new from All American in San Angelo. It had a torn soft top on it. They promised us a new top in black. this took 6 months. the top was wrong, didn't fit, couldn't warranty it since the VIN said grey. got a grey top, doesn't seem to be right. it leaks from 4 different locations. dealership replaced a rubber peice, still leaks. now in Maryland the airbag light has come on. they told my wife they have one service tech that they aren't sure when he will be in. They said she could leave her jeep with them and no loaner. she is 8 months pregnant in a new town with an airbag light on and leaking roof...is this proper? what can we do?

Sender Information:  
-----

Title:  
First Name: [REDACTED]  
Middle Initial:  
Last Name: [REDACTED]

PE15-025

FCA CHRYSLER

8/19/2015

ENCLOSURE 4



CSZ1600T  
MD:

Customer Assistance System  
Check Screen

06/01/09 U26T0147  
11:08:52  
Password:

=====

AC: CAIR: [REDACTED] 83 Check #: St: U Ck 01 OF 01  
Vin: 1J4GA64108L [REDACTED] Cust: [REDACTED] Category: W Mail: X  
Payee: OXENDALE CHRYSLER DODGE JEEP

Address1: [REDACTED]  
Address2:

City/ST/Zip: COTTENWOOD AZ [REDACTED] Country: USA  
Submitted : Warr. Total: 126.83  
Approved : CAIR Total: 0.00  
Sent to CAP : Cumm. Total: 126.83  
ISSUE Date :  
Void : Current Check Total: 229.00

Reason Code Description 01 of 01 Emotion Amount  
Lamps and Switches - Intermittent or Inoperative 3 229.00  
0.00  
0.00

=====

F13=InfoLkup F14=Primary F15= F16=VIN/CAIR F17= F18=AltFkey  
F19=Reprchse F20= F21= F22= F23= F24=Print  
Check request reassigned to Hamlin Rd.



# DEALER COPY OXENDALE

920 E. Highway 89A, Cottonwood, AZ 86326  
Phone (928) 634-3656  
1050 W. Route 68, Flagstaff, AZ 86001  
Phone (928) 773-1404

*Bob  
McCreachy  
Faxed*

Phone:

05/14/2009 13:37:19

Customer No. [REDACTED]	License #	Stock #	Dealer #	Invoice Date 05/14/2009	Invoice #
Customer Name & Address [REDACTED]	Mileage In 18482	Mileage Out 18482	Lot #/Hat #	Color RED	Delivery Date / /
	Year/Make/Model 2008 JEEP WRANGLER			Prod Date / /	R.O. Date 05/13/2009
	Vehicle ID # 1J4GA641081 [REDACTED]			Tech & #	P.O. #
	Override	Service Write Up SABRINA GOIMARAC		S.W. INT. EST.	0.00
Extended Warranty Co.	Policy #	Deductible	Auth. #	Adjustor	
Residence Phone 282-8700	Business Phone	Service Writer Delivery Signature			

Type:W JOB # 1

PO:

Labor Rate: W 80.00

Complaint: air bag light on

Correction: internal defect in clockspring - replaced clockspring, cleared codes and rechecked system ok at this time

Part:	68003216AG	CLKSPRING-STEERI	Qty: 1	\$189.00
Tech	Flag	Clock	Warr	Fail
1: 8252	0.50	0.00	19852502	18
QC				

JOB TOTAL Labor: \$40.00 Parts: \$189.00 Tax: TOTAL: \$229.00

CUSTOMER TOTALS: \$0.00

Cash  \_\_\_\_\_ Check  \_\_\_\_\_ Credit Card  \_\_\_\_\_

Customer Signature X \_\_\_\_\_

Extended Warranty Pay \$0.00	Factory Warranty Pay \$229.00	Internal Pay \$0.00	All labor charges are billed on flat rate hours unless otherwise noted.	Total Customer Pay \$0.00
---------------------------------	----------------------------------	------------------------	---	------------------------------

PE15-025

FCA CHRYSLER

8/19/2015

ENCLOSURE 4



MADE BY DAIMLERCHRYSLER CORPORATION

DATE OF MFG 8-06

1314 KG(05100 LB)

GVWR FRONT 1223 KG(2650 LB)

WITH TIRES P245/75R16

RIMS AT 16X7.0

COLD 240 KPA( 30 PSI)

GVWR REAR 1361 KG(3000 LB)

WITH TIRES P245/75R16

RIMS AT 16X7.0

COLD 240 KPA( 35 PSI)

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J4GB39137L [REDACTED]

TYPE: MPV

SINGLE X DUAL



MDH: 860814 703AA PNT:PBH

VEHICLE MADE IN U.S.A. TRT:A7DD 4648503



44961



SE8877°F



P R N D

door





**▲ WARNING**

THE TOP AND DOORS ON THIS VEHICLE ARE DESIGNED ONLY FOR PROTECTION AGAINST THE ELEMENTS. DO NOT RELY ON THE TOP AND DOORS TO CONTAIN OCCUPANTS WITHIN THE VEHICLE OR TO PROTECT AGAINST INJURY DURING AN ACCIDENT.

**WEAR SEATBELTS AT ALL TIMES**

100H183AA











2T8407









02702 018









A close-up photograph of a car seat buckle. The buckle is made of polished metal and has a black plastic housing. The metal part has the text "A 1537R" stamped on it. A black seatbelt strap is inserted into the buckle. A person's hand is visible, holding the buckle. In the background, there is a black plastic component with a red stripe, possibly a seatbelt release button, and a dark, textured fabric surface.

A 1537R







PRESS



A-1530R







A 1547F

Back

2007 JK

ECU View

9.04

3.8L 1J4GB39137L [REDACTED]



Show Shortcuts

	Controller Name	Active	DTCs	Bus
▲	PCM Powertrain Control Module	<input checked="" type="checkbox"/>	1	CAN C
	ABS Anti Lock Brakes	<input checked="" type="checkbox"/>	3	CAN C
	OCM Occupant Classification	<input checked="" type="checkbox"/>	0	CAN C
	ORC Occupant Restraint	<input checked="" type="checkbox"/>	2	CAN C
	SAS Steering Angle Sensor	<input checked="" type="checkbox"/>	1	CAN C
	WCM Wireless Control	<input checked="" type="checkbox"/>	2	CAN C
	CCN Instrument Cluster/Cabin Compartment	<input checked="" type="checkbox"/>	0	CAN IHS
▼	RADIO Radio	<input checked="" type="checkbox"/>	2	CAN IHS

Back

2007 JK

ECU View

9.04

3.0L 1J4GR39137

Show  
Shortcuts

Controller Name	Active	DTCs	Bus
OCM Occupant Classification	<input checked="" type="checkbox"/>	0	CAN C
ORC Occupant Restraint	<input checked="" type="checkbox"/>	2	CAN C
SAS Steering Angle Sensor	<input checked="" type="checkbox"/>	1	CAN C
WCM Wireless Control	<input checked="" type="checkbox"/>	2	CAN C
CCN Instrument Cluster/Cabin Compartment	<input checked="" type="checkbox"/>	0	CAN IHS
RADIO Radio	<input checked="" type="checkbox"/>	2	CAN IHS
TIPMCGW Central Gateway	<input checked="" type="checkbox"/>	2	DIAG CAN C

Back

2007 JK

ECU Overview - OCM

3.04

3.8L 1J4GB39137L [REDACTED]



Show  
Shortcuts

Hardware Version: 3B.3D

Software Version: 04.00.02

Part Number: 05084009AE

Country Code: USA

Data Display

Actuators

Misc.  
Functions

More  
Options

View DTCs

Active: 0

Stored: 0

Pending: 0

Back

2007 JK

DTCs - ORC

9:04

3.8L 1J4GB39137L [REDACTED]



Show Shortcuts

Code	Status	Description
B210D	Stored	Battery Voltage Low
U0170	Active	Lost Communication w/ Up-Front Left Satellite Acceleration Sensor

Clear Stored DTCs

Environ. Data

Tech Tips

Toggle Row Height





















