





CHRYSLER GROUP LLC VEHICLE EMISSIONS CONTROL INFORMATION
MODEL YEAR 2011
VIN: 1C4GJ4GJ83L111AA











ALBERT
COUNTY
CHRYSLER - JEEP
CLARKSBURG, WV
We want you
Completely Satisfied

Chrysler Active Support






42

LF 16

MUD TERRAIN

SOLUS



PROTECTOR

Z





Utilities Reports Monitors Preferences About Help

Vehicle View

Roll over an ECU to see full name. Click on an ECU for complete details.

2011 JK


VIN: 1J4BA3HT [REDACTED]

Battery [REDACTED]


Legend

- Active ECU
- Non-responsive ECU
- DTCs Present
- ECU Not Built
- Scanning ECU
- New Flash Available
- Diag CAN C Bus Line
- CAN C Bus Line
- IHS Bus Line

All DTCs



JK
 J4BA3M19
 11.55 Volts
 Active ECU
 responsive ECU
 Present
 Not Built
 Missing ECU
 Flash Available
 CAN Bus Line
 Bus Line
 Line




Click on column heading to sort table

Stored Pending

| ECU | Code | Status | Description |
|-----|-------|---------|---------------------|
| PCM | P0882 | pending | TCM Power Input Low |

TCM Power Input Low

- Scanning ECU
- New Flash Available
- Diag CAN C Bus Line
- CAN C Bus Line



All DTCs

Diagnostic Procedures

Customer Preferences

Vehicle Preparations

Double-click row selection to view environmental data. Click on column heading to sort table.

All | Active | Stored | Pending

| | | ECU | Code | Status | Description |
|---|---|-----|-------|---------|---------------------|
| | | PCM | P0882 | pending | TCM Power Input Low |
| A | A | | | | |

Knowledge Base Articles



Dealer Code: 65888

Windows taskbar with icons for Internet Explorer, a printer, a group of people, and Wi-Fi.



- DTCs Present
- ECU Not Built
- Scanning ECU
- New Flash Available



[All DTCs](#) |
 [Diagnostic Procedures](#) |
 [Customer Preferences](#) |
 [Vehicle Preparations](#)

Double-click row selection to view environmental data. Click on column heading to sort table.





[All](#) |
 [Active](#) |
 [Stored](#) |
 [Pending](#)

| | | ECU | Code | Status | Description |
|---|---|-----|-------|---------|---------------------|
| | | PCM | P0882 | pending | TCM Power Input Low |
| A | A | | | | |

Knowledge Base Articles



Dealer Code: 65888

-  New Flash Available
-  Diag CAN C Bus Line
-  CAN C Bus Line
-  IHS Bus Line



All DTCs



Diagnostic Procedures

Customer Preferences

Vehicle Preparations

Double-click row selection to view environmental data. Click on column heading to sort table.

All | Active | Stored | Pending

| | | ECU | Code | Status | Description |
|--|--|-----|-------|---------|---------------------|
|  |  | PCM | P0882 | pending | TCM Power Input Low |
| A | A | | | | |

 Knowledge Base Articles



Dealer Code: 65888

Taskbar containing icons for Windows, a video player, Internet Explorer, a folder, a person with a red X, and a Wi-Fi icon.





Vehicle Information

Vehicle 2011 JK
 Odometer 13170.2 miles
 VIN 1J4BA3H19BL [REDACTED]
 Original VIN 1J4BA3H19BL [REDACTED]
 Publication Date Mon Jan 9 2012

Control Panel



- Include CARB Freeze Frame
- Include Misfire Freeze Frame
- Include Most Recent Freeze Frame
- Compare Side-by-Side
- Include Service #1 Freeze Frame
- Include Service #2 Freeze Frame
- Include Service #3 Freeze Frame

CARB | P0882 | PCM

| name | value | units |
|--|------------|-------|
| PCM Mileage Since MIL On | 0.0 | miles |
| Freeze Frame Caused by DTC | 08 82 | |
| Freeze Frame DTC Priority | 01 | |
| PCM Odometer | 13139.9686 | miles |
| Open Loop due to Driving Conditions - Bank 1 | False | |
| Open Loop - Bank 1 | True | |
| Closed Loop - Bank 1 | False | |



Vehicle Information

Vehicle 2011 JK
Odometer 13170.2 miles
VIN 1J4BA3H19BL [REDACTED]
Original VIN 1J4BA3H19BL [REDACTED]
Publication Date Mon Jan 9 2012

Control Panel



- Include CARB Freeze Frame
- Include Misfire Freeze Frame
- Include Most Recent Freeze Frame
- Compare Side-by-Side
- Include Service #1 Freeze Frame
- Include Service #2 Freeze Frame
- Include Service #3 Freeze Frame

CARB | P0882 | PCM

| name | value | units |
|--|------------|-------|
| PCM Mileage Since MIL On | 0.0 | miles |
| Freeze Frame Caused by DTC | 08 82 | |
| Freeze Frame DTC Priority | 01 | |
| PCM Odometer | 13139.9686 | miles |
| Open Loop due to Driving Conditions - Bank 1 | False | |
| Open Loop - Bank 1 | True | |
| Closed Loop - Bank 1 | False | |



PCM Overview

Name: Power
 Contr
 Flash Part Number: 6805
 Bus Type: CAN C
 Hardware Version: 14.2F
 Software Version: 07.07
 DTC Count: 1

Vehicle Information

Vehicle 2011 JK
 Odometer 13170.2 miles
 VIN 1J4BA3H19E [REDACTED]
 Original VIN 1J4BA3H19E [REDACTED]
 Publication Date Mon Jan 9 2012

Control Panel

- Include CARP Freeze Frame Include Service #1 Freeze Frame
 Include Misfire Freeze Frame Include Service #2 Freeze Frame
 Include Most Recent Freeze Frame Include Service #3 Freeze Frame
 Compare Side-by-Side

CARB | P0882 | PCM

| name | value | units |
|--|------------|-------|
| PCM Mileage Since MIL On | 0.0 | miles |
| Freeze Frame Caused by DTC | 08 82 | |
| Freeze Frame DTC Priority | 01 | |
| PCM Odometer | 13139.9686 | miles |
| Open Loop due to Driving Conditions - Bank 1 | False | |
| Open Loop - Bank 1 | True | |
| Closed Loop - Bank 1 | False | |

Knowledge Base Articles



Overview
Name:
Power:
Control:
Part Number: 6805
Bus Type: CAN
Hardware Version: 14.28
Software Version: 07.07
DTC Count: 1

Vehicle Information
Vehicle: 2011 JK
Odometer: 13170.2 miles
VIN: 1J4BA3H19[REDACTED]
Original VIN: 1J4BA3H19[REDACTED]
Publication Date: Mon Jan 9 2012


Control Panel

Include CARB Freeze Frame
 Include Service #1 Freeze Frame
 Include Misfire Freeze Frame
 Include Service #2 Freeze Frame
 Include Most Recent Freeze Frame
 Include Service #3 Freeze Frame
 Compare Side-by-Side

CARB | P0882 | PCM

| name | value | units |
|--|------------|-------|
| PCM Mileage since MIL On | 0.0 | miles |
| Freeze Frame Caused by DTC | 08 #2 | |
| Freeze Frame DTC Priority | 01 | |
| PCM Odometer | 13139.9626 | miles |
| Open Loop due to Driving Conditions - Bank 1 | False | |
| Open Loop - Bank 1 | True | |
| Closed Loop - Bank 1 | False | |

Knowledge Base Articles



PCM Overview

Name: Power
Contr

Flash Part Number: 6805

Bus Type: CAN

Hardware Version: 14.2F

Software Version: 07.02

DTC Count: 1

Freeze Frame Report



Freeze Frame Report

Vehicle Information

Vehicle: 2011 JK

Odometer: 13170.2 miles

VIN: 1J4BA3H [REDACTED]

Original VIN: 1J4BA3H [REDACTED]

Publication Date: Mon Jan 9 2012


Control Panel


- Include CARP Freeze Frame
- Include Misfire Freeze Frame
- Include Most Recent Freeze Frame
- Compare Side-by-Side
- Include Service #1 Freeze Frame
- Include Service #2 Freeze Frame
- Include Service #3 Freeze Frame

CARB | P0682 | PCM

| name | value | units |
|--|------------|-------|
| PCM Mileage Since MIL On | 0.0 | miles |
| Freeze Frame Caused by DTC | 08 82 | |
| Freeze Frame DTC Priority | 01 | |
| PCM Odometer | 13139.9686 | miles |
| Open Loop due to Driving Conditions - Bank 1 | False | |
| Open Loop - Bank 1 | True | |
| Closed Loop - Bank 1 | False | |

Knowledge Base Articles





PCM Overview

Name: Power
 Contr
 Flash Part Number: 6805
 Bus Type: CAN
 Hardware Version: 14.2F
 Software Version: 07.07
 DTC Count:

Freeze Frame Report



Freeze Frame Report

Vehicle Information

Vehicle 2011 JK
 Odometer 13170.2 miles
 VIN 1J4BA3H19B [REDACTED]
 Original VIN 1J4BA3H19B [REDACTED]
 Publication Date Mon Jan 9 2012

Control Panel

- PDF
- Include CARB Freeze Frame
- Include Misfire Freeze Frame
- Include Most Recent Freeze Frame
- Compare Side-by-Side
- Include Service #1 Freeze Frame
- Include Service #2 Freeze Frame
- Include Service #3 Freeze Frame

CARB | P0882 | PCM

| name | value | units |
|--|------------|-------|
| PCM Mileage Since MIL On | | |
| Freeze Frame Caused by DTC | 0.0 | miles |
| Freeze Frame DTC Priority | 08.82 | |
| PCM Odometer | 01 | |
| Open Loop due to Driving Conditions - Bank 1 | 13139.9686 | miles |
| Open Loop - Bank 1 | False | |
| Closed Loop - Bank 1 | True | |
| | False | |

Knowledge Base Articles





DESIGN 0438

47542-1
R-51572

DOT

UTBM

MBL

1000

READ OWNER'S MANUAL OR TIRE PLACARD IN VEHICLE
SPECIALLY TRAINED PERSONS SHOULD MOUNT TIRES.
MOUNTING-ONLY



01EEM15R

D07

0438

UTBM

MBL

47542-1 R-39212



AMPSON®

001

UTBM

MBL

UTBM/ST

47542-2 R-59212



47542-2 R-39212

DOT

UTBM

MBL

2436













510141 104-L
MADE IN U.S.A.
MAGNAFLOW

WARNING

WARNING
Always use proper safety
techniques when
working on a vehicle.







HOFMANN







FMC





COMPLAINT: LSP 18-19-45-94

CAUSE:

Check Engine Light Dirty

Scan Test 120944 Loss of Prime

CORRECTION:

Check ABS C1219 SKS Sensor Extricate
C123F

COMPLAINT:

Vehicle Collision Rear Prot Diff

CAUSE:

Steering Wheel off Center 90°

ABS/ESP Not functioning correctly Because

Inspect Brake System ok

CORRECTION:

Rec. RTR Perm + Inspect Filter

May have come off from impact

OFF 2:36 PM
2 2:35 PM
ON 2 1:45 PM

ELAPSED TIME

TIME CLOCK

OFF

ON

OFF

ON

OFF

ON

ELAPSED TIME

TIME CLOCK

OFF

ON

OFF

ON

OFF

ORANGE
DEL. DA

01 JAN 12 DD
R.O. OPENE

02 JAN

11
PROD DATE

JEEP WRAN

MAKE/MODEL