

PE15-030

FLAT CHRYSLER

11-24-2015

ENCLOSURE 4

CAIR Backup



79°F



MPH

SE

Trip A



Distance mi 350.3  
Average MPG 16.7  
Elapsed Time 17:43:39  
Hold OK to Reset All

350 mi

09/02/2014 09:59



09/02/2014 10:01



09/02/2014 10:01



09/02/2014 10:01



09/02/2014 10:01



09/02/2014 10:01



09/02/2014 10:02



09/02/2014 10:02



09/02/2014 10:02



09/02/2014 10:04

DODGE

09/02/2014 10:04



09/02/2014 10:04



09/02/2014 10:04



09/02/2014 10:04



09/02/2014 10:05



09/02/2014 10:05




09/02/2014 10:06



DOT AVON 080513 9.0 mm VL  
AVON 080513 9.0 mm VL

AVANTI LE L'ESPERANCE AVANTI LE L'ESPERANCE  
REMAINRE 855-ORE  
CLEAN FLUID  
REMAINRE 855-ORE

09/02/2014 10:06



09/02/2014 10:07

ITE CODE : 19213

156



170216400000  
0013767175  
F385100  
7/15/2013



09/02/2014 10:07



09/02/2014 10:08



# TIRE AND LOADING INFORMATION

SEATING CAPACITY - TOTAL 6 FRONT 2 REAR 4

THE COMBINED WEIGHT OF OCCUPANTS AND CARGO SHOULD NEVER EXCEED  
544 KG OR 1200 LB

| TIRE                         | FRONT            | REAR             | SPARE            |
|------------------------------|------------------|------------------|------------------|
| ORIGINAL TIRE SIZE           | 265/50R20        | 265/50R20        | T175/90D18       |
| COLD TIRE INFLATION PRESSURE | 250 kPa / 36 PSI | 250 kPa / 36 PSI | 414 kPa / 60 PSI |

SEE OWNERS MANUAL FOR ADDITIONAL INFORMATION



EC291888

09/02/2014 10:09

79°F

2 MPH

E

Trip A

Distance mi 350.3  
Average MPG 16.5  
Elapsed Time 17:58:33

Hold OK to Reset All

350 mi

trip



09/02/2014 10:36



09/02/2014 10:39

2014 DODGE DURANGO 3.6L V6 V.V.T.

1C4RDJAG7E0 [REDACTED]



### Action Items

Topology

All DTCs

All Flashes

Recalls

RRTs

There are no DTCs present for this vehicle.

09/02/2014 10:42



2014 DODGE DURANGO 3.6L  
1C4RDJAG7E0 [REDACTED]

Topology

All DTCS

All Flashies

Recalls

No Recalls currently present for this vehicle.

09/02/2014 10:43



09/02/2014 10:52



09/02/2014 10:52



09/02/2014 10:52



09/02/2014 10:52



09/02/2014 10:52



09/02/2014 10:53



Part: 860230300AA  
R27  
S.O. 1000000000  
1000000000  
1000000000

09/02/2014 10:53



09/02/2014 10:53



09/02/2014 10:53



09/02/2014 10:53



09/02/2014 10:53



THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.A. FEDERAL MOTOR VEHICLE SAFETY  
STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1C4RDJAG7E0 [REDACTED] TYPE: MPV MDH:091711 030AA  
VEHICLE MADE IN U.S.A. PAINT: PSC TRIM: K7X9

09/02/2014 09:52

BRAKE +



Press Brake  
and  
Push Button  
to Start

350 mi



09/02/2014 09:52

P R N D

09/02/2014 09:53



Ignition or  
Accessory On

09/02/2014 09:53

79°F

0

MPH



Trip A

Distance mi 350.2  
Average MPG 16.7  
Elapsed Time 17:39:10  
Hold OK to Reset All

350 mi

09/02/2014 09:53

P R N D

09/02/2014 09:54

P R N D



09/02/2014 09:55



09/02/2014 09:55



09/02/2014 09:55

79°F



- trip
- music icon

Dist  
Aver  
Elaps  
H

09/02/2014 09:58

PRND Status

Lever in position  
"D"

Paddle Shift

Switches Not  
Active

Transmission AC Converter Clutch Slip Request


No

Trans in Limp Home Mode

False

Transmission Output Shaft Speed

0.00 rpm



09/02/2014 10:49

2014 DODGE DURANGO 3.6L V6 V.V.T.

1C4RDJAG7E0 [REDACTED]

PRND Status

Lever in Position  
"N"

Paddle Shift

Switches Not  
Active

Transmission AC Converter Clutch Slip Request

No


Trans in Limp Home Mode

False

Transmission Output Shaft Speed

0.00

rpm



09/02/2014 10:49

PRND Status

Lever in position  
"P"

Paddle Shift

Switches Not  
Active

Transmission AC Converter Clutch Slip Request

No

Trans in Limp Home Mode

False

Transmission Output Shaft Speed

0.00

*rpm*



09/02/2014 10:49



09/02/2014 10:51



09/02/2014 10:51



09/02/2014 10:51



09/02/2014 10:51



09/02/2014 10:52



09/02/2014 10:52



09/02/2014 10:52