

PE15-030

FLAT CHRYSLER

■ 11-24-2015

ENCLOSURE 4

CAIR Backup





August 13, 2015

[REDACTED]
Leeds, AL [REDACTED]

Cair: [REDACTED]

VIN: 1C4RJFAG1FC [REDACTED]

Dear Mrs. [REDACTED]

This will further acknowledge contact to Fiat Chrysler Automobiles, regarding your 2015 Jeep Grand Cherokee.

Mrs. [REDACTED] naturally, we were sorry to learn of the incident described to us during the initial contact. However, we have had the opportunity to review the inspection report and must inform you that we are not led to believe that the incident was due to a manufacturing responsibility. Therefore, we must respectfully decline any assistance associated with this incident.

Based on this information, we can only suggest that you refer this matter to your insurance carrier. Should they feel a manufacturing responsibility exists, they have full subrogation rights under the terms of your policy.

Thank you for allowing us the opportunity in reviewing this matter with you.

Sincerely,

J. Susalla

J.S. Susalla
Special Investigations
586-274-8171

JSS/sk

Phone 800.992.1997









⚠ WARNING

EVEN WITH ADVANCED AIRBAGS

- CHILDREN CAN BE KILLED OR SERIOUSLY INJURED BY THE AIRBAG.
- THE BACK SEAT IS THE SAFEST PLACE FOR CHILDREN.
- NEVER PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- ALWAYS USE SEATBELTS AND CHILD RESTRAINTS.
- SEE OWNER'S MANUAL FOR MORE INFORMATION ABOUT AIRBAGS.

05108114AA



⚠ MISE EN

MÊME AVEC DES SACS

- LES ENFANTS PEUVENT ÊTRE TUÉS OU BLESSÉS PAR UN SAC GONFLABLE.
- LA BANQUETTE ARRIÈRE EST LE LIEU LE PLUS SÛR POUR LES ENFANTS.
- NE JAMAIS PLACER UN SIÈGE POUR ENFANT À L'AVANT DU VÉHICULE.
- TOUJOURS UTILISER LES CEINTURES DE RETENUE POUR ENFANT.
- CONSULTER LE GUIDE DE L'AUTOMOBILE POUR PLUS DE RENSEIGNEMENTS SUR LES SACS GONFLABLES.

























⚠ WARNING

MEME AVEC DES SACS GONFLABLES PERFECTIONNES



⚠ MISE EN GARDE

MEME AVEC DES SACS GONFLABLES PERFECTIONNES

- NE PAS S'ASSOIR SUR UN SIÈGE AVEC UN SACS GONFLABLE EN CAS D'ACCIDENT
- NE PAS S'ASSOIR SUR UN SIÈGE AVEC UN SACS GONFLABLE EN CAS D'ACCIDENT
- NE PAS S'ASSOIR SUR UN SIÈGE AVEC UN SACS GONFLABLE EN CAS D'ACCIDENT
- NE PAS S'ASSOIR SUR UN SIÈGE AVEC UN SACS GONFLABLE EN CAS D'ACCIDENT
- NE PAS S'ASSOIR SUR UN SIÈGE AVEC UN SACS GONFLABLE EN CAS D'ACCIDENT
- NE PAS S'ASSOIR SUR UN SIÈGE AVEC UN SACS GONFLABLE EN CAS D'ACCIDENT





130840

CRAFTSMAN

Protractor
Magnetic Professional

■ Magnet's face and base
■ High pitch volubility

























ORC View

Click on tabs to access various ECU operations and information for the selected ECU.



- Flash
- Data
- DT**
- Actuators
- System Tests
- Misc Functions

Double-click row selection to view environmental data. Click on column heading

All Active Stored Pending

	ECU	Code	Status

Overview

Name: Occupant Restraint

Flash Part Number: 68222877AA

Bus Type: CAN C

Hardware Version: 12.43.0

Software Version: #2: 00.00.00, #1: 13.15.00, #0: 13.11

Spare Part Number: N/A

ISO Code:

Software Number: N/A

Hardware Number: N/A


Original VIN:

Knowledge Base Articles



Lenovo

ECU view
Click on tabs to access various ECU operations and information for the selected ECU.



- Flash
- Data
- DTCs
- Actuators
- System Tests
- Misc Functions
- ECU Data

Double-click row selection to view environmental data. Click on column heading to sort table.

All | Active | Stored | Pending

ECU	Code	Status
There are		

Overview

Name:
Transmission Control Module

Flash Part Number:
68241280AD

Bus Type:
CAN C

Hardware Version:
10.3.1F

Software Version:
#1: 14.38.00 #0: 14.38.00

Spare Part Number:
N/A

ISO Code:

Software Number:
N/A

Hardware Number:
N/A

Original VIN
1C4R1FAG1F [REDACTED]

Knowledge Base Articles Online



lenovo

access various ECU operations and information for the selected ECU.

- Flash
- Data
- DTCs
- Actuators
- System Tests
- Misc Functions
- ECU Details

Double-click row selection to view environmental data. Click on column heading to sort table.

All Active Stored Pending


View Freeze Frame View Event Data Clear

ECU	Code	Status	Description
-----	------	--------	-------------

There are no DTCs present

A

Disconnect Update Available



to access various ECU operations and information for the selected ECU.

- Flash
- Data
- DTCs**
- Actuators
- System Tests
- Misc Functions
- ECU Details

Double-click row selection to view environmental data. Click on column heading to sort table.

All Active Stored Pending

View Freeze Frame View Event Data

	ECU	Code	Status	Description
--	-----	------	--------	-------------


There are no DTCs present

A A

Disconnect Work Area

Gators

Jeep



4x4

Gators











Jeep



IC4RJFAG1F





BRAKE + 

Press Brake
and
Push Button
to Start

10007 mi

S
D
N
R
P

















P
R
N
D/S




P
R
N
D/S



P
R
N
D/S





273

101922531



CAV 2

DCS2225191



DOT NEW JAR 333

1631

GOODYEAR ASSURANCE

GOODYEAR ASSURANCE



FORTERA



110 65R16 PPT 100





PE15-030

FLAT CHRYSLER

11-24-2015

ENCLOSURE 4

CAIR Backup











LIMITED

































LF



LR

















100%

0

100%

Vehicle
Speed in
Park

100%



MPH

100

Variable
Speed in
Park

MONROE

4000 ml

A WARNING

Read and understand the instructions before using the product. Failure to follow the instructions may result in injury or property damage. The product is not intended for use by children under 12 years of age. The product is not intended for use in areas where it may be exposed to moisture or high temperatures. The product is not intended for use in areas where it may be exposed to corrosive substances. The product is not intended for use in areas where it may be exposed to flammable liquids or gases. The product is not intended for use in areas where it may be exposed to fire. The product is not intended for use in areas where it may be exposed to electrical equipment. The product is not intended for use in areas where it may be exposed to high voltage. The product is not intended for use in areas where it may be exposed to magnetic fields. The product is not intended for use in areas where it may be exposed to radio frequency fields. The product is not intended for use in areas where it may be exposed to electromagnetic interference. The product is not intended for use in areas where it may be exposed to static electricity. The product is not intended for use in areas where it may be exposed to lightning. The product is not intended for use in areas where it may be exposed to other sources of electrical energy. The product is not intended for use in areas where it may be exposed to other sources of electromagnetic energy. The product is not intended for use in areas where it may be exposed to other sources of radio frequency energy. The product is not intended for use in areas where it may be exposed to other sources of electromagnetic interference. The product is not intended for use in areas where it may be exposed to other sources of static electricity. The product is not intended for use in areas where it may be exposed to other sources of lightning. The product is not intended for use in areas where it may be exposed to other sources of electrical energy. The product is not intended for use in areas where it may be exposed to other sources of electromagnetic energy. The product is not intended for use in areas where it may be exposed to other sources of radio frequency energy. The product is not intended for use in areas where it may be exposed to other sources of electromagnetic interference. The product is not intended for use in areas where it may be exposed to other sources of static electricity. The product is not intended for use in areas where it may be exposed to other sources of lightning.



A PRECAUTION

Use the product in a well-ventilated area. Avoid breathing the dust or fumes. Wear eye protection. Wear gloves. Do not touch the product after use. Wash hands thoroughly after use. Do not eat, drink, or smoke while using the product. Do not use the product if you are pregnant or breastfeeding. Do not use the product if you are taking medication. Do not use the product if you have a medical condition. Do not use the product if you are allergic to any of the ingredients. Do not use the product if you are sensitive to any of the ingredients. Do not use the product if you have a skin condition. Do not use the product if you have a respiratory condition. Do not use the product if you have a heart condition. Do not use the product if you have a blood pressure condition. Do not use the product if you have a diabetes condition. Do not use the product if you have a kidney condition. Do not use the product if you have a liver condition. Do not use the product if you have a stomach condition. Do not use the product if you have an intestinal condition. Do not use the product if you have a urinary condition. Do not use the product if you have a reproductive condition. Do not use the product if you have a nervous system condition. Do not use the product if you have a circulatory system condition. Do not use the product if you have a respiratory system condition. Do not use the product if you have a digestive system condition. Do not use the product if you have an endocrine system condition. Do not use the product if you have an immune system condition. Do not use the product if you have a musculoskeletal system condition. Do not use the product if you have a sensory system condition. Do not use the product if you have a nervous system condition. Do not use the product if you have a circulatory system condition. Do not use the product if you have a respiratory system condition. Do not use the product if you have a digestive system condition. Do not use the product if you have an endocrine system condition. Do not use the product if you have an immune system condition. Do not use the product if you have a musculoskeletal system condition. Do not use the product if you have a sensory system condition.

A. WARNING

Before using, carefully read the following instructions:

1. Do not use the device if the battery is not fully charged.
2. Do not use the device if the battery is damaged or swollen.
3. Do not use the device if the battery is leaking.
4. Do not use the device if the battery is overheating.
5. Do not use the device if the battery is under 18 years of age.



MPH




Key Fob
has Left
the Vehicle









4221 mi

2015 WK 3.6L

VIN: 1CARJFBG2F0 [REDACTED]

Battery:  12.558 volts

Legend

-  Active ECU
-  Non-responsive ECU
-  DTCs Present
-  ECU Not Built
-  Learning ECU
-  New Firm Software
-  Safety
-  Update



WITRON

WITRON			WITRON
100	100	100	Let's communicate with Body Control Module
100	100	100	Let's communicate with Radio
100	100	100	Let's communicate with Telematics Gateway
100	100	100	Let's communicate with Radio
100	100	100	Let's communicate with Telematics Gateway
100	100	100	Let's communicate with Telematics Gateway



- Server
- Client 1
- Client 2
- Client 3
- Client 4
- Client 5
- Client 6
- Client 7
- Client 8
- Client 9
- Client 10
- Client 11
- Client 12
- Client 13
- Client 14
- Client 15
- Client 16
- Client 17
- Client 18
- Client 19
- Client 20
- Client 21
- Client 22
- Client 23
- Client 24
- Client 25
- Client 26
- Client 27
- Client 28
- Client 29
- Client 30
- Client 31
- Client 32
- Client 33
- Client 34
- Client 35
- Client 36
- Client 37
- Client 38
- Client 39
- Client 40
- Client 41
- Client 42
- Client 43
- Client 44
- Client 45
- Client 46
- Client 47
- Client 48
- Client 49
- Client 50

Export to PDF
 Print
 Home

Content area with a large white space, possibly a placeholder or a redacted section.



- 1. Introduction
- 2. The Pacific Region
- 3. The Pacific Basin
- 4. The Pacific Rim
- 5. The Pacific Islands
- 6. The Pacific Ocean
- 7. The Pacific Coast
- 8. The Pacific Northwest
- 9. The Pacific South
- 10. The Pacific Future



Overview

Name:

Intermediate Control Module

Part Part Number:

100000000

Kit Type:

LCM

Hardware Version:

10000

Software Version:

01.100.00.00.00.00

Parent Part Number:

000

Kit Code:

000

Component History:

000

Kit Name:

000

Kit Code:

000

Kit Code:

000

Kit Code:

000

Kit Code:

000

Kit Code:

000

Kit Code:

000

Kit Code:

000

Shift Solenoid D Current	850.0
Shift Solenoid E Current	850.0
Transfer Converter Clutch A Current	50.0
Pressure Control Solenoid Current	712.1
Average Wheel Speed	0
Park Sensor Solenoid	On
Parking Pawl Solenoid	Off
Park Solenoid Current	0.0
Transmission Turbine Speed	625.09
Vehicle Speed Calculated By Output Shaft Speed	0.00
Park Sensor Input 1	Active

WOLFRUM

MILITARY

100

100

Shift Solenoid C Current	MA
Shift Solenoid D Current	MA
Shift Solenoid E Current	MA
Torque Converter Output Current	MA
Pressure Control Solenoid Current	MA
Average Wheel Speed	0
Park Sensor Solenoid	OFF
Parking Pawl Solenoid	ON
Park Solenoid Current	1000 MA
Transmission Turbine Speed	0 RPM
Vehicle Speed Calculated by Output Shaft Speed	0 MPH
Oil Service Temp 1	70.0 F



REZON

5000
4000
3000
2000
1000
0

100
80
60
40
20
0

Pressure Control Activated (PCAS)	11/0
Average Wheel Speed	0
Park Sensor Solenoid	On
Parking Post Solenoid	Off
Park Solenoid Current	0.0
Transmission Turbine Speed	424.00
Vehicle Speed Calculated by Output Shaft Speed	0.00
Park Sensor Input 1	Active
Park Sensor Input 2	Not Active
State of Gearbox Lock B	Eng Out (Dis)
Output 4 - Filling Pressure	-3
Output 4 - Filling Counter	-1
Output 4 - Filling Time	4

Electronic Control Solenoid Current	0.000
Average Inboard Speed	0
Roll Sensor Solenoid	0.00
Rolling Speed Solenoid	0.00
Roll Solenoid Current	1.0000
Transmission Turbine Speed	0.00
Vehicle Speed Calculated by Output Shaft Speed	0.00
Roll Sensor Input 1	Not Active
Roll Sensor Input 2	Active
State of Dickinson Switch	Not On-Sensor
Clutch A - Filling Pressure	0
Clutch A - Filling Counter	43
Clutch A - Filling Time	4
Clutch A - Fast Filling Counter	46
Clutch B - Filling Pressure	0















THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.A. FEDERAL MOTOR VEHICLE
STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1C4RJFBG2FC [REDACTED] TYPE: MPV GEN: 10
VEHICLE MADE IN U.S.A. PAINT: 338 TRIM: 0214










































Jeep

