

PE15-030

FLAT CHRYSLER

11-24-2015

ENCLOSURE 4

CAIR Backup



■

SW

90°F



D1





SW



91°F

N



MFD BY CHRYSLER GROUP LLC

DATE OF MANUFACTURE: 11-13

GROSS WEIGHT: 1452 KG 3200 LB WITH

GROSS REAR: 770 KG 1700 LB

GROSS: 2949 KG 6500 LB

265/50R20 TIRES

250 KPA ( 36 PSI) COLD

265/50R20 TIRES

250 KPA ( 36 PSI) COLD



THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.A. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: IC4RDH0G1

VEHICLE MADE IN U.S.A.

PAINT: PKR

TYPE: MPV

TRM: CLKL

MDR: 111410 0300R

SW

90°F



P







12:51 98.9° out. LO  
LO  
94.5 96.5 97.3 99.5 103.7 106.7  
103.7  
Rude  
Radio Media Controls Climate Map Phone App

START STOP ENGINE

VOLUME

SCREEN OFF

BACK

FRONT

AUTO

A/C

P.A. OFF

RADIO ON

OFF

LWC



**⚠ WARNING**

**EVEN WITH ADVANCED AIRBAGS**

- CHILDREN CAN BE KILLED OR SERIOUSLY INJURED IF THEY RIDE IN THE REAR SEAT.
- THE BACK SEAT IS THE SAFEST PLACE FOR CHILDREN.
- NEVER PUT A REAR FACING CHILD SEAT ON THE FRONT SEAT.
- ALWAYS USE SEATBELTS AND PROPERLY INSTALLED AIRBAGS.

2010 11044

**⚠ MISE EN GARDE**

**NE PAS METTRE LES ENFANTS DANS LE SIÈGE DE L'AVANT.**



LES ENFANTS PEUVENT ÊTRE TUÉS OU BLESSÉS GRAVEMENT S'ils sont assis sur le siège avant. Le siège arrière est l'endroit le plus sûr pour les enfants. Ne placez jamais un siège avant-facing sur le siège avant. Utilisez toujours votre ceinture de sécurité et des sièges d'auto correctement installés.

## WARNING

### EVEN WITH ADVANCED AIRBAGS

- THE DRIVER CAN BE KILLED OR SERIOUSLY INJURED BY THE AIRBAG.
- THE BACK SEAT IS THE SAFEST PLACE FOR CHILDREN.
- NEVER PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- ALWAYS USE SELEKTETS AND CHILD RESTRAINTS.
- FOR FURTHER WARNING, YOUR WORD INFORMATION ABOUT AIRBAGS.

05108114AAA



## ▲ MISE EN GARDE

### MÊME AVEC DES SACS GONFLABLES PERFECTIONNÉS

- LES ENFANTS PEUVENT ÊTRE TUÉS OU GRAVEMENT BLESSÉS PAR UN SAC GONFLABLE.
- LA BANQUETTE ARRIÈRE EST LA PLACE LA PLUS SÉCURITAIRE POUR LES ENFANTS.
- NE JAMAIS PLACER UN SIÈGE POUR ENFANT ORIENTÉ VERS L'ARRIÈRE À L'AVANT DU VÉHICULE.
- TOUJOURS UTILISER LES CEINTURES DE SÉCURITÉ ET LES SYSTÈMES DE RETENUE POUR ENFANT.
- CONSULTER LE GUIDE DE L'AUTOMOBILISTE POUR OBTENIR PLUS DE RENSEIGNEMENTS SUR LES SACS GONFLABLES.











EXPLORER

LIMITED

A close-up photograph of a person's hand holding a tan-colored car seat belt buckle. The buckle is attached to a silver metal D-ring. A white rectangular label with the text "Left Front" is placed horizontally across the top of the buckle. The buckle has a silver metal tongue and a small metal tab on the side. The background is dark and out of focus, showing parts of a car's interior.

**Left Front**



1893

1893

A close-up photograph of a light-colored leather car seat headrest. The headrest features decorative stitching along its top and side edges. A small, rectangular, grey fabric tag is attached to the side of the headrest. The tag has the text "SRS AIRBAG" printed on it in a bold, sans-serif font. The background is dark, showing the interior of a car at night, with a side-view mirror and a vertical light strip visible.

**SRS**  
**AIRBAG**







SRS  
AIRBAG



1893

1801















P R N D

Overview

**Name:**

Passenger Door Module

**Flash Part Number:**

68155770AE

**Bus Type:**

CAN I

**Hardware Version:**

11.30.00

**Software Version:**

#0: 19.32.00

**Spare Part Number:**

N/A

**ISO Code:**

**Software Number:**

N/A

**Hardware Number:**

N/A

**Original VIN**

1C4RDHDG1E

**Current VIN**

1C4RDHDG1E

**Variant & Version:**

41-0

**Country Code**

USA

**DTC Count:**

1

68155770AE

68155770AF

Current ECU Flash Number: 6815577GAE

Battery 12.303 volts

Double-click the selection or click an appropriate button to update ECU. Click on column heading to sort table.

New Part Number	Description
6815577GAE	2014 WD PASSENGER DOOR MODULE
629157750F	2013 2014 D-TRUCK RIGHT SIDE - PASSENGER DOOR MODULE WITHOUT POWER

- Vehicle
- Make
- Passenger Door Module
- Flash Part Number: 6815577GAE
- New Part:
- Hardware Version: 1.00.00
- Software Version: 1.15.00.00
- Hardware Part Number: 6815577GAE
- ECU Code
- Software Number: 6815577GAE
- Hardware Number: 6815577GAE
- Original VIN: [REDACTED]
- Current VIN: [REDACTED]
- Version & Version: 1.15.00.00
- Country Code: 6815577GAE
- ECU Code: 6815577GAE

NOTE: Please ensure all available source documentation (SW, SKT's, Recall's) to ensure the available flash applies to the connected vehicle. If a flash is not applicable to the connected vehicle, it could function improperly.

Overview

Name:  
Passenger Door Module  
Flash Part Number:  
68155770AE  
Bus Type:  
CAN I  
Hardware Version:  
11.30.00  
Software Version:  
#0: 19.32.00  
Spare Part Number:  
N/A  
ISO Code:

Software Number:  
N/A  
Hardware Number:  
N/A

Original VIN [REDACTED]  
1C4RDHDG1E  
Current VIN [REDACTED]  
1C4RDHDG1E

Variant & Version:  
41-0

Country Code:  
USA

DTC Count:  
1

A A

Click on the buttons to view the desired information. Click on column heading to sort

Environmental Data for PDM | B25AF-2A Door Lock/Unlock Switch-Stuck

Name	Value
Test Failed	False
Test Failed This Operation Cycle	False
Pending DTC	False
Confirmed DTC	True
Test Not Completed Since Last Clear	False
Test Failed Since Last Clear	True
Test Not Completed This Operation Cycle	False
Warning Indicator Requested	False
DTC Extended Data Record Number - All	01
Occurrence Flag	Error
Original Odometer Value	17050
Most Recent Odometer Value	25014
Frequency Counter	5
Operation Cycle Counter	26

A A

Double click view information to view environmental data. Click on column heading to sort table.

[View Frontal Status](#)
[View ECU2 Data](#)
[Clear \(Reset\) DTCs](#)

ID	Action	Status	Message	Code	Status	Description
101	View	Failed		825AF-2A	Failed	Door Lock/Unlock Switch-Short

Click on the buttons to view the desired information. Click on column heading to sort table.

[Environmental Data](#)
[Unreported Data](#)

Environmental Data for PCM | 825AF-2A Door Lock/Unlock Switch-Short

Name	Value	Units
Test Failed	False	
Door Failed 30s Operation Cycle	False	
Immobilizer DTC	False	
Door Lock OK	True	
Test Fail: Component/Device Load Clear	False	
Test Fail: Short Term Open	Clear	
Test Fail: Component 30s Operation Cycle	False	
Warning Indicator Requested	None	
DTC Expanded Data Record Number	01	
Malfunction Flag	Error	
Adjusted Mileage Value	47004	
Adjusted Mileage (Mileage) Value	22512	miles
Engine Hour Counter	7	miles
Operational Cycle Counter	24	

For more info go to [www.fox.com](http://www.fox.com) Login with  
 User Name: [XXXXXXXXXX](#) Password: [XXXX](#)  
 Call 800-451-8819 for Tech Support & more to view



Home Reports Monitor Preferences About Help


Search  Vehicle Information

### Vehicle View

2014 WD 3 AL  
 VIN: 1C4B7HOC

Battery: 12.168 volts

- Legend
- Active ECU
  - Non-Responsive ECU
  - ECU Present
  - ECU Not Built
  - ⚡ Running ECU
  - ⚡ New Flashed Available
  - CAN-C
  - CAN-HV



All DTCs: **Diagnostic Procedures** Customer Preferences Vehicle Preparations

Vehicle data view additional to view environmental data. Click on column heading to sort table.

Action	Status	Heading	Code	Status	Description
	Active		P270F 24	Stored	Clutch Lock/Release Solenoid Stuck
	Active		P0457 50	Stored	Boost Control Solenoid Performance

Windows taskbar showing Start button, taskbar icons, and system tray with date/time (Wed 11:23 AM).