

PE15-030

FLAT CHRYSLER

11-24-2015

ENCLOSURE 4

CAIR Backup



A close-up photograph of a metal component, likely a blade or a part of a tool. The metal has a brushed or milled texture and is dark in color. A rectangular slot is visible at the top. A person's finger is visible on the left side, providing a sense of scale. The text 'TX4602' is stamped into the metal surface.

TX4602









A close-up photograph of a dark, metallic component, likely a part of a machine or engine. The component has a complex shape with several cutouts and a textured surface. In the center, the number '10137' is stamped in a raised, sans-serif font. Below the main part, a horizontal bar with two circular holes is visible. The background is blurred, showing a blueish-grey surface.

10137









12
11
10

METRIC 1 cm
2
3
4
5
6



\angle ⁰³
In/Ft

Reset



On/Off

Hold




HUSKY



HUSKY

69.5



\angle ⁰³
In/Ft

Reset

0.35°

On/Off

Hold

 **HUSKY**

5:05

On/Off

Hold



HUSKY

°
In/Ft

On/Off

Reset



Hold



HUSKY



BRAKE + 

Press Brake
and
Push Button
to Start





MPH
KMH

Range indicator: 100, 200, 300

Warning lights: Tire pressure, fuel, and a red lightning bolt.

0
MPH

31299 mi

62°F

P
R
N
D
S





N

MPH
KM/H

A vertical column of icons: a blue 'N' at the top, a blue icon of a car in Park, a white upward-pointing triangle, the word 'SPEED' in yellow, a yellow icon of a car in Drive, and a white downward-pointing triangle.

0

31299 mi

62°F

0

MPH

P
R
N
D
S



299 mi

P
R
N
D/S

62°F

D N R P

H



P
R
N
D/S

0

MPH

62°F



P
R
N
D
S



BRAKE

P
R
N
D/S

0

MPH

62°F

Press Brake
and
Push Button
to Shift
Into Gear

P
R
N
D
S

H

BRAK



P
R
N
D/S



P
R
N
D/S

62°F




H

C N R P

62°F

AERO



0

MPH

D S N R P

H

BRA

N

0

MPH

62

Sport Mode

ON



SPEED



⚠ WARNING

EVEN WITH ADVANCED AIRBAGS

- CHILDREN CAN BE KILLED OR SERIOUSLY INJURED BY THE AIRBAG.
- THE BACK SEAT IS THE SAFEST PLACE FOR CHILDREN.
- NEVER PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- ALWAYS USE SEATBELTS AND CHILD RESTRAINTS.
- SEE OWNER'S MANUAL FOR MORE INFORMATION ABOUT AIRBAGS.



05108114AA

⚠ MISE EN GARDE

MÊME AVEC DES SACS GONFLABLES PERFECTIONNÉS

- LES ENFANTS PEUVENT ÊTRE TUÉS OU GRAVEMENT BLESSÉS PAR UN SAC GONFLABLE.
- LA BANQUETTE ARRIÈRE EST LA PLACE LA PLUS SÉCURITAIRE POUR LES ENFANTS.
- NE JAMAIS PLACER UN SIÈGE POUR ENFANT ORIENTÉ VERS L'ARRIÈRE À L'AVANT DU VÉHICULE.
- TOUJOURS UTILISER LES CEINTURES DE SÉCURITÉ ET LES SYSTÈMES DE RETENUE POUR ENFANT.
- CONSULTER LE GUIDE DE L'AUTOMOBILISTE POUR OBTENIR PLUS DE RENSEIGNEMENTS SUR LES SACS GONFLABLES.



GENIE

EVEN WITH ADVANCED AIRBAGS

- CHILDREN CAN BE KILLED OR SERIOUSLY INJURED BY THE AIRBAG.
- THE BACK SEAT IS THE SAFEST PLACE FOR CHILDREN.
- NEVER PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- ALWAYS USE SEATBELTS AND CHILD RESTRAINTS.
- SEE OWNER'S MANUAL FOR MORE INFORMATION ABOUT AIRBAGS.



05108 114AA

⚠ MISE EN GARDE

MÊME AVEC DES SACS GONFLABLES PERFECTIONNÉS

- LES ENFANTS PEUVENT ÊTRE TUÉS OU GRAVEMENT BLESSÉS PAR UN SAC GONFLABLE.
- LA BANQUETTE ARRIÈRE EST LA PLACE LA PLUS SÉCURITAIRE POUR LES ENFANTS.
- NE JAMAIS PLACER UN SIÈGE POUR ENFANT ORIENTÉ VERS L'ARRIÈRE À L'AVANT DU VÉHICULE.
- TOUJOURS UTILISER LES CEINTURES DE SÉCURITÉ ET LES SYSTÈMES DE RETENUE POUR ENFANT.
- CONSULTER LE GUIDE DE L'AUTOMOBILISTE POUR OBTENIR PLUS DE RENSEIGNEMENTS SUR LES SACS GONFLABLES.







USE ONLY CHRYSLER 8 SPEED TRANS FLUID 6815 7995AA
PER SERVICE MANUAL. USE DIAGNOSTIC TOOL TO DETERMINE
TRANS FLUID TEMPERATURE
ONLY CHECK FILL LEVEL AT FLUID TEMP 86-122°F/30-50°C
OTHERWISE DO NOT OPEN!











