

PE15-030

FLAT CHRYSLER

11-24-2015

ENCLOSURE 4

CAIR Backup



Utilities

Reports

Monitors

Preferences

Click here to see full details.

2015 WK 3.6L

VIN: 1C4RJFBGXFC [REDACTED]

Battery:  12.175 volts

Legend



Active ECU



Non-responsive ECU



DTCs Present



ECU Not Built

- Legend
- Active ECU
 - Non-responsive ECU
 - DTCs Present

All DTCs Diagnostic Procedures Customer Preferences Vehicle Preparations

Double-click row selection to view environmental data. Click on column heading to sort table.

All	Active	Stored	Pending				
				ECU	Code	Status	Description
				RFH	B259A-01	active	Left Impact Pressure Sensor-Missing Message
				ORC	B2767-B7	active	Lost Communication With Driver Door Module
				PDM	U0199-00	active	Lost Communication With Driver Door Module
				MSM	U0199-00	active	PTS Sensor 9-Circuit Short to Ground
				PTS	B1296-11	active	PTS Sensor 8-Circuit Short to Ground
				PTS	B1295-11	active	PTS Sensor 11-Circuit Short to Ground
				PTS	B1298-11	active	PTS Sensor 10-Circuit Short to Ground
				PTS	B1297-11	active	Lost Communication With Driver Door Module
				BCM	U0199-00		

acer

ASPIRE E14



All DTCs Diagnostic Procedures Diagnostic Preferences Vehicle Preparations

Double-click row selection to view environmental data. Click on column heading to sort table.

View Fault Codes Show Description

All Active Stored Pending

		Status	Description
BCM	U0199-00	active	Lost Communication With Driver Door Module
PTS	B1296-11	active	PTS Sensor 9-Circuit Short to Ground
PTS	B1295-11	active	PTS Sensor 8-Circuit Short to Ground
PTS	B1298-11	active	PTS Sensor 11-Circuit Short to Ground
PTS	B1297-11	active	PTS Sensor 10-Circuit Short to Ground
BCM	U0199-00	active	Lost Communication With Driver Door Module
BCM	B2873-15	active	Left Reverse Lamp 2 Control-Circuit Short to Battery or Lamp
BCM	B1642-15	active	Rear Left Turn Lamp Control-Circuit Short to Battery or Open
RADIO	B1400-13	active	Front Left Audio Speaker Output-Circuit Open
RADIO	U0199-00	active	Lost Communication With Driver Door Module

ASPIRE 5532

acer



DT Actuators System Tests Misc Functions ECU Details

Double-click row selection to view environmental data. Click on column heading to sort table.

All Active Stored Pending

View Freeze Frame

View Event Data

	ECU	Code	Status	Description
	ORC	B2767-87	active	Left Impact Pressure Sensor-Missing Message

Click on the buttons to view the desired information. Click on column heading to sort table.

Environmental Data for ORC | B2767-87 Left Impact Pressure Sensor-Missing Message

Name	Value
Test Failed	True
Test Failed This Operation Cycle	False
Pending DTC	False
Confirmed DTC	True

A A

OFFLINE

acer

Click on the buttons to view the desired information. Click on column heading to sort table.

Environmental Data for ORC | B2767-87 Left Impact Pressure Sensor-Missing Message

Name	Value
Confirmed DTC	True
Test Not Completed Since Last Clear	False
Test Failed Since Last Clear	False
Test Not Completed This Operation Cycle	False

A A



Click on the buttons to view the desired information. Click on column heading to sort table.

Environmental Data for ORC | B2767-87 Left Impact Pressure Sensor-Missing Message

Name	Value	Units
Warning Indicator Requested	True	
DTC Extended Data Record Number - All	01	
Occurrence flag	Error	mils
Original Odometer Value	2108	



0 82:00.00

Click on the buttons to view the desired information. Click on column heading to sort table.

Environmental Data for ORC | B2767-87 Left Impact Pressure Sensor-Missing Message

Name	Value	Units
Occurrence Neg	Error	times
Original Odometer Value	2108	miles
Most Recent Odometer Value	2108	miles
Frequency Counter	1	
Operation Cycle Counter	Operation Cycle Counter not available / Default	

acer

00.00.14

A

Click on the buttons to view the desired information. Click on column heading to sort table.

Environmental Data for ORC | B2767-87 Left Impact Pressure Sensor-Missing Message

Name	Value	Units
Operation Cycle Counter	Operation Cycle Counter not available / Default	minutes
Accumulation Timer	40	seconds
Fault System Time Start	377782	
Fault System Time End		

A A

acer

Click on the buttons to view the desired information. Click on column heading to sort table.

Environmental Data for ORC | B2767-87 Left Impact Pressure Sensor-Missing Message

Name	Value	Units
Test Failed	True	
Test Failed This Operation Cycle	False	
Pending DTC	False	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	False	

A A

Disconnect

Warning 3E

10:35 AM

7/16/2013

ASPIRE 5532

Click on the buttons to view the desired information. Click on column heading to sort table.

Search for Data

Environmental Data for ORC | B2767-87 Left Impact Pressure Sensor-Missing Message

Name	Value	Units
Most Recent Odometer Value	2108	miles
Frequency Counter	1	
Operation Cycle Counter	Operation Cycle Counter not avail	
Accumulation Timer	42	minutes
Fault System Time Start	377782	seconds
Fault System Time End		

Disconnect

Warning: 2 Errors

10:35 AM
3/16/2015

ASPIRE 5532

Click on the buttons to view the desired information. Click on column heading to sort table.

Environmental Data for ORC | B2767-87 Left Impact Pressure Sensor-Missing Message

Name	Value	Units
Test Failed Since Last Clear	False	
Test Not Completed This Operation Cycle	False	
Warning Indicator Requested	True	
DTC Extended Data Record Number - All	01	
Occurrence Flag	Error	miles
Original Odometer Value	2108	

A A

Disconnect

10:33 AM
3/16/2013

ASPIRE 5532

acer

Click on the buttons to view the desired information. Click on column heading to sort table.

Environmental Data for PTS | B1295-11 PTS Sensor 8-Circuit Short to Ground

Name	Value	Units
DTC	929511	
Test Failed	True	
Test Failed This Operation Cycle	False	
Pending DTC	True	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	

A A

Disconnect

10:56 AM
3/16/2013

ASPIRE 5532

Click on the buttons to view the desired information. Click on column heading to sort table.

Environmental Data for PTS | B1295-11 PTS Sensor B-Circuit Short to Ground

Name	Value	Units
Test Failed Since Last Clear	True	
Test Not Completed This Operation Cycle	True	
Warning Indicator Requested	True	
DTC Extended Data Record Number - All	01	
Occurrence flag	Error	miles
Original Odometer Value	2108	

Disconnected

10:58 AM
3/6/2015

ASPIRE 5532

cer

Click on the buttons to view the desired information. Click on column heading to sort table.

Environmental Data for PTS | B1295-11 PTS Sensor 8-Circuit Short to Ground

Name	Value	Units
DTC Extended Data Record Number - All	01	
Occurrence flag	Error	miles
Original Odometer Value	2108	miles
Most Recent Odometer Value	2108	
Frequency Counter	1	
Operation Cycle Counter	0	

Disconnect

Warnings: 0 Errors

10:38 AM

3/16/2013

ASPIRE 5532

acer

Click on the buttons to view the desired information. Click on column heading to sort table.

Environmental Data for PTS | B1298-11 PTS Sensor 11-Circuit Short to Ground

Name	Value	Units
DTC	929811	
Test Failed	True	
Test Failed This Operation Cycle	False	
Pending DTC	True	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	

A A

Disconnect

Click on the buttons to view the desired information. Click on column heading to sort table.

Environmental Data for PTS | B1298-11 PTS Sensor 11-Circuit Short to Ground

Name	Value	Units
Test Failed Since Last Clear	True	
Test Not Completed This Operation Cycle	True	
Warning Indicator Requested	True	
DTC Extended Data Record Number - All	01	
Occurrence Flag	Error	miles
Original Odometer Value	2108	

A A

ASPIRE 5532

Click on the buttons to view the desired Information. Click on column heading to sort table.

Environmental Data Snapshot Data

Environmental Data for PTS | B1298-11 PTS Sensor 11-Circuit Short to Ground

Name	Value	Units
DTC Extended Data Record Number - All	01	
Occurrence flag	Error	
Original Odometer Value	2108	miles
Most Recent Odometer Value	2108	miles
Frequency Counter	1	
Operation Cycle Counter	0	

A A

Disconnect

Waiting for ECU

10:39 AM
3/16/2013

ASPIRE 5532

acer

Click on the buttons to view the desired information. Click on column heading to sort table.

Environmental Data for PTS | B1297-11 PTS Sensor 10-Circuit Short to Ground

Name	Value	Units
DTC	929711	
Test Failed	True	
Test Failed This Operation Cycle	False	
Pending DTC	True	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
A A		

Click on the buttons to view the desired information. Click on column heading to sort table.

Environmental Data for PTS | B1297-11 PTS Sensor 10-Circuit Short to Ground

Name	Value	Units
Test Failed Since Last Clear	True	
Test Not Completed This Operation Cycle	True	
Warning Indicator Requested	True	
DTC Extended Data Record Number - All	01	
Occurrence flag	Error	miles
Original Odometer Value	2108	

A A

Disconnect

Warning Off

10:39 AM

1/16/2013

ASPIRE 5532

Click on the buttons to view the desired information. Click on column heading to sort table.

Environmental Data for PTS | B1297-11 PTS Sensor 10-Circuit Short to Ground

Name	Value	Units
DTC Extended Data Record Number - All	01	
Occurrence Flag	Error	miles
Original Odometer Value	2108	miles
Most Recent Odometer Value	2108	
Frequency Counter	1	
Operation Cycle Counter	0	

A A

Disconnect

ASPIRE 5532

Click on the buttons to view the desired information. Click on column heading to sort table.

Freeze Scan Set Data

Environmental Data for BCM | U0199-00 Lost Communication With Driver Door Module-

Name	Value	Units
Test Failed	True	
Test Failed This Operation Cycle	True	
Pending DTC	False	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	True	

A A

Disconnect

Click on the buttons to view the desired information. Click on column heading to sort table.

Environmental Data for BCM | U0199-00 Lost Communication With Driver Door Module-

Name	Value	Units
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	True	
Test Not Completed This Operation Cycle	False	
Warning Indicator Requested	False	
DTC Extended Data Record Number - All	01	
Occurrence flag	Error	

Disconnect

Warning: 10:40 AM

3/16/2015

ASPIRE 5532

Click on the buttons to view the desired information. Click on column heading to sort table.

Environmental Data Scan for Data

Environmental Data for BCM | U0199-00 Lost Communication With Driver Door Module-

Name	Value	Units
DTC Extended Data Record Number - All	01	
Occurrence flag	Error	
Original Odometer Value	2108	miles
Most Recent Odometer Value	2108	miles
Frequency Counter	4	
Ignition Cycle Counter	0	

A A

Disconnect

Vehicle ID

10:40 AM
3/16/2013

ASPIRE 5532

acer

Click on the buttons to view the desired information. Click on column heading to sort table.

Environmental Data for BCM | B2873-15 Left Reverse Lamp 2 Control-Circuit Short to Battery or Open

Name	Value	Units
Test Failed	True	
Test Failed This Operation Cycle	False	
Pending DTC	False	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	True	

Click on the buttons to view the desired information. Click on column heading to sort table.

Environmental Data for BCM | B2873-15 Left Reverse Lamp 2 Control-Circuit Short to Battery or Open

Name	Value	Units
Test Not Completed This Operation Cycle	True	
Warning Indicator Requested	False	
DTC Extended Data Record Number - All	01	
Occurrence flag	Error	
Original Odometer Value	2108	miles
Most Recent Odometer Value	2108	miles

Disconnect

10:41 AM
3/16/2015

ASPIRE 5532

acer

Click on the buttons to view the desired information. Click on column heading to sort table.

Environmental Data for BCM | B2873-15 Left Reverse Lamp 2 Control-Circuit Short to Battery or Open

Name	Value	Units
DTC Extended Data Record Number - All	01	
Occurrence flag	Error	
Original Odometer Value	2108	miles
Most Recent Odometer Value	2108	miles
Frequency Counter	1	
Ignition Cycle Counter	0	

A A

Distance

Warning 2

10:41 AM
3/26/2015

ASPIRE 5532

acer

Click on the buttons to view the desired information. Click on column heading to sort table.

Environmental Data

Snapshot Data

Environmental Data | BCM | B1642-15 Rear Left Turn Lamp Control-Circuit Short to Battery or Open

Name	Value	Units
Test Failed	True	
Test Failed This Operation Cycle	False	
Pending DTC	False	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	True	

Disconnect

Warning: 0 DTCs

10:41 AM
1/16/2015

ASPIRE 5532

Click on the buttons to view the desired information. Click on column heading to sort table.

Environmental Data for BCM | B1642-15 Rear Left Turn Lamp Control-Circuit Short to Battery or Open

Name	Value	Units
Test Failed Since Last Clear	True	
Test Not Completed This Operation Cycle	True	
Warning Indicator Requested	False	
DTC Extended Data Record Number - All	01	
Occurrence flag	Error	miles
Original Odometer Value	2108	

Disconnect

10:41 AM

3/30/2012

ASPIRE 5532

acer

Click on the buttons to view the desired information. Click on column heading to sort table.

Environmental Data for BCM | B1642-15 Rear Left Turn Lamp Control-Circuit Short to Battery or Open

Name	Value	Units
DTC Extended Data Record Number - All	01	
Occurrence flag	Error	
Original Odometer Value	2108	miles
Most Recent Odometer Value	2108	miles
Frequency Counter	1	
Ignition Cycle Counter	0	

A A

Disconnect

Monitor Data

ASPIRE 5532

10:42 AM
3/6/2010

Click on the buttons to view the desired information. Click on column heading to sort table.

Environmental Data for RADIO | B1400-13 Front Left Audio Speaker Output-Circuit Open

Name	Value	Units
TestFailed	True	
TestFailedThisMonitoringCycle	True	
Pending DTC	True	
Confirmed DTC	True	
Test Not Completed This Monitoring Cycle	False	
Warning Indicator Requested	False	

A A

ASPIRE 5532

Click on the buttons to view the desired information. Click on column heading to sort table.

Environmental Data for RADIO | B1400-13 Front Left Audio Speaker Output-Circuit Open

Name	Value	Units
DTCExtendedDataRecordNumber	Record \$01-\$8F	
Occurance Flag	Error	
Original Odometer Value	2108	miles
Most Recent Odometer Value	2108	miles
Frequency Counter	1	
Ignition Counter	0	

A A

ASPIRE 5532

Click on the buttons to view the desired information. Click on column heading to sort table.

Environmental Data for RADIO | B1400-13 Front Left Audio Speaker Output-Circuit Open

Name	Value	Units
Occurance Flag	Error	
Original Odometer Value	2108	miles
Most Recent Odometer Value	2108	miles
Frequency Counter	1	
Ignition Counter	0	
Event Counter	Event counter for clear DTC men	

A A

Click on the buttons to view the desired information. Click on column heading to sort table.

Environmental Data for RADIO | U0199-00 Lost Communication With Driver Door Module-

Name	Value	Units
TestFailed	True	
TestFailedThisMonitoringCycle	True	
Pending DTC	True	
Confirmed DTC	True	
Test Not Completed This Monitoring Cycle	False	
Warning Indicator Requested	False	

▲ A

Disconnect

ASPIRE 5532

Click on the buttons to view the desired information. Click on column heading to sort table.

Environmental Data for RADIO | U0199-00 Lost Communication With Driver Door Module-

Name	Value	Units
Warning Indicator Requested	False	
DTCExtendedDataRecordNumber	Record \$01-\$8F	
Occurance Flag	Error	
Original Odometer Value	2108	miles
Most Recent Odometer Value	2108	miles
Frequency Counter	1	

A A

Click on the buttons to view the desired information. Click on column heading to sort table.

Environmental Data for RADIO | U0199-00 Lost Communication With Driver Door Module

Name	Value	Units
Occurance Flag	Error	
Original Odometer Value	2108	miles
Most Recent Odometer Value	2108	miles
Frequency Counter	1	
Ignition Counter	0	
Event Counter	Event counter for clear DTC men	

A A

Disconnect