

PE15-021

FLAT CHRYSLER

10-22-2015

ENCLOSURE 4

FinalBackup



1C4RJECTOEC

MFD BY CHRYSLER GROUP LLC

DATE OF MFR(BUILT): 6-13 GWR:

GWR FRONT: 1452 KG 3200 LB WITH
20x8.0 RIMS AT

GWR REAR: 1679 KG 3700 LB WITH
20x8.0 RIMS AT

2949 KG 6500 LB

265/50R20 TIRES

250 KPH (36 PSI) COOL

265/50R20 TIRES

250 KPH (36 PSI) COOL



THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.A. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1C4RJCT0E [REDACTED] TYPE: MPV MDN: 06M401 030AA
VEHICLE MADE IN U.S.A. PAINT: PBU TRIM: GLUC







Mileage Price
As is 12,000 \$16,000
With Repairs 12,000 \$18,000
100

DODGE CHEROKEE





Jeep





GET READY

GRAND CHEROKEE







Jeep

Tips Card



2014

Grand Cherokee

Includes SRT®



methods of starting.

es over accelerator
(/h);

CANCEL button, or
e brakes, to cancel the
d and maintain the set
emory.

Adaptive Cruise Control (ACC) - If Equipped

If your vehicle is equipped with Adaptive Cruise Control, the controls operate exactly the same as the standard cruise control, with one difference. You can set a specified distance you would like to maintain between you and the vehicle in front of you.

- If the ACC sensor detects a vehicle ahead, ACC will apply limited braking or acceleration automatically to maintain a preset following distance, while matching the speed of the vehicle ahead.
- If the sensor does not detect a vehicle directly ahead of you, it functions like a standard cruise control system, maintaining the speed you set.



Forward Collision Warning with Mitigation - If Equipped

The Forward Collision Warning (FCW) system provides the driver with active braking, audible and visual warnings (within the EVIC), and may apply the brakes for the driver when it detects a potential frontal collision.



ds of starting.

accelerator

CEL button, or
s, to cancel the
maintain the set



in normal
preset following distance, while
watching the speed of the
vehicle ahead.

- If the sensor does not detect a vehicle directly ahead of you, it functions like a standard cruise control system, maintaining the speed you set.



Forward Collision Warning with Mitigation - If Equipped

The Forward Collision Warning (FCW) system provides the driver with active braking, audible and visual warnings (within the EVIC), and may apply a brake jerk to warn the driver when it detects a potential frontal collision. The warnings and limited braking are intended to provide the driver with enough time to react and avoid or mitigate the potential collision.

FCW monitors the information from the forward looking sensor as well as the Electronic Brake Controller (EBC), and wheel speed sensors, to calculate a probable collision. When the system determines that a collision is probable, a warning message (both audible and visual) will be displayed within the EVIC along with a brake jerk warning. When the system senses the driver applying the brakes to avoid a probable collision, additional brake force will be provided to the vehicle. When the system determines a collision with the vehicle in front of you is no longer probable, the warning message will be deactivated.

The FCW feature can be customized through the Uconnect 8.4A/9.4AN System touch-screen. The feature can also be turned off by the FCW OFF switch, located on the switch bank below the Climate Controls.

com...
speed you set.

Distance Decrease

erator

utton, or
cancel the
in the set

Forward Collision Warning with Mitigation - If Equipped

The Forward Collision Warning (FCW) system provides the driver with active braking, audible and visual warnings (within the EVIC), and may apply a brake jerk to warn the driver when it detects a potential frontal collision. The warnings and limited braking are intended to provide the driver with enough time to react and avoid or mitigate the potential collision.

FCW monitors the information from the forward looking sensor as well as the Electronic Brake Controller (EBC), and wheel speed sensors, to calculate a probable collision. When the system determines that a collision is probable, a warning message (both audible and visual) will be displayed within the EVIC along with a brake jerk warning. When the system senses the driver applying the brakes to avoid a probable collision, additional brake force will be provided to the vehicle. When the system determines a collision with the vehicle in front of you is no longer probable, the warning message will be deactivated.

The FCW feature can be customized through the Uconnect® 8.4A/8.4AN System touch-screen. The feature can also be turned off by the FCW OFF switch, located on the switch bank below the Climate Controls.

Push
Resume







850744

Paden

George

KV

4/22
P.M.

~~George~~

PBA

check out back
Saves 100







OPERATING YOUR VEHICLE

Tuning FCW ON/OFF

NOTE:

The sensor status of FCW is "ON". This allows the system to warn you if a vehicle collides with the vehicle in front of you when you are farther away and a controlled braking. This gives you the most reaction time to avoid a collision with:

- The forward collision system is located below the climate controls, on the left side.
- To turn the FCW system OFF, press the forward collision button twice to turn the system OFF (red turns on).
- To turn the FCW system back ON, press the forward collision button once to turn the system ON (red turns off).

Changing FCW Seta

- The FCW feature has three settings and can be changed within the Settings System Screen:

- Far
- Near
- Off

NOTE:

The FCW and active braking settings can only be changed when the vehicle is in PARK.

Far

- The default status of FCW is the "Far" setting.
- The far setting provides warnings for potential collisions, a red dot and a line of the vehicle, allowing the driver to have the most reaction time to avoid a collision.
- This setting is designed to provide early warnings per NHTSA (National Highway Traffic Safety Administration) recommendations.
- Give cautious drivers that do not need frequent warnings that prefer this setting.

NOTE:

This setting gives you the most reaction time.

OPERATING YOUR VEHICLE

NOTE:

- Changing the FCW system to the "Near" setting, allows the system to warn you of a potential collision, a red dot and a line when you are much closer.
- This setting is designed to provide warnings that are less than the "Far" setting, which allows for a more immediate reaction time to avoid a collision.
- More dynamic drivers that prefer warnings that warn of a collision, warning that occur this setting.

Off

- Changing the FCW system to "Off" prevents the system from warning you of a possible collision with the vehicle in front of you.

Setting Active Braking ON/OFF

- The Active Braking feature has two settings and can be changed within the Settings System Screen:

- On
- Off

- Changing the Active Braking status to "Off" prevents the system from providing controlled emergency braking, or additional brake support (the driver's foot braking) automatically in the event of a potential frontal collision.

NOTE:

- If FCW is set to "Off", "FCW OFF" will be displayed in the EVIC.
- Refer to the Owner's Manual on the DVD for further details.

OPERATING YOUR VEHICLE

Turning FCW ON Or OFF

NOTE:

The default status of FCW is "On", this allows the system to warn you of a possible collision with the vehicle in front of you when you are farther away and it allows limited braking. This gives you the most reaction time to avoid a possible collision.

- The forward collision button is located below the climate controls on the left side panel.
- To turn the FCW system OFF, press the forward collision button once to turn the system OFF (led turns on).
- To turn the FCW system back ON, press the forward collision button again to turn the system ON (led turns off).

Changing FCW Status

- The FCW feature has three settings and can be changed within the Customization System Screen:
 - Far
 - Near
 - Off

NOTE:

The FCW and active braking settings can only be changed when the vehicle is in PARK.

Far

- The default status of FCW is the "Far" setting.
- The far setting provides warnings for potential collisions more distant in front of the vehicle, allowing the driver to have the most reaction time to avoid a collision.
- This setting is designed to provide early warnings per NHTSA (National Highway Traffic Safety Administration) recommendations.
- More cautious drivers that do not mind frequent warnings may prefer this setting.

NOTE:

This setting gives you the most reaction time.

OPERATING YOUR VEHICLE

Near

- Changing the FCW status to the "Near" setting allows the system to warn you of a potential frontal collision when you are much closer.
- This setting provides less reaction time than the "Far" setting, which allows for a more dynamic driving experience.
- More dynamic or aggressive drivers that want to avoid frequent warnings may prefer this setting.

Off

- Changing the FCW status to "Off" prevents the system from warning you of a possible collision with the vehicle in front of you.

Turning Active Braking ON Or OFF

- The Active Braking feature has two settings and can be changed within the Customization System Screen:
 - On
 - Off

- Changing the Active Braking status to "Off" prevents the system from providing limited autonomous braking, or additional brake support if the driver is not braking adequately in the event of a potential frontal collision.

NOTE:

- If FCW is set to "Off", "FCW Off" will be displayed in the DVC.
- Refer to the Owner's Manual on the DVD for further detail.

BRAKE +



Press Brake
and
Push Button
to Start

8674 mi

P
R
N
D
S



86°F

SE



Start Engine
to Shift
into Gear

P
R
N
D
S
L

8674 mi

- Oil pressure icon
- Temperature gauge icon
- Fuel gauge icon
- Brake icon
- ABS icon
- Oil service interval icon (OW)





E

ACC

START
STOP
ENGINE



86°F

SE



P

8674 mi