

EA16-002

FLAT CHRYSLER

5-12-2016

ENCLOSURE 04

CAIR Backup



1C4RJFCG1FC [REDACTED]

GROUP LLC

GWR:	2949 KG	6500 LB	
0 LB WITH	265/S0R20		TIRES
2TMS AT	250 KPA ( 36 PSI) COLD		
0 LB WITH	265/S0R20		TIRES
2TMS AT	250 KPA ( 36 PSI) COLD		



THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.A. FEDERAL MOTOR VEHICLE STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1C4RJFCG1FC8 [REDACTED]

VEHICLE MADE IN U.S.A.

TYPE:

PAINT: PRP

MPV

TRIM: GLUL

MDH: 081623

Ignition or  
Accessory On

14587 mi






PARTE  
LAVORI  
COMPLETI

































NEW YORK



07/26/16

104R1JFCG1FC  
2015 JEEP SUVN  
NOSRT SPO B C

16



VEHICLE REGISTRATION



NEW YORK STATE

SAFETY  
INSPECTION  
CERTIFICATE

2016

<input type="radio"/>	FEB	<input checked="" type="radio"/>	DEC
<input type="radio"/>	MAR	<input type="radio"/>	NOV
<input type="radio"/>	APR	<input type="radio"/>	OCT
<input type="radio"/>	MAY	<input type="radio"/>	SEP
<input type="radio"/>	JUN	<input type="radio"/>	AUG

















A close-up photograph of a metal buckle assembly. The buckle is made of dark metal and has a rectangular opening. It is attached to a white plastic base. A woven fabric strap is visible on the right side. The buckle is being held by a person's fingers. The text "6X4013" is stamped on the metal buckle.

6X4013



RECARO

**WARNING**  
Please read the instructions carefully before using the child seat. The child seat must be used in accordance with the instructions. The child seat is not suitable for use in motor vehicles. The child seat is not suitable for use in motor vehicles. The child seat is not suitable for use in motor vehicles.













