


EA16-002

FLAT CHRYSLER

5-12-2016

ENCLOSURE 04

CAIR Backup



## Overview

**Electronic Shifter**

**Flash Part Number:**

68166105AE

**Bus Type:**

CAN C

**Hardware Version:**

11.23.00

**Software Version:**

#1: 13.08.00 ,#0: 13.08.00

**Spare Part Number:**

N/A

**ISO Code:**

**Software Number:**

N/A

**Hardware Number:**

N/A

**Original VIN**

1C4RJFBC0FC [REDACTED]

**Current VIN**

1C4RJFBC0FC [REDACTED]

**Variant & Version:**

42 - 1

**Country Code**

N/A


**DTC Count:**

0



# ESM View

Click on tabs to access various ECU operations and information for the selected ECU.



- Flash
- Data
- DTCs
- Actuators
- System Tests**
- Misc Functions
- ECU Details

Double-click row selection to launch system test. Click on column heading to sort table.

## Overview

**Electronic Shifter**  
**Flash Part Number:**  
68166105AE  
**Bus Type:**  
CAN C  
**Hardware Version:**  
11.23.00  
**Software Version:**  
#1: 13.08.00 ,#0: 13.08.00  
**Spare Part Number:**  
N/A  
**ISO Code:**  
  
**Software Number:**  
N/A  
**Hardware Number:**  
N/A  
**Original VIN**  
1C4RJFBG0FC [REDACTED]  
**Current VIN**  
1C4RJFBG0FC [REDACTED]  
**Variant & Version:**  
42 - 1  
**Country Code**  
N/A  
**DTC Count:**

Name

Name	
NO RESULTS TO DISPLAY	

NO RESULTS TO DISPLAY



## Vehicle Information

**Vehicle** 2015 WK 3.6L  
**Odometer** 3275.6 miles  
**VIN** 1C4RJFBG0FC [REDACTED]  
**Original VIN** 1C4RJFBG0FC [REDACTED]  
**Publication Date** Thu Feb 11 2016

## Loss of Comm Summary Information

ECU	Active	Stored	Loading ECUs
-----	--------	--------	--------------



Report  
Report  
n Report  
or Repo  
Report  
e Report

### Control Panel



- Include ECU Summary Information
- Include DTC Summary Information
- Include Snapshot Data Summary Information

Vehicle VIN: [REDACTED]  
Publication Date: Thu Feb 11 2016

### DTC Summary Information


ECU	DTC Code	Status	DTC Description
BCM	B2303-13	stored	Wiper Park Switch Input-Circuit Open
TPM	C0077-00	stored	Low Tire Pressure-

### Snapshot Data Summary Information

**BCM | B2303-13 | stored | Wiper Park Switch Input-Circuit Open**

No Data Available

**TPM | C0077-00 | stored | Low Tire Pressure-**



TERRAIN



**139 mi**  
Range

Current

MPG

**14.4**  
Average

Hold OK to Reset

**3275 mi**

sort table. Drag and drop row or multiple row selections to re-order table elements.

Graph	Name	Value	Unit	Type
<input type="checkbox"/>	Vehicle Battery Voltage	14.7	Volts	Sensors
<input type="checkbox"/>	Park LED	4.0392156863	Volts	Sensors
<input type="checkbox"/>	Reverse LED	0.0000000000	Volts	Sensors
<input type="checkbox"/>	Drive LED	0.0000000000	Volts	Sensors
<input type="checkbox"/>	Autostick LED	0.4509803922	Volts	Sensors
<input type="checkbox"/>	Position 0 (Idle) / INIT Position after start	Not Set		Sensors
<input type="checkbox"/>	Position 6 (Mid Position) POS ZERO	Set		Sensors
<input type="checkbox"/>	POS ONE Foreward 3	Not Set		Sensors
<input type="checkbox"/>	POS TWO Foreward 2	Not Set		Sensors
<input type="checkbox"/>	POS THREE Foreward 1	Not Set		Sensors
<input type="checkbox"/>	POS FOUR Backward 1	Not Set		Sensors
<input type="checkbox"/>	POS FIVE Backward 2	Not Set		Sensors
<input type="checkbox"/>	POS SIX Backward 3	Not Set		Sensors
<input type="checkbox"/>	Relase Button one	Not Set		Sensors
<input type="checkbox"/>	Release Button 2	Not Set		Sensors
<input type="checkbox"/>	Neutral LED	0.0000000000	Volts	Sensors

sort table. Drag and drop row or multiple row selections to re-order table elements. Click on column heading to

Graph	Name	Value	Unit	Type
<input type="checkbox"/>	Vehicle Battery Voltage	14.6	Volts	Sensors
<input type="checkbox"/>	Park LED	0.0000000000	Volts	Sensors
<input type="checkbox"/>	Reverse LED	4.0392156863	Volts	Sensors
<input type="checkbox"/>	Drive LED	0.0000000000	Volts	Sensors
<input type="checkbox"/>	Autostick LED	0.4509803922	Volts	Sensors
<input type="checkbox"/>	Position 0 (Idle) / INIT Position after start	Not Set		Sensors
<input type="checkbox"/>	Position 6 (Mid Position) POS ZERO	Set		Sensors
<input type="checkbox"/>	POS ONE Foreward 3	Not Set		Sensors
<input type="checkbox"/>	POS TWO Foreward 2	Not Set		Sensors
<input type="checkbox"/>	POS THREE Foreward 1	Not Set		Sensors
<input type="checkbox"/>	POS FOUR Backward 1	Not Set		Sensors
<input type="checkbox"/>	POS FIVE Backward 2	Not Set		Sensors
<input type="checkbox"/>	POS SIX Backward 3	Not Set		Sensors
<input type="checkbox"/>	Relase Button one	Not Set		Sensors
<input type="checkbox"/>	Release Button 2	Not Set		Sensors
<input type="checkbox"/>	Neutral LED	0.0000000000	Volts	Sensors

Double-click row selection to graph data element, or check multiple elements and press "Show Graph". Click on column heading to sort table. Drag and drop row or multiple row selections to re-order table elements.

Show Graph

Graph	Name	Value	Unit	Type
<input type="checkbox"/>	Vehicle Battery Voltage	14.7	Volts	Sensors
<input type="checkbox"/>	Park LED	0.0000000000	Volts	Sensors
<input type="checkbox"/>	Reverse LED	0.0000000000	Volts	Sensors
<input type="checkbox"/>	Drive LED	0.0000000000	Volts	Sensors
<input type="checkbox"/>	Autostick LED	0.4313725490	Volts	Sensors
<input type="checkbox"/>	Position 0 (Idle) / INIT Position after start	Not Set		Sensors
<input type="checkbox"/>	Position 6 (Mid Position) POS ZERO	Set		Sensors
<input type="checkbox"/>	POS ONE Foreward 3	Not Set		Sensors
<input type="checkbox"/>	POS TWO Foreward 2	Not Set		Sensors
<input type="checkbox"/>	POS THREE Foreward 1	Not Set		Sensors
<input type="checkbox"/>	POS FOUR Backward 1	Not Set		Sensors
<input type="checkbox"/>	POS FIVE Backward 2	Not Set		Sensors
<input type="checkbox"/>	POS SIX Backward 3	Not Set		Sensors
<input type="checkbox"/>	Relase Button one	Not Set		Sensors
<input type="checkbox"/>	Release Button 2	Not Set		Sensors
<input type="checkbox"/>	Neutral LED	4.0196078431	Volts	Sensors

A A

sort table. Drag and drop row or multiple row selections to re-order table elements.

Show Graph

Graph	Name	Value	Unit	Type
<input type="checkbox"/>	Vehicle Battery Voltage	14.7	Volts	Sensors
<input type="checkbox"/>	Park LED	0.0000000000	Volts	Sensors
<input type="checkbox"/>	Reverse LED	0.0000000000	Volts	Sensors
<input type="checkbox"/>	Drive LED	4.0392156863	Volts	Sensors
<input type="checkbox"/>	Autostick LED	0.4509803922	Volts	Sensors
<input type="checkbox"/>	Position 0 (Idle) / INIT Position after start	Not Set		Sensors
<input type="checkbox"/>	Position 6 (Mid Position) POS ZERO	Set		Sensors
<input type="checkbox"/>	POS ONE Foreward 3	Not Set		Sensors
<input type="checkbox"/>	POS TWO Foreward 2	Not Set		Sensors
<input type="checkbox"/>	POS THREE Foreward 1	Not Set		Sensors
<input type="checkbox"/>	POS FOUR Backward 1	Not Set		Sensors
<input type="checkbox"/>	POS FIVE Backward 2	Not Set		Sensors
<input type="checkbox"/>	POS SIX Backward 3	Not Set		Sensors
<input type="checkbox"/>	Relase Button one	Not Set		Sensors
<input type="checkbox"/>	Release Button 2	Not Set		Sensors
<input type="checkbox"/>	Neutral LED	0.0000000000	Volts	Sensors

A A

Disconnect

Warnings & Errors 0

Double-click row selection to graph data element, or check multiple elements and press "Show Graph". Click on column heading to sort table. Drag and drop row or multiple row selections to re-order table elements.

Show Graph

Graph	Name	Value	Unit	Type
<input type="checkbox"/>	Vehicle Battery Voltage	14.6	Volts	Sensors
<input type="checkbox"/>	Park LED	0.0000000000	Volts	Sensors
<input type="checkbox"/>	Reverse LED	0.0000000000	Volts	Sensors
<input type="checkbox"/>	Drive LED	4.0196078431	Volts	Sensors
<input type="checkbox"/>	Autostick LED	0.4509803922	Volts	Sensors
<input type="checkbox"/>	Position 0 (Idle) / INIT Position after start	Not Set		Sensors
<input type="checkbox"/>	Position 6 (Mid Position) POS ZERO	Set		Sensors
<input type="checkbox"/>	POS ONE Foreward 3	Not Set		Sensors
<input type="checkbox"/>	POS TWO Foreward 2	Not Set		Sensors
<input type="checkbox"/>	POS THREE Foreward 1	Not Set		Sensors
<input type="checkbox"/>	POS FOUR Backward 1	Not Set		Sensors
<input type="checkbox"/>	POS FIVE Backward 2	Not Set		Sensors
<input type="checkbox"/>	POS SIX Backward 3	Not Set		Sensors
<input type="checkbox"/>	Relase Button one	Not Set		Sensors
<input type="checkbox"/>	Release Button 2	Not Set		Sensors
<input type="checkbox"/>	Neutral LED	0.0000000000	Volts	Sensors

Double-click row selection to graph data element, or check multiple elements and press "Show Graph". Click on column heading to sort table. Drag and drop row or multiple row selections to re-order table elements.

Show Graph

Graph	Name	Value	Unit	Type
<input type="checkbox"/>	Vehicle Battery Voltage	14.6	Volts	Sensors
<input type="checkbox"/>	Park LED	0.0000000000	Volts	Sensors
<input type="checkbox"/>	Reverse LED	0.0000000000	Volts	Sensors
<input type="checkbox"/>	Drive LED	0.0000000000	Volts	Sensors
<input type="checkbox"/>	Autostick LED	0.4509803922	Volts	Sensors
<input type="checkbox"/>	Position 0 (Idle) / INIT Position after start	Not Set		Sensors
<input type="checkbox"/>	Position 6 (Mid Position) POS ZERO	Set		Sensors
<input type="checkbox"/>	POS ONE Foreward 3	Not Set		Sensors
<input type="checkbox"/>	POS TWO Foreward 2	Not Set		Sensors
<input type="checkbox"/>	POS THREE Foreward 1	Not Set		Sensors
<input type="checkbox"/>	POS FOUR Backward 1	Not Set		Sensors
<input type="checkbox"/>	POS FIVE Backward 2	Not Set		Sensors
<input type="checkbox"/>	POS SIX Backward 3	Not Set		Sensors
<input type="checkbox"/>	Relase Button one	Not Set		Sensors
<input type="checkbox"/>	Release Button 2	4.0196078431	Volts	Sensors
<input type="checkbox"/>	Neutral LED			

2 3

Double-click row selection to graph data element, or check multiple elements and press "Show Graph". Click on column heading to sort table. Drag and drop row or multiple row selections to re-order table elements.

Show Graph

Graph	Name	Value	Unit	Type
<input type="checkbox"/>	Vehicle Battery Voltage	14.6	Volts	Sensors
<input type="checkbox"/>	Park LED	0.0000000000	Volts	Sensors
<input type="checkbox"/>	Reverse LED	4.0000000000	Volts	Sensors
<input type="checkbox"/>	Drive LED	0.0000000000	Volts	Sensors
<input type="checkbox"/>	Autostick LED	0.4509803922	Volts	Sensors
<input type="checkbox"/>	Position 0 (Idle) / INIT Position after start	Not Set		Sensors
<input type="checkbox"/>	Position 6 (Mid Position) POS ZERO	Set		Sensors
<input type="checkbox"/>	POS ONE Foreward 3	Not Set		Sensors
<input type="checkbox"/>	POS TWO Foreward 2	Not Set		Sensors
<input type="checkbox"/>	POS THREE Foreward 1	Not Set		Sensors
<input type="checkbox"/>	POS FOUR Backward 1	Not Set		Sensors
<input type="checkbox"/>	POS FIVE Backward 2	Not Set		Sensors
<input type="checkbox"/>	POS SIX Backward 3	Not Set		Sensors
<input type="checkbox"/>	Release Button one	Not Set		Sensors
<input type="checkbox"/>	Release Button 2	Not Set		Sensors
<input type="checkbox"/>	Neutral LED	0.0000000000	Volts	Sensors

Double-click row selection to graph data element, or check multiple elements and press "Show Graph". Click on column heading to sort table. Drag and drop row or multiple row selections to re-order table elements.

Show Graph

Graph	Name	Value	Unit	Type
<input type="checkbox"/>	Vehicle Battery Voltage	14.7	Volts	Sensors
<input type="checkbox"/>	Park LED	4.0392156863	Volts	Sensors
<input type="checkbox"/>	Reverse LED	0.0000000000	Volts	Sensors
<input type="checkbox"/>	Drive LED	0.0000000000	Volts	Sensors
<input type="checkbox"/>	Autostick LED	0.4509803922	Volts	Sensors
<input type="checkbox"/>	Position 0 (Idle) / INIT Position after start	Not Set		Sensors
<input type="checkbox"/>	Position 6 (Mid Position) POS ZERO	Set		Sensors
<input type="checkbox"/>	POS ONE Foreward 3	Not Set		Sensors
<input type="checkbox"/>	POS TWO Foreward 2	Not Set		Sensors
<input type="checkbox"/>	POS THREE Foreward 1	Not Set		Sensors
<input type="checkbox"/>	POS FOUR Backward 1	Not Set		Sensors
<input type="checkbox"/>	POS FIVE Backward 2	Not Set		Sensors
<input type="checkbox"/>	POS SIX Backward 3	Not Set		Sensors
<input type="checkbox"/>	Relase Button one	Not Set		Sensors
<input type="checkbox"/>	Release Button 2	Not Set		Sensors
<input type="checkbox"/>	Neutral LED	0.0000000000	Volts	Sensors

Double-click row selection to graph data element, or check multiple elements and press "Show Graph". Click on column heading to sort table. Drag and drop row or multiple row selections to re-order table elements.

Show Graph

Graph	Name	Value	Unit	Type
<input type="checkbox"/>	Vehicle Battery Voltage	14.7	Volts	Sensors
<input type="checkbox"/>	Park LED	4.0392156863	Volts	Sensors
<input type="checkbox"/>	Reverse LED	0.0000000000	Volts	Sensors
<input type="checkbox"/>	Drive LED	0.0000000000	Volts	Sensors
<input type="checkbox"/>	Autostick LED	0.4509803922	Volts	Sensors
<input type="checkbox"/>	Position 0 (Idle) / INIT Position after start	Not Set		Sensors
<input type="checkbox"/>	Position 6 (Mid Position) POS ZERO	Set		Sensors
<input type="checkbox"/>	POS ONE Foreward 3	Not Set		Sensors
<input type="checkbox"/>	POS TWO Foreward 2	Not Set		Sensors
<input type="checkbox"/>	POS THREE Foreward 1	Not Set		Sensors
<input type="checkbox"/>	POS FOUR Backward 1	Not Set		Sensors
<input type="checkbox"/>	POS FIVE Backward 2	Not Set		Sensors
<input type="checkbox"/>	POS SIX Backward 3	Not Set		Sensors
<input type="checkbox"/>	Release Button one	Not Set		Sensors
<input type="checkbox"/>	Release Button 2	Not Set		Sensors
<input type="checkbox"/>	Neutral LED	0.0000000000	Volts	Sensors

Double-click row selection to graph data element, or check multiple elements and press "Show Graph". Click on column heading to sort table. Drag and drop row or multiple row selections to re-order table elements.

Graph	Name	Value	Unit	Type
<input type="checkbox"/>	Vehicle Battery Voltage	14.6	Volts	Sensors
<input type="checkbox"/>	Park LED	0.0000000000	Volts	Sensors
<input type="checkbox"/>	Reverse LED	4.0392156863	Volts	Sensors
<input type="checkbox"/>	Drive LED	0.0000000000	Volts	Sensors
<input type="checkbox"/>	Autostick LED	0.4509803922	Volts	Sensors
<input type="checkbox"/>	Position 0 (Idle) / INIT Position after start	Not Set		Sensors
<input type="checkbox"/>	Position 6 (Mid Position) POS ZERO	Set		Sensors
<input type="checkbox"/>	POS ONE Foreward 3	Not Set		Sensors
<input type="checkbox"/>	POS TWO Foreward 2	Not Set		Sensors
<input type="checkbox"/>	POS THREE Foreward 1	Not Set		Sensors
<input type="checkbox"/>	POS FOUR Backward 1	Not Set		Sensors
<input type="checkbox"/>	POS FIVE Backward 2	Not Set		Sensors
<input type="checkbox"/>	POS SIX Backward 3	Not Set		Sensors
<input type="checkbox"/>	Relase Button one	Not Set		Sensors
<input type="checkbox"/>	Release Button 2	Not Set		Sensors
<input type="checkbox"/>	Neutral LED	0.0000000000	Volts	Sensors

Show Graph



Double-click row selection to graph data element, or check multiple elements and press "Show Graph". Click on column heading to sort table. Drag and drop row or multiple row selections to re-order table elements.

Graph	Name	Value	Unit	Type
<input type="checkbox"/>	Vehicle Battery Voltage	14.7	Volts	Sensors
<input type="checkbox"/>	Park LED	0.0000000000	Volts	Sensors
<input type="checkbox"/>	Reverse LED	0.0000000000	Volts	Sensors
<input type="checkbox"/>	Drive LED	0.0000000000	Volts	Sensors
<input type="checkbox"/>	Autostick LED	0.4509803922	Volts	Sensors
<input type="checkbox"/>	Position 0 (Idle) / INIT Position after start	Not Set		Sensors
<input type="checkbox"/>	Position 6 (Mid Position) POS ZERO	Set		Sensors
<input type="checkbox"/>	POS ONE Foreward 3	Not Set		Sensors
<input type="checkbox"/>	POS TWO Foreward 2	Not Set		Sensors
<input type="checkbox"/>	POS THREE Foreward 1	Not Set		Sensors
<input type="checkbox"/>	POS FOUR Backward 1	Not Set		Sensors
<input type="checkbox"/>	POS FIVE Backward 2	Not Set		Sensors
<input type="checkbox"/>	POS SIX Backward 3	Not Set		Sensors
<input type="checkbox"/>	Release Button one	Not Set		Sensors
<input type="checkbox"/>	Release Button 2	Not Set		Sensors
<input type="checkbox"/>	Neutral LED	4.0588235294	Volts	Sensors

Show Graph

Double-click row selection to graph data element, or check multiple elements and press "Show Graph". Click on column heading to sort table. Drag and drop row or multiple row selections to re-order table elements.

Show Graph


Graph	Name	Value	Unit	Type
<input type="checkbox"/>	Vehicle Battery Voltage	14.6	Volts	Sensors
<input type="checkbox"/>	Park LED	0.0000000000	Volts	Sensors
<input type="checkbox"/>	Reverse LED	0.0000000000	Volts	Sensors
<input type="checkbox"/>	Drive LED	4.0196078431	Volts	Sensors
<input type="checkbox"/>	Autostick LED	0.4509803922	Volts	Sensors
<input type="checkbox"/>	Position 0 (Idle) / INIT Position after start	Not Set		Sensors
<input type="checkbox"/>	Position 6 (Mid Position) POS ZERO	Set		Sensors
<input type="checkbox"/>	POS ONE Foreward 3	Not Set		Sensors
<input type="checkbox"/>	POS TWO Foreward 2	Not Set		Sensors
<input type="checkbox"/>	POS THREE Foreward 1	Not Set		Sensors
<input type="checkbox"/>	POS FOUR Backward 1	Not Set		Sensors
<input type="checkbox"/>	POS FIVE Backward 2	Not Set		Sensors
<input type="checkbox"/>	POS SIX Backward 3	Not Set		Sensors
<input type="checkbox"/>	Relase Button one	Not Set		Sensors
<input type="checkbox"/>	Release Button 2	Not Set		Sensors
<input type="checkbox"/>	Neutral LED	0.0000000000	Volts	Sensors

A



Name	Value
ECU Serial Number	TU1215500910
HW - year	11
HW - week	23
HW - patch level	00
ECU Part Number	68166105AE
Hardware Part Number	68166105AA
Model Year	2015
Vehicle Line	WK
Body Style	Station Wagon
Country Code	USA
SW - year	13
SW - week	8
SW - patch level	0
ECU File Name	E5M-E5M_PN-42
ECU Database Id	7205

86  
olts



UP  
New Folder



As part of our service we'll provide you with a complimentary car

Your car is our future




0295-ME

1419

As part of our service we protect your investment with a warranty to your car.

Your Service is our Future!













4x4

Jeep

MISSISSIPPI

TRUCK - CHEVROLET - USED - RAM

4x4

TRUCK



LIMITED


TRUCK



Jeep




Jeep



LIMITED

IJ4GL48K13W

















paulmiller

17



















