

PE16-014

FCA

3-15-2017

ATTACHMENT
ENCLOSURE 4

CAIR Backup

29505352



FIAT CHRYSLER AUTOMOBILES

August 1, 2016

ELCO Administrative Services
Mr. Jamall Thelwell
P.O. Box 970910
Coconut Creek FL 33097

RE:

Our File: 29505352
VIN: 1C4RDJDG2FC244975

Dear Mr. Thelwell:

This will acknowledge your contact regarding the 2015 Dodge Durango referenced above.

Naturally, we were sorry to learn of this incident. We appreciate the opportunity to look into this matter.

Unfortunately, based on the information at hand, we are unable to determine a manufacturing liability in this loss. We found that there was no evidence of a malfunction which would cause the vehicle to move by itself. The transmission, linkage, parking pawl, parking brake, and all other related systems were checked very carefully.

As stated in the vehicle owner's manual, unintended movement of a vehicle could injure those in or near the vehicle. As with all vehicles, you should never exit a vehicle while the engine is running. Before exiting a vehicle, always apply the parking brake, shift the transmission into PARK, turn the engine OFF, and remove the key fob. When the ignition is in the OFF position, the transmission is locked in PARK, securing the vehicle against unwanted movement.

The PARK feature is only a supplement to the parking brake. Never use the PARK position as a substitute for the parking brake. Always apply the parking brake fully when parked to guard against vehicle movement and possible injury or damage.

These steps are consistent with the laws in most states, and the recall in question does not supplant them. FCA encourages all drivers to fully obey all local vehicle codes. As a result, we find your claim without merit, and must respectfully decline your reimbursement request.

Thank you for bringing this to our attention.

Sincerely,

J. Susalla
Special Investigations
586-274-8171

JSS/sk



TIRE AND LOADING INFORMATION

SEATING CAPACITY - TOTAL 7 FRONT 2 REAR 5

THE COMBINED WEIGHT OF OCCUPANTS AND CARGO SHOULD NEVER EXCEED
544 KG OR 1200 LB

TIRE	FRONT	REAR	SPARE
ORIGINAL TIRE SIZE	P265/60R18 109T	P265/60R18 109T	T175/90D18 111M
COLD TIRE INFLATION PRESSURE	250 kPa / 36 PSI	250 kPa / 36 PSI	414 kPa / 60 PSI

SEE OWNERS MANUAL FOR ADDITIONAL INFORMATION



FC244975

This vehicle may include mercury - added
devices installed by the manufacturer:

- * RADIO DISPLAY
- * NAVIGATION/CAMERA DISPLAY
- * H.I.D. HEADLAMPS

Remove devices before vehicle disposal.
Upon removal of devices please reuse,
recycle or dispose as hazardous waste.







7M3PLP VLN2402 VA BLACK
2015 DODG- DURA LMN4 PGAR SXM



1C4RDJDG2 FC244975

Average Key Replacement Cost \$225

1C4RDJDG2FC244975

















LIMITED

FLEXFUEL
E85 ETHANOL





Dellot R

16 gal h



Do not Rent

6-15

Legal Hold

FCA US LLC

VEHICLE EMISSION CONTROL INFORMATION

GROUP: FCRXT03.65PD
NO ADJUSTMENTS NEEDED
HO2S / SFI / TWC

EVAP: FCRXR0180RKA

CONFORMS TO REGULATIONS: 2015 MY FFV
ENGINE: 3.6L

U.S. EPA: T2 B4 LDT OBD: CA OBD II FUEL: GASOLINE / ETHANOL

47480 103AA

CA: OBD: CA OBD II FUEL: GASOLINE / ETHANOL
CERTIFIED FOR SALE ULEV II QUALIFIED.











WAKE 04581665AD >CM,SY(PET)CM< BA



VACUUM BRAKE
04581665AD >CM SUPPLY INC. N.Y.

MIN







K08 RUN/ACC #1
K07 STARTER SW
K06 RUN/START
K05 FUEL HEATER*
K10
K11 SPARE
K12 RUN/ONLY #2
K13 HVAC BLOWER MTR
K14 RUN/ONLY #1
K15 RUN/ONLY #2
K16 BLOWER MTR

F08 AIR SUSPENSION
F08 ABS PUMP MTR
F07 STARTER BOLLARD
F08 NOX SENSOR
F09 DIESEL FUEL HEATER*
F10 CBC #NEXT LIGHT
F11 TRLR TOW BRK*
F12 CBC #3 PWR LOCKS
F13 HVAC BLWR MTR
F14 CBC #NEXT LIGHT

F40 SPARE
F40 SPARE
F40 ICRHVAC
F40 AIR SUSPENSION
F41 KMTR HLAD
F42 BATT SUPPLY
F43 TRAILER TOW BRK*
F44 SPARE
F45 DEMONSTRATION
F46 DIESEL INJECTOR CONTROL
F47 100 WATT LAMP - LT*
F48 SPARE
F49 PUMP RELAY*

F50 SPARE
F51 PWR OUTLET CARGO AREA
F52 RR CONSOLE LAMP*
F53 CIGAR LIGHTER
F54 SWITCHCASE SW
F55 RR CAMP/PARK ASSIST*
F56 RR SEAT HEATER SW*
F57 FRONT WIPER STD STR WASH*
F58 FRONT WIPER STD STR WASH*
F59 HVAC CASUALTY LIGHT*
F60 ACTIVE CASUALTY LIGHT*
F61 ECCASUALTY LIGHT*
F62 SPARE
F63 PTCOR HLAC*
F64 PWR OUTLET - IN CONSOLE

04773704
50732
6097

COIL-12VDC
87E-A-D-M US
HI PWR
20

COIL-12VDC
87E-A-D-M US
HI PWR
20

COIL-12VDC
87E-A-D-M US
HI PWR
20

COIL-12VDC
87E-A-D-M US
HI PWR
20

COIL-12VDC
87E-A-D-M US
HI PWR
20

COIL-12VDC
87E-A-D-M US
HI PWR
20









































START
STOP
C/A

ENGINE

VOLUME

A/C

E

BRAKE +



**Press Brake
and
Push Button
to Start**

17499 mi



90°F

MPH

NW



Ignition or
Accessory On

P





(ABS)

90°F

0

MPH

NW

Ignition or
Accessory On

RPM
x1000

BRAKE



(ABS)

DURANGO

P

H

BRAKE

F

E

RPM
x1000



90°F

0

MPH

NW

Press OK to Enter
Screen Setup

P

17499 mi

RPM
x1000

H
C
F
E



90°F

0

MPH

NW

Press OK to Enter
Screen Setup

17499 mi





P R N D



MPH

NW



17499 mi

R





P R N D

Vehicle
Not in
Park

N

H

C

F

E