

PE16-018

HYUNDAI

3-23-2017

LETTER TO ODI

Response to Request 8

Vehicle Inspections

5NPEC4AC0DH











MANUFACTURED BY
HYUNDAI MOTOR MANUFACTURING ALABAMA, LLC

Apr/17/13

GVWR 4299 lbs

PAINT SM

GAWR

FRONT 2425 lbs

GAWR

REAR 2116 lbs

TRIM RY


THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.A. FEDERAL
MOTOR VEHICLE SAFETY, BUMPER, AND THEFT PREVENTION STANDARDS
IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE

V.I.N 5NPEC4AC0D

PASSENGER CAR



AD CARRYING CAPACITY REDUCED
is vehicle have reduced
rrying capacity by: _____ kg or _____ lbs



TIRE AND LOADING INFORMATION
RENSEIGNEMENTS SUR LES PNEUS ET LE CHARGEMENT

SEATING CAPACITY NOMBRE DE PLACES	TOTAL 5	FRONT AVANT 2	REAR ARRIERE 3
--------------------------------------	---------	------------------	-------------------

The combined weight of occupants and cargo should never exceed 410 kg or 904 lbs.
Le poids total des occupants et du chargement ne doit jamais dépasser 410 kg ou 904 lb.

TIRE PNEU	SIZE DIMENSIONS	COLD TIRE PRESSURE PRESSION DES PNEUS A FROID
FRONT AVANT	P215/55R17	225kPa, 33psi
REAR ARRIERE	P215/55R17	225kPa, 33psi
SPARE DE SECOURS	T125/80D16	420kPa, 60psi

SEE OWNER'S
MANUAL FOR
ADDITIONAL
INFORMATION

VOIR LE MANUEL
DE L'USAGER
POUR PLUS DE
RENSEIGNEMENTS

Y17

180 MANUFACTURED BY
HYUNDAI MOTOR MANUFACTURING ALABAMA, LLC

Apr/17/13

GVWR 4299 lbs

PAINT SM

GAWR

FRONT 2425 lbs

GAWR

REAR 2116 lbs

TRIM RY

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.A. FEDERAL
MOTOR VEHICLE SAFETY, BUMPER, AND THEFT PREVENTION STANDARDS
IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE

V.I.N 5NPEC4AC0DH

PASSENGER CAR





WARNING ⚠️
SEE OWNER'S MANUAL
THIS AIR BAG IS EQUIPPED WITH A SENSITIVE
DEPLOYMENT SYSTEM.
• DO NOT USE ANY ACCESSORY SEAT COVERS.
• USE OF OTHER SEAT COVERS COULD
REDUCE THE EFFECT OF THE SYSTEM.
• DO NOT RECLINE THE SEAT BACKWARD ON THE
• DO NOT USE EXCESSIVE FORCE ON THE SIDE OF THE SEAT.
• FOR FURTHER INFORMATION, SEE OWNER'S MANUAL.

MANUFACTURED BY
HYUNDAI MOTOR MANUFACTURING ALABAMA, LLC
Apr 17/13 over 4299 lbs. PAINT 3M









SAFETY INFORMATION

SEATBELT	Always wear your seatbelt. It can save your life.
CHILD SEAT	Always use proper child seat installation. Read the instructions.
DRIVING	Don't drink and drive. It's the only way to stay safe.
TRUCK	Don't overload your truck. It can cause an accident.
HAZARDOUS MATERIALS	Don't transport hazardous materials without proper training.
FLAMMABLE LIQUIDS	Don't transport flammable liquids without proper training.
HAZARDOUS SOLIDS	Don't transport hazardous solids without proper training.
HAZARDOUS GASES	Don't transport hazardous gases without proper training.
HAZARDOUS WASTE	Don't transport hazardous waste without proper training.
HAZARDOUS BIOLOGICALS	Don't transport hazardous biologicals without proper training.
HAZARDOUS CHEMICALS	Don't transport hazardous chemicals without proper training.
HAZARDOUS RADIOACTIVE MATERIALS	Don't transport hazardous radioactive materials without proper training.

CAUTION: LOAD CAPACITY REDUCED
When towing or carrying loads, always use proper tie-down technique.
Always use proper tie-down technique.







