


PE18-012

GM

3-27-2019

Q3















SUBURBAN

SUBURBAN











NO  
BRAKES

SUBURBAN







**WARNING**  
**TRUCKER'S**  
**WARNING**  
VIN: [REDACTED] [REDACTED] [REDACTED]  
Model No. [REDACTED]







   2.0L I4 16V  
SAFETY INFORMATION  
Always use proper tie-off technique.  
Always use proper tie-off technique.  
Always use proper tie-off technique.

































































WARNING:  
CLEAN FILLER CAP  
BEFORE REMOVING USE  
ONLY DOT 3 FLUID FROM  
A SEALED CONTAINER  
AVERTISSEMENT:






















































32mm  
-31  
-28  
-25  
-22  
-19  
-16  
-13  
-10























32 MM  
29 -24  
26 -21  
23 -18  
20 -15  
17 -12  
14 -9  
11 -6




























11+5

TPC SPEC 1425BMS

DWR

0216102  
40252MR2



0216102  
40252MR2

LIFT FOUR FEET OR MORE AT (LIFT POINT)  
FOR PRESSURE AND AIR (SEE TAG)



1121

P265/65R18

M+S

TPC SPEC 1A2BMS

02/100  
40750M2



PERFORMANCE











32nds 32nds  
-30 -31  
-27 -28  
-24 -25  
-21 -22  
-18 -19  
-15 -16  
-12 -13  
9 -10







S MGR.  
RKING  
ONLY

ON  
23YAP

























