FIAT CHRYSLER AUTOMOBILES

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552(B)(6)

January 16, 2018

[redacted]

RE: Cair: [redacted]
VIN:

Dear Mr [redacted]

This will further acknowledge contact to Fiat Chrysler Automobiles, regarding your 2015 Ram 2500.

Naturally, we were sorry to learn of this incident. Please rest assured, we appreciate and share your concerns about vehicle safety. It is important for you to remember that we don't just design and build vehicles; we also drive them, as do most of our families and friends. We have some very close and personal reasons to be concerned about vehicle safety, like you, people depend on us to provide them with safe and dependable transportation.

FCA US LLC provided for Engineering Analysis Associates/Bosch Automotive Service Solutions to examine your vehicle. EAA is a leading supplier of technical field support to the transportation industry. They have hundreds of specialists in the United States that conduct thousands of product investigations each year, providing valuable automotive field expertise. FCA feels that the expense of this independent inspection is in the best interest of you, our customer, and the Corporation in our efforts to properly evaluate serious concerns such as yours.

The inspection involved a thorough examination of your vehicle and the photographing of all critical areas. We have had the opportunity to review the details of the inspection report, and must inform you that we are not led to believe that the incident was due to a manufacturing responsibility. Therefore, we must respectfully decline any assistance associated with this matter.

Based on this, we suggest that you refer this matter to your insurance carrier. Should they feel a manufacturing responsibility exists, they have full subrogation rights under the terms of your policy, including your deductible.

Thank you for allowing us the opportunity in reviewing this matter with you.

Sincerely,

Special Investigations

sk

FCA US LLC
PO Box 21-8004
Auburn Hills, MI 48321-8004

FCA

FIAT CHRYSLER AUTOMOBILES

January 16, 2018

[redacted]

RE: Cair: [redacted]
VIN:

Dear Mr [redacted]

This will further acknowledge contact to Fiat Chrysler Automobiles, regarding your 2015 Ram 2500.

Naturally, we were sorry to learn of this incident. Please rest assured, we appreciate and share your concerns about vehicle safety. It is important for you to remember that we don't just design and build vehicles; we also drive them, as do most of our families and friends. We have some very close and personal reasons to be concerned about vehicle safety, like you, people depend on us to provide them with safe and dependable transportation.

FCA US LLC provided for Engineering Analysis Associates/Bosch Automotive Service Solutions to examine your vehicle. EAA is a leading supplier of technical field support to the transportation industry. They have hundreds of specialists in the United States that conduct thousands of product investigations each year, providing valuable automotive field expertise. FCA feels that the expense of this independent inspection is in the best interest of you, our customer, and the Corporation in our efforts to properly evaluate serious concerns such as yours.

The inspection involved a thorough examination of your vehicle and the photographing of all critical areas. We have had the opportunity to review the details of the inspection report, and must inform you that we are not led to believe that the incident was due to a manufacturing responsibility. Therefore, we must respectfully decline any assistance associated with this matter.

Based on this, we suggest that you refer this matter to your insurance carrier. Should they feel a manufacturing responsibility exists, they have full subrogation rights under the terms of your policy, including your deductible.

Thank you for allowing us the opportunity in reviewing this matter with you.

Sincerely,

Special Investigations

sk

FCA US LLC
PO Box 21-8004
Auburn Hills, MI 48321-8004

ECU Summary Information

ECU	Name	Original VIN	Current VIN	Part Number	Flash Part Number	H/W Version	S/W Version	Spare Part Number	ISO Code	S/W Number	H/W Number	Variant	Version	Bus Type	Country Code
ABS	Anti Lock Brakes	[redacted]		68243623AB	68243623AB	N/A	#0: 14.14.03	N/A		N/A	N/A	40	06	CAN C	N/A
BCM	Body Controller			68229901AE	68229901AE	13.17.0	#0: 14.49.64	N/A		N/A	N/A	43	01	CAN C	N/A
DCU	Dosing Control Unit			52029802AA	52029802AA	0C.24.00	#0: 14.14.01	N/A		N/A	N/A	02	00	CAN C	N/A
DDM	Driver Door Module			68225101AB	68225101AB	13.22.00	#0: 14.46.00	N/A		N/A	N/A	41	02	CAN I	N/A
DTCM	Drive Train Control Module			56029590AF	56029590AF	1011	04.03.09	N/A		N/A	N/A	40	02	CAN C	USA
HVAC	Heat, Ventilation and A/C			68236775AB	68236775AB	2014.3.09	#0: 2014.16.00	N/A		N/A	N/A	42	01	CAN I	N/A
IPC	Instrument Panel Cluster			68242869AD	68242869AD	05.1.00	#0: 14.49.00	N/A		N/A	N/A	42	01	CAN C	N/A
ITBM	Integrated Trailer Brake Module			68237782AB	68237782AB	0F.37.00	#0: 14.22.32	N/A		N/A	N/A	40	00	CAN C	USA
ORC	Occupant Restraint			68263739AA	68263739AA	12.37.2	#1: 14.26.00 ,#0: 13.28.00	N/A		N/A	N/A	42	01	CAN C	N/A
PCM	Powertrain Control Module			32350530SB	32350530SB	00.01	#0: 15.05.00	N/A		N/A	N/A	24	06	CAN C	USA
PDM	Passenger Door Module			68225100AB	68225100AB	13.22.00	#0: 14.46.00	N/A		N/A	N/A	41	02	CAN I	USA
PTS	Parktronics			68204477AD	68204477AD	08.51.01	#0: 14.40.01	N/A		N/A	N/A	41	05	CAN C	USA
RADIO	Radio			68228668AD	68228668AD	2015.15.00	#0: 2014.40.50	N/A		N/A	N/A	80	00	CAN I	USA
RFH	Radio Frequency Hub			68234883AC	68234883AC	0D.12.01	#1: 13.31.01 ,#0: 14.36.01	N/A		N/A	N/A	41	03	CAN C	N/A
SCCM	Steering Column Control Module			68110739AD	68110739AD	2010.46.04	#5: 11.02.01 ,#4: 11.02.01 ,#3: 11.02.01 ,#2: 11.38.01 ,#1: 11.38.00 ,#0: 11.38.00	N/A		N/A	N/A	41	01	CAN C	USA

VGT	Variable Geometry Turbo	Unknown original VIN	Invalid VIN	68213171AB	68213171AB	2013.6.00	#0: 13.09.01	N/A		N/A	N/A	01	00	CAN C	N/A

DTC Summary Information

ECU	DTC Code	Status	DTC Description
DDM	B224F-54	stored	Door Module Internal-Missing Calibration
PCM	P1451	stored	Diesel Particulate Filter System Performance
PCM	P20EE	stored	SCR NOx Catalyst Efficiency Below Threshold Bank 1 Catalyst 1

Environmental Data Summary Information

DDM | B224F-54 | stored | Door Module Internal-Missing Calibration

Name	Value	Units
Confirmed DTC	True	
DTC Extended Data Record Number - All	01	
Frequency Counter	3	
Most Recent Odometer Value	17060	miles
Occurrence flag	Error	
Operation Cycle Counter	255	
Original Odometer Value	14108	miles
Pending DTC	False	
Test Failed	False	
Test Failed Since Last Clear	True	
Test Failed This Operation Cycle	False	
Test Not Completed Since Last Clear	False	
Test Not Completed This Operation Cycle	False	
Warning Indicator Requested	False	

PCM | P1451 | stored | Diesel Particulate Filter System Performance

Name	Value	Units
DTC Readiness Flag	Test Complete	
DTC Storage State	Stored	
Frequency Counter	1	

Most Recent Odometer	18591	miles
Occurence Flag	Fault	
Operation Cycle Counter	29	
Original Odometer	18591	miles
Warning Indicator Request State	False	

PCM | P20EE | stored | SCR NOx Catalyst Efficiency Below Threshold Bank 1 Catalyst 1

Name	Value	Units
DTC Readiness Flag	Test Complete	
DTC Storage State	Stored	
Frequency Counter	7	
Most Recent Odometer	18572	miles
Occurence Flag	Fault	
Operation Cycle Counter	23	
Original Odometer	7198	miles
Warning Indicator Request State	False	

FIAT CHRYSLER AUTOMOBILES

January 16, 2018

[redacted]
Laytonville, CA [redacted]

RE: Cair: [redacted]
VIN:

Dear Mr. [redacted]

This will further acknowledge contact to Fiat Chrysler Automobiles, regarding your 2015 Ram 2500.

Naturally, we were sorry to learn of this incident. Please rest assured, we appreciate and share your concerns about vehicle safety. It is important for you to remember that we don't just design and build vehicles; we also drive them, as do most of our families and friends. We have some very close and personal reasons to be concerned about vehicle safety, like you, people depend on us to provide them with safe and dependable transportation.

FCA US LLC provided for Engineering Analysis Associates/Bosch Automotive Service Solutions to examine your vehicle. EAA is a leading supplier of technical field support to the transportation industry. They have hundreds of specialists in the United States that conduct thousands of product investigations each year, providing valuable automotive field expertise. FCA feels that the expense of this independent inspection is in the best interest of you, our customer, and the Corporation in our efforts to properly evaluate serious concerns such as yours.

The inspection involved a thorough examination of your vehicle and the photographing of all critical areas. We have had the opportunity to review the details of the inspection report, and must inform you that we are not led to believe that the incident was due to a manufacturing responsibility. Therefore, we must respectfully decline any assistance associated with this matter.

Based on this, we suggest that you refer this matter to your insurance carrier. Should they feel a manufacturing responsibility exists, they have full subrogation rights under the terms of your policy, including your deductible.

Thank you for allowing us the opportunity in reviewing this matter with you.

Sincerely,

Special Investigations

sk

FCA US LLC
PO Box 21-8004
Auburn Hills, MI 48321-8004

FIAT CHRYSLER AUTOMOBILES

January 16, 2018

[redacted]
Laytonville, CA [redacted]

RE: Cair: [redacted]
VIN:

Dear Mr. [redacted]

This will further acknowledge contact to Fiat Chrysler Automobiles, regarding your 2015 Ram 2500.

Naturally, we were sorry to learn of this incident. Please rest assured, we appreciate and share your concerns about vehicle safety. It is important for you to remember that we don't just design and build vehicles; we also drive them, as do most of our families and friends. We have some very close and personal reasons to be concerned about vehicle safety, like you, people depend on us to provide them with safe and dependable transportation.

FCA US LLC provided for Engineering Analysis Associates/Bosch Automotive Service Solutions to examine your vehicle. EAA is a leading supplier of technical field support to the transportation industry. They have hundreds of specialists in the United States that conduct thousands of product investigations each year, providing valuable automotive field expertise. FCA feels that the expense of this independent inspection is in the best interest of you, our customer, and the Corporation in our efforts to properly evaluate serious concerns such as yours.

The inspection involved a thorough examination of your vehicle and the photographing of all critical areas. We have had the opportunity to review the details of the inspection report, and must inform you that we are not led to believe that the incident was due to a manufacturing responsibility. Therefore, we must respectfully decline any assistance associated with this matter.

Based on this, we suggest that you refer this matter to your insurance carrier. Should they feel a manufacturing responsibility exists, they have full subrogation rights under the terms of your policy, including your deductible.

Thank you for allowing us the opportunity in reviewing this matter with you.

Sincerely,

Special Investigations

sk

FCA US LLC
PO Box 21-8004
Auburn Hills, MI 48321-8004

DTC Summary Information

ECU	DTC Code	Status	DTC Description
DDM	B224F-54	stored	Door Module Internal-Missing Calibration
PCM	P20EE	stored	SCR NOx Catalyst Efficiency Below Threshold Bank 1 Catalyst 1
PCM	P1451	stored	Diesel Particulate Filter System Performance

Snapshot Data Summary Information

Loss of Comm Summary Information

Loss of Comm Enabling Conditions

Name	Value	State
Battery/Ignition DTC's	No	false
CAN Electrical DTC's	No	false
CAN Signal DTC's	No	false
ECU Config DTC	No	false
VIN Mismatch DTC	No	false

Loss of Comm Detailed Information

ECU	Active	Electrical Faults Active	Electrical Faults Stored	Communication Faults Active	Communication Faults Stored	Signal Faults Active	Signal Faults Stored	Logged Against Faults Active	Logged Against Faults Stored
ABS	true	0	0	0	0	0	0	0	0
BCM	true	0	0	0	0	0	0	0	0
DCU	true	0	0	0	0	0	0	0	0
DDM	true	0	0	0	0	0	0	0	0
DTCM	true	0	0	0	0	0	0	0	0
HVAC	true	0	0	0	0	0	0	0	0
IPC	true	0	0	0	0	0	0	0	0
ITBM	true	0	0	0	0	0	0	0	0
ORC	true	0	0	0	0	0	0	0	0
PCM	true	0	0	0	0	0	0	0	0
PDM	true	0	0	0	0	0	0	0	0
PTS	true	0	0	0	0	0	0	0	0
RADIO	true	0	0	0	0	0	0	0	0
RFH	true	0	0	0	0	0	0	0	0
SCCM	true	0	0	0	0	0	0	0	0
VGT	true	0	0	0	0	0	0	0	0

Freeze Frame #1 Summary Information

Freeze Frame #1 | P0008 | PCM

Name	Value	Units
PCode	0008	
ECM Run Time	1020501.25	S
Road Speed	0.00	MPH
Engine Speed	0.00	rpm
Instantaneous Percent Load	0.00	%
Commanded Accelerator Position	0.00	%
Boost Pressure	0.00	psi
Coolant Temperature	138.14	°F
Intake Manifold Temperature	130.77	°F
Fueling Control State	FUELING STOP STATE	
Ambient Air Pressure	13.57	psi
EGR Valve Position	0.00	%
EGR Orifice Temperature	154.864	°F
VGT Actuator Position	21.797	%
VGT Actuator Position Commanded	22.00	%
Fuel Rail Pressure	50.76	psi
Fuel Rail Pressure Commanded	4641.21	psi
Key Switch	Off	
Ambient Air Temperature	101.16	°F
Mass Air Flow	0.000	lb/min
Exhaust Pressure 2	93.52	in Hg
PT Operating Mode	Normal	
Intake Air Throttle Position	98.48	%
Battery Voltage	12.75	V
Turbocharger Speed	0.00	KRPM
Calibration Type	32	No Unit
Calibration Model Year	15	No Unit
Calibration Phase	5	No Unit
Calibration Version	0	No Unit
DEF (Reductant) Tank Temperature	87.80000	°F
Water In Fuel State	NO WATER DETECTED	
Water In Fuel Sensor Voltage	3.13	V
Water In Fuel Total Time	0	sec

Vehicle Distance	5954.35	miles
Exhaust Gas Temperature Sensor 1 (Cat Inlet Temp)	132.13	°F
Exhaust Gas Temperature Sensor 2 (Cat Outlet Temp)	126.95	°F
Exhaust Gas Temperature Sensor 3 (Cat Soot Filter Outlet Temp)	105.80	°F
Exhaust Gas Temperature Sensor 4 (SCR Cat Midbed Temp)	111.72031	°F
Exhaust Gas Temperature Sensor 5 (SCR Cat Outlet Temp)	104.52031	°F
AFT Combined Soot Load Estimate	0.98438	g/l
AFT Diesel Exhaust Fluid Quality Sensor	400.00000	%
After Treatment Ammonia Sensor	0.00000	ppm
Catalyst Soot Filter Delta Pressure	0.000	psi
AFT Intake O2	0.00000	%
AFT Intake NOx	0.00000	ppm
AFT Outlet NOx	0.00000	ppm
EGR Cooler Bypass Valve Actuator Position	0.00	%
AFT DEF Dosing Rate		
SCR Pump State		

Freeze Frame #2 Summary Information

Freeze Frame #2 | P24A5 | PCM

Name	Value	Units
PCode	24A5	
ECM Run Time	1027251.00	S
Road Speed	12.56	MPH
Engine Speed	1466.88	rpm
Instantaneous Percent Load	0.00	%
Commanded Accelerator Position	0.00	%
Boost Pressure	0.00	psi
Coolant Temperature	94.47	°F
Intake Manifold Temperature	99.72	°F
Fueling Control State		
Ambient Air Pressure	13.77	psi
EGR Valve Position	94.81	%
EGR Orifice Temperature	119.314	°F
VGT Actuator Position	57.695	%
VGT Actuator Position Commanded	58.00	%

Fuel Rail Pressure	7228.32	psi
Fuel Rail Pressure Commanded	7295.96	psi
Key Switch	On	
Ambient Air Temperature	97.87	°F
Mass Air Flow	5.176	lb/min
Exhaust Pressure 2	99.89	in Hg
PT Operating Mode	SCR TM	
Intake Air Throttle Position	21.80	%
Battery Voltage	14.00	V
Turbocharger Speed	6.84	KRPM
Calibration Type	32	No Unit
Calibration Model Year	15	No Unit
Calibration Phase	5	No Unit
Calibration Version	0	No Unit
DEF (Reductant) Tank Temperature	78.80000	°F
Water In Fuel State	NO WATER DETECTED	
Water In Fuel Sensor Voltage	3.13	V
Water In Fuel Total Time	0	sec
Vehicle Distance	5973.36	miles
Exhaust Gas Temperature Sensor 1 (Cat Inlet Temp)	131.34	°F
Exhaust Gas Temperature Sensor 2 (Cat Outlet Temp)	158.34	°F
Exhaust Gas Temperature Sensor 3 (Cat Soot Filter Outlet Temp)	111.76	°F
Exhaust Gas Temperature Sensor 4 (SCR Cat Midbed Temp)	135.33125	°F
Exhaust Gas Temperature Sensor 5 (SCR Cat Outlet Temp)	130.10000	°F
AFT Combined Soot Load Estimate	1.07031	g/l
AFT Diesel Exhaust Fluid Quality Sensor	400.00000	%
After Treatment Ammonia Sensor	0.00000	ppm
Catalyst Soot Filter Delta Pressure	0.000	psi
AFT Intake O2	0.00000	%
AFT Intake NOx	0.00000	ppm
AFT Outlet NOx	0.00000	ppm
EGR Cooler Bypass Valve Actuator Position	0.00	%
AFT DEF Dosing Rate		
SCR Pump State		

Freeze Frame #3 Summary Information

Freeze Frame #3 | P20EE | PCM

Name	Value	Units
PCode	20EE	
ECM Run Time	1203385.50	S
Road Speed	22.77	MPH
Engine Speed	1581.88	rpm
Instantaneous Percent Load	24.22	%
Commanded Accelerator Position	20.71	%
Boost Pressure	3.44	psi
Coolant Temperature	201.76	°F
Intake Manifold Temperature	145.43	°F
Fueling Control State	FUELING ASG THROTTLE STATE	
Ambient Air Pressure	12.31	psi
EGR Valve Position	29.63	%
EGR Orifice Temperature	222.575	°F
VGT Actuator Position	85.195	%
VGT Actuator Position Commanded	85.25	%
Fuel Rail Pressure	11494.24	psi
Fuel Rail Pressure Commanded	11307.96	psi
Key Switch	On	
Ambient Air Temperature	91.93	°F
Mass Air Flow	7.746	lb/min
Exhaust Pressure 2		
PT Operating Mode	SCR TM	
Intake Air Throttle Position	89.96	%
Battery Voltage	13.63	V
Turbocharger Speed	48.89	KRPM
Calibration Type	32	No Unit
Calibration Model Year	15	No Unit
Calibration Phase	5	No Unit
Calibration Version	0	No Unit
DEF (Reductant) Tank Temperature	113.00000	°F
Water In Fuel State	NO WATER DETECTED	
Water In Fuel Sensor Voltage	3.13	V
Water In Fuel Total Time	0	sec
Vehicle Distance	7201.57	miles
Exhaust Gas Temperature Sensor 1 (Cat Inlet Temp)	575.15	°F

Exhaust Gas Temperature Sensor 2 (Cat Outlet Temp)	543.09	°F
Exhaust Gas Temperature Sensor 3 (Cat Soot Filter Outlet Temp)	536.79	°F
Exhaust Gas Temperature Sensor 4 (SCR Cat Midbed Temp)	445.50781	°F
Exhaust Gas Temperature Sensor 5 (SCR Cat Outlet Temp)	466.72812	°F
AFT Combined Soot Load Estimate	0.01563	g/l
AFT Diesel Exhaust Fluid Quality Sensor	400.00000	%
After Treatment Ammonia Sensor	0.50784	ppm
Catalyst Soot Filter Delta Pressure		
AFT Intake O2	148.09375	%
AFT Intake NOx	47.68750	ppm
AFT Outlet NOx	0.52133	ppm
EGR Cooler Bypass Valve Actuator Position	87.05	%
AFT DEF Dosing Rate		
SCR Pump State		

Freeze Frame #4 Summary Information

Freeze Frame #4 | P207F | PCM

Name	Value	Units
PCode	207F	
ECM Run Time	1911927.50	S
Road Speed	7.21	MPH
Engine Speed	1512.25	rpm
Instantaneous Percent Load	13.67	%
Commanded Accelerator Position	14.08	%
Boost Pressure	1.13	psi
Coolant Temperature	198.64	°F
Intake Manifold Temperature	138.88	°F
Fueling Control State	FUELING ASG THROTTLE STATE	
Ambient Air Pressure	13.35	psi
EGR Valve Position	92.94	%
EGR Orifice Temperature	239.366	°F
VGT Actuator Position	70.398	%
VGT Actuator Position Commanded	70.69	%
Fuel Rail Pressure	8316.10	psi
Fuel Rail Pressure Commanded	8356.33	psi

Key Switch	On	
Ambient Air Temperature	59.14	°F
Mass Air Flow	6.037	lb/min
Exhaust Pressure 2	113.69	in Hg
PT Operating Mode	SCR TM	
Intake Air Throttle Position	90.13	%
Battery Voltage	13.63	V
Turbocharger Speed	30.59	KRPM
Calibration Type	32	No Unit
Calibration Model Year	15	No Unit
Calibration Phase	5	No Unit
Calibration Version	0	No Unit
DEF (Reductant) Tank Temperature	73.40000	°F
Water In Fuel State	NO WATER DETECTED	
Water In Fuel Sensor Voltage	3.13	V
Water In Fuel Total Time	0	sec
Vehicle Distance	10562.38	miles
Exhaust Gas Temperature Sensor 1 (Cat Inlet Temp)	630.61	°F
Exhaust Gas Temperature Sensor 2 (Cat Outlet Temp)	616.89	°F
Exhaust Gas Temperature Sensor 3 (Cat Soot Filter Outlet Temp)	612.05	°F
Exhaust Gas Temperature Sensor 4 (SCR Cat Midbed Temp)	560.63750	°F
Exhaust Gas Temperature Sensor 5 (SCR Cat Outlet Temp)	604.75156	°F
AFT Combined Soot Load Estimate	1.65625	g/l
AFT Diesel Exhaust Fluid Quality Sensor	400.00000	%
After Treatment Ammonia Sensor	0.50839	ppm
Catalyst Soot Filter Delta Pressure		
AFT Intake O2	86.68750	%
AFT Intake NOx	14.78125	ppm
AFT Outlet NOx	0.51660	ppm
EGR Cooler Bypass Valve Actuator Position	-74.63	%
AFT DEF Dosing Rate		
SCR Pump State		

Freeze Frame #5 Summary Information

Freeze Frame #5 | P2509 | PCM

Name	Value	Units
PCode	2509	
ECM Run Time	2581964.25	S
Road Speed	0.00	MPH
Engine Speed	0.00	rpm
Instantaneous Percent Load	0.00	%
Commanded Accelerator Position	0.00	%
Boost Pressure	13.60	psi
Coolant Temperature	118.85	°F
Intake Manifold Temperature	212.00	°F
Fueling Control State	FUELING STOP STATE	
Ambient Air Pressure	0.00	psi
EGR Valve Position	0.00	%
EGR Orifice Temperature	932.000	°F
VGT Actuator Position	0.000	%
VGT Actuator Position Commanded	22.00	%
Fuel Rail Pressure	74.33	psi
Fuel Rail Pressure Commanded	4641.21	psi
Key Switch	Off	
Ambient Air Temperature		
Mass Air Flow	0.000	lb/min
Exhaust Pressure 2	95.14	in Hg
PT Operating Mode	None	
Intake Air Throttle Position	93.15	%
Battery Voltage	13.25	V
Turbocharger Speed	0.00	KRPM
Calibration Type	32	No Unit
Calibration Model Year	15	No Unit
Calibration Phase	5	No Unit
Calibration Version	0	No Unit
DEF (Reductant) Tank Temperature	32.00000	°F
Water In Fuel State	NO WATER DETECTED	
Water In Fuel Sensor Voltage	3.13	V
Water In Fuel Total Time	0	sec
Vehicle Distance	12937.75	miles
Exhaust Gas Temperature Sensor 1 (Cat Inlet Temp)	226.17	°F

Exhaust Gas Temperature Sensor 2 (Cat Outlet Temp)	165.54	°F
Exhaust Gas Temperature Sensor 3 (Cat Soot Filter Outlet Temp)	113.56	°F
Exhaust Gas Temperature Sensor 4 (SCR Cat Midbed Temp)	104.50625	°F
Exhaust Gas Temperature Sensor 5 (SCR Cat Outlet Temp)	124.01094	°F
AFT Combined Soot Load Estimate	0.21875	g/l
AFT Diesel Exhaust Fluid Quality Sensor	400.00000	%
After Treatment Ammonia Sensor	0.00000	ppm
Catalyst Soot Filter Delta Pressure	0.000	psi
AFT Intake O2	0.00000	%
AFT Intake NOx	0.00000	ppm
AFT Outlet NOx	0.00000	ppm
EGR Cooler Bypass Valve Actuator Position	0.00	%
AFT DEF Dosing Rate		
SCR Pump State		

Freeze Frame #6 Summary Information

Freeze Frame #6 | P1451 | PCM

Name	Value	Units
PCode	1451	
ECM Run Time	2671169.00	S
Road Speed	8.42	MPH
Engine Speed	1776.75	rpm
Instantaneous Percent Load	19.53	%
Commanded Accelerator Position	21.84	%
Boost Pressure	1.33	psi
Coolant Temperature	193.27	°F
Intake Manifold Temperature	99.72	°F
Fueling Control State	FUELING ASG THROTTLE STATE	
Ambient Air Pressure	13.36	psi
EGR Valve Position	0.00	%
EGR Orifice Temperature	174.270	°F
VGT Actuator Position	12.195	%
VGT Actuator Position Commanded	12.13	%
Fuel Rail Pressure	7772.21	psi
Fuel Rail Pressure Commanded	7737.76	psi

Key Switch	On	
Ambient Air Temperature	46.85	°F
Mass Air Flow	12.345	lb/min
Exhaust Pressure 2	119.41	in Hg
PT Operating Mode	DeSoot	
Intake Air Throttle Position	69.99	%
Battery Voltage	14.00	V
Turbocharger Speed	37.62	KRPM
Calibration Type	32	No Unit
Calibration Model Year	15	No Unit
Calibration Phase	5	No Unit
Calibration Version	0	No Unit
DEF (Reductant) Tank Temperature	59.00000	°F
Water In Fuel State	NO WATER DETECTED	
Water In Fuel Sensor Voltage	3.13	V
Water In Fuel Total Time	0	sec
Vehicle Distance	13176.73	miles
Exhaust Gas Temperature Sensor 1 (Cat Inlet Temp)	504.95	°F
Exhaust Gas Temperature Sensor 2 (Cat Outlet Temp)	454.66	°F
Exhaust Gas Temperature Sensor 3 (Cat Soot Filter Outlet Temp)	399.65	°F
Exhaust Gas Temperature Sensor 4 (SCR Cat Midbed Temp)	290.35625	°F
Exhaust Gas Temperature Sensor 5 (SCR Cat Outlet Temp)	261.80937	°F
AFT Combined Soot Load Estimate	5.00000	g/l
AFT Diesel Exhaust Fluid Quality Sensor	400.00000	%
After Treatment Ammonia Sensor	0.51019	ppm
Catalyst Soot Filter Delta Pressure		
AFT Intake O2	140.18750	%
AFT Intake NOx	0.00000	ppm
AFT Outlet NOx	0.52429	ppm
EGR Cooler Bypass Valve Actuator Position		
AFT DEF Dosing Rate		
SCR Pump State		

Freeze Frame #7 Summary Information

No Freeze Frame #7 Data Available

Freeze Frame #8 Summary Information

No Freeze Frame #8 Data Available

Bank 1 Data Summary Information

No Bank #1 Event Data Available

Bank 2 Data Summary Information

No Bank #2 Event Data Available

Bank 3 Data Summary Information

No Bank #3 Event Data Available

Bank 4 Data Summary Information

No Bank #4 Event Data Available

Bank 5 Data Summary Information

No Bank #5 Event Data Available

Bank 6 Data Summary Information

No Bank #6 Event Data Available

ECU Details Summary Information

ABS

Name	Value
Active Diagnostic Variant	40
Active Diagnostic Version	6
Hardware Part Number	68243623AB
Software Part Number	68243623AB
ECU Part Number	68243623AB
ECU Serial Number	TYJHI0705B5568
VIN Original	[redacted]
VIN Current	[redacted]
ECU File Name	ABS-ABS_PN-40
ECU Database Id	12831

BCM

Name	Value
Active Diagnostic Variant	43
Active Diagnostic Version	01
Hardware Part Number	68228904AE
Software Logical Block #0 Part Number	68229901AE
ECU Part Number	68228904AE
HW - year	13
HW - week	17
HW - patch level	0
SW - year	14
SW - week	49
SW - patch level	64
Boot SW - Year	14
Boot SW - Week	21
Boot SW - Patch Level	0
Hardware Supplier Identification	Continental
Model Year	2015
Vehicle Line	DJ
Body Style	4-Door Pickup
Country Code	USA
ECU Serial Number	T1C104532766

VIN Original	[redacted]
VIN Current	[redacted]
ECU File Name	BCM-BCM_PN-43
ECU Database Id	12719

DCU

Name	Value
ECU Part Number	52029802AA
Active Diagnostic Variant	2
Active Diagnostic Version	0
SW - year	14
SW - week	14
SW - patch level	1
HW - year	0C
HW - week	24
HW - patch level	00
ECU File Name	DCU-DCU-02
ECU Database Id	7429

DDM

Name	Value
Active Diagnostic Variant	41
Active Diagnostic Version	02
Hardware Part Number	68225101AB
Software Part Number	68225101AB
ECU Part Number	68225101AB
Serial Number	TDS3B0925004MB
VIN Original	[redacted]
VIN Current	[redacted]
ECU File Name	DDM-DDM_PN-41
ECU Database Id	8448

DTCM

Name	Value
Variant ID	40
Diagnostic Version	02
Hardware Version (Major/Minor)	1011
Software Version (Major/Middle/Minor)	040309

ECU Part Number	56029590AF
VIN (Original)	[redacted]
VIN (Current)	[redacted]
Software (Code) Part Number	56029590AF
Serial Number	T3DYC10151DUAC
ECU File Name	DTCM-DTCM_PN-40
ECU Database Id	13679

HVAC

Name	Value
ECU Software Mode	Running in Application
Gateway	False
Active Diagnostic Variant	42
Active Diagnostic Version	01
Active Diagnostic Session	Default
ECU Part Number	68236775AB
ECU File Name	HVAC-HVAC_PN-42
ECU Database Id	13423

IPC

Name	Value
Active Diagnostic Variant	42
Active Diagnostic Version	1
Hardware Part Number	68242869AD
ECU Part Number	68242869AD
Model Year	2015
Vehicle Line	DJ
Body Style	4- Door Pickup
Country Code	USA / USA
VIN Original	[redacted]
ECU File Name	IPC-IPC_PN-42
ECU Database Id	14952

ITBM

Name	Value
ECU Software Mode	Running in Application
Gateway	False
Active Diagnostic Variant	40

Active Diagnostic Version	00
Active Diagnostic Session	Default
ECU Part Number	68237782AB
VIN Original	[redacted]
VIN Current	[redacted]
ECU File Name	ITBM-ITBM_PN-40
ECU Database Id	5603

ORC

Name	Value
ECU Software Mode	Running in Application
Gateway	False
Diagnostic Variant	42
Diagnostic Version	1
Model Year	2015
Body Style	4-Door Pickup
Country Code	USA
ECU Serial Number	T52MD096501357
Original VIN	[redacted]
Current VIN	[redacted]
ECU File Name	ORC-ORC_PN-42
ECU Database Id	12339

PCM

Name	Value
ECU Origin	DCA
Supplier ID	Cummins
Variant ID	CM2350-$24
Production/Development Status	Production
Diagnostic Version	06
Software Version (Major)	15
Software Version (Middle)	05
Software Version (Minor)	00
ECU Part Number	32350530SB
VIN (Original)	[redacted]
VIN (Current)	[redacted]
Software (Code) Part Number	32350530SB
Software (Boot) Part Number	00000000AA

Serial Number	004F01C0
Reprogramming Attempt Counter	1
Model Year	15
Vehicle Line	DJ
Body Style	4-Door Pickup
Country Code	USA
ECU File Name	PCM-PCM-24
ECU Database Id	14968

PDM

Name	Value
Gateway	False
Active Diagnostic Variant	41
Active Diagnostic Version	02
Active Diagnostic Session	Default
Model Year	15
Vehicle Line	DJ / VEH_DJ
Country Code	USA
Serial Number	TDS4B092500DEE
Hardware Part Number	68225100AB
ECU Part Number	68225100AB
VIN Original	[redacted]
VIN Current	[redacted]
Software Part Number	68225100AB
ECU File Name	PDM-PDM_PN-41
ECU Database Id	9033

PTS

Name	Value
ECU Software Mode	Running in Application
Active Diagnostic Variant	41
Active Diagnostic Version	05
Active Diagnostic Session	Default
ECU Part Number	68204477AD
VIN Original	[redacted]
VIN Current	[redacted]
ECU File Name	PTS-PTS_PN-41
ECU Database Id	12827

RADIO

Name	Value
Sales Code	RA2
Active Diagnostic Variant	80
Active Diagnostic Version	00
Hardware Part Number	C.NA.D1.21
Software Part Number	07--00--50
ECU Part Number	68228668AD
Model Year	2015
Vehicle Line	DJ
Body Style	4-Door Pickup
Country Code	USA
ECU Serial Number	TVPQN0905105DY0
ECU Hw Version Number	33
ECU Sw Number	07.00.50.00
ECU Sw Version Number	1792
VIN Current	[redacted]
ECU File Name	RADIO-CMCM_PN-80
ECU Database Id	13263

RFH

Name	Value
Diagnostic Variant	41
Diagnostic Version	3
Hardware Part Number	68234883AC
Software Logical Block #0 Part Number	15DS0904AA
Software Logical Block #1 Part Number	14DS0731CA
ECU Part Number	68234883AC
Hardware Version - Major	0D
Hardware Version - Middle	12
Hardware Version - Minor	01
Software Version - Year - Block 0	14
Software Version - Week - Block 0	36
Software Version - Patch Level - Block 0	1
Software Version - Year - Block 1	13
Software Version - Week - Block 1	31
Software Version - Patch Level - Block 1	1

Hardware Supplier	TRW
Software Supplier	TRW
Model Year	2015
Vehicle Line	DJ
Body Style	4-Door Pickup
Country Code	USA
ECU Serial Number	T1N087521108AA
VIN Original	[redacted]
ECU File Name	RFH-RFH_PN-41
ECU Database Id	14083

SCCM

Name	Value
ECU Software Mode	Running in Application
Gateway	True
Active Diagnostic Variant	41
Active Diagnostic Version	1
Active Diagnostic Session	Default
ECU Part Number	68110739AD
Hardware Supplier Identification	Delphi
Software Logical Block Supplier Identification	Delphi
Model Year	2015
Vehicle Line	DJ
Body Style	4-Door Pickup
Country Code	USA
VIN Original	[redacted]
VIN Current	[redacted]
ECU File Name	SCCM-SCCM_PN-41
ECU Database Id	4597

VGT

Name	Value
Active Diagnostic Variant	1
Active Diagnostic Version	0
Hardware Part Number	0003784299
Software Logical Block #0 Part Number	68213171AB
ECU Part Number	68213171AB
HW - year	2013

HW - week	6
HW - patch level	00
SW - year	13
SW - week	9
SW - patch level	1
ECU File Name	VGT-VGT-01
ECU Database Id	6440

ECU Summary Information

ECU	Name	Original VIN	Current VIN	Part Number	Flash Part Number	H/W Version	S/W Version	Spare Part Number	ISO Code	S/W Number	H/W Number	Variant	Version	Bus Type	Country Code
VGT	Variable Geometry Turbo	[redacted]		68213171AB	68213171AB	2013.6.00	#0: 13.09.01	N/A		N/A	N/A	01	00	CAN C	N/A
DCU	Dosing Control Unit			52029802AA	52029802AA	0C.24.00	#0: 14.14.01	N/A		N/A	N/A	02	00	CAN C	N/A
ABS	Anti Lock Brakes			68243623AB	68243623AB	N/A	#0: 14.14.03	N/A		N/A	N/A	40	06	CAN C	N/A
IPC	Instrument Panel Cluster			68242869AD	68242869AD	05.1.00	#0: 14.49.00	N/A		N/A	N/A	42	01	CAN C	N/A
DDM	Driver Door Module			68225101AB	68225101AB	13.22.00	#0: 14.46.00	N/A		N/A	N/A	41	02	CAN I	N/A
ITBM	Integrated Trailer Brake Module			68237782AB	68237782AB	0F.37.00	#0: 14.22.32	N/A		N/A	N/A	40	00	CAN C	USA
DTCM	Drive Train Control Module			56029590AF	56029590AF	1011	04.03.09	N/A		N/A	N/A	40	02	CAN C	USA
SCCM	Steering Column Control Module			68110739AD	68110739AD	2010.46.04	#5: 11.02.01 ,#4: 11.02.01 ,#3: 11.02.01 ,#2: 11.38.01 ,#1: 11.38.00 ,#0: 11.38.00	N/A		N/A	N/A	41	01	CAN C	USA
HVAC	Heat, Ventilation and A/C			68236775AB	68236775AB	2014.3.09	#0: 2014.16.00	N/A		N/A	N/A	42	01	CAN I	N/A
PDM	Passenger Door Module			68225100AB	68225100AB	13.22.00	#0: 14.46.00	N/A		N/A	N/A	41	02	CAN I	USA
RADIO	Radio			68228668AD	68228668AD	2015.15.00	#0: 2014.40.50	N/A		N/A	N/A	80	00	CAN I	USA
PCM	Powertrain Control Module			32350530SB	32350530SB	00.01	#0: 15.05.00	N/A		N/A	N/A	24	06	CAN C	USA
PTS	Parktronics			68204477AD	68204477AD	08.51.01	#0: 14.40.01	N/A		N/A	N/A	41	05	CAN C	USA
RFH	Radio Frequency Hub			68234883AC	68234883AC	0D.12.01	#1: 13.31.01 ,#0: 14.36.01	N/A		N/A	N/A	41	03	CAN C	N/A
ORC	Occupant Restraint			68263739AA	68263739AA	12.37.2	#1: 14.26.00 ,#0: 13.28.00	N/A		N/A	N/A	42	01	CAN C	N/A

BCM	Body Controller	[redacted]		68229901AE	68229901AE	13.17.0	#0: 14.49.64	N/A		N/A	N/A	43	01	CAN C	N/A

Configuration Summary Information

ABS | Anti Lock Brakes

Name	Value	Units
ESC	True	
Brake Pedal Sensor	True	
CAN BLS	False	
HW BRK	True	
PN-2011	True	
ACC	False	
Pro Active	False	
FTR PIN	False	
HBC	True	
3 Channel System	False	
HSA	True	
Long Accel	True	
Conti	False	
No Drive Test	False	
Evac and Fill	True	

BCM | Body Controller

Name	Value	Units
Number of Reprogramming Attempts - Counter #0	0	
Vehicle Configuration Programmed Status	True	
Last Programmed Status	Manufacturing	
Last Configuration Odometer	0	miles
Vehicle Configuration Auto Write Counter	1	
Vehicle Configuration 1 - Write Counter	1	
Vehicle Configuration 2 - Write Counter	2	
Vehicle Configuration 3 - Write Counter	1	
Vehicle Configuration 4 - Write Counter	1	
Vehicle Configuration 5 - Write Counter	1	
Vehicle Configuration 6 - Write Counter	1	

Programmed ECUs: Cabin Network	1	
Programmed ECUs: P/T Chassis Network	1	
Programmed Network Configuration - Audio / Telematics Network	1	
Programmed ECUs: Hybrid LAN Network	0	
ECU Configuration 1 (CBC Configurable Inputs and Outputs)	1	
ECU Configuration 2 (CBC Features)	1	
ECU Configuration 3	1	
ECU Configuration 4	1	
ECU Configuration 5 (Wireless)	1	
ECU Configuration 5 (Doors)	1	
ECU Configuration 5 (Memory)	1	
ECU Configuration 6 (Brake)	1	
ECU Configuration 6 (Suspension)	0	
ECU Configuration 6 (Powertrain)	1	
ECU Configuration 6 (Safety)	1	
ECU Configuration 7 (CBC Exterior Lighting Calibrations)	1	
ECU Configuration 8 (LIN and Miscellaneous)	1	
ECU Configuration 9A	1	
ECU Configuration 9 (ITM)	1	
ECU Configuration 10	1	
ECU Configuration 11	1	
ECU Configuration 12	0	
ECU Configuration 13	1	
ECU Configuration 14	1	
ECU Configuration 15 (CBC Features)	1	
ECU Configuration 15 (Suspension)	0	
Vehicle Configuration 7 - Write Counter	0	
Vehicle Config CSM1	1	
Vehicle Config CSM2	1	
Model Year	2015	
Vehicle Line	DJ	
Country Code	USA	
Left/Right Hand Drive	Left Hand Drive	
Remote Start Present	Not Set	
Drive Configuration	Selectable 4wd	
Emode Present	Not Set	
Auto Highbeam	Not Set	

Body Style	4-Door Pickup	
Maximum Vehicle Speed	SNA / Not Programmed	MPH
Shifter Type	Not applicable / TYPE_NA	
PTS Display Type and Location	Instrument Cluster PTS Display	
Performance Pages Present	Not Present	
Special Packages	00	
Headrest present	Not Set	
UREA/SCR System Present	Set	
PTS Configuration	Rear / REAR	
Rear View Camera	Set	
CHMSL camera	Not Set	
Hill Descent Feature Present	Not Set	
Select Speed Control Feature Present	Not Set	
Power Inverter Type	No Power Inverte	
Thatcham Present	Not Set	
Run flat tires present	Not Set	
Maserati vehicle mode	Normal	
Pass. Airbag Disable Switch Present	Not Set	
Rain Sensor Present	Not Set	
SKIM System Present	Set	
Air Conditioning Present	Set	
Cruise Feature is Present	Set	
Flipper Glass Present	Not Set	
Full Size Spare	Not Set	
Off Road Capable	Not Set	
Special Packages	No Package / NONE	
ECO Indicator Present	Not Set	
Drive mode feature configuration	Not Set	
Memory drive mode sub-feature configuration	Not Set	
ESC drive mode sub-feature configuration	Not Set	
ECM drive mode sub-feature configuration	Not Set	
Secure park feature present	Not Set	
Configuration for performance & gear shift indication	Performance or gear shift indication not present / NONE	
Max Load Inflation Pressure Rear Tire	80.0	psi
Max Load Inflation Pressure Front Tire	60.0	psi
Light Load Inflation Pressure Rear Tire	0.0	psi
Light Load Inflation Pressure Front Tire	0.0	psi

Police Lighting Feature	Not Set	
Power Lift Gate Present	Not Set	
Power Right Sliding Door Present	Not Set	
Power Left Sliding Door Present	Not Set	
RKE System Present	Set	
Sunshade Present	Not Set	
T-Case Type	44-47 w/Sync, 44-49 w/Sync / BW4447_49_WS	
Wheel Base	Short wheel base (120" Ram Truck) / SHORT	
FOBIK Safe Enable	Not Set	
ELV Present	Not Set	
Fuel Capacity	32	Gallons
Window Express Feature Configuration	Front windows express only	
Adjustable Pedal Feature Present (non-Memory)	Not Set	
Auto Headlamp Feature Present	Set	
Door Alert Feature Present	Not Set	
Two Fuel Sending Units Present	Not Set	
Vehicle is an SRT	Not Set	
Disable Display of Radio Clock	Not Set	
Chassis Type	Type 19	
Display Outside Temperature Present	Set	
HVAC Configuration	Single Zone MTC	
Vehicle Brand	Ram	
Display Compass Heading Present	Set	
Interior EC Mirror Present	Not Set	
ESCL system present	Not Set	
High Intensity Discharge Head Lamps	Not Set	
Secondary Lock Present	Not Set	
Liftgate/Trunk Type	Trunk	
Collision Mitigation System present	Not Set	
Forward Collision Warning present	Not Set	
Base TPM system present	Not Set	
Premium TPM system present	Set	
Paddle Shift Feature Present	Not Set	
Sport Mode Present	Not Set	
Auto Park Present	Not Set	
Passive Entry Present	Not Set	
Keyless Go Present	Not Set	

Transfer Case High Ratio	1.000	No Unit
Axle Ratio	3.420	
Transfer Case Low Range Reduction Ratio	2.640	
Dynamic Tire Circumference (All or Rear)	102	inch
Luci feature present	Not Set	
Dual Rear Wheel (DRW) Vehicle Present	Not Set	
Non-Regulated Tire Pressure Information System (TPIS) Present	Not Set	
Wait to Start Feature Present	Not Set	
Ambient temperature sensor location	DCM	
Steering Ratio at zero	0.0	No Unit
Steering Ratio at Positive Angle 1	0.0	No Unit
Steering Ratio at Positive Angle 2	0.0	No Unit
Steering Ratio at Positive Angle 3	0.0	No Unit
Steering Ratio at Positive Angle 4	0.0	No Unit
Steering Ratio at Positive Angle 5	0.0	No Unit
Rear door lock switch present	Not Set	
Speed Limiter Present	Not Set	
Seat Belt Reminder Module Present	Not Set	
Child Display Feature Present	Not Set	
Off-Road Pages Present	Not Set	
Ambient Lighting Feature Present	Not Set	
Semi-Automatic Parking System Present	Not Set	
Park With Stop Present	Not Set	
Analog Door Sensor Configuration	No Doors with Analog Sensors	
Brake type configuration (M156/7)	Signal Not Available / SNA	
Air Quality System Present	Not Set	
Steering Ratio at Negative Angle 1	0.0	No Unit
Steering Ratio at Negative Angle 2	0.0	No Unit
Steering Ratio at Negative Angle 3	0.0	No Unit
Steering Ratio at Negative Angle 4	0.0	No Unit
Steering Ratio at Negative Angle 5	0.0	No Unit
Dynamic Tire Circumference, Front Only	SNA	inch
Ambient Light Dimmer Wheel Input Present	Not Set	
Low Beam Output Present	Set	
Backup-Reverse SW Input Present	Not Set	
Door Lock Switch FT Driver Input Present	Set	
Door Lock Switch FT Pass Input Present	Set	

ERS Switch Input Present	Not Set	
Flipper Glass Ajar Input Present	Set	
Fuel Level Sensor #2 Input Present	Not Set	
Hood Ajar Switch Input Present	Not Set	
Hard Top Sense/Stealth Input Present	Not Set	
Inverter Status Input Present	Not Set	
Manual T-Case Present	Not Set	
Trunk Ajar SIG Input Present	Not Set	
RLS Analog In 3 Input Present	Set	
Trunk/Flipper Glass Rel SW SIG Input Present	Set	
Snow Plow Enable/Disable	Set	
Washer Fluid Level Sense SIG Input Present	Set	
Sunshade Switch Input Present	Set	
ESM Present	Set	
ESP Switch Input Present	Set	
Adjustable Pedal Motor Relay Output Present	Not Set	
Baggage Comp Lamps Output Present	Set	
Diesel Cabin Heater #1 Output Present	Not Set	
Diesel Cabin Heater #2 Output Present	Not Set	
Diesel Cabin Heater #3 Output Present	Not Set	
ESCL Unlock Control Output Present	Set	
Diesel Fuel Heater Relay Output Present	Set	
Right Dedicated DRL Lamp Output Present	Not Set	
Left Dedicated DRL Lamps Output Present	Not Set	
Flipper Glass #2 Output Present	Not Set	
Foot Well Lamps Output Present	Set	
Front Fog Lamps Output Present	Not Set	
Headlamp Washer Motor Ctrl Output Present	Not Set	
Inverter Enable Relay Output Present	Not Set	
Relay LSD Spare #1 Output Present	Not Set	
Relay LSD Spare #2 Output Present	Not Set	
Relay LSD Spare #3 Output Present	Not Set	
IOD ON LSD Output Present	Not Set	
IOD OFF LSD Output Present	Not Set	
Passenger Airbag Off LED Output Present	Not Set	
Rear Fog Lamps Output Present	Not Set	
Rear Park Lamps Output Present	Set	

Rear Turn Lamps Output Present	Not Set	
Auxliary Fuel Pump	Not Set	
Run-ACC Y Relay #2 Output Present	Set	
Side Repeaters Output Present	Not Set	
Sunshade Ctrl Output Present	Not Set	
Ram Box/Tail Gate Lock Present	Set	
Ram Box/Tail Gate Unlock Output Present	Set	
Trailer Backup Lamps Output Present	Set	
Trailer Tail Lamp Relay Ctrl Output Present	Set	
Trailer Turn_Stop Relay Ctrl LT Output Present	Set	
Trailer Turn_Stop Relay Ctrl RT Output Present	Set	
Trunk/Flipper Glass Rel Output Present	Not Set	
UGDO Feed Output Present	Not Set	
VTA Warning LED Output Present	Set	
Washer Motor Ctrl RR Output Present	Not Set	
Park Brake Input Present	Set	
Ignition UNLOCK RUN START Present	Set	
IOD RELAY OFF HSD Present	Not Set	
IOD RELAY ON HSD Present	Not Set	
Ambient Temperature Sensor Present	Not Set	
Tip Start Enabled	Not Set	
Dual Start Relay System Present	Not Set	
Wiper Service Position Enabled	Not Set	
Trailer Tow Present	Set	
Quad Headlamps Enable	Set	
Horn Chirp Allowed	Set	
Bi Xenon Headlamps Enable	Not Set	
Hazard Lamp Configuration	Latching Switch	
Park Lamp Loadshed Enable	Set	
Front Fog Lamp Dropout Enable	Not Set	
Combined Rear Lighting Enable	Set	
Side Repeaters Enable	Not Set	
One Touch Lane Change	Set	
Exterior Light Loadshed Enable	Set	
Front Wiper Park Enable	Set	
Rear Wiper Park Enable	Not Set	
Reversible Washer Pump Enable	Not Set	

Single Element Tail Lamp	Not Set	
DRL Configuration	Optional DRL	
DRL Lamp Location	None	
DRL Dropout Enable	Set	
Tunnel Detection	Not Set	
Military Vehicle Present	Not Set	
LED Reverse Lamps Present	Not Set	
LED Stop Lamps Present	Not Set	
LED Rear Turn Lamps Present	Not Set	
LED Tail Lamps Present	Not Set	
LED Rear Fog Lamps Present	Not Set	
LED License Lamps Present	Not Set	
LED Front Turn Lamps Present	Not Set	
LED Front Fog Lamps Present	Not Set	
LED Dedicated DRL Present	Not Set	
LED Low Beam Lamps Present	Not Set	
LED High Beam Lamps Present	Not Set	
LED Front Park/Marker Lamps Present	Not Set	
WK Illuminated approach Enabled	Not Set	
TCSM Present	Not Set	
Headlamp Wash Spray Duration (at 100 ms intervals)	1200ms	
Headlamp Wash Interval	wash cycle#11	
Front Wiper Wipes After Wash	2 Wipes	
Headlamp Washer Low Fluid Shut-Off Enable	Set	
Side Mirror Repeaters used as side markers	Not Set	
Intermittent Wiper States	5 Intermittent Wiper position Switch	
LED CHMSL Lamp Present	Not Set	
Rear Camera Present	Set	
DRL customer setting enable/disable	Not Set	
Power Inverter Present	Not Set	
Front Park Assist Present	Not Set	
Front Heated Seats Present	Not Set	
Front Ventilated Seats Present	Not Set	
Destination	United States of America	
Cabin Equilization Curve Number	Crew Cab 6 Speaker Base (Ds)	
Hill Start Assist CSO Present	Not Set	
Radio Apps Present	Not Set	

Easy Entry Enable	Not Set	
PE Present	Not Set	
Auto Lock Disable	Not Set	
SDAR Travel Link Feature Present	Not Set	
DAB/DMB Present	Not Set	
Vehicle Theft Alarm Present	Not Set	
Heated Steering Wheel Present	Not Set	
Overdrive Switch Feature Present	Not Set	
Surround Sound Feature Present	Not Set	
Power Door Locks Present	Set	
Antenna Type	Passive Primary and no secondary antenna	
Max A/C Present	Not Set	
Hybrid Powertrain Present	Not Set	
Disable CD Eject	Not Set	
DTV Front Camera Present	Not Set	
DTV Side Camera Present	Not Set	
Tow Haul Switch Feature Present	Not Set	
Hill Descent Switch Feature Present	Not Set	
Steering Wheel Switch Configuration	Brand Focus Steering Wheel	
Memory CSO Present	Not Set	
DSP SK Present	Not Set	
Microphone Tuning Parameter	Absent	
Microphone Configuration	1 mic	
Microphone Type	Peiker 300 mv	
External Port Type	AUX + USB	
Splashscreen Type	Vehicle Brand	
ERS Available	not available	
Rear Wheel Dually	not available	
Max Gear	not available	
IC Config Feature	not available	
Heated Seat Present	not available	
Split Shaft Present	not available	
Vehicle Class	2500 / 2500	
Fuel Capacity	0	Gallons
Wireless ecu configurationA	Undefined	
Tip Start Present	Not Set	
AP5 Trunk	Not Present	

Airport Scenario Trunk Set	Not Set	
AP1 Left Front	Not Present	
AP2 Right Front	Not Present	
AP3 Left Rear	Not Present	
AP4 Right Rear	Not Present	
Global Up	Not Set	
Global Down	Not Set	
Sun Shade	Not Set	
Puddle Lamp Present	Not Set	
Rear Door Pre Short Drop	Not Set	
Folding mirrors present	Not Set	
Heated Mirrors Present	Set	
Mirror turn signals present	Set	
Driver Memory Mirrors Present	Not Set	
Passenger Memory Mirror Present	Not Set	
Electro-chromatic driver mirror present	Not Set	
Electro-chromatic passenger mirror present	Not Set	
Tow Mirror Present	Set	
Blindspot Mirror Present	Not Set	
Mirror Approach Lights Present	Set	
Door map pocket LED present (Ambient Lights)	Not Set	
Door Courtesy Lamps Present	Not Set	
Window Motor Type	Not Set	
Window Hall Sensors Present	Not Set	
Door handle LED present (Ambient Lights)	Not Set	
Frameless Window Present	Not Set	
Memory Adjustable Pedals Present	Not Set	
Tilt/Telescope Steering Present	Not Set	
Memory Seat Present	Not Set	
Rear Heated Seats Present	Not Present	
Front Vented Seats Present	Not Present	
Heated Steering Wheel Present	Not Present	
Heated Seat Material Type	Cloth	
Heated Wheel Material Type	Wood/Leather	
Brake System ECU Configuration A	value 12	
Brake System ECU Configuration B	21	
Suspension ecu configurationA	00	

Suspension ecu configurationB	00	
Vehicle is equipped with Dosing Control Unit	Set	
Vehicle is equipped with Variable Geomeric Turbo Actuator	Set	
ECO Mode Configuration	Eco Mode not available	
Dual Alternator Present	Not Set	
Powertrain ecu configurationB	00	
ODS Present	False	
ORC - Special Type	DS 2 door, DJ 4 door, DF	
ORC - Calibration Selection	DS 2 door, DJ 4 door, DF	
EPP	False	
BUX vehicle	False	
Auto Headlamp On Threshold	3.31409	Volt
Auto Headlamp Off Threshold	2.54930	Volt
Left Side DRL Voltage Target	7.4 Volts	
Right Side DRL Voltage Target	7.4 Volts	
Left Low Beam Voltage Regulation	13 Volts	
Left High Beam Voltage Regulation	13 Volts	
Right Low Beam Voltage Regulation	13 Volts	
Right High Beam Voltage Regulation	13 Volts	
Left Front Corner Voltage	13 Volts	
Right Front Corner Voltage	13 Volts	
Left Rear Corner Voltage	13 Volts	
Right Rear Corner Voltage	13 Volts	
Alert no Reply	Not Set	
Alert On System Fault	Not Set	
Alert On Search Timeout	Not Set	
Snow Plow Enable	Not Set	
Panic Enable	Set	
Compass Mounting Orientation	Upside Down	
Washer Fluid Level Voltage Threshold	4.06 volts	
Fobik Safe Alerts Per Ignition Cycle	2	
IBS Present	Set	
RCM Present	Not Set	
Humidity Sensor Present	Not Set	
Manual Trans Present	Set	
ECC_AHBM Present	Not Set	
DC to DC Converter Present	Not Set	

ASBM Present	Set	
Auto Relock Time	60	seconds
VTA System Present	No Security	
EOM Present	Set	
DC to DC Converter #2 Present	Not Set	
Illuminated Approach Interior Lighting Target Percentage	150 (75%)	
Illuminated Approach Headlamp Target Percentage	165 (82.50%)	
Illuminated Approach Taillamp Target Percentage	165 (82.50%)	
Illuminated Approach Interior Lighting Ramp Up Time	150 (3000 ms)	
CRVMM Present	Not Set	
EVIC Switch Module Present	Not Set	
Compass Mounting Angle	0	Degree
IBS Activate MWU	Not Set	
Battery Types	Battery ID 4	
IBS Quiescence Current Limit	-250	mA
IBS Minimum Voltage Limit	5.0	Volts
IBS Minimal Charge Limit	10	AmpHrs
IBS Standby Time	7620	seconds
IBS Minimum Charge Limit	600	mA
ESCL Usage/ T120	T120 Park LSD Ground Active	
Manual Transfercase	SUNSHADE SW (1)	
Upfitter Combined Function	Upfitter Combined Function	
Left Reverse Lamp	Set	
Right Reverse Lamp	Set	
Left Rear Fog Lamp/High Beam Shutter	Output Disable	
Right Rear Fog Lamp/High Beam Shutter	Output Disable	
Right Rear Turn Signal	Right Rear Turn Signal	
Left Rear Turn Signal	Left Rear Turn Signal	
Left High Beam Feed Usage	Left High Beam (0)	
Right High Beam Feed Usage	Right High Beam (0)	
Front Driver Door Ajar Switch Signal Usage	Disable	
Front Passenger Door Ajar Switch Signal Usage	Disable	
Left Rear Door Ajar Switch Signal Usage	Disable	
Cargo Lamps Usage	Truck Cargo Lamps	
Right Rear Door Ajar Switch Signal Usage	Disable	
Brake Fluid Level Switch Signal Usage	10K parallel resistor	
DIESEL FUEL HEATER RELAY Usage	Connect output to RUN START IGNITION RELAY API (Truck Usage)	

Spare LSD Relay #1 Usage	03	
Spare LSD Relay #2 Usage	03	
Spare LSD Relay #3 Usage	Cabin Heater #4	
Hood Ajar Switch Signal Usage	1K parallel resistor	
Cargo Lamp Switch Usage	CARGO LAMP SW INPUT(0)	
IOD LSD Relay On Usage	Reserved	
IOD LSD Relay Off Usage	WK HEAD REST (0)	
IOD HSD Relay On Usage	SNOW PLOW LEFT TURN (0)	
IOD HSD Relay Off Usage	SNOW PLOW RIGHT TURN (0)	
LEFT DRL Usage	LEFT DRL (0)	
RIGHT DRL Usage	RIGHT DRL (0)	
TOPPER CHMSL	TOPPER CHMSL	
Reverse Gear Switch Usage	Reverse SW (0)	
Ram Box Lock Usage	RAM BOX /TAIL GATE(-)	
Ram Box Unlock Usage	RAM BOX/TAIL GATE (+)	
Stop-Start Enable Switch Present	Not Set	
ITM ecu configuration B	00	
Siren	Not Set	
Ultrasonics	Not Set	
Tilt	Not Set	
Analog Spare Input #2	Not Present	
Analog Spare Input #3	Not Present	
Analog Spare Input #4	Not Present	
Analog Spare Input #5	Not Present	
Analog Spare Input #6	Not Present	
Digital Spare Input #1	Not Present	
Digital Spare Input #2	Not Present	
Snow Plow Left Turn	Not Present	
Snow Plow Right Turn	Not Present	
Spare Relay LSD #4	Not Present	
Spare Relay LSD #5	Not Present	
Liftgate Lock	Not Present	
Liftgate Unlock	Not Present	
Switch Lamp Indicator #1	Not Present	
Switch Lamp Indicator #2	Not Present	
Switch Lamp Indicator #3	Not Present	
High Beam Lamps Open Circuit DTC Enable	Not Set	

Dedicated DRL Lamps Open Circuit DTC Enable	Not Set	
License Lamp Open Circuit DTC Enable	Not Set	
Reverse Lamps Open Circuit DTC Enable	Not Set	
Stop Lamps Open Circuit DTC Enable	Not Set	
CHMSL Lamp Open Circuit DTC Enable	Not Set	
Front Park Lamps Open Circuit DTC Enable	Not Set	
Rear Park Lamps Open Circuit DTC Enable	Not Set	
Front Fog Lamps Open Circuit DTC Enable	Not Set	
Rear Fog Lamps Open Circuit DTC Enable	Not Set	
Baggage (Cargo) Lamp Output Disabled with vehicle speed	Not Set	
CHMSL Lamp Output Disable	Not Set	
IOD Relay Voltage Sense	Not Set	
Manual Door Locks Present	Not Set	
Rear Wiper Motor Control Usage	Rear Wiper (0)	
ERS Input Usage	ERS	
Rain Sensor Module #2 Present	Not Set	
Humidy Sensor Long Present	Not Set	
Auto High Beam Module Location	None	
ERS Input Usage	Not Set	
License Lamp Disabled	Not Set	
Upfitter Rear Lamp DTC Disable	Upfitter Rear Lamp DTC Disable	
Right Rear Turn Signal Usage	Right Rear Turn Signal	
Left Rear Turn Signal Usage	Left Rear Turn Signal	
Excess Lateral Acceleration Factor	Filter Off	
Average Last Lateral Acceleration Values	Average 15	
Excess Longitudinal Acceleration Factor	7.5	
Average Last Longitudinal Acceleration Values	Average 15	
Brake Smoothing Duration	31 periods	
Brake Smoothing Factor	1	
Steering Smoothing Duration	3 periods	
Steering Smoothing Factor	2	
Steering Smoothing Threshold	Filter Off	
Brake Smoothing Threshold	375 Nm	
Maximum Longitudinal Change	1.0 degrees	
Maximum Lateral Change	Filter Off	
Acceleration Threshold	480 degrees	
Acceleration Factor	5	

Nose Dive Threshold	0.5 ms	
Nose Dive Factor	0.5	
Lane Departure Warning present	Not Set	
Transmission drive mode feature	Not Set	
Paddles lock-out feature	Not Set	
Dynamic steering torque present	Not Set	
Super trac pack present	Not Set	
e-shifter present	Not Set	
Automatic transmission type	Not programmed / NP	
Shift feature autostick / electronic range select status	None / NONE	
Full Central Vision Processing	Not Set	
Full Speed Range forward collision warning plus system present	Not Set	
ACC Type	ACC not present / NONE	
ASCM Suspension	Not Set	
ASCM Active Damping	Not Set	
Screen off soft button	Not Set	
Park Assist CSM	Feature 1 - 2 option / Option_1_2	
Park Assist Brake CSM	Not Set	
Park Assist Front Volume CSM	Not Set	
Park Assist Rear Volume CSM	Set	
Electric Power Steering CSM	Not Set	
Forward Collision Warning CSM	Feature not present / Absent	
Forward Collision Mitigation Braking CSM	Not Set	
Sound Horn with Remote Lock CSM	Feature 2 - 3 option / Option_2_3	
Sound Horn with Remote Start CSM	Not Set	
Sound Horn with Remote Lower CSM	Not Set	
CHMSL Line CSM	Not Set	
Auto-On Driver Comfort CSM	Feature not present / Absent	
Auxiliary Switches CSM	Switch 2 - 5 option / SWITCH_2_5	
Rear View Camera Gridlines CSM	Dynamic / DYNAMIC	
Police Passive Entry Settings CSM	Not Set	
Power Accessory Delay CSM	Set	
Adaptive Front Light System CSM	Not Set	
Ambient Dimmer CSM	Not Set	
Tire Jack Mode CSM	Not Set	
Air Suspension Warning CSM	Not Set	
Automatic Aero Mode CSM	Not Set	

Auto High Beam CSM	Not Set	
Auto Park CSM	Not Set	
Blind Spot Alert CSM	Not Set	
Unit of Capacity CSM	Not Set	
Clock Display CSM	Not Set	
Compass Calibration CSM	Set	
Compass Variance CSM	Set	
Consumption Unit CSM	Not Set	
Unit of Distance CSM	Not Set	
Auto Door Lock CSM	Set	
Auto Door Unlock CSM	Set	
DRL CSM	Not Set	
Easy Exit Seat CSM	Not Set	
Auto Entry Exit Mode CSM	Not Set	
EPB Service Mode CSM	Not Set	
Flash Lamps with Lock CSM	Set	
Headlamp Drop CSM	Not Set	
Headlamp Off Delay CSM	Set	
Headlamps On with Wipers CSM	Set	
Hill Start Assist CSM	Set	
Illuminated Approach CSM	Set	
Lane Departure Torque CSM	Not Set	
Lane Departure Warning CSM	Not Set	
Flash Lights with Remote Lower CSM	Not Set	
Navigation Turn-by-Turn CSM	Not Set	
Passive Entry CSM	Not Set	
Performance Shift Enable CSM	Not Set	
Performance Shift RPM CSM	Not Set	
Power Liftgate Chime CSM	Not Set	
Unit of Power CSM	Not Set	
Pressure Unit CSM	Not Set	
Power Take Off CSM	Not Set	
Rain Sensitive Wipers CSM	Not Set	
Rear Camera CSM	Set	
Rear View Camera Delay CSM	Set	
RKE Linked to Memory CSM	Not Set	
RKE Unlock CSM	Set	

Unit of Speed CSM	Not Set	
Tilt Mirror in Reverse CSM	Not Set	
Unit of Torque CSM	Not Set	
Trailer Selected CSM	Set	
Trailer Name CSM	Not Set	
Trailer Type CSM	Set	
Transport Mode CSM	Not Set	
US/Metric CSM	Set	
Wheel Alignment CSM	Not Set	
Radio Speaker Open Circuit Disable (LF)	Not Set	
Radio Speaker Open Circuit Disable (RF)	Not Set	
Radio Speaker Open Circuit Disable (LR)	Not Set	
Radio Speaker Open Circuit Disable (RR)	Not Set	
ANC Calibration Parameter Data Set	Not Programmed	
RBSM	Not Set	
LBSM	Not Set	
HSM	Not Set	
DDM	Set	
PDM	Set	
HVAC	Set	
MSM	Not Set	
PLGM	Not Set	
VTM	Not Set	
Radio	Set	
ITM	Not Set	
AMP	Not Set	
EDM	Not Set	
ICS	Not Set	
VES2	Not Set	
VES3	Not Set	
AHLM/AFLS	Not Set	
VSIM	Not Set	
ASCM	Not Set	
DTCM	Set	
PCM	Set	
EPS	Not Set	
ESM	Not Set	

ABS	Set	
RFH	Set	
IPC	Set	
ACC	Not Set	
FDCM	Not Set	
ORC	Set	
PTS	Set	
SCCM	Set	
ELSD	Not Set	
TCM	Not Set	
TPM	Not Set	
ITBM	Set	
FFCM	Not Set	

DCU | Dosing Control Unit

Name	Value	Units

DDM | Driver Door Module

Name	Value	Units
Power Folding Mirror	False	
Heated Mirror	True	
Mirror Signal Lamp	True	
Memory Feature	False	
EC Mirrors	False	
Tow Mirrors	True	
Blindspot Mirror	False	
Map Pocket LED (Ambient Lights)	False	
Door Courtesy Lamp	False	
Window Motor Hall Sensors	False	
Door Handle LED (Ambient Lights)	False	
Global Up	False	
Global Down	False	
Sun Shade	False	
Mirror Puddle Lamps	False	
Window express feature	True	
Ambient Temperature Sensor	True	

DTCM | Drive Train Control Module

Name	Value	Units
H-Bridge	True	
FAD	True	
Analog Encoder	False	
Solenoid Clutch Driver	True	
Thermistor	False	
Digital Encoder	True	

HVAC | Heat, Ventilation and A/C

Name	Value	Units
DualZone ATC Touchscreen (Factory)	False	
DualZone ATC Touchscreen	False	
Standalone Single Zone MTC With EBL	True	
Standalone Single Zone MTC W/O EBL	False	

IPC | Instrument Panel Cluster

Name	Value	Units
PTO Present	LBN or LBV	
4WD System Present	True	
Transmission Temperature Sensor Present	False	
Diesel Powertrain Present	False	
Tire Pressure Monitoring Present	False	
Electronic Power Steering Present	False	
Air Suspension System Present	False	
Remote Start Present	False	
Auto Highbeams Present	True	
Park Assist Present	False	
Memory Seat Present	True	
Start-Stop System Present	False	
Trailer Tow Present	False	
Compressed Natural Gas Present	False	
Lowline Cluster Present	False	

ITBM | Integrated Trailer Brake Module

Name	Value	Units

ORC | Occupant Restraint

Name	Value	Units
Internal yaw rate	True	

Internal Low G (X Axis)	True	
Internal Low G (Y Axis)	True	
Internal Low G (Z Axis)	True	
Internal Roll sensor	True	
Passenger Occupant Detection Sensor Status	Fault	
Active Hood (Bus)	False	
Passenger Airbag Disable Feature (Bus)	False	
Driver Airbag Squib 1 Configured	True	
Driver Airbag Squib 2 Configured	True	
Driver Airbag Squib 3 configured	False	
Passenger Airbag Squib 1 Configured	True	
Passenger Airbag Squib 2 Configured	True	
Passenger Airbag Squib 3 configured	False	
Driver Retractor Pretensioner (B-Pillar) Configured	True	
Driver Belt Buckle Pretensioner (buckle Side) Configured	False	
Driver Belt Adaptive Pretensioner (buckle Side) Configured	False	
Driver Kneebag configured	False	
Passenger Retractor Pretensioner (B-Pillar) Configured	True	
Passenger Belt Buckle Pretensioner (buckle Side) Configured	False	
Pass Belt Adaptive Pretensioner (buckle Side) Configured	False	
Passenger Kneebag configured	False	
Curtain/Windowbag left (D-Platforms Only) Configured	True	
Curtain/Windowbag right (D-Platforms Only) Configured	True	
First Row Side / Thorax Bag Left (D-Platforms Only) Configured	True	
First Row Side / Thorax Bag Right (D-Platforms Only) Configured	True	
Second Row Side / Thorax Bag Left (D-Platforms Only) Configured	False	
Second Row Side / Thorax Bag Right (D-Platforms Only) Configured	False	
Second Row Left Retractor Pretensioner (C-Pillar) Configured	False	
VipSecond Row Right Retractor Pretensioner (C-Pillar) Configured	False	
First Row Center Pretensioner (buckle Side) Configured	False	
Second Row Center Pretensioner (buckle Side) Configured	False	
Third Row Center Pretensioner (buckle Side) Configured	False	
Seat Pelvic Airbag Left (ZD Only) Configured	False	
Seat Pelvic Airbag Right (ZD Only) Configured	False	
Third Row Left Retractor Pretensioner (C-Pillar) Configured	False	
Third Row Right Retractor Pretensioner (C-Pillar) Configured	False	
Door Head Airbag Left (ZD Only) Configured	False	

Door Head Airbag Right (ZD Only) Configured	False	
Door Thorax Airbag Left (ZD Only) Configured	False	
Door Thorax Airbag Right (ZD Only) Configured	False	
Driver Seatbelt Sensor Configured	True	
Passenger Seatbelt Sensor Configured	False	
Driver Seat Track Position Sensor	False	
Passenger Seat Track Position Sensor	False	
Seatbelt Switch 2nd Row Left Configured	False	
Seatbelt Switch 2nd Row Center Configured	False	
Seatbelt Switch 2nd Row Right Configured	False	
Seatbelt Switch 3rd Row Left Configured	False	
Seatbelt Switch 3rd Row Center Configured	False	
Seatbelt Switch 3rd Row Right Configured	False	

PCM | Powertrain Control Module

Name	Value	Units
Cruise Control Equipped	False	
Air Conditioning Equipped	True	
SKIM Equipped	True	
2nd Alternator Equipped	False	
Automatic Transmission Equipped	False	
Manual Transmission Equipped	True	
Vehicle Type (0 is CC and 1 is PU)	True	
Stationary Desoot Available	True	
6.7 L Engine	True	
Fan Config	True	
Mobile PTO Equipped	False	
Accelerator Interlock Equipped	False	
Switched Max Operating Speed Equipped	False	
Remote Throttle Equipped	False	
Idle Shutdown Equipped	False	
Remote PTO Equipped	False	
EVR Idle Up Equipped	False	
PTO Equipped	False	
PTO Single Speed Equipped	False	
PTO In Cab Equipped	False	
Remote PTO Auto Resume Equipped	False	

Auxiliary Fuel Tank Equipped	False	
Engine Software In Package	True	
Transmission Software Included	False	
Raw Ambient Air Temperature In Package	True	
Ammonia Sensor Equipped	False	
68RFE	False	
ENVLPLRN	False	
VLPEN	False	
ENVFSACT	False	
ERS ON BUS	False	

PDM | Passenger Door Module

Name	Value	Units
Power Folding Mirror	False	
Heated Mirror	True	
Mirror Signal Lamp	True	
Memory Feature	False	
EC Mirrors	False	
Tow Mirrors	True	
Blindspot Mirror	False	
Map Pocket LED (Ambient Lights)	False	
Door Courtesy Lamp	False	
Window Motor Hall Sensors	False	
Door Handle LED (Ambient Lights)	False	
Frameless Window	False	
Global Up	False	
Global Down	False	
Sun Shade	False	
Puddle lamps	False	
Window express feature	True	
Ambient Temperature Sensor	False	

PTS | Parktronics

Name	Value	Units
Front License Plate Configuration	NA - Rear Only PTS	
Rear System with 4 Front Sensors	False	
Rear System with 6 Front Sensors	False	

RADIO | Radio

Name	Value	Units
Satellite Subscription ID	45G42AHX	
Subscription Status	Not Subscribed	
NAV Activation Request Code		
DTV Short Term Configuration		
SDARS	True	
Navigation Active	True	
Cellular	False	
Internal CD Player	False	
Wi-Fi	False	
Bluetooth	True	
Application Framework	False	
FM Diversity	False	

RFH | Radio Frequency Hub

Name	Value	Units
Back Up Programmed ECUs: Cabin Network Programmed	True	
Back Up Programmed ECUs: P/T Chassis Network Programmed	True	
Back Up Vehicle Config 1 Programmed	True	
Back Up ECU Configuration 1 Programmed	True	
PIN Successfully Programmed	Yes	
VIN Successfully Programmed	Yes	
Key Location #1 Successfully Programmed	Yes	
Key Location #2 Successfully Programmed	Yes	
Valid Key In Ignition	Yes	
Key type	FOBik1 - PCF7961ATT	
Transmission Type	Manual	
Cygnus Transmission	Not Present	
Hardware Configuration: Left Front Handle	No AP	
Hardware Configuration: Right Front Handle	No AP	
Hardware Configuration: Ignition Module	IGNM	
Model Year	2015	
Vehicle Line	DJ	
Body Style	4-Door Pickup	
Shifter Type	Not Applicable	
Left/Right Hand Drive	Left Hand Drive	

Remote Start Present	Not Set	
Thatcham Present	Not Set	
SKIM System Present	Set	
Police Lighting Feature	Not Set	
RKE System Present	Set	
T-Case Type	Tranfer case 2PosSw271	
FOBIK safe feature	Not Set	
ELV System Present	Not Set	
ESCL system present	Not Set	
Passive Entry System present	Not Set	
Keyless Go feature present	Not Set	
Auto Park Present	Not Set	
Rear Dually Present	Not Set	
Wait To Start Feature	Not Set	
Configuration Status	Configured	
Full Size Spare	Not Set	
Max Load Inflation Pressure Rear Tire	80.0	psi
Max Load Inflation Pressure Front Tire	60.0	psi
Light Load Inflation Pressure Rear Tire	0.0	psi
Light Load Inflation Pressure Front Tire	0.0	psi
Vehicle Brand	Ram	
Base TPM system present	Not Set	
Premium TPM system present	Set	
Passive Entry	False	
Premium TPM	True	
Base TPM	False	
Fob-Alike	False	
ELV Programmed	False	
RKE	True	
ESCL Programmed	False	
Module Configuration Status	True	

SCCM | Steering Column Control Module

Name	Value	Units

VGT | Variable Geometry Turbo

Name	Value	Units

ECU	Code	Status	Description
PCM	P1451	stored	Diesel Particulate Filter System Performance
PCM	P20EE	stored	SCR NOx Catalyst Efficiency Below Threshold Bank 1 Catalyst 1
DDM	B224F-54	stored	Door Module Internal-Missing Calibration


RAM
2500






RAM
2500
HEAVY DUTY
Cummins
TURBO DIESEL
DISCOVERER
STT PRO


DO
NOT
DRIVE


RAM
2500
HEAVY DUTY
Cummins
TURBO DIESEL


RAM
2500
HEAVY DUTY













N 63°F
Speedometer
Vehicle Info
Fuel Economy
Trip A
18985mi
BRAKE
RPM
×1000
DEF
MPH
DIESEL


RAM
RPM
x1000
DEF
0
100
%
BRAKE
MPH
DIESEL
E
4
LOW
4WD


RAM
RPM
x1000
DEF
0
100
%
BRAKE


1
2
3
4
5
0
RPM
x 1000
DEF
0
100
%


RAM
0
10
20
30
40
50
60
70
80
90
100
110
120
MPH
4 LOW
4WD
DIESEL
E
F


ON/OFF
CANCEL
SRS
AIRBAG


AUTO




SRS
AIRBAG






RES +
ON/OFF
SET -
CANCEL
R 2 4 6






SRS
AIRBAG








0700






34076951
TC606D


A LOCAL FAVORITE
RROWHEAD
100% MOUNTAIN SPRING WATER
DUCTape




TC606B






GOODYEAR
WRANGLER
DURATRAC
ST PRO


DISCOVERER
COOPER TIRES


LT275/70R18


DISCOVERER
LT275/70R18


COOPERTIRES
125/122P
LOAD RANGE


DOT
GN 1436


DISCOVERER
LT275/70R18


GOODYEAR
TUBELESS


AT PRO
RADIAL


LT275/70R18


DISCOVERER

STT PRO


LT275/70R18


COOPER
TUBELESS
MADE IN U.S.A.


LT275/70R18


Right Front


R


Right Rear


Right Rear




Left Rear


Left Front




















































4536 KG 10000 LB
275/70R18E TIRES
5 KPA (60 PSI) COLD
275/70R18E TIRES
0 KPA (80 PSI) COLD



