

EA19-001


FCA

9/12/2019

ENCLOSURE 4

OTHER NO INSPECTION INJURY
FATALITY

CAIR BACKUP














NO SMOKING


WARNING: LIFT ONLY
DO NOT EXCEED
CAPACITY





























GT Challenger













AIRBAG









USB-A





Empire

Magnetic POLYCAST

Protractor

45 30 20 10 0 10 20 30 40 45

80

70 80 90

01 02 03 04 05 06 07 08 09 10 11 12



Magnetic POLYCAST
Protractor

45
50
40
30
20
10
0

45
50
60
70
80
90

10 20 30 40 50 60 70 80
















Handwritten text in Braille, oriented vertically on a small black label. The text is arranged in two columns. The left column contains approximately 15 characters, and the right column contains approximately 10 characters. The characters are embossed into the label's surface.



















Roll over an ECU to see full name. Click on an ECU for complete details.


2013 FF 1.4L

VIN: [REDACTED]

Battery: 11.82 volts

Legend

- Active ECU
- Non-responsive ECU
- DTCs Present
- ECU Not Built
- Scanning ECU
- New Flash Available
- CAN-C
- CAN-B



[All DTCs](#) |
 [Diagnostic Procedures](#) |
 [Customer Preferences](#) |
 [Vehicle Preparations](#)

Double-click row selection to view environmental data. Click on column heading to sort table.

[View Freeze Frame](#) |
 [View Event Data](#)

All Active | Stored | Pending

ECU	Code	Status	Description
PCM	P0037-00	Active	O2 Sensor 1/2 Heater Circuit Low-
PCM	P0141-00	Active	O2 Sensor 1/2 Heater Performance-
ARC	U10001-RR	Stored	C-CAN Bus (Bus off)

A A

Disconnect

Knowledge Base Articles

Online

Windows taskbar with icons for Start, File Explorer, Internet Explorer, and Wi-Fi.

Overview

Name:

Anti Lock Brakes

Flash Part Number:

68073251AH

Bus Type:

CAN C

Hardware Version:

00

Software Version:

48.6

Spare Part Number:

68073251AH

ISO Code:

EC07168A68

Software Number:

BB 68088

Hardware Number:


0265952127

Original VIN

????????????????

ECU	Code
ABS	U0001-88
ABS	U1715-87
ABS	C0033-29

A A


 Knowledge Base Articles

 Online

Windows taskbar icons: Windows logo, printer, folder, application, Internet Explorer, Firefox, Chrome, Wi-Fi.

Vertical red and orange LED display showing numbers.







Challenger Lifts



Challenge Lifts

[Redacted License Plate]




1.米

GI Challenger










72

NEW YORK

176289CQ



NYMA

08/17/15

8

3C [REDACTED]
2013 FIAT 2DSD
FMG9836 PAS 7 G

15

M
O
N
T
H

Y
E
A
R



VEHICLE REGISTRATION

NEW YORK STATE

SAFETY INSPECTION CERTIFICATE




JAN
FEB
MAR

2014

APR MAY JUN JUL AUG SEP









1923 mi

2:37 rpm

54°F

30 MPH



2:37 pm
ABS



ESC





2:38
Check left

0 20 40 60 80 100 120 140 160
MPH

MENU





CAUTION!
COMPLEX ELECTRONIC COMPONENTS
CONSULT OWNER'S MANUAL FOR PROPER CARE AND MAINTENANCE
SERVICE (718) 236-2600 • PARTS (718) 236-3100
GIUFFRÈ
AUTO GROUP
Jeep





Chrysler Group LLC

VEHICLE EMISSION CONTROL INFORMATION

GROUP: DCRXV01.44P1

NO ADJUSTMENTS NEEDED

TWC / HD2S / SF1 / TC / CAC

EVAP: DCRXR0100PK0 10.5 gal

DCRXR0116PK0 13.2 gal

DCRXR0116PK0 15.8 gal

CONFORMS TO REGULATIONS: 2012 MY

ENGINE: 1.4L

U.S. EPA: T2 B6 LDV OBD: CA OBD II FUEL: GASOLINE



04722 026AB

CALIFORNIA: LEV II PC OBD: CA OBD II FUEL: GASOLINE
CERTIFIED TO OPTIONAL USEFUL LIFE PER CARB 1961 (4) (D).







Order No. P88074-1584
JVC Part No. 39754C
Serial Number TWFD026 W1751







Auburn Hills, MI 48326


2013 FF 1.4L

VIN

Battery: 11.73 volts

Legend

- Active ECU
- Non-responsive ECU
- DTCs Present



- All DTCs
- Diagnostic Procedures
- Customer Preferences
- Vehicle Preparations

Double-click row selection to view environmental data. Click on column heading to sort table.

- All Active Stored Pending
- View Freeze Frame
- View Event Data
- Clear Stored DTCs

ECU	Code	Status	Description
PCM	P0037-	Active	O2 Sensor 1/2 Heater Circuit Low-
PCM	P0141-	Active	O2 Sensor 1/2 Heater Performance-
ABS	U0001-	Stored	C-CAN Bus (Bus off)
ABS	U1715-	Stored	Yaw/Lateral/Longitudinal Accel. Controller - NYL- Absent
ABS	C0033-	Active	Magnetic wheel FR - Invalid Signal
BCM	U0019-	Stored	CAN B Bus - General Electrical Failure


Click on the buttons to view the desired information. Click on column heading to sort table.

Environmental Data


Environmental Data for PCM | P0037-00 O2 Sensor 1/2 Heater Circuit Low-

Name	Value	Units
Retrieving Data, please wait...		

Knowledge Base Articles



Disconnect



Vehicle View

Roll over an ECU to see full name. Click on an ECU for complete details.

Search Service Information


2013 FF 1.4

VIN: [REDACTED]

Battery: 11.73 volts

Legend

- Active ECU
- Non-responsive ECU
- DTCs Present



- All DTCs
- Diagnostic Procedures**
- Customer Preferences
- Vehicle Preparations

Double-click row selection to view environmental data. Click on column heading to sort table.

All | Active | Stored | Pending

	ECU	Code	Status	Description
	PCM	P0037-	Active	O2 Sensor 1/2 Heater Circuit Low-
	PCM	P0141-	Active	O2 Sensor 1/2 Heater Performance-
	ABS	U0001-	Stored	C-CAN Bus (Bus off)
	ABS	U1715-	Stored	Yaw/Lateral/Longitudinal Accel.Controller - NYL- Absent
	ABS	C0033-	Active	Magnetic wheel FR - Invalid Signal
	BCM	U0019-	Stored	CAN B Bus - General Electrical Failure

Click on the buttons to view the desired information. Click on column heading to sort table.

Environmental Data for PCM | P0037-00 O2 Sensor 1/2 Heater Circuit Low-

Name	Value	Units
Retrieving Data, please wait...		



G

ANCED AIRBAGS

ILLED OR SERIOUSLY INJURED BY

**THE SAFEST PLACE FOR CHILDREN.
R-FACING CHILD SEAT IN THE FRONT.
ATBELTS AND CHILD RESTRAINTS.**

MANUAL FOR MORE INFORMATION ABOUT



04680652AA

G

ICED AIRBAGS

LLED OR SERIOUSLY INJURED BY

HE SAFEST PLACE FOR CHILDREN.

R-FACING CHILD SEAT IN THE FRONT.

BELTS AND CHILD RESTRAINTS.

MANUAL FOR MORE INFORMATION ABOUT



04680652AA