

INFORMATION REDACTED PURSUANT TO THE FREEDOM
OF INFORMATION ACT (FOIA), 5 U.S.C. 552(B)(6)

MFD BY **CHRYSLER GROUP LLC**

DATE OF MFR(BUILT): DEC 12

GVWR: 2745 KG 6050 LB

GAWR FRONT: 1339 KG 2950 LB WITH P225/65R17 TIRES
17X6.5 RIMS AT 250 KPA (36 PSI) COLD

GAWR REAR: 1407 KG 3100 LB WITH P225/65R17 TIRES
17X6.5 RIMS AT 250 KPA (36 PSI) COLD

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.A. FEDERAL MOTOR
STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN

VIN: 2C4RC1B [REDACTED] TYPE: MPV
VEHICLE MADE IN CANADA PAINT: PSC TRIM: MLX1

0 LB

TIRES

() COLD


TIRES

() COLD



THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.A. FEDERAL MOTOR VEHICLE SAFETY
STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 2C4RC1



TYPE:

MPV

MDH: 121716 045AA

VEHICLE MADE IN CANADA

PAINT: PSC

TRIM: MLX1









EZ
AUTO
LASSING













R62337-001
PP-TD20

REV S

M3 20A FT. W/ANGLE LCP	M16 10A OPC-DCM	M32 10A RT HORN (HL/LOR)	M48 10A 100-SPR-10A	M64 10A 100-SPR-10A	M80 10A 100-SPR-10A
M4 10A FT. W/ANGLE LCP	M17 15A LT-TAIL/LIC/PRV LMP	M33 10A LT HORN (HL/LOR)	M49 10A 100-SPR-10A	M65 10A 100-SPR-10A	M81 10A 100-SPR-10A
M5 10A FT. W/ANGLE LCP	M18 15A RT-TAIL/PRV/PRV LP	M34 25A PEARL BULB	M50 10A 100-SPR-10A	M66 10A 100-SPR-10A	M82 10A 100-SPR-10A
M6 10A FT. W/ANGLE LCP	M19 25A ASD #1 ASD #2	M35 20A PEARL BULB	M51 10A 100-SPR-10A	M67 10A 100-SPR-10A	M83 10A 100-SPR-10A
M7 20A PWR EXTERIOR	M20 15A CCH INT LIGHT SW	M36 20A PEARL BULB	M52 10A 100-SPR-10A	M68 10A 100-SPR-10A	M84 10A 100-SPR-10A
M8 20A PWR EXTERIOR	M21 20A ASD #3	M37 10A 100-SPR-10A	M53 10A 100-SPR-10A	M69 10A 100-SPR-10A	M85 10A 100-SPR-10A
M9 20A PWR EXTERIOR		M38 10A 100-SPR-10A	M54 10A 100-SPR-10A	M70 10A 100-SPR-10A	M86 10A 100-SPR-10A
M10 20A PWR EXTERIOR		M39 10A 100-SPR-10A	M55 10A 100-SPR-10A	M71 10A 100-SPR-10A	M87 10A 100-SPR-10A
M11 20A PWR EXTERIOR		M40 10A 100-SPR-10A	M56 10A 100-SPR-10A	M72 10A 100-SPR-10A	M88 10A 100-SPR-10A
M12 20A PWR EXTERIOR		M41 10A 100-SPR-10A	M57 10A 100-SPR-10A	M73 10A 100-SPR-10A	M89 10A 100-SPR-10A
M13 20A PWR EXTERIOR		M42 10A 100-SPR-10A	M58 10A 100-SPR-10A	M74 10A 100-SPR-10A	M90 10A 100-SPR-10A
M14 20A PWR EXTERIOR		M43 10A 100-SPR-10A	M59 10A 100-SPR-10A	M75 10A 100-SPR-10A	M91 10A 100-SPR-10A
M15 20A PWR EXTERIOR		M44 10A 100-SPR-10A	M60 10A 100-SPR-10A	M76 10A 100-SPR-10A	M92 10A 100-SPR-10A

04692139AA

Omron 68083380AA

Omron 68083380AA

Omron 68083380AA

Omron 68083380AA

Omron 68083380AA

04692139AA

Omron 68083380AA

Omron 68083380AA

Omron 68083380AA

Omron 68083380AA

Omron 68083380AA

Omron 68083380AA

04692139AA

Omron 68083380AA

Omron 68083380AA

Omron 68083380AA

Omron 68083380AA

Omron 68083380AA

Omron 68083380AA

Omron 68083380AA

Omron 68083380AA

Omron 68083380AA

Omron 68083380AA

Omron 68083380AA

Omron 68083380AA

Omron 68083380AA

Key in
Ignition

242 mi OFF





TOWN & COUNTRY

PUSH TO
RELEASE

AUDIO KIT






































2012-12-17 20:00
STERILH
ID11G
-1-15





AG
2012-12-17 20:00



ZITMCA-12
Rev. 031-11

(N) (J)



PRK
BOLSTEN
02183BD1AG
2012-12-13
(1) BLSTL







PROD BY CHRYSLER GROUP LLC

DATE OF MFR (BUILT): 3-14 GVWR: 2745 KG 6050 LB

CUR FRONT: 1339 KG 2950 LB WITH P225/65R17 TIRES
17X6.5 RIMS AT 250 KPA (36 PSI) COLD

CUR REAR: 1407 KG 3100 LB WITH P225/65R17 TIRES
17X6.5 RIMS AT 250 KPA (36 PSI) COLD

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.A. FEDERAL MOTOR VEHICLE SAFETY
STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 2C4RC1CG1 TYPE: MPV MDH: 022707 058AA
VEHICLE MADE IN CANADA PAINT: PXR TRIM: ALX1

Ignition or
Accessory ON

175 mi RUN



P

R

N

D




































Informational label on the engine cover:


R-134a	
820g (1.81 lb)	1150g (2.53 lb)
PAG	



3.6L VVT



CHRYSLER GROUP LLC VEHICLE EMISSION CONTROL INFORMATION










61571C 3113


29








44-16631







PP-TD20
CAV 4

M16 25A INVERTER
M17 20A PWR OUTLET #1 (ACC)
RAIN SENS
M18 20A PWR OUTLET #2
(SWITCHABLE)
M19 25A RT HEATED SEAT

M16 10A ORC/OCM
M17 15A LT-TAIL/LIC/PRK LMP
RUN LP/LT SIDE MAKER
M18 15A RT-TAIL/PRK/RUN LP
RT SIDE MAKER
M19 25A ASD #1 AND #2

M23 10A LT HORN (HI/LOW)
M24 25A REAR WIPER
M25 20A FUEL/DSL LIFT PUMP
M26 10A PWR MIRR
SW WINDOW DRVR

M27 10A IGN SW/WIN/PEM
STEERING COL LOCK 1
M28 10A PCM/TRANS FEED
M29 10A OCM
M30 15A WIPER MTR FT
J1962 DIAGNOSTIC

M31 20A B/U LAMPS
M32 10A ORC
TT EUROPE
M33 10A NGC/DEP/TOM
M34 10A PRK ASST/HVAC MOD/
RAD FAN/COMPASS/
IR SNR/DSL/CABIN HTR/
HDL P WASH/RR CAM/
LP FLASHLIGHT/AHLM
LP DR FT DRV/PASS

M35 10A HTD MIRRORS FEED
DRIVE & PASS
M36 20A POWER OUTLET #3
M37 10A ABS/ESP/STP LP SW/
FUEL PUMP FLY
SWAY BAR FEED 2
M38 25A LOCK/UNLOCK MTRS

R85360-004 REV.5



37-001

TD20<

V4



CHMSL/LAMP FEED
TRAILER LIGHTING
FOG LAMPS

VAC PUMP CNTL

2
1

M3 20A FT/RR AXLE LCK/AWD MOD 2
VAC PUMP MOTOR 1

M5 25A INVERTER

M6 20A PWR OUTLET #1 (ACC)
RAIN SENSR

M7 20A PWR OUTLET #2
(SWITCHABLE)

M8 20A FT HEATED SEAT

M9 20A RR HEATED SEAT

M10 15A VES/SDARS/DVD/ANT 1
UGDO/VANITY LP/RADIO 1
HFM

M16 10A ORC/OCM

M17 15A LT-TAIL/LI
RUN LP/LT

M18 15A RT-TAIL/PR
RT SIDE MA

M19 25A ASD #1 AND 1



M20 15A CCN IN
BANK/CO

M21 20A ASD #3

20A 12V LAMPS

10A ORC

TT EUROPE

10A NOC/GPEC/TCM

10A PRK ASST/HVAC MOD/

RAD FAN/COMPASS/

IR SNSR/DSL CABIN HTR/

HDLP WASH/RR CAM/

LP FLASHLIGHT/AHLM

LP DR FT DRV/PASS

M35 10A HTD MIRRORS FEED
DRIVE & PASS

M36 20A POWER OUTLET #3

M37 10A ABS/ESP/STP LP SW/

FUEL PUMP RLY

SWAY BAR FEED

2

M38 25A LOCK/UNLOCK MTRS

R65360-004 REV.B





























PUSH ON

ANTITHEFT

SIRIUS

HARD DISC DRIVE

AUX

PULL

REAR



A/C

77 67 67



FRONT



AUTO



REAR




SYNC



REAR



REAR



115V POWER



OFF

R VEHICLE




Vehicle View

Roll over an ECU to see full name. Click on an ECU for complete details.

Search Service Information Enter search

RT 3.6L
2C4RC1C
Battery: 11.97 volts

- Active ECU
- Non-responsive ECU
- DTCs Present
- ECU Not Built
- Scanning ECU
- New Flash Available
- Diag CAN-C
- CAN-C
- CAN-IHS



Diagnostic Procedures Customer Preferences Vehicle Preparations

Click row selection to view environmental data. Click on column heading to sort table.

Active | Stored | Pending

View Freeze Frame View Event Data

ECU	Code	Status	Description
WCM	U0231	Active	Lost Communication With Light Rain Sensing Module
PLGM	B1977	Stored	Power Liftgate Open Direction - Sector Switch Performance

Knowledge Base Articles Online

Disconnect Update Available





VEHICLE CONFORMS TO ALL APPLICABLE U.S.A. FEDERAL MOTOR VEHICLE SAFETY
STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

IN: 2C4RC1BG [REDACTED] TYPE: MPV MDH: 121401 058
VEHICLE MADE IN CANADA PAINT: PRP TRIM: MLL

MFD BY CHRYSLER GROUP LLC

DATE OF MFR(BUILT): 12-13

GVWR: 2745 KG 6050 LB

GAWR FRONT: 1339 KG 2950 LB WITH
17X6.5 RIMS AT

P225/65R17 TIRES
250 KPA (36 PSI) COLD

GAWR REAR: 1407 KG 3100 LB WITH
17X6.5 RIMS AT

P225/65R17 TIRES
250 KPA (36 PSI) COLD

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.A. FEDERAL MOTOR VEHICLE SAFETY
STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 2C4RC1

TYPE: MPV KBA: 121401 058AA

VEHICLE MADE IN CANADA

PAINT: PRP

TRIM: NALL

2C4RC1B



























