

INFORMATION REDACTED PURSUANT TO THE FREEDOM
OF INFORMATION ACT (FOIA), 5 U.S.C. 552(B)(6)

VIN: [REDACTED]

03/28/2019

STATE FARM INSURANCE

PICKUP DATE: 3/19/19

CLAIM#

03/28/2019

Details

Detail

Edit

nt Name

Chrysler

E Case #



ct Name

Chrysler Inspections

03/28/2019

CHRY 0016



03/28/2019



03/28/2019



03/28/2019



03/28/2019



03/28/2019



03/28/2019



03/28/2019



03/28/2019



03/28/2019



03/28/2019



03/28/2019



03/28/2019





03/28/2019



03/28/2019



03/28/2019



03/28/2019



03/28/2019



03/28/2019



03/28/2019



03/28/2019



03/28/2019



03/28/2019



03/28/2019



03/28/2019

P68190190AA




 **R-134a**



R-134a



SINGLE A/C - 820g (1.81 lb)
DUAL A/C - 1150g (2.53 lb)



PAG

SAE J639

03/28/2019

Chrysler Group LLC VEHICLE EMISSION CONTROL INFORMATION

GROUP: ECRXJ03.65PA

EVAP: ECRXR0150RKA

CONFORMS TO REGULATIONS: 2014 MY FFV

NO ADJUSTMENTS NEEDED

TWC / HO2S / SFI

U.S. EPA: T2 B4 LDV OBD: CA OBD II FUEL: GASOLINE / ETHANOL
CERTIFIED TO OPTIONAL USEFUL LIFE PER EPA 86.1805 - 04(h).



47480

058AA



CALIFORNIA: OBD: CA OBD II FUEL: GASOLINE / ETHANOL
CERTIFIED TO OPTIONAL USEFUL LIFE PER CARB 1961 (a) (8).
CERTIFIED FOR SALE ULEV II QUALIFIED.

03/28/2019



03/28/2019



03/28/2019

3.6L

03/28/2019



03/28/2019



03/28/2019



03/28/2019



03/28/2019



03/28/2019



03/28/2019



03/28/2019



03/28/2019

03/28/2019





03/28/2019



03/28/2019



03/28/2019



03/28/2019

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.A. FEDERAL MOTOR VEHICLE SAFETY
STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

RES
VIN: 2C4RC1 [REDACTED] TYPE: MPV MDH: 073123 058A
VEHICLE MADE IN CANADA PAINT: PXR TRIM: ALL

MPD BY CHRYSLER GROUP LLC

DATE OF MFR(BUILT): 8-13

GVWR:

2745 KG 6050 LB

GVWR FRONT:

1339 KG 2950 LB WITH

P225/65R17 TIRES

17X6.5

RIMS AT

250 KPA (36 PSI) COLD

GVWR REAR:

1407 KG 3100 LB WITH

P225/65R17 TIRES

17X6.5

RIMS AT

250 KPA (36 PSI) COLD



THIS VEH

STN

UTM:

VEHICLE





TOWN & COUNTRY

ARTIOLI













TOWN

ARTIOLI















PUSH TO
RELEASE



































































MAX

MIN

STEP 1
8322000







ENGINE OIL



SAE 5W-20

ENGINE

