



2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04



WIN & COMPANY

2019/11/04




Pat Peck
— GULFPORT —

2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04



3.6L VVT

Valve Power

ENGINE OIL
SAE 5W-20

2019/11/04

Chrysler Group LLC VEHICLE EMISSION CONTROL INFORMATION



WARNING: NEVER REMOVE CAP BEFORE
CHECKING FLUID LEVELS. ONLY ADD FLUID
IF NECESSARY. ALWAYS ADD FLUID
THROUGH THE FILLER CAP. NEVER
ADD FLUID TO A HOT ENGINE. ALWAYS
USE THE CORRECT FLUID. ALWAYS
CHECK THE FLUID LEVELS BEFORE
DRIVING. ALWAYS CHECK THE
FLUID LEVELS BEFORE DRIVING.
JORDO N3 3700 3700 3700

ValuePower
VP-65 650

▲ DANGER / POISON
SHIELD EYES
EXPLOSIVE
GLASSES
CAUTION: BATTERY
ACID IS TOXIC
DO NOT TOUCH
DO NOT DRINK
DO NOT SMOKING
DO NOT EATING
DO NOT DRINK
DO NOT SMOKING
DO NOT EATING

WARNING: BATTERY
ACID IS TOXIC
DO NOT TOUCH
DO NOT DRINK
DO NOT SMOKING
DO NOT EATING

2019/11/04

1744A
08/31/16
1744A
08/31/16



2019/11/04



2019/11/04

©CTFPL
SH302



2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04

44AK17443418*



2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04



SAFE

2019/11/04



2019/11/04



2019/11/04



2019/11/04





2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04

AK
T144AK17443416
1444A

Chrysler Group LLC **VEHICLE EMISSION CONTROL INFORMATION**

GROUP: ECRXJ03.65PA
NO ADJUSTMENTS NEEDED
TWC / HO2S / SFI

EVAP: ECRXR0150RKA


CONFORMS TO REGULATIONS: 2014 MY FFV
ENGINE: 3.6L

U.S. EPA: T2 B4 LDV OBD: CA OBD II FUEL: GASOLINE / ETHANOL
CERTIFIED TO OPTIONAL USEFUL LIFE PER EPA 86.1805 - 04(b).



47480 058AA

CALIFORNIA: OBD: CA OBD II FUEL: GASOLINE / ETHANOL
CERTIFIED TO OPTIONAL USEFUL LIFE PER CARB 1961 (a) (8).
CERTIFIED FOR SALE ULEV II QUALIFIED.



2019/11/04



R-134a



R-134a



SINGLE A/C - **820g (1.81 lb)**
DUAL A/C - **1150g (2.53 lb)**



PAG

SAE J639

2019/11/04

144AK


05005 144AK

S4204

1744A

09:33:19

2019/11/04



Part Number

VP-65

Cold Cranking Amps

650

Cranking Amps at 32°F

810

DIST. BY JOHNSON CONTROLS BATTERY GROUP, INC. MILWAUKEE, WI 53209

ValuePower

Return to WALMART for proper recycling and credit toward a new battery purchase

⚠ DANGER / POISON


SHIELD EYES
EXPLOSIVE GASES
CAN CAUSE BLINDNESS OR INJURY


NO
• SPARKS
• FLAMES
• SMOKING


SULFURIC ACID
CAN CAUSE
BLINDNESS OR
SEVERE BURNS

KEEP OUT OF THE REACH OF CHILDREN
DO NOT TIP. KEEP VENT CAPS TIGHT AND LEVEL


FLUSH EYES IMMEDIATELY
WITH WATER. GET
MEDICAL HELP FAST

CAUTION: FOR SAFE JUMP STARTING FOLLOW
INSTRUCTIONS IN VEHICLE OWNERS MANUAL
OR ASK FOR SERVICE ASSISTANCE


RECYCLE

18L AG

2019/11/04

ValuePower



Return to **WALMART** for proper recycling
and credit toward a new battery purchase

Part
Number

VP-65

Cold Cranking
Amps

650

Cranking
Amps at 32° F

810

DIST. BY JOHNSON CONTROLS BATTERY GROUP, INC. MILWAUKEE, WI 53208

2019/11/04

POISON

Value

Return to MAIL

Part Number VP-65

EXPLOSIVE

2019/11/04

⚠ DANGER / P



SHIELD
EYES
EXPLOSIVE
GASES
CAN CAUSE BLINDNESS
OR INJURY



KEEP THE REACH OF CHILDREN
VENT CAPS TIGHT AND LEVEL
IMMEDIATELY
LEAD
DOWN
RETURN
RECYCLE

2019/11/04




2019/11/04



2019/11/04



2019/11/04



17012272

2019/11/04



2019/11/04



2019/11/04



2019/11/04



USB

USB

2019/11/04




2019/11/04



615



2019/11/04



2019/11/04



2019/11/04



2019/11/04



USB

USB

2019/11/04



2019/11/04



6814



2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04

AUX 1




AUX 2



2019/11/04

AUX 1




AUX 2



2019/11/04

AUX 1



AUX 2

2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04



2019/11/04



PER-NO. FINAL FILLON
PROPERTY OF CHRYSLER
2015 CAVITY
A08406 1122100000000000

2019/11/04



2019/11/04



2019/11/04



2019/11/04