



11/19/2019 12:55



11/19/2019 12:55



11/19/2019 12:55



11/19/2019 12:56


2C4RC1BG5



02/05

MFD BY CHRYSLER GROUP LLC

DATE OF MFR(BUILT): 2-14

GVWR: 2745 KG 6050 LB

GAWR FRONT: 1339 KG 2950 LB WITH
17X6.5 RIMS AT

P225/65R17 TIRES
250 KPA (36 PSI) COLD

GAWR REAR: 1407 KG 3100 LB WITH
17X6.5 RIMS AT

P225/65R17 TIRES
250 KPA (36 PSI) COLD

THIS VEHICLE CONFORMS TO ALL APPLICABLE CANADIAN
STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.
VIN: 2C4RC1B [REDACTED] TYPE: [REDACTED]
VEHICLE MADE IN CANADA PAINT: PW7 TRIM: NLL

NEXT PM DUE

GM, Ford, Lincoln, Mercury,
Volvo, Nissan, Kia, Hyundai,
Suzuki
6,500 Miles

Chrysler, Dodge, Jeep, Saturn
5,000 Miles

Mazda, Toyota, Volkswagen
4,000 Miles

Other _____ Miles

Form 3102 4/09

2020/02/05



TIRE AND LOADING INFORMATION

SEATING CAPACITY - TOTAL 7

FRONT

2

REAR

5

THE COMBINED WEIGHT OF OCCUPANTS AND CARGO SHOULD NEVER EXCEED
521 KG OR 1150 LB

TIRE

FRONT

REAR

SPARE

ORIGINAL TIRE SIZE

P225/65R17

P225/65R17

T145/80R17

COLD TIRE INFLATION
PRESSURE

250 kPa / 36 PSI

250 kPa / 36 PSI

420 kPa / 60 PSI

SEE OWNERS MANUAL FOR ADDITIONAL INFORMATION



2020/02/05

100662 mi OFF



2020/02/05

⚠ WARNING

EVEN WITH ADVANCED AIR BAGS



- CHILDREN CAN BE KILLED OR SERIOUSLY INJURED BY THE AIR BAG.
- THE BACK SEAT IS THE SAFEST PLACE FOR CHILDREN.
- NEVER PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- ALWAYS USE SEAT BELTS AND OTHER RESTRAINTS.
- SEE OWNER'S MANUAL FOR MORE INFORMATION ABOUT AIR BAGS.



2020/02/05



2020/02/05



2020/02/05



2020/02/05



2020/02/05



2020/02/05



2020/02/05



2020/02/05



2020/02/05



2020/02/05



2020/02/05



2020/02/05



2020/02/05



2020/02/05



2020/02/05



2020/02/05

3.6L VVT

[illegible]

2020/02/05



2020/02/05



2020/02/05



2020/02/05



2020/02/05



2020/02/05



2020/02/05



2020/02/05



 **P R N D** 



2020/02/05



9:21

BIBLE

2020/02/05

top side of dual USB Port



2020/02/05



2020/02/05



2020/02/05

wires going into dual USB port



<-----Cut to stop fire

2020/02/05



USB

USB

2020/02/05

entrance to USB Port looks good



2020/02/05



Chrysler Group LLC

GROUP 1 EXEMPT EPA
ADJUSTMENTS NEEDED
MODE / SFI
17-84 LDV DOD: CA DOD II FUEL: GASOLINE
TO OPTIONAL USEFUL LIFE PER EPA OR
DOD: CA DOD II FUEL: GASOLINE
OPTIONAL USEFUL LIFE PER EPA OR
ULEV II QUALIFIED

VEHICLE EMISSIONS

EXAP

EXEMPT EPA

2020/02/05



2020/02/05



3.6LVVT

1

DATE: 2020/02/05
TIME: 14:00
LOCATION: 1000
16803

2020/02/05



Bottom side of dual USB Port

2020/02/05

Chrysler Group LLC / VEHICLE EMISSION CONTROL INFORMATION

GROUP: LCRX001 66PA
NO ADJUSTMENTS NEEDED
U.S. EPA: 12 84 LDK
CERTIFIED TO OPTIONAL USEFUL LIFE PER EPA 86.1805-0401

CAUTION: 080: CA 080 II
CERTIFIED TO OPTIONAL USEFUL LIFE PER CARB 1961 (a) (9).

FUEL: GASOLINE / ETHANOL
EPA: 86.1805-0401

CONFORMS TO REGULATIONS: 2014 MY FFV
ENGINE: 3.6L

47480 058

[REDACTED]

2020/02/05




customer removed USB trim panel

2020/02/05



2020/02/05



dual USB port would go here

2020/02/05



2020/02/05




2020/02/05



2020/02/05

driver side inner metal fender shows arching from incident




2020/02/05



2020/02/05

wires cut to prevent any spread of fire



2020/02/05



2020/02/05



2020/02/05



2020/02/05



2020/02/05



2020/02/05

MFD BY **CHRYSLER GROUP LLC**

DATE OF MFR(BUILT): 10-13

GAWR FRONT: 1339 KG 2950 LB WITH
17X6.5 RIMS AT

GAWR REAR: 1407 KG 3100 LB WITH
17X6.5 RIMS AT

GVWR: 2745 KG 6050 LB
P225/65R17 TIRES
250 KPA (36 PSI) COLD
P225/65R17 TIRES
250 KPA (36 PSI) COLD



THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.A. FEDERAL MOTOR VEHICLE SAFETY
STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 2C4RC1

VEHICLE MADE IN CANADA

TYPE:

MPV

PAINT: PRP

TRIM: MLX1

MDH:102603 058AA


2C4RC1BG2
★








☆ 68110874AB

10105396



0235 14 C





PC ABS

10256863

02











65204 mi OFF





AN UNMATCHED
OFFER

\$44.99



















































