





3GYFNDEY3AS





MFD BY GENERAL MOTORS DE MEXICO, S. DE R.L. DE C.V. 05/10

GVWR
2520 KG
5556 LB

GAWR FRT
1410 KG
3108 LB

GAWR RR
1300 KG
2866 LB

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR
VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON
THE DATE OF MANUFACTURE SHOWN ABOVE.

3GYFNDEY3AS

TYPE: M.P.V.

MODEL: N228

WHEEL TIRE SIZE SPEED RATIO

FRT F205/60R16

4

4.10

FIELD TIRE INFORMATION

RR F205/60R16

4

4.10

EXHAUST/CONTROL

SPR 205/60R16

4.10

EXHAUST/CONTROL

SEE OWNER'S MANUAL



FOR MORE INFORMATION



PROPERTY TOTAL LOSS
DATE 10/11/20 CLAIM 40267710 POL. 63841























































































OP
ACC

9 20
H/K
P

H























































255165 R18

106V









V6 VVT
DIRECT INJECTION

WARNING
Do not touch the engine or any other parts of the vehicle when the engine is running. The engine and other parts of the vehicle can become very hot and cause serious burns or other injuries. Do not touch the engine or any other parts of the vehicle when the engine is running. The engine and other parts of the vehicle can become very hot and cause serious burns or other injuries.

CAUTION
Do not touch the engine or any other parts of the vehicle when the engine is running. The engine and other parts of the vehicle can become very hot and cause serious burns or other injuries. Do not touch the engine or any other parts of the vehicle when the engine is running. The engine and other parts of the vehicle can become very hot and cause serious burns or other injuries.




























1-CAST FUSES
 2 VAPOR (USA)
 3 VACUUM PUMP (USA)
 4 REC. PUMP (USA)
 5 REC. 1 (USA)
 6 REC. 2 (USA)
 7 COOL. FAN 2 (USA)
 8 STARTER (USA)
 9 COOL. FAN 1
 10-19 FUSES
 1 ECH. BATT (USA)
 2 ECH. BATT (USA)
 3 ECH. RUN. CRNK (USA)
 4 50 AMP (USA)
 5 ECH. FUEL/TXN (USA)
 6 50 AMP (USA)
 7 50 AMP (USA)
 8 50 AMP (USA)
 9 50 AMP (USA)
 10 50 AMP (USA)
 11 50 AMP (USA)
 12 50 AMP (USA)
 13 50 AMP (USA)
 14 50 AMP (USA)
 15 50 AMP (USA)
 16 50 AMP (USA)
 17 50 AMP (USA)
 18 50 AMP (USA)
 19 50 AMP (USA)
 20 50 AMP (USA)
 21 50 AMP (USA)
 22 50 AMP (USA)
 23 50 AMP (USA)
 24 50 AMP (USA)
 25 50 AMP (USA)
 26 50 AMP (USA)
 27 50 AMP (USA)
 28 50 AMP (USA)
 29 50 AMP (USA)
 30 50 AMP (USA)
 31 50 AMP (USA)
 32 50 AMP (USA)
 33 50 AMP (USA)
 34 50 AMP (USA)
 35 50 AMP (USA)
 36 50 AMP (USA)
 37 50 AMP (USA)
 38 50 AMP (USA)
 39 50 AMP (USA)
 40 50 AMP (USA)
 41 50 AMP (USA)
 42 50 AMP (USA)
 43 50 AMP (USA)
 44 50 AMP (USA)
 45 50 AMP (USA)
 46 50 AMP (USA)
 47 50 AMP (USA)
 48 50 AMP (USA)
 49 50 AMP (USA)
 50 50 AMP (USA)
 51 50 AMP (USA)
 52 50 AMP (USA)
 53 50 AMP (USA)
 54 50 AMP (USA)
 55 50 AMP (USA)
 56 50 AMP (USA)
 57 50 AMP (USA)
 58 50 AMP (USA)
 59 50 AMP (USA)
 60 50 AMP (USA)
 61 50 AMP (USA)
 62 50 AMP (USA)
 63 50 AMP (USA)
 64 50 AMP (USA)
 65 50 AMP (USA)
 66 50 AMP (USA)
 67 50 AMP (USA)
 68 50 AMP (USA)
 69 50 AMP (USA)
 70 50 AMP (USA)
 71 50 AMP (USA)
 72 50 AMP (USA)
 73 50 AMP (USA)
 74 50 AMP (USA)
 75 50 AMP (USA)
 76 50 AMP (USA)
 77 50 AMP (USA)
 78 50 AMP (USA)
 79 50 AMP (USA)
 80 50 AMP (USA)
 81 50 AMP (USA)
 82 50 AMP (USA)
 83 50 AMP (USA)
 84 50 AMP (USA)
 85 50 AMP (USA)
 86 50 AMP (USA)
 87 50 AMP (USA)
 88 50 AMP (USA)
 89 50 AMP (USA)
 90 50 AMP (USA)
 91 50 AMP (USA)
 92 50 AMP (USA)
 93 50 AMP (USA)
 94 50 AMP (USA)
 95 50 AMP (USA)
 96 50 AMP (USA)
 97 50 AMP (USA)
 98 50 AMP (USA)
 99 50 AMP (USA)
 100 50 AMP (USA)

SPARK FUSES
 57 5A
 58 5A
 59 5A
 60 5A
 61 5A
 62 5A
 63 5A
 64 5A
 65 5A
 66 5A
 67 5A
 68 5A
 69 5A
 70 5A
 71 5A
 72 5A
 73 5A
 74 5A
 75 5A
 76 5A
 77 5A
 78 5A
 79 5A
 80 5A
 81 5A
 82 5A
 83 5A
 84 5A
 85 5A
 86 5A
 87 5A
 88 5A
 89 5A
 90 5A
 91 5A
 92 5A
 93 5A
 94 5A
 95 5A
 96 5A
 97 5A
 98 5A
 99 5A
 100 5A












































































































































































⚠ WARNING

EVEN WITH ADVANCED AIR BAGS

- Children can be killed or seriously injured by air bags.
- The back seat is the safest place for children.
- Never put a rear-facing child seat in the front.
- Always use seat belts and child restraints.
- See owner's manual  for more information about air bags.



⚠ WARNING
Always use proper tie-down technique. See owner's manual for details.
Do not drink alcohol or use drugs before driving.
Do not use the vehicle if you are feeling drowsy or fatigued.
Do not use the vehicle if you are under the influence of alcohol or drugs.
Do not use the vehicle if you are feeling dizzy or lightheaded.
Do not use the vehicle if you are feeling nervous or anxious.
Do not use the vehicle if you are feeling any of the above symptoms.
Do not use the vehicle if you are feeling any of the above symptoms.




WARNING
EVEN WITH ADVANCED AIR BAGS
• Children can be killed or seriously injured by the air bag.
• The child safety seat must always be properly
installed after the factory label and a label from
the manufacturer are read and understood.
• See owner's manual for more information.
Model No. 100

AVERTISSEMENT
MÊME AVEC DES SACS GONFLABLES INTELLIGENTS
• Les enfants peuvent être tués ou grièvement blessés par le sac gonflable.
• Le siège enfant et l'enfant se placent dans le siège avant.
• Le parent s'assure que l'enfant est correctement installé dans le siège avant.
• Lire attentivement les instructions de sécurité et les renseignements de sécurité
sur l'air bag.
• Voir le guide du propriétaire pour plus d'informations à propos
des sacs gonflables.

Model No. 100













Zero


Convert

Hold

12.3°C





















































0470

MADE IN ITALY
100% COTTON
WASHING INSTRUCTIONS
WASH AT 40°C
DO NOT BLEACH
DO NOT DRY IN THE SUN
DO NOT IRON AT HIGH TEMPERATURE
DO NOT TUMBLE DRY


PR. G. ASCI

84647

U 8264+











[illegible]











461103404400










GMT 168 168 RIBAS

2121255 AP

14 05 10

S



GMT 166 168 RRAB

2421255 AF

17 05 10
S































































Data Display

Diagnostic Data Display

Graphical Data Display

Line Graph

SDM Data



Parameter Name	Value	Unit
Air Bag Malfunction Indicator	Off	
Driver Seat Belt Status	Unbuckled	
Driver Seat Belt Reminder Indicator	Off	
Driver Seat Position Sensor Enable Status	Disabled	
Driver Seat Position Sensor	Not Equipped	
Passenger Seat Belt Status	Unbuckled	
Passenger Seat Belt Reminder Indicator	Off	
Passenger Seat Position Sensor Enable Status	Disabled	
Passenger Seat Position Sensor	Not Equipped	

Back

Home

Vehicle Info



BDM Data



Parameter Name	Value	Unit
Air Bag Malfunction Indicator	Off	
Driver Seat Belt Status	Buckled	
Driver Seat Belt Reminder Indicator	Off	
Driver Seat Position Sensor Enable Status	Disabled	
Driver Seat Position Sensor	Not Equipped	
Passenger Seat Belt Status	Unbuckled	
Passenger Seat Belt Reminder Indicator	Off	
Passenger Seat Position Sensor Enable Status	Disabled	
Passenger Seat Position Sensor	Not Equipped	

Back

Home

Vehicle Menu



Parameter Name	Value	Unit
Air Bag Malfunction Indicator	Off	
Driver Seat Belt Status	Unbuckled	
Driver Seat Belt Reminder Indicator	Off	
Driver Seat Position Sensor Enable Status	Disabled	
Driver Seat Position Sensor	Not Equipped	
Passenger Seat Belt Status	Unbuckled	
Passenger Seat Belt Reminder Indicator	Off	
Passenger Seat Position Sensor Enable Status	Disabled	
Passenger Seat Position Sensor	Not Equipped	



Diagnostic Data Display Graphical Data Display nLine Graph

SDM Data

Parameter Name	Value	Unit
Air Bag Malfunction Indicator	Off	
Driver Seat Belt Status	Buckled	
Driver Seat Belt Reminder Indicator	Off	
Driver Seat Position Sensor Enable Status	Disabled	
Driver Seat Position Sensor	Not Equipped	
Passenger Seat Belt Status	Unbuckled	
Passenger Seat Belt Reminder Indicator	Off	
Passenger Seat Position Sensor Enable Status	Disabled	
Passenger Seat Position Sensor	Not Equipped	

Back

Home

Vehicle Information



Data Display

Diagnostic Data Display

Graphical Data Display

Line Graphs

SDM Data



Parameter Name	Value	Unit
Air Bag Malfunction Indicator	Off	
Driver Seat Belt Status	Unbuckled	
Driver Seat Belt Reminder Indicator	Off	
Driver Seat Position Sensor Enable Status	Disabled	
Driver Seat Position Sensor	Not Equipped	
Passenger Seat Belt Status	Unbuckled	
Passenger Seat Belt Reminder Indicator	Off	
Passenger Seat Position Sensor Enable Status	Disabled	
Passenger Seat Position Sensor	Not Equipped	




Back



Home



Technical Support






Parameter Name	Value	Unit
Air Bag Malfunction Indicator	Off	
Driver Seat Belt Status	Unbuckled	
Driver Seat Belt Reminder Indicator	Off	
Driver Seat Position Sensor Enable Status	Disabled	
Driver Seat Position Sensor	Not Equipped	
Passenger Seat Belt Status	Unbuckled	
Passenger Seat Belt Reminder Indicator	Off	
Passenger Seat Position Sensor Enable Status	Disabled	
Passenger Seat Position Sensor	Not Equipped	

Back

Home

Vehicle Menu

GDS 2 v22.1.02500 GM Global v2020.9.1 VIN: 3GYFNDEY3A [REDACTED] 2010 Cadillac SRX Module Diagnostics, Inflatable Restraint Sensing, and Diagnostic Module





Passenger Presence Data



Parameter Name	Value	Unit
Power Mode	Accessory	
Passenger Presence Module Primary Key	0	
Received Primary Key	0	
Primary Key Status	UNRECOGNIZED S...	
Passenger Presence System Reporting DTC(s)	No	
Passenger Seat Occupancy Status	Unknown	
Passenger Classification	Undefined	

Back

Home

Vehicle Menu





Diagnostic Data Display

Graphical Data Display

Line Graph

Passenger Presence Data

Parameter Name	Value	Unit
Power Mode	Accessory	
Passenger Presence Module Primary Key	0	
Received Primary Key	0	
Primary Key Status	UNRECOGNIZED S...	
Passenger Presence System Reporting DTC(s)	No	
Passenger Seat Occupancy Status	Unknown	
Passenger Classification	Undefined	

 Back

 10001E

 Vehicle System



