

This file represents a consolidation of multiple files sent by the manufacturer. Please use the bookmarks to navigate to each file. (Each bookmark label is the name of the original file.)



## CONFIGURATION REPORT

**Vehicle** 2021 CHRYSLER PACIFICA (PHEV) 3.6L V6 HYBRID ENGINE  
**VIN** [REDACTED]

**Odometer** 33623.1 miles  
**Publication Date** May 9, 2022, 11:43:55 AM

## ECU SUMMARY INFO

| ECU   | NAME                           | BUS TYPE | FLASH PART # | CURRENT VIN | ORIGINAL VIN | PART # |
|-------|--------------------------------|----------|--------------|-------------|--------------|--------|
| PCM   | Powertrain Control Module      | CAN-C    | 68499122AE   |             |              |        |
| PLGM  | Power Liftgate                 | CAN-I    | 68466171AI   |             |              |        |
| ICS   | Integrated Center Stack        | CAN-I    | 6XY201X8AA   |             |              |        |
| RFH   | Radio Frequency Hub            | CAN-C    | 68500152AA   |             |              |        |
| ESM   | Electronic Shifter             | CAN-C    | 68240089AM   |             |              |        |
| ORC   | Occupant Restraint             | CAN-C    | 68480710AC   |             |              |        |
| EPS   | Electric Power Steering        | CAN-C    | 68460392AA   |             |              |        |
| ANC   | Active Noise Cancellation      | CAN-I    | 68440556AB   |             |              |        |
| HVAC  | Heat, Ventilation and A/C      | CAN-I    | 68493454AE   |             |              |        |
| DDM   | Driver Door Module             | CAN-I    | 68496463AB   |             |              |        |
| PDM   | Passenger Door Module          | CAN-I    | 68496462AB   |             |              |        |
| DMRL  | Door Module Rear Left          | CAN-I    | 68508894AB   |             |              |        |
| DMRR  | Door Module Rear Right         | CAN-I    | 68508894AB   |             |              |        |
| PSDML | Power Sliding Doors (Left)     | CAN-I    | 68369596AD   |             |              |        |
| PSDMR | Power Sliding Doors (Right)    | CAN-I    | 68369596AD   |             |              |        |
| MSM   | Memory Seat Module             | CAN-I    | 68321862AC   |             |              |        |
| CSWM  | Comfort Seat Wheel Module      | CAN-I    | 68517011AB   |             |              |        |
| IPC   | Instrument Panel Cluster       | CAN-C    | 68434960AE   |             |              |        |
| PTS   | Parktronic                     | CAN-C    | 68485851AA   |             |              |        |
| SCCM  | Steering Column Control Module | CAN-C    | 68360889AD   |             |              |        |

|       |                                    |       |            |  |  |            |
|-------|------------------------------------|-------|------------|--|--|------------|
| BCM   | Body Controller                    | CAN-C | 68491085AG |  |  |            |
| ACC   | Adaptive Cruise Control            | CAN-C | 68540436AA |  |  |            |
| RADIO | Radio                              | CAN-I | 68465290AD |  |  |            |
| OCM   | Occupant Classification            | CAN-C | 68403127AA |  |  |            |
| HVACR | Heat, Ventilation and A/C Rear     | CAN-I | 68373079AB |  |  |            |
| LBSS  | Left Blind Spot Sensor             | CAN-I | 04672786AB |  |  |            |
| RBSS  | Right Blind Spot Sensor            | CAN-I | 04672786AB |  |  |            |
| FFCM  | Forward Facing Camera Module       | CAN-C | 68493395AA |  |  |            |
| APM   | Accessory Power Module             | CAN-C | 05185046AB |  |  | 05185046AB |
| BPCM  | Battery Pack Control Module        | CAN-C | 05193183AE |  |  |            |
| HCP   | Hybrid Control Processor           | CAN-C | 05185116AJ |  |  |            |
| OBCM  | On Board Charging Module           | CAN-C | 05185047AE |  |  | 05185047AE |
| DSM   | Display Screen Module              | CAN-I | 68438382AD |  |  |            |
| RCCC  | Rear Cabin Comfort Controls        | CAN-I | 6WL30PD2AA |  |  |            |
| EAC   | Electric A/C Compressor            | CAN-C | 68237995AG |  |  |            |
| AHCP  | Auxiliary Hybrid Control Processor | CAN-C | 05185117AJ |  |  |            |
| EBBM  | Electronic Brake Booster Module    | CAN-C | 68461813AB |  |  |            |
| ABSO  | Anti Lock Brakes OBD               | CAN-C | 68471122AD |  |  |            |
| SGW   | Security Gateway Module            | CAN-C | 68488429AB |  |  |            |

### ECU SUMMARY INFO (CONT...)

| ECU  | COUNTRY CODE | HARDWARE VERSION | SOFTWARE VERSION | IDENT        | CVNS     |
|------|--------------|------------------|------------------|--------------|----------|
| PCM  |              |                  |                  | 4422         | F2DB13B9 |
| PLGM |              |                  |                  | 000200000031 |          |
| ICS  |              |                  |                  | 4700         |          |
| RFH  |              |                  |                  | 4A00         |          |
| ESM  |              |                  |                  | 4402         |          |
| ORC  |              |                  |                  | 4301         |          |
| EPS  |              |                  |                  | 4502         |          |
| ANC  |              |                  |                  | 4210         |          |
| HVAC |              |                  |                  | 4401         |          |
| DDM  |              |                  |                  | 4202         |          |
| PDM  |              |                  |                  | 4202         |          |

|       |           |          |          |              |                                  |
|-------|-----------|----------|----------|--------------|----------------------------------|
| DMRL  |           |          |          | 4201         |                                  |
| DMRR  |           |          |          | 4201         |                                  |
| PSDML |           |          |          | 4001         |                                  |
| PSDMR |           |          |          | 4001         |                                  |
| MSM   |           |          |          | 4101         |                                  |
| CSWM  |           |          |          | 4302         |                                  |
| IPC   |           |          |          | 4705         |                                  |
| PTS   |           |          |          | 4311         |                                  |
| SCCM  |           |          |          | 4301         |                                  |
| BCM   |           |          |          | 4420         |                                  |
| ACC   |           |          |          | 4400         |                                  |
| RADIO |           |          |          | 000200000008 |                                  |
| OCM   |           |          |          | 4030         |                                  |
| HVACR |           |          |          | 4301         |                                  |
| LBSS  |           |          |          | 4202         |                                  |
| RBSS  |           |          |          | 4202         |                                  |
| FFCM  |           |          |          | 4102         |                                  |
| APM   | USA / USA | 11 32 00 | 11 32 00 | 4001         |                                  |
| BPCM  |           |          |          | 4005         | 79855957                         |
| HCP   |           |          |          | 4006         | 5D31A9B9<br>16AACD23<br>050DC953 |
| OBCM  | USA       | 0F 0D 00 | 12 02 00 | 4002         |                                  |
| DSM   |           |          |          | 4300         |                                  |
| RCCC  |           |          |          | 4000         |                                  |
| EAC   |           |          |          | 4102         |                                  |
| AHCP  |           |          |          | 4000         |                                  |
| EBBM  |           |          |          | 4000         | E5898FA5                         |
| ABSO  |           |          |          | 4201         | 4F158D1B                         |
| SGW   |           |          |          | 4103         |                                  |

## CONFIGURATION

### PCM CONFIGURATION

| NAME                                    | VALUE | UNITS |
|-----------------------------------------|-------|-------|
| Secondary Mass Airflow Sensor Equipped  | False |       |
| Active Exhaust Pressure Sensor Equipped | False |       |
| Active Exhaust Valve(s) Equipped        | False |       |
| Electronic Parking Brake Equipped       | True  |       |
| Heater Temp Control Valve Equipped      | False |       |
| Wastegate HBridge Equipped              | False |       |
| Aux Coolant Pump Heater Equipped        | False |       |
| Mechanical Coolant Pump Equipped        | False |       |
| High Side Port Tumble Valve Equipped    | False |       |
| Direct Injection Equipped               | False |       |
| Brake Pedal Sensor Equipped             | False |       |

|                                              |           |  |
|----------------------------------------------|-----------|--|
| Active Engine Mount Equipped                 | False     |  |
| SRV Equipped                                 | False     |  |
| Clutch Interlock Switch Equipped             | False     |  |
| Mechanical Coolant Pump Heater Equipped      | False     |  |
| 2.0 Liter W14 engine                         | False     |  |
| Transmission Software Included               | False     |  |
| Sensorless FFV Enabled                       | False     |  |
| TIP Equipped                                 | False     |  |
| 5.7 Liter V8 Engine                          | False     |  |
| 62TE                                         | False     |  |
| Adaptive Cruise Control Hardware Equipped    | False     |  |
| MDS Equipped                                 | False     |  |
| Electric Thermostat Heater Equipped          | False     |  |
| Rear Heater Equipped                         | False     |  |
| Unleaded Gasoline Fuel                       | True      |  |
| Knock Sensor 2 Equipped                      | True      |  |
| ETC Cruise equipped                          | False     |  |
| 3.8 Liter V6 Engine                          | False     |  |
| ZF 9-Speed Transmission Equipped             | False     |  |
| AC Equipped Over Bus                         | False     |  |
| VLP Is Learnable Indicator                   | False     |  |
| Power Steering Switch Equipped               | False     |  |
| Primary Lin Alternator Equipped              | False     |  |
| Tumble Generator Valve Equipped              | False     |  |
| Fiat 940 Compact Equipped                    | False     |  |
| CUSW PROXI Write Programming Support Enabled | False     |  |
| Engine Software In Package                   | True      |  |
| Dual Fuel Pressure Sensor Equipped           | False     |  |
| Wide Range O2 Sensor 1/1 Equipped            | False     |  |
| 66RFE / 68RFE                                | False     |  |
| A/C Equipped                                 | True      |  |
| 4 Speed Automatic Transmission Equipped      | False     |  |
| Electronic Throttle Control Equipped         | True      |  |
| O2 Sensor Bank 2 Sensor 2 Equipped           | True      |  |
| Secondary Air Equipped                       | False     |  |
| High Side Port Tumble Valve Equipped         | Undefined |  |
| Shift Indicator Lamp Equipped                | False     |  |
| 3.3 Liter V6 Engine                          | False     |  |
| 4.0 Liter I6 Engine                          | False     |  |
| Turbocharger Equipped                        | False     |  |
| 45RFE / 545RFE / 65RFE                       | False     |  |
| 3 Speed Fan Mechanical Relay System Equipped | False     |  |
| GPEC3 Equipped                               | False     |  |
| O2 Sensor Bank 2 Sensor 1 Equipped           | True      |  |

|                                                                    |       |  |
|--------------------------------------------------------------------|-------|--|
| Constant Heater Temperature Control Valve Equipped                 | False |  |
| Air Shutoff Valve Bank 1 Control Solenoid 2 Equipped               | False |  |
| Secondary Fuel Pump Equipped                                       | False |  |
| Aisin 6-Speed RWD Transmission Equipped                            | False |  |
| Fixed displacement AC Equipped                                     | True  |  |
| Air Shutoff Valve Bank 2 Control Solenoid 2 Equipped               | False |  |
| PTO System Equipped                                                | False |  |
| VMM Equipped                                                       | False |  |
| O2 Sensor Bank 1 Sensor 2 Equipped                                 | True  |  |
| Viscosity Sensor Equipped                                          | False |  |
| Transmission Oil Heater Equipped                                   | False |  |
| Electronic Vacuum Pump Equipped                                    | False |  |
| MultiAir Equipped                                                  | False |  |
| 6.2 Liter V8 Engine                                                | False |  |
| Auxiliary Coolant Pump Equipped                                    | False |  |
| Police Package Equipped                                            | False |  |
| Linear Purge Equipped                                              | False |  |
| DUAL_ALTERNATOR_GEN1_LEARNEDCOPY                                   | False |  |
| 2.7 Liter V6 Engine                                                | False |  |
| Oil Pressure Sensor Enabled                                        | True  |  |
| Exhaust Cam 1 Equipped                                             | True  |  |
| MTV Solenoid Equipped                                              | False |  |
| GPEC4 Equipped                                                     | False |  |
| Active Exhaust Valve Equipped                                      | False |  |
| WI4 Variable Valve Timing Equipped                                 | True  |  |
| Exhaust Cam 2 Equipped                                             | True  |  |
| Supercharger Equipped                                              | False |  |
| Adaptive Cruise Control Equipped                                   | True  |  |
| Continuous Variable Transmission Equipped                          | False |  |
| Powernet Equipped                                                  | True  |  |
| Low Temperature Radiator Coolant Pump Equipped                     | False |  |
| TOOLCONFIG_OIL_PRESS_ABS_EQUIPPED                                  | True  |  |
| 3.7 Liter V6 Engine                                                | False |  |
| Port Flap Valve Equipped                                           | False |  |
| O2 Sensor Bank 1 Sensor 1 Equipped                                 | True  |  |
| WI4 Intake Flow Control Valve Equipped                             | False |  |
| GPEC2A Equipped                                                    | True  |  |
| Trans Skip Shift Equipped                                          | False |  |
| 42RLE                                                              | False |  |
| 4 Button Integrated Cruise Control                                 | False |  |
| Yaw Rate Sensor ESC Equipped                                       | False |  |
| Vehicle Speed Sensor #1 Calculated by ECU                          | False |  |
| GPEC2 Equipped                                                     | False |  |
| Buffered Crank Output for ANC (Active Noise Cancellation) Equipped | True  |  |

|                                                                  |                                  |  |
|------------------------------------------------------------------|----------------------------------|--|
| Engine Idle Shutoff Equipped                                     | False                            |  |
| Brushless PWM Fan Equipped                                       | NOT_FAN_PWM_BOSCH_BRUSHLESS_CNFG |  |
| 3.0 Liter V6 Engine                                              | False                            |  |
| Operator Idle Speed Request Equipped                             | False                            |  |
| Auxiliary Heater Electric Water Pump Equipped                    | False                            |  |
| 3.2 Liter V6 Engine                                              | False                            |  |
| Electronic Coolant Pump Equipped                                 | False                            |  |
| HPT 6-Speed Transmission Equipped                                | False                            |  |
| Dual Fuel Tank Equipped                                          | False                            |  |
| Wide Range O2 Sensor 2/1 Equipped                                | False                            |  |
| Engine Oil Heater Cooler Equipped                                | True                             |  |
| Active Grille Shutter Equipped                                   | True                             |  |
| Coolant On-Off Valve Equipped                                    | False                            |  |
| Cummins Equipped                                                 | False                            |  |
| Electronic Automatic Transmission (EATX) Equipped                | False                            |  |
| Fan Wake Up Relay System Equipped                                | False                            |  |
| Linear EGR Equipped                                              | False                            |  |
| Barometric Sensor Equipped                                       | False                            |  |
| 40TE / 41TE / 41TEA                                              | False                            |  |
| CMCV H-Bridge Equipped                                           | Undefined                        |  |
| Intake Cam 2 Equipped                                            | True                             |  |
| O2 Sensor Bank 1 Sensor 3 Equipped                               | False                            |  |
| AC Equipped                                                      | False                            |  |
| 1 Speed Fan Mechanical Relay System Equipped                     | False                            |  |
| Battery Temp Sensor Equipped                                     | False                            |  |
| Dual Stage Oil Pump Equipped                                     | True                             |  |
| Dual Speed Fuel Pump Equipped                                    | False                            |  |
| Next Gen Bus Equipped                                            | False                            |  |
| EMAT (Getrag DCT transmission) Equipped                          | False                            |  |
| Air Shutoff Valve Bank 1 Control Solenoid 1 Equipped             | False                            |  |
| Active Exhaust Pressure Sensor Equipped                          | False                            |  |
| Buffered Crank Output for PHEV Engine Pulse Calculation Equipped | True                             |  |
| Throttle Inlet Temp Sensor Equipped                              | False                            |  |
| Starter Relay 2 Equipped                                         | False                            |  |
| Electric Coolant Valve Equipped                                  | False                            |  |
| Cooled EGR Equipped                                              | False                            |  |
| Duty Cycle Purge Valve Equipped                                  | True                             |  |
| Turbine Volute Valve Actuator Equipped                           | Undefined                        |  |
| Vehicle Speed Sensor #1 Calculated from CAN                      | False                            |  |
| Linear PWM Fan Relay System Equipped                             | False                            |  |
| Knock Sensor 1 Equipped                                          | True                             |  |
| Humidity, Temperature and Pressure Sensor (LIN) Equipped         | False                            |  |
| VLP Equipped Indicator                                           | False                            |  |
| VFS Actuators Available Indicator                                | False                            |  |

|                                                  |           |  |
|--------------------------------------------------|-----------|--|
| Engine Stop Start Equipped                       | False     |  |
| 1.0 Liter I3 Engine                              | False     |  |
| Variable Speed Fuel Pump Equipped                | True      |  |
| Compressed Natural Gas Equipped                  | False     |  |
| ICC Cruise Equipped                              | False     |  |
| Coolant On-Off Pump Equipped                     | False     |  |
| 3.6 Liter V6 Engine                              | True      |  |
| Unleaded diesel fuel                             | False     |  |
| 2 Speed Fan 3 Driver 3 Relay System Equipped     | False     |  |
| ESIM Equipped                                    | False     |  |
| Variable Displacement AC Equipped                | False     |  |
| 4.7 Liter V8 Engine                              | False     |  |
| PWM Fan Motor System Equipped                    | True      |  |
| ERS Equipped Indicator                           | False     |  |
| Fiat VIN Learning Strategy Equipped              | False     |  |
| Inrush Current Reduction Relay Equipped          | False     |  |
| Intake Cam 1 Equipped                            | True      |  |
| 2 Speed Fan Mechanical Relay System Equipped     | False     |  |
| 6.4 Liter V8 Engine                              | False     |  |
| 6.1 Liter V8 Engine                              | False     |  |
| 2.4 Liter W14 engine                             | False     |  |
| Trans Reverse Lockout Equipped                   | False     |  |
| CUSW (11-Bit) Equipped                           | False     |  |
| Auxiliary Coolant Pump Heater Equipped           | Undefined |  |
| Electric Water Pump Equipped                     | False     |  |
| 3.5 Liter V6 Engine                              | False     |  |
| Hybrid Electric Vehicle Equipped                 | True      |  |
| 2 Speed Fan PWM Relay System Equipped            | False     |  |
| Wastegate H-Bridge Equipped                      | Undefined |  |
| 1.8 Liter W14 engine                             | False     |  |
| Operator Idle Speed Request Equipped             | False     |  |
| Cylinder Pressure Sensor Equipped                | False     |  |
| Throttle Inlet Temp Sensor Equipped              | False     |  |
| Mass Airflow System Equipped                     | False     |  |
| Clutch Sensor Equipped                           | False     |  |
| Dual Fuel Pressure Sensor Equipped               | False     |  |
| Make Up Air Sensor Equipped                      | False     |  |
| Bi-Directional Crank Sensor Equipped             | True      |  |
| CUSW 4-Button Cruise Equipped                    | False     |  |
| SWAP HARDWIRED BRAKE SWITCH INPUTS               | False     |  |
| 5 Button Cruise (LIN) Equipped                   | True      |  |
| Power Steering Angle Sensor Mandatory            | False     |  |
| LIN Humidity, Temp, and Pressure Sensor Equipped | False     |  |
| INTAKE O2 SENSOR EQUIPPED                        | False     |  |

|                                                |              |      |
|------------------------------------------------|--------------|------|
| Brake Pedal Sensor Equipped                    | False        |      |
| Engine Oil Pressure Sensor Type                | 255          | None |
| Remote Start Present                           | Present      |      |
| Coolant On-Off Pump Equipped                   | Not Equipped |      |
| Primary Lin Alternator Equipped                | Not Equipped |      |
| Variable Valve Lift Equipped                   | Not Equipped |      |
| 2.0 Liter I4 Direct Injection Engine           | False        |      |
| 1.0 Liter I3 Engine                            | False        |      |
| Low Temp Radiator Coolant Pump Equipped        | False        |      |
| Engine Idle Shutoff Equipped                   | False        |      |
| ZF 9-Speed Trans Equipped                      | False        |      |
| A/C Relay Powered from Engine Switched Battery | False        |      |
| PTO System Equipped                            | False        |      |
| HPT 6-Speed Trans Equipped                     | False        |      |
| Hybrid MEC Shifter Equipped                    | False        |      |
| CNG Large Gas Tank Equipped                    | False        |      |
| Dual Alternator Gen1 Capable                   | False        |      |
| Dual Fuel Tank Equipped                        | False        |      |
| Cooled EGR Equipped                            | False        |      |
| Auxillary Coolant Pump Equipped                | False        |      |
| Supercharger Equipped                          | False        |      |

## ICS CONFIGURATION

| NAME                | VALUE | UNITS |
|---------------------|-------|-------|
| Display Type (Mid)  | False |       |
| Display Type (High) | False |       |
| Display Type (Base) | True  |       |

## RFH CONFIGURATION

| NAME                                                  | VALUE                | UNITS |
|-------------------------------------------------------|----------------------|-------|
| Hardware Configuration: Trunk Door Handle H/W         | Simple Switch AP     |       |
| Hardware Configuration: Remote Start Antenna          | Present              |       |
| Hardware Configuration: Front Right Door Handle H/W   | Serial AP            |       |
| Hardware Configuration: Front Left Door Handle H/W    | Serial AP            |       |
| Hardware Configuration: Rear Right Door Handle H/W    | No AP                |       |
| Hardware Configuration: Rear Left Door Handle H/W     | No AP                |       |
| Valid Key In Ignition                                 | Yes                  |       |
| Fob Location #3 Successfully Programmed               | No                   |       |
| Fob Location #5 Key sense status                      | Fob is NOT Key Sense |       |
| Secret Key Sent to Body Controller - Original attempt | Yes                  |       |
| Fob Location #7 Key sense status                      | Fob is NOT Key Sense |       |
| Fob Location #3 Key sense status                      | Fob is NOT Key Sense |       |
| Fob Location #7 Successfully Programmed               | No                   |       |
| Fob Location #6 Successfully Programmed               | No                   |       |

|                                                          |                              |  |
|----------------------------------------------------------|------------------------------|--|
| Fob Location #5 Successfully Programmed                  | No                           |  |
| Fob Location #8 Key sense status                         | Fob is NOT Key Sense         |  |
| PIN Successfully Programmed                              | Yes                          |  |
| RFHub Locked                                             | RFHUB Locked after IAC write |  |
| Fob Location #1 Key sense status                         | Fob is NOT Key Sense         |  |
| Fob Location #4 Key sense status                         | Fob is NOT Key Sense         |  |
| Fob Location #6 Key sense status                         | Fob is NOT Key Sense         |  |
| Fob Location #1 Successfully Programmed                  | Yes                          |  |
| Secret Key Sent to Body Controller - Most recent attempt | Yes                          |  |
| Fob Location #2 Successfully Programmed                  | Yes                          |  |
| Fob Location #4 Successfully Programmed                  | No                           |  |
| Fob Location #2 Key sense status                         | Fob is NOT Key Sense         |  |
| VIN Successfully Programmed                              | Yes                          |  |
| Fob Location #8 Successfully Programmed                  | No                           |  |
| Base TPM                                                 | False                        |  |
| Auto Park Present                                        | True                         |  |
| e-shifter present                                        | True                         |  |
| Secret Codes Programmed                                  | True                         |  |
| KeySense Configuration                                   | False                        |  |
| Ignition system type connected                           | KIN system                   |  |
| RKE                                                      | True                         |  |
| Remote Start Present                                     | True                         |  |
| \$0214 Programmed by                                     | Programmed by Supplier EOL   |  |
| TPM Auto-Locate Enabled                                  | True                         |  |
| Keyless Go                                               | True                         |  |
| Passive Entry                                            | True                         |  |
| Hybrid Type                                              | PHEV                         |  |
| Module Configuration Status                              | True                         |  |
| Premium TPM                                              | True                         |  |
| Back Up ECU Configuration 16                             | True                         |  |
| Back Up ECU Configuration 14                             | True                         |  |
| Back Up ECU Configuration 7                              | True                         |  |
| Back Up Vehicle Config 1                                 | True                         |  |
| Back Up ECU Configuration 10                             | True                         |  |
| Back Up ECU Configuration 11                             | True                         |  |
| Back Up Vehicle Config 4                                 | True                         |  |
| Back Up Vehicle Config 3                                 | True                         |  |
| Back Up Customer Settings Menu 1 (CSM1)                  | True                         |  |
| Back Up ECU Configuration 2                              | True                         |  |
| Back Up ECU Configuration 1                              | True                         |  |
| Back Up ECU Configuration 9                              | True                         |  |
| Back Up Programmed ECUs: Cabin Network                   | True                         |  |
| Back Up Vehicle Config 5                                 | True                         |  |
| Back Up ECU Configuration 3                              | True                         |  |

|                                              |      |  |
|----------------------------------------------|------|--|
| Back Up Customer Settings Menu 2 (CSM2)      | True |  |
| Back Up Vehicle Config 6                     | True |  |
| Back Up ECU Configuration 12                 | True |  |
| Back Up Programmed ECUs: P/T Chassis Network | True |  |
| Back Up ECU Configuration 4                  | True |  |
| Back Up ECU Configuration 17                 | True |  |
| Back Up ECU Configuration 8                  | True |  |
| Back Up ECU Configuration 13                 | True |  |
| Back Up Vehicle Config 7                     | True |  |
| Back Up ECU Configuration 5                  | True |  |
| Back Up Vehicle Config 2                     | True |  |
| Back Up ECU Configuration 15                 | True |  |
| Back Up ECU Configuration 6                  | True |  |

## ORC CONFIGURATION

| NAME                                      | VALUE          | UNITS |
|-------------------------------------------|----------------|-------|
| First Row Driver Seatbelt Buckle Switch   | Configured     |       |
| Driver Seat Track Position Sensor         | Configured     |       |
| Second Row Left Seat Side Airbag          | Not Configured |       |
| Rollover Sensing                          | Configured     |       |
| Passenger Seatbelt Retractor Pretensioner | Configured     |       |
| Passenger Seatbelt Anchor Pretensioner    | Configured     |       |
| Driver Seatbelt Anchor Pretensioner       | Configured     |       |
| Left Side Seat Squib 1                    | Configured     |       |
| Driver Frontal Squib 3                    | Configured     |       |
| Passenger Seatbelt Load Limiter           | Configured     |       |
| Passenger Occupant Detection Sensor       | Not Configured |       |
| Passenger Seatbelt Buckle Pretensioner    | Not Configured |       |
| Second Row Left seat belt Switch          | Not Configured |       |
| Left B-Pillar Impact Acceleration Sensor  | Configured     |       |
| Right Up-Front Acceleration Sensor        | Configured     |       |
| Configuration Column Identifier           | A3             |       |
| Passenger Airbag Disable Indicator        | Not Configured |       |
| Passenger Frontal Squib 1                 | Configured     |       |
| Driver Frontal Squib 1                    | Configured     |       |
| Passenger Frontal Squib 3                 | Configured     |       |
| Right Side Seat Squib 1                   | Configured     |       |
| Second Row Right seat belt Switch         | Not Configured |       |
| Left Up-Front Acceleration Sensor         | Configured     |       |
| Right Curtain Squib 1                     | Configured     |       |
| Left C-Pillar Impact Acceleration Sensor  | Configured     |       |
| Passenger Seat Track Position Sensor      | Configured     |       |
| Driver Knee Bolster Squib                 | Configured     |       |
| Occupant Classification (OCM)             | Configured     |       |

|                                            |                |  |
|--------------------------------------------|----------------|--|
| Passenger Frontal Squib 2                  | Configured     |  |
| Driver Frontal Squib 4                     | Not Configured |  |
| Second Row Center seat belt Switch         | Not Configured |  |
| Left Curtain Squib 1                       | Configured     |  |
| Right Side Door Pressure Sensor            | Configured     |  |
| First Row Passenger Seatbelt Buckle Switch | Configured     |  |
| Right B-Pillar Impact Acceleration Sensor  | Configured     |  |
| Left D-Pillar Impact Acceleration Sensor   | Configured     |  |
| Right D-Pillar Impact Acceleration Sensor  | Configured     |  |
| Right C-Pillar Impact Acceleration Sensor  | Configured     |  |
| Driver Seatbelt Load Limiter               | Configured     |  |
| Driver Seatbelt Retractor Pretensioner     | Configured     |  |
| Second Row Right Seat Side Airbag          | Not Configured |  |
| Passenger Frontal Squib 4                  | Not Configured |  |
| Passenger Airbag Disable Switch            | Not Configured |  |
| Passenger Knee Bolster Squib               | Configured     |  |
| Driver Frontal Squib 2                     | Configured     |  |
| Left Side Door Pressure Sensor             | Configured     |  |
| EPPM                                       | Not Configured |  |
| Driver Seatbelt Buckle Pretensioner        | Not Configured |  |

## EPS CONFIGURATION

| NAME                                   | VALUE | UNITS |
|----------------------------------------|-------|-------|
| Stop/Start Feature Active              | False |       |
| Parallel Park Assist Feature Active    | False |       |
| Dynamic Steering Torque Feature Active | True  |       |
| Lane Feedback Feature Active           | True  |       |

## ANC CONFIGURATION

| NAME                                 | VALUE                  | UNITS |
|--------------------------------------|------------------------|-------|
| Premuim - 2 (12 Channel)             | False                  |       |
| Premuim - 1 (8 channel)              | False                  |       |
| Premium - 3 (SRT8)                   | True                   |       |
| Door Module - Left Rear              | Present                |       |
| NetCFG Stat AT, I, PT                | Request Data           |       |
| Door Module - Right Front            | Present                |       |
| Door Module - Right Rear             | Present                |       |
| Door Module - Left Front             | Present                |       |
| Current ANC Calibration ID - Service | Harman ANC Module 3.6L |       |
| ANC Calibration Date - Year          | 18                     |       |
| ANC Calibration Date - Patch         | 4                      |       |
| ANC Calibration Date - Week          | 45                     |       |
| Left/Right Hand Drive                | SNA / Not Programmed   |       |
| ANC Status                           | Off - Door Mute        |       |

**HVAC CONFIGURATION**

| NAME                                | VALUE                | UNITS |
|-------------------------------------|----------------------|-------|
| HVAC Configuration                  | Dual Zone ATC + Rear |       |
| Single Zone MTC Control (BB)        | False                |       |
| DualZone ATC Control (BB)           | True                 |       |
| Dual Zone MTC Control (BB)          | False                |       |
| MTC Without EBL (3Knob)             | False                |       |
| MTC With EBL (3Knob)                | False                |       |
| DualZone ATC Control (Factory) (BB) | True                 |       |
| MTC heater only (3Knob)             | False                |       |

**PDM CONFIGURATION**

| NAME             | VALUE | UNITS |
|------------------|-------|-------|
| Frameless Window | False |       |

**PSDML CONFIGURATION**

| NAME        | VALUE | UNITS |
|-------------|-------|-------|
| VSIM Status | False |       |

**PSDMR CONFIGURATION**

| NAME                                         | VALUE | UNITS |
|----------------------------------------------|-------|-------|
| UPFM Status (Present = True, Absent = False) | False |       |

**MSM CONFIGURATION**

| NAME              | VALUE | UNITS |
|-------------------|-------|-------|
| Adjustable Pedals | False |       |
| Telescope/Tilt    | False |       |

**CSWM CONFIGURATION**

| NAME                  | VALUE      | UNITS |
|-----------------------|------------|-------|
| EC - Seat A           | Programmed |       |
| EC - Seat B           | Programmed |       |
| Vehicle Line W-Series | False      |       |
| Vehicle Line P-Series | False      |       |
| Vehicle Line L-Series | False      |       |
| Vehicle Line R-Series | True       |       |
| Heated Steering Wheel | True       |       |
| Vehicle Line M-Series | False      |       |
| Vehicle Line D-Series | False      |       |
| Vehicle Line U-Series | False      |       |
| Vehicle Line J-Series | False      |       |

**IPC CONFIGURATION**

|  |
|--|
|  |
|--|

| NAME          | VALUE | UNITS |
|---------------|-------|-------|
| PHEV          | True  |       |
| Rear Fog Lamp | False |       |

**PTS CONFIGURATION**

| NAME                              | VALUE                    | UNITS |
|-----------------------------------|--------------------------|-------|
| Front License Plate Configuration | Front Plate Config - USA |       |
| Front System with 6 Rear Sensors  | False                    |       |
| Rear System with 6 Front Sensors  | False                    |       |

**SCCM CONFIGURATION**

| NAME                 | VALUE | UNITS |
|----------------------|-------|-------|
| Rear Wiper           | True  |       |
| Paddle Shifter       | False |       |
| Cruise Control / ACC | True  |       |
| Tilt Telescope       | False |       |

**BCM CONFIGURATION**

| NAME                                                          | VALUE         | UNITS |
|---------------------------------------------------------------|---------------|-------|
| Number of Reprogramming Attempts - Counter #0                 | 0             |       |
| Vehicle Configuration Programmed Status                       | True          |       |
| Last Programmed Status                                        | Manufacturing |       |
| ECU Configuration 9 (ITM)                                     | 3             |       |
| ECU Configuration 2 (CBC Features)                            | 3             |       |
| Vehicle Config CSM2                                           | 3             |       |
| ECU Configuration 8 (LIN and Miscellaneous )                  | 3             |       |
| Vehicle Configuration 7 - Write Counter                       | 3             |       |
| ECU Configuration 6 (Safety)                                  | 3             |       |
| ECU Configuration 6 (Powertrain)                              | 3             |       |
| Vehicle Configuration 5 - Write Counter                       | 3             |       |
| ECU Configuration 5 (Memory)                                  | 3             |       |
| Programmed Network Configuration - Audio / Telematics Network | 0             |       |
| ECU Configuration 5 (Wireless)                                | 3             |       |
| Vehicle Configuration 2 - Write Counter                       | 3             |       |
| ECU Configuration 4                                           | 3             |       |
| ECU Configuration 7 (CBC Exterior Lighting Calibrations)      | 3             |       |
| ECU Configuration 12                                          | 3             |       |
| Vehicle Configuration 4 - Write Counter                       | 3             |       |
| ECU Configuration 5 (Doors)                                   | 3             |       |
| ECU Configuration 15 (CBC Features)                           | 3             |       |
| ECU Configuration 6 (Suspension)                              | 3             |       |
| ECU Configuration 6 (Brake)                                   | 3             |       |
| ECU Configuration 1 (CBC Configurable Inputs and Outputs)     | 3             |       |
| Vehicle Config CSM1                                           | 3             |       |

|                                          |                                              |       |
|------------------------------------------|----------------------------------------------|-------|
| Vehicle Configuration 3 - Write Counter  | 3                                            |       |
| ECU Configuration 3                      | 3                                            |       |
| ECU Configuration 14                     | 3                                            |       |
| Vehicle Configuration 1 - Write Counter  | 3                                            |       |
| ECU Configuration 10                     | 3                                            |       |
| ECU Configuration 11                     | 3                                            |       |
| Vehicle Configuration 6 - Write Counter  | 3                                            |       |
| Programmed ECUs: Cabin Network           | 3                                            |       |
| Programmed ECUs: Hybrid LAN Network      | 0                                            |       |
| Programmed ECUs: P/T Chassis Network     | 3                                            |       |
| Last Configuration Odometer              | 0                                            | miles |
| ECU Configuration 15 (Suspension)        | 3                                            |       |
| ECU Configuration 9A                     | 3                                            |       |
| ECU Configuration 13                     | 3                                            |       |
| Vehicle Configuration Auto Write Counter | 1                                            |       |
| Emode Present                            | Not Set                                      |       |
| Remote Start Present                     | Set                                          |       |
| Select Speed Control Feature Present     | Not Set                                      |       |
| Performance Pages Present                | Not Present                                  |       |
| Model Year                               | 2021                                         |       |
| PTS Configuration                        | Rear / REAR                                  |       |
| Special Packages                         | 74                                           |       |
| Auto Highbeam                            | Set                                          |       |
| Hill Descent Feature Present             | Not Set                                      |       |
| Drive Configuration                      | 2WD Front                                    |       |
| Maximum Vehicle Speed                    | 0                                            | MPH   |
| Vehicle Line                             | RU                                           |       |
| Body Style                               | Station Wagon                                |       |
| Country Code                             | USA                                          |       |
| Left/Right Hand Drive                    | Left Hand Drive                              |       |
| Shifter Type                             | 5 Position Rotary Eshifter PRNDL / Type RS5L |       |
| Power Inverter Type                      | No Power Inverter                            |       |
| Max Load Inflation Pressure Front Tire   | 36.0                                         | PSI   |
| Rain Sensor Present                      | Set                                          |       |
| Off Road Capable                         | Not Set                                      |       |
| SKIM System Present                      | Not Set                                      |       |
| Air Conditioning Present                 | Not Set                                      |       |
| Thatcham Present                         | Not Set                                      |       |
| Cruise Feature is Present                | Not Set                                      |       |
| Full Size Spare                          | Not Set                                      |       |
| Flipper Glass Present                    | Not Set                                      |       |
| Special Packages IC                      | Pacifica                                     |       |
| Max Load Inflation Pressure Rear Tire    | 36.0                                         | PSI   |
| Keyless Go Present                       | Set                                          |       |

|                                                                                    |                                   |         |
|------------------------------------------------------------------------------------|-----------------------------------|---------|
| Power Left Sliding Door Present                                                    | Set                               |         |
| Two Fuel Sending Units Present                                                     | Not Set                           |         |
| ESCL system present                                                                | Not Set                           |         |
| Vehicle Brand                                                                      | Chrysler                          |         |
| Disable Display of Radio Clock                                                     | Not Set                           |         |
| HVAC Configuration                                                                 | Dual Zone ATC + Rear              |         |
| Display Outside Temperature Present                                                | Set                               |         |
| Door Alert Feature Present                                                         | Not Set                           |         |
| FOBIK Safe Enable                                                                  | Set                               |         |
| Power Right Sliding Door Present                                                   | Set                               |         |
| Fuel Capacity                                                                      | 17                                | gallons |
| T-Case Type                                                                        | Not Present / Not Present         |         |
| Vehicle is an SRT                                                                  | Not Set                           |         |
| Police Lighting Feature                                                            | Not Set                           |         |
| Paddle Shift Feature Present                                                       | Not Set                           |         |
| Liftgate/Trunk Type                                                                | Power Liftgate                    |         |
| Forward Collision Warning present                                                  | Set                               |         |
| Auto Park Present                                                                  | Set                               |         |
| RKE System Present                                                                 | Set                               |         |
| Secondary Lock Present                                                             | Not Set                           |         |
| Passive Entry Present                                                              | Set                               |         |
| ELV Present                                                                        | Not Set                           |         |
| Collision Mitigation System present                                                | Set                               |         |
| Chassis Type                                                                       | Type 8                            |         |
| Window Express Feature Configuration                                               | Front windows express only        |         |
| Wheel Base                                                                         | Wheel base not programmed / WB_NP |         |
| Display Compass Heading Present                                                    | Set                               |         |
| Sport Mode Present                                                                 | Not Set                           |         |
| Adjustable Pedal Feature Present (non-Memory)                                      | Not Set                           |         |
| Base TPM system present                                                            | Not Set                           |         |
| High Intensity Discharge Head Lamps                                                | Set                               |         |
| Premium TPM system present                                                         | Set                               |         |
| Auto Headlamp Feature Present                                                      | Set                               |         |
| Transfer Case High Ratio                                                           | 1.000                             | No Unit |
| Axle Ratio                                                                         | 3.251                             |         |
| Dynamic Tire Circumference (All or Rear)                                           | 89                                | inch    |
| Transfer Case Low Range Reduction Ratio                                            | 0.000                             |         |
| Air Quality System Present                                                         | Not Set                           |         |
| Analog Door Sensor Configuration                                                   | Driver Door Only Analog Sensor    |         |
| Steering Ratio at Negative Angle 1                                                 | 0.0                               | No Unit |
| Connector A Pin 3/Connector D Pin 2: Low Beam Output Present                       | Set                               |         |
| Connector G Pin 24 (Internally tied to Connector F Pin 7): Ambient Lighting Output | Not Set                           |         |
| Connector D Pin 10: Trailer Tow Tail Lamp Output Present                           | Not Set                           |         |
| Connector D Pin 9: Trailer Tow Backup Output Present                               | Not Set                           |         |

|                                                                                                    |         |  |
|----------------------------------------------------------------------------------------------------|---------|--|
| Connector D Pin 11: Stop/Turn Trailer Tow Left Output Present                                      | Not Set |  |
| Connector F Pin 4: Liftgate Release Present                                                        | Not Set |  |
| Connector A Pin 10/Connector D Pin 5: Side Markers Output Present                                  | Set     |  |
| Connector G Pin 22: VTA Warning LED Output Present                                                 | Set     |  |
| Connector D Pin 7: Stop/Turn Trailer Tow Right Output Present                                      | Not Set |  |
| Connector F Pin 8 : Liftgate Release Outside Handle Switch Present                                 | Not Set |  |
| Connector E Pin 48 (Tied internally to Connector A Pin16): Rear Wiper Motor Control Output Present | Set     |  |
| Connector F Pin 35: Inverter Enable Relay Output Present                                           | Not Set |  |
| Connector E Pin 3/Connector F Pin 42: Rear Turn Lamps Output Present                               | Not Set |  |
| Connector D Pin 22/ Connector D Pin 23: Ambient Temperature Signal/Return Present                  | Set     |  |
| Connector E Pin 39/Connector F Pin 5: Rear Fog Lamps Output Present                                | Not Set |  |
| Connector F Pin 29: Horn Switch Present                                                            | Set     |  |
| Connector E Pin 4/Connector F Pin 32: Rear Park Lamps Output Present                               | Set     |  |
| Connector F Pin 23: Door Lock Switch Signal Front Passenger Present                                | Set     |  |
| Connector G Pin 15: UGDO Feed Output Present                                                       | Set     |  |
| Connector E Pin 7: Left HID Relay Control Output Present                                           | Not Set |  |
| Connector D Pin 12: PHEV ECM Hardwire Wake Up Output Present                                       | Set     |  |
| Connector E Pin 11: Vacuum Switch Input                                                            | Not Set |  |
| Connector E Pin 34: Vacuum Cleaner Relay Output Present                                            | Not Set |  |
| Connector E Pin 42: Charge Port Lock Output Present                                                | Set     |  |
| Connector A Pin 11: Hood Ajar Switch Input Present                                                 | Set     |  |
| Connector E Pin 29: Rear Wiper Motor Park Signal Present                                           | Set     |  |
| Connector F Pin 6: Fuel Door Motor Output Signal Present                                           | Set     |  |
| Connector F Pin 9: Analog Door Ajar Signal Front Driver Present                                    | Set     |  |
| Connector E Pin 5: PHEV Fuel Door Switch Input                                                     | Set     |  |
| Connector E Pin 9: Run-ACC Y Relay #2 Output Present                                               | Set     |  |
| Connector E Pin 8: PHEV HCP Hardwire Wakeup                                                        | Set     |  |
| Connector E Pin 41: Charge Port Unlock Output Present                                              | Set     |  |
| Connector G Pin 9: Ambient Light Dimmer Wheel Input Present                                        | Set     |  |
| Connectro E Pin 37: Right HID Control Output Present                                               | Not Set |  |
| LED Rear Fog Lamps Present                                                                         | Not Set |  |
| Tip Start Enabled                                                                                  | Set     |  |
| Fuel Door Present                                                                                  | Not Set |  |
| Trailer Tow Present                                                                                | Not Set |  |
| LED Low Beam Lamps Present                                                                         | Set     |  |
| Side Repeaters Enable                                                                              | Not Set |  |
| LED CHMSL Lamp Present                                                                             | Set     |  |
| LED Front Park/Marker Lamps Present                                                                | Set     |  |

|                                                    |                                         |  |
|----------------------------------------------------|-----------------------------------------|--|
| Illuminated approach Enabled                       | Not Set                                 |  |
| DRL Configuration                                  | No DRL                                  |  |
| Park Lamp Loadshed Enable                          | Set                                     |  |
| Front Wiper Park Enable                            | Set                                     |  |
| Front Fog Lamp Dropout Enable                      | Set                                     |  |
| One Touch Lane Change                              | Set                                     |  |
| LED Front Turn Lamps Present                       | Not Set                                 |  |
| Combined Rear Lighting Enable                      | Set                                     |  |
| Reversible Washer Pump Enable                      | Set                                     |  |
| LED Rear Turn Lamps Present                        | Not Set                                 |  |
| Exterior Light Loadshed Enable                     | Set                                     |  |
| LED Dedicated DRL Present                          | Not Set                                 |  |
| LED Stop Lamps Present                             | Not Set                                 |  |
| Headlamp Washer Low Fluid Shut-Off Enable          | Set                                     |  |
| Tunnel Detection                                   | Not Set                                 |  |
| Dual Start Relay System Present                    | Not Set                                 |  |
| DRL Dropout Enable                                 | Not Set                                 |  |
| Quad Headlamps Enable                              | Set                                     |  |
| Front Wiper Wipes After Wash                       | 2 Wipes                                 |  |
| Intermittent Wiper States                          | 4 Intermittent Wiper position Switch    |  |
| Rear Wiper Park Enable                             | Set                                     |  |
| Hazard Lamp Configuration                          | Latching Switch                         |  |
| LED Reverse Lamps Present                          | Not Set                                 |  |
| Headlamp Wash Shot                                 | double                                  |  |
| LED High Beam Lamps Present                        | Set                                     |  |
| Bi Xenon Headlamps Enable                          | Not Set                                 |  |
| Headlamp Wash Interval                             | wash cycle#11                           |  |
| LED Front Fog Lamps Present                        | Set                                     |  |
| Headlamp Wash Spray Duration (at 100 ms intervals) | 1100ms                                  |  |
| Horn Chirp Allowed                                 | Set                                     |  |
| Combined Front Park/Turn Feature Enable            | Not Set                                 |  |
| Wiper Service Position Enabled                     | Not Set                                 |  |
| LED Tail Lamps Present                             | Set                                     |  |
| DRL Lamp Location                                  | Low Beam DRL                            |  |
| Fuel Door Release Enabled                          | Not Present                             |  |
| LED License Lamps Present                          | Set                                     |  |
| Microphone Tuning Parameter                        | Absent [Not Used]                       |  |
| Front Park Assist Present                          | Set                                     |  |
| Microphone Configuration                           | 2 Microphones                           |  |
| Surround Sound Feature Present                     | Not Set                                 |  |
| Disable CD Eject                                   | Not Set                                 |  |
| Rear Camera Present                                | Set                                     |  |
| Heated Steering Wheel Present                      | Set                                     |  |
| Antenna Type                                       | Active Primary and no secondary antenna |  |

|                                            |                          |  |
|--------------------------------------------|--------------------------|--|
| External Port Type                         | AUX + USB + extra USB    |  |
| Destination                                | United States of America |  |
| Power Inverter Present                     | Not Set                  |  |
| Front Heated Seats Present                 | Set                      |  |
| Cabin Equilization Curve Number            | 6 Speaker Base (RU)      |  |
| Power Door Locks Present                   | Set                      |  |
| Microphone Type                            | Peiker 300 mv            |  |
| Splashscreen Type                          | Vehicle Brand            |  |
| Fleet Vehicle Content                      | Not Set                  |  |
| AP1 Left Front                             | Smart Switch             |  |
| AP3 Left Rear                              | CAN                      |  |
| Airport Scenario Trunk                     | Not Set                  |  |
| AP5 Trunk Lock                             | Simple Switch            |  |
| Vehicle Variant                            | Undefined                |  |
| Tip Start Present                          | Set                      |  |
| AP2 Right Front                            | Smart Switch             |  |
| AP4 Right Rear                             | CAN                      |  |
| AP5 Trunk Unlock                           | CAN                      |  |
| Driver Memory Mirrors Present              | Not Set                  |  |
| Global Down                                | Not Set                  |  |
| Rear Door Pre Short Drop                   | Not Set                  |  |
| Electro-chromatic passenger mirror present | Not Set                  |  |
| Window Hall Sensors Present                | Not Set                  |  |
| Electro-chromatic driver mirror present    | Not Set                  |  |
| Tow Mirror Present                         | Not Set                  |  |
| Frameless Window Present                   | Not Set                  |  |
| Passenger Window Lockout                   | Not Set                  |  |
| Blindspot Mirror Present                   | Set                      |  |
| Passenger Memory Mirror Present            | Not Set                  |  |
| Puddle Lamp Present                        | Not Set                  |  |
| Folding mirrors present                    | Not Set                  |  |
| Window Motor Type                          | Not Set                  |  |
| Mirror turn signals present                | Set                      |  |
| Global Up                                  | Not Set                  |  |
| Heated Mirrors Present                     | Set                      |  |
| Sun Shade                                  | Not Set                  |  |
| Tilt/Telescope Steering Present            | Not Set                  |  |
| Memory Adjustable Pedals Present           | Not Set                  |  |
| Stow 'n Assist Present - Passenger         | Not Set                  |  |
| Heated Steering Wheel Present              | Present                  |  |
| Heated Seat Material Type                  | Cloth                    |  |
| Heated Wheel Material Type                 | Full Leather             |  |
| Stow 'n Assist Present - Driver            | Set                      |  |
| Front Vented Seats Present                 | Not Present              |  |

|                                                                                                    |                                                 |         |
|----------------------------------------------------------------------------------------------------|-------------------------------------------------|---------|
| Driver Memory Seat Present                                                                         | Not Set                                         |         |
| Rear Heated Seats Present                                                                          | Not Present                                     |         |
| Brake System ECU Configuration A                                                                   | value 0                                         |         |
| Dual Alternator Present                                                                            | Not Set                                         |         |
| ECO Mode Configuration                                                                             | Remember Previous State with Ignition Key Cycle |         |
| Connector F Pin 14: Right Sliding Door Switch Input (B-Pillar)                                     | Right B-Pillar Sliding Door Switch              |         |
| Manual Door Locks Present                                                                          | Not Set                                         |         |
| Connector E Pin 28: Secondary Door Ajar Switch Present - PIN E-28                                  | Set                                             |         |
| Connector E Pin 48 (Tied internally to Connector A Pin16): Rear Wiper Motor Control Output Present | Rear Wiper (0)                                  |         |
| Connector F Pin 15: Driver Door Lock Switch Input                                                  | Not Present                                     |         |
| Connector F Pin 30: Fuel Door Lock (BUX)                                                           | Not Present                                     |         |
| Heatsoak Flush Time                                                                                | 105                                             | Time    |
| Humidy Sensor Long Present                                                                         | Set                                             |         |
| Auto High Beam Module Location                                                                     | HaLF                                            |         |
| Connector G Pin11/Connector G Pin 12: Not Used                                                     | ERS                                             |         |
| Connctor F Pin 33: Fuel Door Unlock (BUX)                                                          | Not Present                                     |         |
| Connector E Pin 39: Right Rear Turn Signal                                                         | Right Rear Turn Signal                          |         |
| CHMSL Lamp Output Disable                                                                          | Not Set                                         |         |
| Rain Sensor Module #2 Present                                                                      | Set                                             |         |
| Ambient Stable Counter Limit                                                                       | 40                                              | Counter |
| License Plate Lamp Disable                                                                         | Not Set                                         |         |
| Connector F Pin 29: Horn Switch Present                                                            | Horn Switch Input                               |         |
| Engine Off Clear Time                                                                              | 180                                             | Time    |
| Heatsoak Set Time                                                                                  | 15                                              | Time    |
| Max Engine Off Time                                                                                | 220                                             | Time    |
| Connector E Pin 3: Left Rear Turn Signal                                                           | Left Rear Turn Signal                           |         |
| Heatsoak Speed                                                                                     | 15                                              | Counter |
| Connector F Pin 13: Left Sliding Door Switch Input (B-Pillar)                                      | Left B-Pillar sliding Door Switch               |         |
| Connector F Pin 34: Spare HSD                                                                      | Not Present                                     |         |
| Connector F Pin 37: Vacuum Cleaner Power Saver Indicator                                           | Not Present                                     |         |
| Acceleration Factor                                                                                | Filter Off                                      |         |
| Excess Lateral Acceleration Factor                                                                 | Filter Off                                      |         |
| Excess Longitudinal Acceleration Factor                                                            | Filter Off                                      |         |
| Nose Dive Threshold                                                                                | Filter Off                                      |         |
| Steering Smoothing Factor                                                                          | Filter Off                                      |         |
| Average Last Lateral Acceleration Values                                                           | No Averaging                                    |         |
| Average Last Longitudinal Acceleration Values                                                      | No Averaging                                    |         |
| Acceleration Threshold                                                                             | Filter Off                                      |         |
| Nose Dive Factor                                                                                   | Filter Off                                      |         |
| Maximum Longitudinal Change                                                                        | Filter Off                                      |         |
| Brake Smoothing Duration                                                                           | Filter Off                                      |         |
| Maximum Lateral Change                                                                             | Filter Off                                      |         |
| Steering Smoothing Threshold                                                                       | Filter Off                                      |         |

|                                              |                                            |      |
|----------------------------------------------|--------------------------------------------|------|
| Brake Smoothing Threshold                    | Filter Off                                 |      |
| Brake Smoothing Factor                       | Filter Off                                 |      |
| Steering Smoothing Duration                  | Filter Off                                 |      |
| VTA Hood Ajar Monitoring                     | Not Set                                    |      |
| Headlamp Soak Delay                          | 1.0 sec                                    |      |
| Horn Chirp Duration                          | Short                                      |      |
| Auto High Beam OFF Threshold                 | 20 km/hr                                   |      |
| Interior Lighting Day Threshold              | 4.27498                                    | Volt |
| Parking Light Enable                         | Not Set                                    |      |
| RKE Auto-Relock Feature Enable               | Not Set                                    |      |
| Interior Lighting Night Threshold            | 4.45147                                    | Volt |
| Auto High Beam ON Threshold                  | 25 km/hr                                   |      |
| PE Auto-Relock Feature Enable                | Set                                        |      |
| Sunroof Present                              | Not Set                                    |      |
| TPMS Configuration                           | Logic 1 NHTSA Enable Warning               |      |
| Smart Alternator Present                     | Not Set                                    |      |
| Temperature Display Resolution               | HaLF                                       |      |
| ANC Calibration Parameter Data Set           | RU_PHEV_3.6L_SteelRoof_Harman_ANC_R1_Radio |      |
| Drive Mode Version                           | Version 1                                  |      |
| Auto Dimming Mirror Hard Button Present      | Set                                        |      |
| Surround View Camera On/Off Softkey Present  | Not Set                                    |      |
| Radio Speaker Open Circuit Disable (RF)      | Set                                        |      |
| Radio Speaker Open Circuit Disable (RR)      | Set                                        |      |
| Automatic Crash Notification Feature Present | Undefined                                  |      |
| Radio Speaker Open Circuit Disable (LR)      | Set                                        |      |
| Radio Speaker Open Circuit Disable (LF)      | Set                                        |      |
| Show Phone Information in Cluster            | 01                                         |      |
| Park Assist Tuning Set                       | Sahara                                     |      |
| EAC                                          | Set                                        |      |
| ECM                                          | Set                                        |      |
| ESM                                          | Set                                        |      |
| ORC                                          | Set                                        |      |
| AHCP                                         | Set                                        |      |
| ESC                                          | Set                                        |      |
| HCP                                          | Set                                        |      |
| APM                                          | Set                                        |      |
| OBCM                                         | Set                                        |      |
| BPCM                                         | Set                                        |      |
| EBCM                                         | Set                                        |      |
| Flash Lamps on Lock                          | Set                                        |      |
| Sound Horn On Lock Status                    | Chirp on 1st press/FIRST                   |      |
| Sound Horn on Remote Start                   | Set                                        |      |
| Unlock all doors on 1st press                | Set                                        |      |
| Auto Highbeam                                | Set                                        |      |

|                                                     |                               |         |
|-----------------------------------------------------|-------------------------------|---------|
| Illuminated Approach Time                           | 30                            | seconds |
| Headlamp Delay Time                                 | 30                            | seconds |
| Daytime Running Lamps                               | Set                           |         |
| Sliding Door Alert                                  | Not Set                       |         |
| Auto Unlock                                         | Set                           |         |
| Auto Wipers                                         | Set                           |         |
| Hands Free Sliding Door Enable                      | Set                           |         |
| Headlamps on with Wipers                            | Set                           |         |
| Accessory Delay Time                                | 45                            | seconds |
| Sliding Door Chime Enable                           | Set                           |         |
| Sound Horn on Lock                                  | Set                           |         |
| Auto Lock                                           | Set                           |         |
| Left Low Beam Voltage Regulation                    | 13.6 Volts                    |         |
| Left High Beam Voltage Regulation                   | 13.6 Volts                    |         |
| Front Park/Turn Voltage                             | Park to Turn ratio 55 Percent |         |
| Left Front Corner Voltage                           | 13.2 Volts                    |         |
| Left Rear Corner Voltage                            | 14 Volts                      |         |
| Auto Headlamp On Threshold                          | 3.31409                       | Volt    |
| Right High Beam Voltage Regulation                  | 13.8 Volts                    |         |
| Auto Headlamp Off Threshold                         | 2.54930                       | Volt    |
| Right Low Beam Voltage Regulation                   | 14 Volts                      |         |
| Right Rear Corner Voltage                           | 14 Volts                      |         |
| Right Front Corner Voltage                          | 13.4 Volts                    |         |
| IBS Activate MWU                                    | Not Set                       |         |
| IBS Minimal Charge Limit                            | 10                            | AmpHrs  |
| IBS Minimum Voltage Limit                           | 5.0                           | Volts   |
| Battery Types                                       | SNA                           |         |
| Battery Type II                                     | 22                            |         |
| IBS Minimum Charge Limit                            | 600                           | mA      |
| IBS Quiescence Current Limit                        | -250                          | mA      |
| Alert On System Fault                               | Set                           |         |
| EVIC SWS Module Present                             | Set                           |         |
| Compass Mounting Orientation                        | Rightside up                  |         |
| CRVMM Present                                       | Set                           |         |
| Compass Mounting Angle                              | 0                             | Degree  |
| Humidity Sensor Present                             | Set                           |         |
| Washer Fluid Level Voltage Threshold                | 4.46 volts                    |         |
| VTA System Present                                  | VTA                           |         |
| Illuminated Approach Headlamp Target Percentage     | 125 (62.5%)                   |         |
| Alert no Reply                                      | Set                           |         |
| Illuminated Approach Taillamp Target Percentage     | 125 (62.5%)                   |         |
| Illuminated Approach Interior Lighting Ramp Up Time | 130(2600ms)                   |         |
| Panic Enable                                        | Set                           |         |
| Alert On Search Timeout                             | Set                           |         |

|                                                          |          |         |
|----------------------------------------------------------|----------|---------|
| HFRM Present                                             | Not Set  |         |
| Auto Relock Time                                         | 60       | seconds |
| OHC Module Present                                       | Set      |         |
| IBS Present                                              | Set      |         |
| Illuminated Approach Interior Lighting Target Percentage | 100(50%) |         |
| Fobik Safe Alerts Per Ignition Cycle                     | 2        |         |
| ESL                                                      | Not Set  |         |
| AHLM                                                     | Not Set  |         |
| ACC                                                      | Set      |         |
| TCM                                                      | Not Set  |         |
| OCM                                                      | Set      |         |
| IPC                                                      | Set      |         |
| RFH                                                      | Set      |         |
| EPS                                                      | Set      |         |
| PCM                                                      | Set      |         |
| ABSO                                                     | Set      |         |
| ABS                                                      | Not Set  |         |
| ORC                                                      | Set      |         |
| PTS                                                      | Set      |         |
| ESM                                                      | Set      |         |
| SCCM                                                     | Set      |         |
| BCM (PT)                                                 | Set      |         |
| FFCM                                                     | Set      |         |
| HCP                                                      | Set      |         |
| DTV                                                      | Not Set  |         |
| DMRL                                                     | Set      |         |
| EOMR                                                     | Set      |         |
| EAM                                                      | Not Set  |         |
| PLGM                                                     | Set      |         |
| PDM                                                      | Set      |         |
| ANC                                                      | Set      |         |
| VRM                                                      | Not Set  |         |
| CVPM                                                     | Not Set  |         |
| HSM                                                      | Set      |         |
| PSDMR                                                    | Set      |         |
| BCM (Interior Bus)                                       | Set      |         |
| ITM                                                      | Not Set  |         |
| FSM                                                      | Not Set  |         |
| MSMP                                                     | Not Set  |         |
| HVACR                                                    | Set      |         |
| DSM                                                      | Set      |         |
| DMRR                                                     | Set      |         |
| VTM                                                      | Not Set  |         |
| Radio                                                    | Set      |         |

|                                                      |                                               |  |
|------------------------------------------------------|-----------------------------------------------|--|
| MSM                                                  | Set                                           |  |
| EDM                                                  | Not Set                                       |  |
| DDM                                                  | Set                                           |  |
| ICS                                                  | Set                                           |  |
| AMP                                                  | Not Set                                       |  |
| PSDML                                                | Set                                           |  |
| HVAC                                                 | Set                                           |  |
| Connector A Pin 11: Hood Ajar Switch Signal          | 500 ohm series and 500 ohm parallel resistors |  |
| Connector D Pin 1: Left High Beam Feed               | AUX High Beam                                 |  |
| Connector E Pin 3: Left Rear Turn Signal             | Left Rear Turn Signal                         |  |
| Connector F Pin 29: Horn Switch Input                | Horn Switch Input                             |  |
| Connector E Pin 37: Right HID Relay Control          | Right HID Lamp Relay                          |  |
| Stop/Start Enable Switch Present                     | Not Set                                       |  |
| Connector F Pin 31: Right Sliding Door Ajar          | Right Sliding Door Ajar                       |  |
| Connector F Pin 42: Right Rear Turn Signal           | Right Rear Turn Signal                        |  |
| Connector D Pin 12: PHEV ECM Hardwire Wake Up        | Engine Control Module Wake up (PHEV only)     |  |
| Connector D Pin 21: Brake Fluid Level Switch         | no parallel resistor                          |  |
| Connector E Pin 5: E-5 PHEV Fuel Door Switch Input   | PHEV Fuel Door Switch                         |  |
| Connector E Pin 29: Rear Wiper Motor Park Signal     | Reserved                                      |  |
| Connector E Pin 39: Right Rear Fog Lamp              | Output Disable                                |  |
| Connector F Pin 27: Left Sliding Door Ajar           | Left Sliding Door Ajar                        |  |
| Connector F Pin 28: Right Rear Turn Lamp Fault Sense | Disable                                       |  |
| Connector A Pin 2: Right High Beam Feed              | AUX High Beam                                 |  |
| Connector E Pin 1: Backup-Reverse lamp Right         | Set                                           |  |
| Connector E Pin 7: Left HID Relay Control            | Left HID Lamp Relay                           |  |
| Connector F Pin 5: Left Rear Fog Lamp                | Output Disable                                |  |
| Connector F Pin 25: Left Rear Turn Lamp Fault Sense  | Disable                                       |  |
| Connector F Pin 4: Liftgate Release                  | Trunk/Liftgate Release                        |  |
| Connector F Pin 41: Backup-Reverse lamp Left         | Not Set                                       |  |
| Ultrasonics                                          | Not Set                                       |  |
| Siren                                                | Not Set                                       |  |
| Tilt                                                 | Not Set                                       |  |
| ODS Present                                          | False                                         |  |
| Passive Ped Pro Present                              | False                                         |  |
| Tow Hooks Present                                    | False                                         |  |
| Curtain Airbags Present                              | True                                          |  |
| 1st Row Seat Side Airbags Present                    | True                                          |  |
| Integrated EPP Present                               | False                                         |  |
| Passenger Kneebag Present                            | True                                          |  |
| Driver Kneebag Present                               | True                                          |  |
| BUX Market                                           | False                                         |  |
| Rear View Camera Dynamic Grid Lines Enabled          | Set                                           |  |
| Rear View Camera Static Grid Lines Enabled           | Not Set                                       |  |

**RADIO CONFIGURATION**

| NAME                                          | VALUE        | UNITS   |
|-----------------------------------------------|--------------|---------|
| Suspend Month                                 | 44           |         |
| Suspend Year                                  | 48           |         |
| Suspend Day                                   | 4D           |         |
| Satellite Subscription Status                 | 50           |         |
| Reason Code                                   | 54           |         |
| Aux Jack                                      | Not Inserted |         |
| SD Card Readers Detected                      | 0            | No Unit |
| Enumerated USB Devices                        | 0            | No Unit |
| USB Hubs Detected                             | 3            | No Unit |
| Stereo Blend                                  | Off          |         |
| Automated Loudness                            | On           |         |
| Front Seat Video Playback                     | Enabled      |         |
| Cabin EQ Curve Number Currently Used by Radio | 51           | events  |
| Distortion Limiting                           | On           |         |
| Anti-Theft Enable Status                      | On           |         |
| High Cut                                      | Off          |         |
| Clock Defeat                                  | On           |         |
| 12/24 Time Selection                          | 12 Hour Time |         |
| Splash Screen                                 | Automatic    |         |

**HVACR CONFIGURATION**

| NAME                                | VALUE | UNITS |
|-------------------------------------|-------|-------|
| MTC wo EBL (3Knob)                  | False |       |
| Single Zone MTC Control (BB)        | False |       |
| MTC w EBL (3Knob)                   | False |       |
| Dual Zone MTC Control (BB)          | False |       |
| DualZone ATC Control (Factory) (BB) | False |       |
| DualZone ATC Control (BB)           | False |       |
| MTC heater only (3Knob)             | False |       |

**LBSS CONFIGURATION**

| NAME                       | VALUE                | UNITS |
|----------------------------|----------------------|-------|
| Steering (LHD/RHD)         | Left Hand Drive/ LHD |       |
| CFG FEATURE                | CFG_NONE             |       |
| Teen Key (RU variant only) | No                   |       |

**RBSS CONFIGURATION**

| NAME                       | VALUE                | UNITS |
|----------------------------|----------------------|-------|
| Teen Key (RU variant only) | No                   |       |
| Steering Variant (LHD/RHD) | Left Hand Drive/ LHD |       |

**FFCM CONFIGURATION**

| NAME              | VALUE          | UNITS |
|-------------------|----------------|-------|
| XCP Enabled       | False          |       |
| Traceability info | 22203510035804 |       |
| Traceability info | 02203495339915 |       |
| HIL mode Enabled  | False          |       |

**RCCC CONFIGURATION**

| NAME                    | VALUE | UNITS |
|-------------------------|-------|-------|
| MTC with EBL            | False |       |
| DualZone ATC Control    | True  |       |
| MTC Heater Only         | False |       |
| Single Zone MTC Control | False |       |
| Dual Zone MTC Control   | False |       |
| DualZone ATC Control    | False |       |
| MTC without EBL         | False |       |

**ABSO CONFIGURATION**

| NAME                       | VALUE     | UNITS   |
|----------------------------|-----------|---------|
| Engine Displacement        | 3.6       | No Unit |
| ESC BLA Enabled            | False     |         |
| PN ESC Byte2               | 0         |         |
| PN ESC Byte1               | 0         |         |
| Drive Configuration        | 2WD Front |         |
| Dynamic Tire Circumference | 89        | inch    |
| VC Chassis Type            | Type 8    |         |
| Axle Ratio                 | 3.251     | No Unit |
| Hardwired VSO              | True      |         |
| ACC                        | True      |         |
| Multiple Pressure Sensors  | True      |         |
| Rear Directional Sensors   | True      |         |
| Feature PIN                | False     |         |
| Front Directional Sensors  | False     |         |
| EPB                        | True      |         |



## VEHICLE SCAN REPORT

**Vehicle** 2021 CHRYSLER PACIFICA (PHEV) 3.6L V6 HYBRID ENGINE  
**VIN** [REDACTED]

**Odometer** 33623.1 miles  
**Publication Date** May 9, 2022, 11:44:31 AM

## ECU SUMMARY INFO

| ECU   | NAME                           | BUS TYPE | FLASH PART # | CURRENT VIN | ORIGINAL VIN | PART # |
|-------|--------------------------------|----------|--------------|-------------|--------------|--------|
| PCM   | Powertrain Control Module      | CAN-C    | 68499122AE   |             |              |        |
| PLGM  | Power Liftgate                 | CAN-I    | 68466171AI   |             |              |        |
| ICS   | Integrated Center Stack        | CAN-I    | 6XY201X8AA   |             |              |        |
| RFH   | Radio Frequency Hub            | CAN-C    | 68500152AA   |             |              |        |
| ESM   | Electronic Shifter             | CAN-C    | 68240089AM   |             |              |        |
| ORC   | Occupant Restraint             | CAN-C    | 68480710AC   |             |              |        |
| EPS   | Electric Power Steering        | CAN-C    | 68460392AA   |             |              |        |
| ANC   | Active Noise Cancellation      | CAN-I    | 68440556AB   |             |              |        |
| HVAC  | Heat, Ventilation and A/C      | CAN-I    | 68493454AE   |             |              |        |
| DDM   | Driver Door Module             | CAN-I    | 68496463AB   |             |              |        |
| PDM   | Passenger Door Module          | CAN-I    | 68496462AB   |             |              |        |
| DMRL  | Door Module Rear Left          | CAN-I    | 68508894AB   |             |              |        |
| DMRR  | Door Module Rear Right         | CAN-I    | 68508894AB   |             |              |        |
| PSDML | Power Sliding Doors (Left)     | CAN-I    | 68369596AD   |             |              |        |
| PSDMR | Power Sliding Doors (Right)    | CAN-I    | 68369596AD   |             |              |        |
| MSM   | Memory Seat Module             | CAN-I    | 68321862AC   |             |              |        |
| CSWM  | Comfort Seat Wheel Module      | CAN-I    | 68517011AB   |             |              |        |
| IPC   | Instrument Panel Cluster       | CAN-C    | 68434960AE   |             |              |        |
| PTS   | Parktronic                     | CAN-C    | 68485851AA   |             |              |        |
| SCCM  | Steering Column Control Module | CAN-C    | 68360889AD   |             |              |        |

|       |                                    |       |            |  |  |            |
|-------|------------------------------------|-------|------------|--|--|------------|
| BCM   | Body Controller                    | CAN-C | 68491085AG |  |  |            |
| ACC   | Adaptive Cruise Control            | CAN-C | 68540436AA |  |  |            |
| RADIO | Radio                              | CAN-I | 68465290AD |  |  |            |
| OCM   | Occupant Classification            | CAN-C | 68403127AA |  |  |            |
| HVACR | Heat, Ventilation and A/C Rear     | CAN-I | 68373079AB |  |  |            |
| LBSS  | Left Blind Spot Sensor             | CAN-I | 04672786AB |  |  |            |
| RBSS  | Right Blind Spot Sensor            | CAN-I | 04672786AB |  |  |            |
| FFCM  | Forward Facing Camera Module       | CAN-C | 68493395AA |  |  |            |
| APM   | Accessory Power Module             | CAN-C | 05185046AB |  |  | 05185046AB |
| BPCM  | Battery Pack Control Module        | CAN-C | 05193183AE |  |  |            |
| HCP   | Hybrid Control Processor           | CAN-C | 05185116AJ |  |  |            |
| OBCM  | On Board Charging Module           | CAN-C | 05185047AE |  |  | 05185047AE |
| DSM   | Display Screen Module              | CAN-I | 68438382AD |  |  |            |
| RCCC  | Rear Cabin Comfort Controls        | CAN-I | 6WL30PD2AA |  |  |            |
| EAC   | Electric A/C Compressor            | CAN-C | 68237995AG |  |  |            |
| AHCP  | Auxiliary Hybrid Control Processor | CAN-C | 05185117AJ |  |  |            |
| EBBM  | Electronic Brake Booster Module    | CAN-C | 68461813AB |  |  |            |
| ABSO  | Anti Lock Brakes OBD               | CAN-C | 68471122AD |  |  |            |
| SGW   | Security Gateway Module            | CAN-C | 68488429AB |  |  |            |

### ECU SUMMARY INFO (CONT...)

| ECU  | COUNTRY CODE | HARDWARE VERSION | SOFTWARE VERSION | IDENT        | CVNS     |
|------|--------------|------------------|------------------|--------------|----------|
| PCM  |              |                  |                  | 4422         | F2DB13B9 |
| PLGM |              |                  |                  | 000200000031 |          |
| ICS  |              |                  |                  | 4700         |          |
| RFH  |              |                  |                  | 4A00         |          |
| ESM  |              |                  |                  | 4402         |          |
| ORC  |              |                  |                  | 4301         |          |
| EPS  |              |                  |                  | 4502         |          |
| ANC  |              |                  |                  | 4210         |          |
| HVAC |              |                  |                  | 4401         |          |
| DDM  |              |                  |                  | 4202         |          |
| PDM  |              |                  |                  | 4202         |          |

|       |           |          |          |              |                                  |
|-------|-----------|----------|----------|--------------|----------------------------------|
| DMRL  |           |          |          | 4201         |                                  |
| DMRR  |           |          |          | 4201         |                                  |
| PSDML |           |          |          | 4001         |                                  |
| PSDMR |           |          |          | 4001         |                                  |
| MSM   |           |          |          | 4101         |                                  |
| CSWM  |           |          |          | 4302         |                                  |
| IPC   |           |          |          | 4705         |                                  |
| PTS   |           |          |          | 4311         |                                  |
| SCCM  |           |          |          | 4301         |                                  |
| BCM   |           |          |          | 4420         |                                  |
| ACC   |           |          |          | 4400         |                                  |
| RADIO |           |          |          | 000200000008 |                                  |
| OCM   |           |          |          | 4030         |                                  |
| HVACR |           |          |          | 4301         |                                  |
| LBSS  |           |          |          | 4202         |                                  |
| RBSS  |           |          |          | 4202         |                                  |
| FFCM  |           |          |          | 4102         |                                  |
| APM   | USA / USA | 11 32 00 | 11 32 00 | 4001         |                                  |
| BPCM  |           |          |          | 4005         | 79855957                         |
| HCP   |           |          |          | 4006         | 5D31A9B9<br>16AACD23<br>050DC953 |
| OBCM  | USA       | 0F 0D 00 | 12 02 00 | 4002         |                                  |
| DSM   |           |          |          | 4300         |                                  |
| RCCC  |           |          |          | 4000         |                                  |
| EAC   |           |          |          | 4102         |                                  |
| AHCP  |           |          |          | 4000         |                                  |
| EBBM  |           |          |          | 4000         | E5898FA5                         |
| ABSO  |           |          |          | 4201         | 4F158D1B                         |
| SGW   |           |          |          | 4103         |                                  |

## DTC SUMMARY

| ECU | DTC CODE | DTC DESCRIPTION | STATUS |
|-----|----------|-----------------|--------|
|-----|----------|-----------------|--------|

## ENVIRONMENTAL DATA SUMMARY

## SNAPSHOT DATA SUMMARY