

This file represents a consolidation of multiple files sent by the manufacturer. Please use the bookmarks to navigate to each file. (Each bookmark label is the name of the original file.)



CONFIGURATION REPORT

Vehicle 2021 CHRYSLER PACIFICA (PHEV) 3.6L V6 HYBRID ENGINE
VIN [REDACTED]

Odometer 23462.1 miles
Publication Date Jul 12, 2022, 9:29:35 AM

ECU SUMMARY INFO

ECU	NAME	BUS TYPE	FLASH PART #	CURRENT VIN	ORIGINAL VIN	PART #
PCM	Powertrain Control Module	CAN-C	68499122AF	[REDACTED]	[REDACTED]	68499122AF
PLGM	Power Liftgate	CAN-I	68466171AI			68466171AI
ICS	Integrated Center Stack	CAN-I	7AS341X8AA			7AS341X8AA
RFH	Radio Frequency Hub	CAN-C	68500152AA			68500152AA
ESM	Electronic Shifter	CAN-C	68240089AM			68240089AM
ORC	Occupant Restraint	CAN-C	68480710AC			68480710AC
EPS	Electric Power Steering	CAN-C	68460392AA			68460392AA
HVAC	Heat, Ventilation and A/C	CAN-I	68493454AE			68493454AE
DDM	Driver Door Module	CAN-I	68496461AB			68496461AB
PDM	Passenger Door Module	CAN-I	68496460AB			68496460AB
DMRL	Door Module Rear Left	CAN-I	68508894AB			68508894AB
DMRR	Door Module Rear Right	CAN-I	68508894AB			68508894AB
PSDML	Power Sliding Doors (Left)	CAN-I	68369596AD			68369596AD
PSDMR	Power Sliding Doors (Right)	CAN-I	68369596AD			68369596AD
MSM	Memory Seat Module	CAN-I	68321862AC			68321862AC
CSWM	Comfort Seat Wheel Module	CAN-I	68517013AB			68517013AB
AMP	Amplifier	CAN-I	68448067AA			68448067AA
IPC	Instrument Panel Cluster	CAN-C	68434960AE			68434960AE
PTS	Parktronics	CAN-C	68485862AA			68485862AA
SCCM	Steering Column Control Module	CAN-C	68360889AD			68360889AD
BCM	Body Controller	CAN-C	68491085AG			68491085AG

ACC	Adaptive Cruise Control	CAN-C	68540436AA		68540436AA
RADIO	Radio	CAN-I	68465292AC		68465292AC
OCM	Occupant Classification	CAN-C	68403127AA		68403127AA
HVACR	Heat, Ventilation and A/C Rear	CAN-I	68373079AB		68373079AB
LBSS	Left Blind Spot Sensor	CAN-I	04672786AB		04672786AB
RBSS	Right Blind Spot Sensor	CAN-I	04672786AB		04672786AB
FFCM	Forward Facing Camera Module	CAN-C	68493395AA		68493395AA
EDM	External Disc Module	CAN-I	68499745AA		68499745AA
APM	Accessory Power Module	CAN-C	05185046AB		05185046AB
BPCM	Battery Pack Control Module	CAN-C	05193183AE		05193183AE
HCP	Hybrid Control Processor	CAN-C	05185116AJ		05185116AJ
OBCM	On Board Charging Module	CAN-C	05185047AE		05185047AE
MSMP	Memory Seat Module - Passenger	CAN-I	68321862AC		68321862AC
DSM	Display Screen Module	CAN-I	68437339AF		68437339AF
VRM	Video Routing Module	CAN-I			
RCCC	Rear Cabin Comfort Controls	CAN-I	6WL30DX9AA		6WL30DX9AA
CVPM	Central vision processing module	CAN-I	56029920AB		56029920AB
EAC	Electric A/C Compressor	CAN-C	68237995AG		68237995AG
AHCP	Auxiliary Hybrid Control Processor	CAN-C	05185117AJ		05185117AJ
EBBM	Electronic Brake Booster Module	CAN-C	68461813AB		68461813AB
ABSO	Anti Lock Brakes OBD	CAN-C	68471122AD		68471122AD
SGW	Security Gateway Module	CAN-C	68488429AB		68488429AB
TBM2	Telematic Box Module 2	CAN-C	68546266AB		68546266AB

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	CVNS
PCM	USA	1B 47	75 02 00		
PLGM	USA	0	5084		
ICS	USA	0F 0C 00	13 31 01		
RFH	USA / USA	10 17 00	13 26 00		

ESM	USA / USA	0F 24 00	12 28 FF
ORC	USA / USA	12 1A 00	13 2E 00
EPS	USA / USA	12 2A 00	12 1E 01
HVAC	USA	0E 09 00	14 2F 01
DDM	USA	11 07 00	14 07 00
PDM	USA	11 07 00	14 07 00
DMRL	USA / USA	10 0B 00	14 08 00
DMRR	USA / USA	10 0B 00	14 08 00
PSDML	USA / USA	10 17 00	14 10 12
PSDMR	USA / USA	10 17 00	14 10 12
MSM	USA	0F 2B 00	10 27 03
CSWM	USA	11 2A 00	14 25 00
AMP	USA	0F 06 01	12 2E 01
IPC	USA / USA	12 06 00	14 2B 00
PTS	USA	0E 32 00	14 07 00
SCCM	USA	13 28 00	13 29 00
BCM	USA	0D 11 00	14 26 90
ACC	USA / USA	14 12 01	14 26 01
RADIO		65	5175
OCM	USA / USA	11 1F 01	0E 2F 02
HVACR	USA	0E 09 00	10 03 02
LBSS	USA / USA	11 30 02	12 0D 00
RBSS	USA / USA	11 30 02	12 0D 00
FFCM	USA / USA	11 06 00	13 1E 00
EDM	USA	12 0A 00	11 08 00
APM	USA / USA	11 32 00	11 32 00
BPCM		0E 03 00	14 2C 00
HCP	USA	11 1F 04	0F 2D 00
OBCM	USA	0F 0D 00	12 02 00
MSMP	USA	0F 2B 00	10 27 03
DSM	USA / USA	14 0C 00	15 06 00
VRM			
RCCC	USA	0F 1D 00	13 04 00
CVPM	USA / USA	11 27 01	14 0C 01
EAC	USA	0E 34 00	12 0F 00
AHCP	USA	11 1F 04	0F 2D 00
EBBM	USA	0E 19 02	14 0D 18
ABSO	USA	0E 15 02	14 1B 26
SGW		5	969
TBM2	USA	13 0E 02	14 2A 5C

CONFIGURATION

PCM CONFIGURATION

NAME	VALUE	UNITS
Active Exhaust Pressure Sensor Equipped	—	
Secondary Mass Airflow Sensor Equipped	—	
Electronic Parking Brake Equipped	—	
Active Exhaust Valve(s) Equipped	—	
Wastegate HBridge Equipped	—	
Mechanical Coolant Pump Equipped	—	
Aux Coolant Pump Heater Equipped	—	
High Side Port Tumble Valve Equipped	—	
Heater Temp Control Valve Equipped	—	
Humidity, Temperature and Pressure Sensor (LIN) Equipped	—	
Mechanical Coolant Pump Heater Equipped	—	
WI4 Variable Valve Timing Equipped	—	
Electric Coolant Valve Equipped	—	
Dual Stage Oil Pump Equipped	—	
Buffered Crank Output for ANC (Active Noise Cancellation) Equipped	—	
Active Exhaust Pressure Sensor Equipped	—	
Unleaded Gasoline Fuel	—	
GPEC2 Equipped	—	
O2 Sensor Bank 1 Sensor 3 Equipped	—	
Cooled EGR Equipped	—	
MTV Solenoid Equipped	—	
2.0 Liter WI4 engine	—	
Turbocharger Equipped	—	
PTO System Equipped	—	
Viscosity Sensor Equipped	—	
Vehicle Speed Sensor #1 Calculated from CAN	—	
EMAT (Getrag DCT transmission) Equipped	—	
62TE	—	
Aisin 6-Speed RWD Transmission Equipped	—	
Cummins Equipped	—	
Intake Cam 1 Equipped	—	
Intake Cam 2 Equipped	—	
Vehicle Speed Sensor #1 Calculated by ECU	—	
Wide Range O2 Sensor 2/1 Equipped	—	
ETC Cruise equipped	—	
Low Temperature Radiator Coolant Pump Equipped	—	
ZF 9-Speed Transmission Equipped	—	
Linear EGR Equipped	—	
CMCV H-Bridge Equipped	—	
Supercharger Equipped	—	
Shift Indicator Lamp Equipped	—	
1 Speed Fan Mechanical Relay System Equipped	—	
Fixed displacement AC Equipped	—	

O2 Sensor Bank 1 Sensor 1 Equipped	—	
Auxiliary Coolant Pump Heater Equipped	—	
Active Grille Shutter Equipped	—	
Variable Displacement AC Equipped	—	
Linear PWM Fan Relay System Equipped	—	
AC Equipped Over Bus	—	
3.8 Liter V6 Engine	—	
Compressed Natural Gas Equipped	—	
Inrush Current Reduction Relay Equipped	—	
Dual Speed Fuel Pump Equipped	—	
Turbine Volute Valve Actuator Equipped	—	
Transmission Oil Heater Equipped	—	
2.7 Liter V6 Engine	—	
PWM Fan Motor System Equipped	—	
Operator Idle Speed Request Equipped	—	
Primary Lin Alternator Equipped	—	
Brake Pedal Sensor Equipped	—	
Fiat 940 Compact Equipped	—	
Coolant On-Off Pump Equipped	—	
Adaptive Cruise Control Hardware Equipped	—	
Sensorless FFV Enabled	—	
CUSW PROXI Write Programming Support Enabled	—	
3.2 Liter V6 Engine	—	
Air Shutoff Valve Bank 2 Control Solenoid 2 Equipped	—	
Direct Injection Equipped	—	
Continuous Variable Transmission Equipped	—	
Electronic Coolant Pump Equipped	—	
Air Shutoff Valve Bank 1 Control Solenoid 2 Equipped	—	
4 Speed Automatic Transmission Equipped	—	
Engine Idle Shutoff Equipped	—	
Constant Heater Temperature Control Valve Equipped	—	
Brushless PWM Fan Equipped	—	
1.8 Liter WI4 engine	—	
GPEC4 Equipped	—	
WI4 Intake Flow Control Valve Equipped	—	
Yaw Rate Sensor ESC Equipped	—	
Dual Fuel Tank Equipped	—	
Electric Thermostat Heater Equipped	—	
Duty Cycle Purge Valve Equipped	—	
Knock Sensor 2 Equipped	—	
Wastegate H-Bridge Equipped	—	
A/C Equipped	—	
3.7 Liter V6 Engine	—	
Engine Stop Start Equipped	—	

Wide Range O2 Sensor 1/1 Equipped	—	
Port Flap Valve Equipped	—	
Electronic Vacuum Pump Equipped	—	
Powernet Equipped	—	
Adaptive Cruise Control Equipped	—	
ESIM Equipped	—	
Tumble Generator Valve Equipped	—	
3.3 Liter V6 Engine	—	
6.1 Liter V8 Engine	—	
Throttle Inlet Temp Sensor Equipped	—	
Unleaded diesel fuel	—	
VLP Equipped Indicator	—	
Rear Heater Equipped	—	
2 Speed Fan PWM Relay System Equipped	—	
6.2 Liter V8 Engine	—	
Auxiliary Heater Electric Water Pump Equipped	—	
VLP Is Learnable Indicator	—	
Exhaust Cam 2 Equipped	—	
Battery Temp Sensor Equipped	—	
2.4 Liter W14 engine	—	
VMM Equipped	—	
Hybrid Electric Vehicle Equipped	—	
Trans Reverse Lockout Equipped	—	
4 Button Integrated Cruise Control	—	
40TE / 41TE / 41TEA	—	
2 Speed Fan 3 Driver 3 Relay System Equipped	—	
Electric Water Pump Equipped	—	
Barometric Sensor Equipped	—	
Trans Skip Shift Equipped	—	
MDS Equipped	—	
Active Exhaust Valve Equipped	—	
Starter Relay 2 Equipped	—	
Fiat VIN Learning Strategy Equipped	—	
GPEC2A Equipped	—	
HPT 6-Speed Transmission Equipped	—	
3.5 Liter V6 Engine	—	
3.0 Liter V6 Engine	—	
2 Speed Fan Mechanical Relay System Equipped	—	
Air Shutoff Valve Bank 1 Control Solenoid 1 Equipped	—	
TIP Equipped	—	
O2 Sensor Bank 2 Sensor 1 Equipped	—	
Dual Fuel Pressure Sensor Equipped	—	
Power Steering Switch Equipped	—	
AC Equipped	—	

1.0 Liter I3 Engine	—	
Coolant On-Off Valve Equipped	—	
Clutch Interlock Switch Equipped	—	
4.7 Liter V8 Engine	—	
O2 Sensor Bank 1 Sensor 2 Equipped	—	
Buffered Crank Output for PHEV Engine Pulse Calculation Equipped	—	
GPEC3 Equipped	—	
Electronic Throttle Control Equipped	—	
Engine Software In Package	—	
6.4 Liter V8 Engine	—	
High Side Port Tumble Valve Equipped	—	
3 Speed Fan Mechanical Relay System Equipped	—	
66RFE / 68RFE	—	
42RLE	—	
Knock Sensor 1 Equipped	—	
Transmission Software Included	—	
Oil Pressure Sensor Enabled	—	
4.0 Liter I6 Engine	—	
45RFE / 545RFE / 65RFE	—	
Secondary Air Equipped	—	
Variable Speed Fuel Pump Equipped	—	
Exhaust Cam 1 Equipped	—	
ERS Equipped Indicator	—	
O2 Sensor Bank 2 Sensor 2 Equipped	—	
CUSW (11-Bit) Equipped	—	
DUAL_ALTERNATOR_GEN1_LEARNEDCOPY	—	
Engine Oil Heater Cooler Equipped	—	
Police Package Equipped	—	
3.6 Liter V6 Engine	—	
Secondary Fuel Pump Equipped	—	
SRV Equipped	—	
5.7 Liter V8 Engine	—	
MultiAir Equipped	—	
Next Gen Bus Equipped	—	
VFS Actuators Available Indicator	—	
TOOLCONFIG_OIL_PRESS_ABS_EQUIPPED	—	
Electronic Automatic Transmission (EATX) Equipped	—	
Active Engine Mount Equipped	—	
Linear Purge Equipped	—	
Auxiliary Coolant Pump Equipped	—	
Fan Wake Up Relay System Equipped	—	
ICC Cruise Equipped	—	
Coolant On-Off Pump Equipped	—	
1.0 Liter I3 Engine	—	

2.0 Liter I4 Direct Injection Engine	—	
Variable Valve Lift Equipped	—	
Primary Lin Alternator Equipped	—	
Engine Oil Pressure Sensor Type	—	None
Cylinder Pressure Sensor Equipped	—	
Mass Airflow System Equipped	—	
CUSW 4-Button Cruise Equipped	—	
Throttle Inlet Temp Sensor Equipped	—	
SWAP HARDWIRED BRAKE SWITCH INPUTS	—	
LIN Humidity, Temp, and Pressure Sensor Equipped	—	
Bi-Directional Crank Sensor Equipped	—	
Dual Fuel Pressure Sensor Equipped	—	
INTAKE O2 SENSOR EQUIPPED	—	
5 Button Cruise (LIN) Equipped	—	
Operator Idle Speed Request Equipped	—	
Make Up Air Sensor Equipped	—	
Power Steering Angle Sensor Mandatory	—	
Clutch Sensor Equipped	—	
Brake Pedal Sensor Equipped	—	
Remote Start Present	—	
PTO System Equipped	—	
ZF 9-Speed Trans Equipped	—	
Engine Idle Shutoff Equipped	—	
HPT 6-Speed Trans Equipped	—	
Supercharger Equipped	—	
CNG Large Gas Tank Equipped	—	
Auxillary Coolant Pump Equipped	—	
Low Temp Radiator Coolant Pump Equipped	—	
A/C Relay Powered from Engine Switched Battery	—	
Dual Fuel Tank Equipped	—	
Cooled EGR Equipped	—	
Hybrid MEC Shifter Equipped	—	
Dual Alternator Gen1 Capable	—	

ICS CONFIGURATION

NAME	VALUE	UNITS
Display Type (Mid)	False	
Display Type (High)	False	
Display Type (Base)	True	

RFH CONFIGURATION

NAME	VALUE	UNITS
Hardware Configuration: Trunk Door Handle H/W	Simple Switch AP	
Hardware Configuration: Remote Start Antenna	Present	

Hardware Configuration: Front Right Door Handle H/W	Serial AP	
Hardware Configuration: Front Left Door Handle H/W	Serial AP	
Hardware Configuration: Rear Right Door Handle H/W	No AP	
Hardware Configuration: Rear Left Door Handle H/W	No AP	
Valid Key In Ignition	No	
Fob Location #3 Successfully Programmed	Yes	
Fob Location #5 Key sense status	Fob is NOT Key Sense	
Secret Key Sent to Body Controller - Original attempt	Yes	
Fob Location #7 Key sense status	Fob is NOT Key Sense	
Fob Location #3 Key sense status	Fob is Key Sense	
Fob Location #7 Successfully Programmed	No	
Fob Location #6 Successfully Programmed	No	
Fob Location #5 Successfully Programmed	No	
Fob Location #8 Key sense status	Fob is NOT Key Sense	
PIN Successfully Programmed	Yes	
RFHub Locked	RFHUB Locked after IAC write	
Fob Location #1 Key sense status	Fob is NOT Key Sense	
Fob Location #4 Key sense status	Fob is NOT Key Sense	
Fob Location #6 Key sense status	Fob is NOT Key Sense	
Fob Location #1 Successfully Programmed	Yes	
Secret Key Sent to Body Controller - Most recent attempt	Yes	
Fob Location #2 Successfully Programmed	Yes	
Fob Location #4 Successfully Programmed	No	
Fob Location #2 Key sense status	Fob is NOT Key Sense	
VIN Successfully Programmed	Yes	
Fob Location #8 Successfully Programmed	No	
Base TPM	False	
Auto Park Present	True	
e-shifter present	True	
Secret Codes Programmed	True	
KeySense Configuration	True	
Ignition system type connected	KIN system	
RKE	True	
Remote Start Present	True	
\$0214 Programmed by	Programmed by Supplier EOL	
TPM Auto-Locate Enabled	True	
Keyless Go	True	
Passive Entry	True	
Hybrid Type	PHEV	
Module Configuration Status	True	
Premium TPM	True	
Back Up ECU Configuration 16	True	
Back Up ECU Configuration 14	True	
Back Up ECU Configuration 7	True	

Back Up Vehicle Config 1	True	
Back Up ECU Configuration 10	True	
Back Up ECU Configuration 11	True	
Back Up Vehicle Config 4	True	
Back Up Vehicle Config 3	True	
Back Up Customer Settings Menu 1 (CSM1)	True	
Back Up ECU Configuration 2	True	
Back Up ECU Configuration 1	True	
Back Up ECU Configuration 9	True	
Back Up Programmed ECUs: Cabin Network	True	
Back Up Vehicle Config 5	True	
Back Up ECU Configuration 3	True	
Back Up Customer Settings Menu 2 (CSM2)	True	
Back Up Vehicle Config 6	True	
Back Up ECU Configuration 12	True	
Back Up Programmed ECUs: P/T Chassis Network	True	
Back Up ECU Configuration 4	True	
Back Up ECU Configuration 17	True	
Back Up ECU Configuration 8	True	
Back Up ECU Configuration 13	True	
Back Up Vehicle Config 7	True	
Back Up ECU Configuration 5	True	
Back Up Vehicle Config 2	True	
Back Up ECU Configuration 15	True	
Back Up ECU Configuration 6	True	

ORC CONFIGURATION

NAME	VALUE	UNITS
First Row Driver Seatbelt Buckle Switch	—	
Driver Seat Track Position Sensor	—	
Second Row Left Seat Side Airbag	—	
Rollover Sensing	—	
Passenger Seatbelt Retractor Pretensioner	—	
Passenger Seatbelt Anchor Pretensioner	—	
Driver Seatbelt Anchor Pretensioner	—	
Left Side Seat Squib 1	—	
Driver Frontal Squib 3	—	
Passenger Seatbelt Load Limiter	—	
Passenger Occupant Detection Sensor	—	
Passenger Seatbelt Buckle Pretensioner	—	
Second Row Left seat belt Switch	—	
Left B-Pillar Impact Acceleration Sensor	—	
Right Up-Front Acceleration Sensor	—	
Configuration Column Identifier	—	

Passenger Airbag Disable Indicator	—	
Passenger Frontal Squib 1	—	
Driver Frontal Squib 1	—	
Passenger Frontal Squib 3	—	
Right Side Seat Squib 1	—	
Second Row Right seat belt Switch	—	
Left Up-Front Acceleration Sensor	—	
Right Curtain Squib 1	—	
Left C-Pillar Impact Acceleration Sensor	—	
Passenger Seat Track Position Sensor	—	
Driver Knee Bolster Squib	—	
Occupant Classification (OCM)	—	
Passenger Frontal Squib 2	—	
Driver Frontal Squib 4	—	
Second Row Center seat belt Switch	—	
Left Curtain Squib 1	—	
Right Side Door Pressure Sensor	—	
First Row Passenger Seatbelt Buckle Switch	—	
Right B-Pillar Impact Acceleration Sensor	—	
Left D-Pillar Impact Acceleration Sensor	—	
Right D-Pillar Impact Acceleration Sensor	—	
Right C-Pillar Impact Acceleration Sensor	—	
Driver Seatbelt Load Limiter	—	
Driver Seatbelt Retractor Pretensioner	—	
Second Row Right Seat Side Airbag	—	
Passenger Frontal Squib 4	—	
Passenger Airbag Disable Switch	—	
Passenger Knee Bolster Squib	—	
Driver Frontal Squib 2	—	
Left Side Door Pressure Sensor	—	
EPPM	—	
Driver Seatbelt Buckle Pretensioner	—	

EPS CONFIGURATION

NAME	VALUE	UNITS
Stop/Start Feature Active	False	
Parallel Park Assist Feature Active	True	
Dynamic Steering Torque Feature Active	True	
Lane Feedback Feature Active	True	

HVAC CONFIGURATION

NAME	VALUE	UNITS
HVAC Configuration	Dual Zone ATC + Rear	
Single Zone MTC Control (BB)	False	

DualZone ATC Control (BB)	True	
Dual Zone MTC Control (BB)	False	
MTC Without EBL (3Knob)	False	
MTC With EBL (3Knob)	False	
DualZone ATC Control (Factory) (BB)	True	
MTC heater only (3Knob)	False	

PDM CONFIGURATION

NAME	VALUE	UNITS
Frameless Window	False	

PSDML CONFIGURATION

NAME	VALUE	UNITS
VSIM Status	False	

PSDMR CONFIGURATION

NAME	VALUE	UNITS
UPFM Status (Present = True, Absent = False)	False	

MSM CONFIGURATION

NAME	VALUE	UNITS
Adjustable Pedals	False	
Telescope/Tilt	False	

CSWM CONFIGURATION

NAME	VALUE	UNITS
EC - Seat A	—	
EC - Seat B	—	
Vehicle Line W-Series	—	
Vehicle Line P-Series	—	
Vehicle Line L-Series	—	
Vehicle Line R-Series	—	
Heated Steering Wheel	—	
Vehicle Line M-Series	—	
Vehicle Line D-Series	—	
Vehicle Line U-Series	—	
Vehicle Line J-Series	—	

AMP CONFIGURATION

NAME	VALUE	UNITS
Premuim - 2	False	
Premuim - 3	True	
No HALF Chimes	False	

No Rear Doors	False	
Premuim - 1	False	
Non -ANC	False	
ANC Status	Off - Door Mute	
ANC Calibration Date - Year	18	
ANC Calibration Date - Week	45	
ANC Calibration Date - Patch Level	2	
Surround Sound Activated	Not Set	
Door Module - Left Front	Present	
Door Module - Right Rear	Present	
Door Module - Left Rear	Present	
Door Module - Right Front	Present	
Current ANC Calibration ID - Service	RU PHEV 3.6L: Sunroof & Harman AMP	

IPC CONFIGURATION

NAME	VALUE	UNITS
PHEV	True	
Rear Fog Lamp	False	

PTS CONFIGURATION

NAME	VALUE	UNITS
Front License Plate Configuration	—	
Front System with 6 Rear Sensors	—	
Rear System with 6 Front Sensors	—	

SCCM CONFIGURATION

NAME	VALUE	UNITS
Rear Wiper	True	
Paddle Shifter	False	
Cruise Control / ACC	True	
Tilt Telescope	False	

BCM CONFIGURATION

NAME	VALUE	UNITS
Number of Reprogramming Attempts - Counter #0	1	
Vehicle Configuration Programmed Status	True	
Last Programmed Status	Manufacturing	
ECU Configuration 9 (ITM)	3	
ECU Configuration 2 (CBC Features)	3	
Vehicle Config CSM2	3	
ECU Configuration 8 (LIN and Miscellaneous)	3	
Vehicle Configuration 7 - Write Counter	3	
ECU Configuration 6 (Safety)	3	
ECU Configuration 6 (Powertrain)	3	

Vehicle Configuration 5 - Write Counter	3	
ECU Configuration 5 (Memory)	3	
Programmed Network Configuration - Audio / Telematics Network	0	
ECU Configuration 5 (Wireless)	3	
Vehicle Configuration 2 - Write Counter	3	
ECU Configuration 4	3	
ECU Configuration 7 (CBC Exterior Lighting Calibrations)	3	
ECU Configuration 12	3	
Vehicle Configuration 4 - Write Counter	3	
ECU Configuration 5 (Doors)	3	
ECU Configuration 15 (CBC Features)	3	
ECU Configuration 6 (Suspension)	3	
ECU Configuration 6 (Brake)	3	
ECU Configuration 1 (CBC Configurable Inputs and Outputs)	3	
Vehicle Config CSM1	3	
Vehicle Configuration 3 - Write Counter	3	
ECU Configuration 3	3	
ECU Configuration 14	3	
Vehicle Configuration 1 - Write Counter	3	
ECU Configuration 10	3	
ECU Configuration 11	3	
Vehicle Configuration 6 - Write Counter	3	
Programmed ECUs: Cabin Network	3	
Programmed ECUs: Hybrid LAN Network	0	
Programmed ECUs: P/T Chassis Network	3	
Last Configuration Odometer	0	miles
ECU Configuration 15 (Suspension)	3	
ECU Configuration 9A	3	
ECU Configuration 13	3	
Vehicle Configuration Auto Write Counter	1	
Emode Present	Not Set	
Remote Start Present	Set	
Select Speed Control Feature Present	Not Set	
Performance Pages Present	Not Present	
Model Year	2021	
PTS Configuration	Semi Automatic / Semi Automatic	
Special Packages	74	
Auto Highbeam	Set	
Hill Descent Feature Present	Not Set	
Drive Configuration	2WD Front	
Maximum Vehicle Speed	0	MPH
Vehicle Line	RU	
Body Style	Station Wagon	
Country Code	USA	

Left/Right Hand Drive	Left Hand Drive	
Shifter Type	5 Position Rotary Eshifter PRNDL / Type RS5L	
Power Inverter Type	No Power Inverter	
Max Load Inflation Pressure Front Tire	36.0	PSI
Rain Sensor Present	Set	
Off Road Capable	Not Set	
SKIM System Present	Not Set	
Air Conditioning Present	Not Set	
Thatcham Present	Not Set	
Cruise Feature is Present	Not Set	
Full Size Spare	Not Set	
Flipper Glass Present	Not Set	
Special Packages IC	Pacifica	
Max Load Inflation Pressure Rear Tire	36.0	PSI
Keyless Go Present	Set	
Power Left Sliding Door Present	Set	
Two Fuel Sending Units Present	Not Set	
ESCL system present	Not Set	
Vehicle Brand	Chrysler	
Disable Display of Radio Clock	Not Set	
HVAC Configuration	Dual Zone ATC + Rear	
Display Outside Temperature Present	Set	
Door Alert Feature Present	Not Set	
FOBIK Safe Enable	Set	
Power Right Sliding Door Present	Set	
Fuel Capacity	17	gallons
T-Case Type	Not Present / Not Present	
Vehicle is an SRT	Not Set	
Police Lighting Feature	Not Set	
Paddle Shift Feature Present	Not Set	
Liftgate/Trunk Type	Power Liftgate	
Forward Collision Warning present	Set	
Auto Park Present	Set	
RKE System Present	Set	
Secondary Lock Present	Not Set	
Passive Entry Present	Set	
ELV Present	Not Set	
Collision Mitigation System present	Set	
Chassis Type	Type 8	
Window Express Feature Configuration	All windows express feature	
Wheel Base	Wheel base not programmed / WB_NP	
Display Compass Heading Present	Set	
Sport Mode Present	Not Set	
Adjustable Pedal Feature Present (non-Memory)	Not Set	

Base TPM system present	Not Set	
High Intensity Discharge Head Lamps	Set	
Premium TPM system present	Set	
Auto Headlamp Feature Present	Set	
Transfer Case High Ratio	1.000	No Unit
Axle Ratio	3.251	
Dynamic Tire Circumference (All or Rear)	89	inch
Transfer Case Low Range Reduction Ratio	0.000	
Air Quality System Present	Not Set	
Analog Door Sensor Configuration	Driver Door Only Analog Sensor	
Steering Ratio at Negative Angle 1	0.0	No Unit
Connector A Pin 3/Connector D Pin 2: Low Beam Output Present	Set	
Connector G Pin 24 (Internally tied to Connector F Pin 7): Ambient Lighting Output	Set	
Connector D Pin 10: Trailer Tow Tail Lamp Output Present	Not Set	
Connector D Pin 9: Trailer Tow Backup Output Present	Not Set	
Connector D Pin 11: Stop/Turn Trailer Tow Left Output Present	Not Set	
Connector F Pin 4: Liftgate Release Present	Not Set	
Connector A Pin 10/Connector D Pin 5: Side Markers Output Present	Set	
Connector G Pin 22: VTA Warning LED Output Present	Set	
Connector D Pin 7: Stop/Turn Trailer Tow Right Output Present	Not Set	
Connector F Pin 8 : Liftgate Release Outside Handle Switch Present	Not Set	
Connector E Pin 48 (Tied internally to Connector A Pin16): Rear Wiper Motor Control Output Present	Set	
Connector F Pin 35: Inverter Enable Relay Output Present	Set	
Connector E Pin 3/Connector F Pin 42: Rear Turn Lamps Output Present	Not Set	
Connector D Pin 22/ Connector D Pin 23: Ambient Temperature Signal/Return Present	Set	
Connector E Pin 39/Connector F Pin 5: Rear Fog Lamps Output Present	Not Set	
Connector F Pin 29: Horn Switch Present	Set	
Connector E Pin 4/Connector F Pin 32: Rear Park Lamps Output Present	Set	
Connector F Pin 23: Door Lock Switch Signal Front Passenger Present	Set	
Connector G Pin 15: UGDO Feed Output Present	Set	
Connector E Pin 7: Left HID Relay Control Output Present	Not Set	
Connector D Pin 12: PHEV ECM Hardwire Wake Up Output Present	Set	
Connector E Pin 11: Vacuum Switch Input	Not Set	
Connector E Pin 34: Vacuum Cleaner Relay Output Present	Not Set	
Connector E Pin 42: Charge Port Lock Output Present	Set	
Connector A Pin 11: Hood Ajar Switch Input Present	Set	
Connector E Pin 29: Rear Wiper Motor Park Signal Present	Set	
Connector F Pin 6: Fuel Door Motor Output Signal Present	Set	
Connector F Pin 9: Analog Door Ajar Signal Front Driver Present	Set	
Connector E Pin 5: PHEV Fuel Door Switch Input	Set	

Connector E Pin 9: Run-ACC Y Relay #2 Output Present	Set	
Connector E Pin 8: PHEV HCP Hardwire Wakeup	Set	
Connector E Pin 41: Charge Port Unlock Output Present	Set	
Connector G Pin 9: Ambient Light Dimmer Wheel Input Present	Set	
Connectro E Pin 37: Right HID Control Output Present	Not Set	
LED Rear Fog Lamps Present	Not Set	
Tip Start Enabled	Set	
Fuel Door Present	Not Set	
Trailer Tow Present	Not Set	
LED Low Beam Lamps Present	Set	
Side Repeaters Enable	Not Set	
LED CHMSL Lamp Present	Set	
LED Front Park/Marker Lamps Present	Set	
Illuminated approach Enabled	Not Set	
DRL Configuration	No DRL	
Park Lamp Loadshed Enable	Set	
Front Wiper Park Enable	Set	
Front Fog Lamp Dropout Enable	Set	
One Touch Lane Change	Set	
LED Front Turn Lamps Present	Not Set	
Combined Rear Lighting Enable	Set	
Reversible Washer Pump Enable	Set	
LED Rear Turn Lamps Present	Not Set	
Exterior Light Loadshed Enable	Set	
LED Dedicated DRL Present	Not Set	
LED Stop Lamps Present	Not Set	
Headlamp Washer Low Fluid Shut-Off Enable	Set	
Tunnel Detection	Not Set	
Dual Start Relay System Present	Not Set	
DRL Dropout Enable	Not Set	
Quad Headlamps Enable	Set	
Front Wiper Wipes After Wash	2 Wipes	
Intermittent Wiper States	4 Intermittent Wiper position Switch	
Rear Wiper Park Enable	Set	
Hazard Lamp Configuration	Latching Switch	
LED Reverse Lamps Present	Not Set	
Headlamp Wash Shot	double	
LED High Beam Lamps Present	Set	
Bi Xenon Headlamps Enable	Not Set	
Headlamp Wash Interval	wash cycle#11	
LED Front Fog Lamps Present	Set	
Headlamp Wash Spray Duration (at 100 ms intervals)	1100ms	
Horn Chirp Allowed	Set	
Combined Front Park/Turn Feature Enable	Not Set	

Wiper Service Position Enabled	Not Set	
LED Tail Lamps Present	Set	
DRL Lamp Location	Low Beam DRL	
Fuel Door Release Enabled	Not Present	
LED License Lamps Present	Set	
Microphone Tuning Parameter	Absent [Not Used]	
Front Park Assist Present	Set	
Microphone Configuration	2 Microphones	
Surround Sound Feature Present	Set	
Disable CD Eject	Not Set	
Rear Camera Present	Not Set	
Heated Steering Wheel Present	Set	
Antenna Type	Active Primary and no secondary antenna	
External Port Type	AUX + USB + extra USB	
Destination	United States of America	
Power Inverter Present	Not Set	
Front Heated Seats Present	Set	
Cabin Equilization Curve Number	RU Premium System - Harman 12ch	
Power Door Locks Present	Set	
Microphone Type	Peiker 300 mv	
Splashscreen Type	Vehicle Brand	
Fleet Vehicle Content	Not Set	
AP1 Left Front	Smart Switch	
AP3 Left Rear	CAN	
Airport Scenario Trunk	Not Set	
AP5 Trunk Lock	Simple Switch	
Vehicle Variant	Undefined	
Tip Start Present	Set	
AP2 Right Front	Smart Switch	
AP4 Right Rear	CAN	
AP5 Trunk Unlock	CAN	
Driver Memory Mirrors Present	Set	
Global Down	Not Set	
Rear Door Pre Short Drop	Not Set	
Electro-chromatic passenger mirror present	Not Set	
Window Hall Sensors Present	Not Set	
Electro-chromatic driver mirror present	Set	
Tow Mirror Present	Not Set	
Frameless Window Present	Not Set	
Passenger Window Lockout	Not Set	
Blindspot Mirror Present	Set	
Passenger Memory Mirror Present	Set	
Puddle Lamp Present	Not Set	
Folding mirrors present	Set	

Window Motor Type	Not Set	
Mirror turn signals present	Set	
Global Up	Not Set	
Heated Mirrors Present	Set	
Sun Shade	Not Set	
Tilt/Telescope Steering Present	Not Set	
Memory Adjustable Pedals Present	Not Set	
Stow 'n Assist Present - Passenger	Set	
Heated Steering Wheel Present	Present	
Heated Seat Material Type	Base Leather	
Heated Wheel Material Type	Full Leather	
Stow 'n Assist Present - Driver	Set	
Front Vented Seats Present	Present	
Driver Memory Seat Present	Set	
Rear Heated Seats Present	Not Present	
Brake System ECU Configuration A	value 0	
Dual Alternator Present	Not Set	
ECO Mode Configuration	Remember Previous State with Ignition Key Cycle	
Connector F Pin 14: Right Sliding Door Switch Input (B-Pillar)	Right B-Pillar Sliding Door Switch	
Manual Door Locks Present	Not Set	
Connector E Pin 28: Secondary Door Ajar Switch Present - PIN E-28	Set	
Connector E Pin 48 (Tied internally to Connector A Pin16): Rear Wiper Motor Control Output Present	Rear Wiper (0)	
Connector F Pin 15: Driver Door Lock Switch Input	Not Present	
Connector F Pin 30: Fuel Door Lock (BUX)	Not Present	
Heatsoak Flush Time	105	Time
Humidy Sensor Long Present	Set	
Auto High Beam Module Location	HaLF	
Connector G Pin11/Connector G Pin 12: Not Used	ERS	
Connctor F Pin 33: Fuel Door Unlock (BUX)	Not Present	
Connector E Pin 39: Right Rear Turn Signal	Right Rear Turn Signal	
CHMSL Lamp Output Disable	Not Set	
Rain Sensor Module #2 Present	Set	
Ambient Stable Counter Limit	40	Counter
License Plate Lamp Disable	Not Set	
Connector F Pin 29: Horn Switch Present	Horn Switch Input	
Engine Off Clear Time	180	Time
Heatsoak Set Time	15	Time
Max Engine Off Time	220	Time
Connector E Pin 3: Left Rear Turn Signal	Left Rear Turn Signal	
Heatsoak Speed	15	Counter
Connector F Pin 13: Left Sliding Door Switch Input (B-Pillar)	Left B-Pillar sliding Door Switch	
Connector F Pin 34: Spare HSD	Not Present	
Connector F Pin 37: Vacuum Cleaner Power Saver Indicator	Not Present	

Acceleration Factor	Filter Off	
Excess Lateral Acceleration Factor	Filter Off	
Excess Longitudinal Acceleration Factor	Filter Off	
Nose Dive Threshold	Filter Off	
Steering Smoothing Factor	Filter Off	
Average Last Lateral Acceleration Values	No Averaging	
Average Last Longitudinal Acceleration Values	No Averaging	
Acceleration Threshold	Filter Off	
Nose Dive Factor	Filter Off	
Maximum Longitudinal Change	Filter Off	
Brake Smoothing Duration	Filter Off	
Maximum Lateral Change	Filter Off	
Steering Smoothing Threshold	Filter Off	
Brake Smoothing Threshold	Filter Off	
Brake Smoothing Factor	Filter Off	
Steering Smoothing Duration	Filter Off	
VTA Hood Ajar Monitoring	Not Set	
Headlamp Soak Delay	1.0 sec	
Horn Chirp Duration	Short	
Auto High Beam OFF Threshold	20 km/hr	
Interior Lighting Day Threshold	4.27498	Volt
Parking Light Enable	Not Set	
RKE Auto-Relock Feature Enable	Not Set	
Interior Lighting Night Threshold	4.45147	Volt
Auto High Beam ON Threshold	25 km/hr	
PE Auto-Relock Feature Enable	Set	
Sunroof Present	Set	
TPMS Configuration	Logic 1 NHTSA Enable Warning	
Smart Alternator Present	Not Set	
Temperature Display Resolution	HaLF	
ANC Calibration Parameter Data Set	RU_PHEV_3.6L_tripane_SunRoof_Harman_AMP	
Drive Mode Version	Version 1	
Auto Dimming Mirror Hard Button Present	Set	
Surround View Camera On/Off Softkey Present	Set	
Radio Speaker Open Circuit Disable (RF)	Not Set	
Radio Speaker Open Circuit Disable (RR)	Not Set	
Automatic Crash Notification Feature Present	Undefined	
Radio Speaker Open Circuit Disable (LR)	Not Set	
Radio Speaker Open Circuit Disable (LF)	Not Set	
Show Phone Information in Cluster	01	
Park Assist Tuning Set	BUX Front and Rear Only	
EAC	Set	
ECM	Set	
ESM	Set	

ORC	Set	
AHCP	Set	
ESC	Set	
HCP	Set	
APM	Set	
OBCM	Set	
BPCM	Set	
EBCM	Set	
Flash Lamps on Lock	Set	
Sound Horn On Lock Status	No horn chirp/OFF	
Sound Horn on Remote Start	Set	
Unlock all doors on 1st press	Set	
Auto Highbeam	Set	
Illuminated Approach Time	30	seconds
Headlamp Delay Time	30	seconds
Daytime Running Lamps	Set	
Sliding Door Alert	Set	
Auto Unlock	Set	
Auto Wipers	Set	
Hands Free Sliding Door Enable	Set	
Headlamps on with Wipers	Set	
Accessory Delay Time	45	seconds
Sliding Door Chime Enable	Set	
Sound Horn on Lock	Set	
Auto Lock	Set	
Left Low Beam Voltage Regulation	13.6 Volts	
Left High Beam Voltage Regulation	13.6 Volts	
Front Park/Turn Voltage	Park to Turn ratio 55 Percent	
Left Front Corner Voltage	13.2 Volts	
Left Rear Corner Voltage	14 Volts	
Auto Headlamp On Threshold	3.31409	Volt
Right High Beam Voltage Regulation	13.8 Volts	
Auto Headlamp Off Threshold	2.54930	Volt
Right Low Beam Voltage Regulation	14 Volts	
Right Rear Corner Voltage	14 Volts	
Right Front Corner Voltage	13.4 Volts	
IBS Activate MWU	Not Set	
IBS Minimal Charge Limit	10	AmpHrs
IBS Minimum Voltage Limit	5.0	Volts
Battery Types	SNA	
Battery Type II	22	
IBS Minimum Charge Limit	600	mA
IBS Quiescence Current Limit	-250	mA
Alert On System Fault	Set	

EVIC SWS Module Present	Set	
Compass Mounting Orientation	Rightside up	
CRVMM Present	Set	
Compass Mounting Angle	0	Degree
Humidity Sensor Present	Set	
Washer Fluid Level Voltage Threshold	4.46 volts	
VTA System Present	VTA	
Illuminated Approach Headlamp Target Percentage	125 (62.5%)	
Alert no Reply	Set	
Illuminated Approach Taillamp Target Percentage	125 (62.5%)	
Illuminated Approach Interior Lighting Ramp Up Time	130(2600ms)	
Panic Enable	Set	
Alert On Search Timeout	Set	
HFRM Present	Set	
Auto Relock Time	60	seconds
OHC Module Present	Set	
IBS Present	Set	
Illuminated Approach Interior Lighting Target Percentage	100(50%)	
Fobik Safe Alerts Per Ignition Cycle	2	
ESL	Not Set	
AHLM	Not Set	
ACC	Set	
TCM	Not Set	
OCM	Set	
IPC	Set	
RFH	Set	
EPS	Set	
PCM	Set	
ABSO	Set	
ABS	Not Set	
ORC	Set	
PTS	Set	
ESM	Set	
SCCM	Set	
BCM (PT)	Set	
FFCM	Set	
HCP	Set	
DTV	Not Set	
DMRL	Set	
EOMR	Set	
EAM	Set	
PLGM	Set	
PDM	Set	
ANC	Not Set	

VRM	Set	
CVPM	Set	
HSM	Set	
PSDMR	Set	
BCM (Interior Bus)	Set	
ITM	Not Set	
FSM	Not Set	
MSMP	Set	
HVACR	Set	
DSM	Set	
DMRR	Set	
VTM	Not Set	
Radio	Set	
MSM	Set	
EDM	Set	
DDM	Set	
ICS	Set	
AMP	Set	
PSDML	Set	
HVAC	Set	
Connector A Pin 11: Hood Ajar Switch Signal	500 ohm series and 500 ohm parallel resistors	
Connector D Pin 1: Left High Beam Feed	AUX High Beam	
Connector E Pin 3: Left Rear Turn Signal	Left Rear Turn Signal	
Connector F Pin 29: Horn Switch Input	Horn Switch Input	
Connector E Pin 37: Right HID Relay Control	Right HID Lamp Relay	
Stop/Start Enable Switch Present	Not Set	
Connector F Pin 31: Right Sliding Door Ajar	Right Sliding Door Ajar	
Connector F Pin 42: Right Rear Turn Signal	Right Rear Turn Signal	
Connector D Pin 12: PHEV ECM Hardwire Wake Up	Engine Control Module Wake up (PHEV only)	
Connector D Pin 21: Brake Fluid Level Switch	no parallel resistor	
Connector E Pin 5: E-5 PHEV Fuel Door Switch Input	PHEV Fuel Door Switch	
Connector E Pin 29: Rear Wiper Motor Park Signal	Reserved	
Connector E Pin 39: Right Rear Fog Lamp	Output Disable	
Connector F Pin 27: Left Sliding Door Ajar	Left Sliding Door Ajar	
Connector F Pin 28: Right Rear Turn Lamp Fault Sense	Disable	
Connector A Pin 2: Right High Beam Feed	AUX High Beam	
Connector E Pin 1: Backup-Reverse lamp Right	Set	
Connector E Pin 7: Left HID Relay Control	Left HID Lamp Relay	
Connector F Pin 5: Left Rear Fog Lamp	Output Disable	
Connector F Pin 25: Left Rear Turn Lamp Fault Sense	Disable	
Connector F Pin 4: Liftgate Release	Trunk/Liftgate Release	
Connector F Pin 41: Backup-Reverse lamp Left	Not Set	
Ultrasonics	Not Set	
Siren	Not Set	

Tilt	Not Set	
ODS Present	False	
Passive Ped Pro Present	False	
Tow Hooks Present	False	
Curtain Airbags Present	True	
1st Row Seat Side Airbags Present	True	
Integrated EPP Present	False	
Passenger Kneebag Present	True	
Driver Kneebag Present	True	
BUX Market	False	
Rear View Camera Dynamic Grid Lines Enabled	Not Set	
Rear View Camera Static Grid Lines Enabled	Not Set	

RADIO CONFIGURATION

NAME	VALUE	UNITS
Suspend Month	00	
Suspend Year	00	
Suspend Day	00	
Satellite Subscription Status	Not Subscribed	
Reason Code	00	
Aux Jack	Not Inserted	
SD Card Readers Detected	0	No Unit
Enumerated USB Devices	0	No Unit
USB Hubs Detected	3	No Unit
Stereo Blend	Off	
Automated Loudness	Off	
Front Seat Video Playback	Disabled	
Cabin EQ Curve Number Currently Used by Radio	223	events
Distortion Limiting	Off	
Anti-Theft Enable Status	On	
High Cut	Off	
Clock Defeat	On	
12/24 Time Selection	12 Hour Time	
Splash Screen	Automatic	

HVACR CONFIGURATION

NAME	VALUE	UNITS
MTC wo EBL (3Knob)	False	
Single Zone MTC Control (BB)	False	
MTC w EBL (3Knob)	False	
Dual Zone MTC Control (BB)	False	
DualZone ATC Control (Factory) (BB)	False	
DualZone ATC Control (BB)	False	
MTC heater only (3Knob)	False	

LBSS CONFIGURATION

NAME	VALUE	UNITS
Steering (LHD/RHD)	—	
CFG FEATURE	—	
Teen Key (RU variant only)	—	

RBSS CONFIGURATION

NAME	VALUE	UNITS
Teen Key (RU variant only)	—	
Steering Variant (LHD/RHD)	—	

FFCM CONFIGURATION

NAME	VALUE	UNITS
XCP Enabled	—	
Traceability info	—	
Traceability info	—	
HIL mode Enabled	—	

EDM CONFIGURATION

NAME	VALUE	UNITS
Video Ent. System Screen 2 Module	Not Present	
Video Ent. System Screen 1 Module	Not Present	
Radio	Present	
CAN I in-dash disc player module	Present	
Intrusion module	Not Present	
Vehicle System Interface Module	Not Present	
Body Style	Station Wagon	
Vehicle Line	RU	
Vehicle Brand Type	Chrysler	
VES	False	

RCCC CONFIGURATION

NAME	VALUE	UNITS
MTC with EBL	False	
DualZone ATC Control	True	
MTC Heater Only	False	
Single Zone MTC Control	False	
Dual Zone MTC Control	False	
DualZone ATC Control	False	
MTC without EBL	False	

ABSO CONFIGURATION

NAME	VALUE	UNITS
------	-------	-------

Engine Displacement	3.6	No Unit
ESC BLA Enabled	False	
PN ESC Byte2	0	
PN ESC Byte1	0	
Drive Configuration	2WD Front	
Dynamic Tire Circumference	89	inch
VC Chassis Type	Type 8	
Axle Ratio	3.251	No Unit
Hardwired VSO	True	
ACC	True	
Multiple Pressure Sensors	True	
Rear Directional Sensors	True	
Feature PIN	False	
Front Directional Sensors	False	
EPB	True	



VEHICLE SCAN REPORT

Vehicle 2021 CHRYSLER PACIFICA (PHEV) 3.6L V6 HYBRID ENGINE
VIN [REDACTED]

Odometer 23462.1 miles
Publication Date Jul 12, 2022, 8:34:03 AM

ECU SUMMARY INFO

ECU	NAME	BUS TYPE	FLASH PART #	CURRENT VIN	ORIGINAL VIN	PART #
PCM	Powertrain Control Module	CAN-C	68499122AE	[REDACTED]	[REDACTED]	68499122AE
PLGM	Power Liftgate	CAN-I	68466171AI			68466171AI
ICS	Integrated Center Stack	CAN-I	7AS341X8AA			7AS341X8AA
RFH	Radio Frequency Hub	CAN-C	68500152AA			68500152AA
ESM	Electronic Shifter	CAN-C	68240089AM			68240089AM
ORC	Occupant Restraint	CAN-C	68480710AC			68480710AC
EPS	Electric Power Steering	CAN-C	68460392AA			68460392AA
HVAC	Heat, Ventilation and A/C	CAN-I	68493454AE			68493454AE
DDM	Driver Door Module	CAN-I	68496461AB			68496461AB
PDM	Passenger Door Module	CAN-I	68496460AB			68496460AB
DMRL	Door Module Rear Left	CAN-I	68508894AB			68508894AB
DMRR	Door Module Rear Right	CAN-I	68508894AB			68508894AB
PSDML	Power Sliding Doors (Left)	CAN-I	68369596AD			68369596AD
PSDMR	Power Sliding Doors (Right)	CAN-I	68369596AD			68369596AD
MSM	Memory Seat Module	CAN-I	68321862AC			68321862AC
CSWM	Comfort Seat Wheel Module	CAN-I	68517013AB			68517013AB
AMP	Amplifier	CAN-I	68448067AA			68448067AA
IPC	Instrument Panel Cluster	CAN-C	68434960AE			68434960AE
PTS	Parktronics	CAN-C	68485862AA			68485862AA
SCCM	Steering Column Control Module	CAN-C	68360889AD			68360889AD
BCM	Body Controller	CAN-C	68491085AG			68491085AG

ACC	Adaptive Cruise Control	CAN-C	68540436AA		68540436AA
RADIO	Radio	CAN-I	68465292AC		68465292AC
OCM	Occupant Classification	CAN-C	68403127AA		68403127AA
HVACR	Heat, Ventilation and A/C Rear	CAN-I	68373079AB		68373079AB
LBSS	Left Blind Spot Sensor	CAN-I	04672786AB		04672786AB
RBSS	Right Blind Spot Sensor	CAN-I	04672786AB		04672786AB
FFCM	Forward Facing Camera Module	CAN-C	68493395AA		68493395AA
EDM	External Disc Module	CAN-I	68499745AA		68499745AA
APM	Accessory Power Module	CAN-C	05185046AB		05185046AB
BPCM	Battery Pack Control Module	CAN-C	05193183AE		05193183AE
HCP	Hybrid Control Processor	CAN-C	05185116AH		05185116AH
OBCM	On Board Charging Module	CAN-C	05185047AE		05185047AE
MSMP	Memory Seat Module - Passenger	CAN-I	68321862AC		68321862AC
DSM	Display Screen Module	CAN-I	68437339AF		68437339AF
VRM	Video Routing Module	CAN-I			
RCCC	Rear Cabin Comfort Controls	CAN-I	6WL30DX9AA		6WL30DX9AA
CVPM	Central vision processing module	CAN-I	56029920AB		56029920AB
EAC	Electric A/C Compressor	CAN-C	68237995AG		68237995AG
AHCP	Auxiliary Hybrid Control Processor	CAN-C	05185117AH		05185117AH
EBBM	Electronic Brake Booster Module	CAN-C	68461813AB		68461813AB
ABSO	Anti Lock Brakes OBD	CAN-C	68471122AD		68471122AD
SGW	Security Gateway Module	CAN-C	68488429AB		68488429AB
TBM2	Telematic Box Module 2	CAN-C	68546266AB		68546266AB

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	CVNS
PCM	USA	1B 47	75 01 01		
PLGM	USA	0	5084		
ICS	USA	0F 0C 00	13 31 01		
RFH	USA / USA	10 17 00	13 26 00		

ESM	USA / USA	0F 24 00	12 28 FF
ORC	USA / USA	12 1A 00	13 2E 00
EPS	USA / USA	12 2A 00	12 1E 01
HVAC	USA	0E 09 00	14 2F 01
DDM	USA	11 07 00	14 07 00
PDM	USA	11 07 00	14 07 00
DMRL	USA / USA	10 0B 00	14 08 00
DMRR	USA / USA	10 0B 00	14 08 00
PSDML	USA / USA	10 17 00	14 10 12
PSDMR	USA / USA	10 17 00	14 10 12
MSM	USA	0F 2B 00	10 27 03
CSWM	USA	11 2A 00	14 25 00
AMP	USA	0F 06 01	12 2E 01
IPC	USA / USA	12 06 00	14 2B 00
PTS	USA	0E 32 00	14 07 00
SCCM	USA	13 28 00	13 29 00
BCM	USA	0D 11 00	14 26 90
ACC	USA / USA	14 12 01	14 26 01
RADIO		65	5175
OCM	USA / USA	11 1F 01	0E 2F 02
HVACR	USA	0E 09 00	10 03 02
LBSS	USA / USA	11 30 02	12 0D 00
RBSS	USA / USA	11 30 02	12 0D 00
FFCM	USA / USA	11 06 00	13 1E 00
EDM	USA	12 0A 00	11 08 00
APM	USA / USA	11 32 00	11 32 00
BPCM		0E 03 00	14 2C 00
HCP	USA	11 1F 04	0F 2D 00
OBCM	USA	0F 0D 00	12 02 00
MSMP	USA	0F 2B 00	10 27 03
DSM	USA / USA	14 0C 00	15 06 00
VRM			
RCCC	USA	0F 1D 00	13 04 00
CVPM	USA / USA	11 27 01	14 0C 01
EAC	USA	0E 34 00	12 0F 00
AHCP	USA	11 1F 04	0F 2D 00
EBBM	USA	0E 19 02	14 0D 18
ABSO	USA	0E 15 02	14 1B 26
SGW		5	969
TBM2	USA	13 0E 02	14 2A 5C

DTC SUMMARY

ECU	DTC CODE	DTC DESCRIPTION	STATUS
-----	----------	-----------------	--------

PCM	U1110	Lost Vehicle Speed Message	Stored
HVAC	U11BB-00	Lost Communication with Video Routing Module-	Active
HVAC	U1519-00	Implausible Data Received from Video Routing Module-	Active
DMRR	B224F-54	Door Module Internal-Missing Calibration	Stored
BCM	U0231-00	Lost Communication With Rain Sensing Module-	Stored
ACC	U1215-00	Lost Communication with Forward Facing Camera-	Stored
FFCM	U0129-00	Lost Communication With Brake System Control Module 1-	Stored
EDM	U11BB-00	Lost Communication with Video Routing Module-	Active
HCP	P0A43-00	Drive Motor "A" Position Sensor Circuit Intermittent-	Stored
ABSO	B2313-00	Wiper System Performance-	Stored

ENVIRONMENTAL DATA SUMMARY

PCM | U1110 | Stored | Lost Vehicle Speed Message

NAME	VALUE	UNITS
Number of DTC	1	
DTC	D1 10	
DTC Readiness Flag	Not Complete	
DTC Storage State	Stored	
Warning Indicator Request State	Off	
Odometer	21872.3	miles
Accumulation Timer	5	minutes
Ignition Key Cycles	71	
Starts Since Set Counter	255	
Key Cycles Since DTC Last Set Counter	255	
Warm Up Cycles	32	
Good Trip Counter	243	

HVAC | U11BB-00 | Active | Lost Communication with Video Routing Module-

NAME	VALUE	UNITS
Test Failed	True	
Test Failed This Operation Cycle	True	
Pending DTC	False	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	True	
Test Not Completed This Operation Cycle	False	
Warning Indicator Requested	False	
Occurrence flag	ERROR	
Original Odometer Value	22946	miles
Most Recent Odometer Value	23453	miles
Frequency Counter	14	
Ignition Cycle Counter	0	

HVAC | U1519-00 | Active | Implausible Data Received from Video Routing Module-

NAME	VALUE	UNITS
Test Failed	True	
Test Failed This Operation Cycle	True	
Pending DTC	False	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	True	
Test Not Completed This Operation Cycle	False	
Warning Indicator Requested	False	
Occurrence flag	ERROR	
Original Odometer Value	23165	miles
Most Recent Odometer Value	23165	miles
Frequency Counter	1	
Ignition Cycle Counter	0	

DMRR | B224F-54 | Stored | Door Module Internal-Missing Calibration

NAME	VALUE	UNITS
Test Failed	False	
Test Failed This Operation Cycle	False	
Pending DTC	False	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	True	
Test Not Completed This Operation Cycle	False	
Warning Indicator Requested	False	
DTC Extended Data Record Number - All	01	
Occurrence flag	ERROR	
Original Odometer Value	13491	miles
Most Recent Odometer Value	21584	miles
Frequency Counter	3	
Ignition Cycle Counter	255	

BCM | U0231-00 | Stored | Lost Communication With Rain Sensing Module-

NAME	VALUE	UNITS
Test Failed	False	
Test Failed This Operation Cycle	False	
Pending DTC	False	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	True	
Test Not Completed This Operation Cycle	False	
Warning Indicator Requested	False	
DTC Extended Data Record Number - All	01	
Occurrence flag	ERROR	

Original Odometer Value	23065	miles
Most Recent Odometer Value	23065	miles
Frequency Counter	1	
Ignition Cycle Counter	75	

ACC | U1215-00 | Stored | Lost Communication with Forward Facing Camera-

NAME	VALUE	UNITS
Test Failed	False	
Test Failed This Operation Cycle	False	
Pending DTC	True	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	True	
Test Not Completed This Operation Cycle	True	
Warning Indicator Requested	False	
Occurrence flag	ERROR	
Original Odometer Value	17150	miles
Most Recent Odometer Value	17150	miles
Frequency Counter	1	
Operation Cycle Counter	0	
Vehicle Speed	0	MPH
Engine RPM	0	rpm
ACC Set Speed	0	MPH
Object of Interest Distance	830	FEET
Engine Torque Request	SNA	Ft-Lbs
PRNDL Status	P range	
Ignition Voltage	14.5	
System Voltage	14.7	Volts

FFCM | U0129-00 | Stored | Lost Communication With Brake System Control Module 1-

NAME	VALUE	UNITS
DTC	C1 29 00	
Test Failed	False	
Test Failed This Operation Cycle	False	
Pending DTC	False	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	True	
Test Not Completed This Operation Cycle	False	
Warning Indicator Requested	False	
DTC Extended Data Record Number	01	
Occurrence flag	ERROR	
Original Odometer Value	21932	miles
Most Recent Odometer Value	21932	miles

Frequency Counter	2	
Ignition Cycle Counter	93	

EDM | U11BB-00 | Active | Lost Communication with Video Routing Module-

NAME	VALUE	UNITS
Test Failed	True	
Test Failed This Operation Cycle	False	
Pending DTC	False	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	True	
Test Not Completed This Operation Cycle	False	
Warning Indicator Requested	False	
DTC Extended Data Record Number - All	01	
Occurrence flag	Occurrence	
Original Odometer Value	22946	miles
Most Recent Odometer Value	22946	miles
Frequency Counter	1	
Ignition Cycle Counter	0	

HCP | P0A43-00 | Stored | Drive Motor "A" Position Sensor Circuit Intermittent-

NAME	VALUE	UNITS
DTC	0A 43 00	
Test Failed	False	
Test Failed This Operation Cycle	False	
Pending DTC	False	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	True	
Test Not Completed This Operation Cycle	False	
Warning Indicator Requested	False	
Occurrence flag	Occurrence	
Original Odometer Value	23071.2	miles
Most Recent Odometer Value	23249.3	miles
Frequency Counter	2	
Ignition Cycle Counter	14	
Real time clock	48436804	sec
RAM stamps keyOn	600	sec
RAM Stamps	335657	Min
Accelerator Pedal Position	0	%
Brake Switch Status	Not Applied	
PHEV Charging Status	No Charging	
Engine Speed	13	rpm
HV Battery SOC	78	%

Ignition State	Reserved	
PRND Position Display	N	
Propulsion System Active	False	
Vehicle Speed	80.5598	MPH
Motor A Temp Sensor	122	°F
Motor B Temp Sensor	120	°F
Barometric Pressure	15	PSI
Engine Coolant Temperature	131	°F
Motor A Resolver Offset Learn Erase	not requested	
Motor A Resolver Offset Learning Status Flag	Applied	
Motor B Resolver Offset Learning Status Flag	Applied	
Motor A Resolver Angle Offset	3.20	Degree
Motor B Resolver Angle Offset	4.00	Degree
Motor A Resolver Supply Voltage Value	15.75	Volts
Motor B Resolver Supply Voltage Value	15.75	Volts
Motor A Resolver to Digital Low Level Driver Faults	No fault	
Motor B Resolver to Digital Low Level Driver Faults	No fault	
Battery Feed Voltage 2 Sense	14.472	Volts
Internal EPS Voltage Sense A	8.208	Volts
Internal EPS Voltage Sense B	8.136	Volts
Actual Torque - Motor A	0.000	Ft-Lbs
Actual Torque - Motor B	-6.361	Ft-Lbs
Available Motor Torque - Motor A	0.000	Ft-Lbs
Available Motor Torque - Motor B	81.490	Ft-Lbs
Available Regen Torque - Motor A	0.000	Ft-Lbs
Available Regen Torque - Motor B	-81.490	Ft-Lbs
Commanded Torque - Motor A	0.000	Ft-Lbs
Commanded Torque - Motor B	0.000	Ft-Lbs
Electric Motor A Speed	-10858.0	rpm
Electric Motor B Speed	8814.5	rpm
Battery Feed Voltage 1 Sense	14.472	Volts
Battery Feed Voltage 3 Sense	14.328	Volts
Hybrid System State	Determine Hybrid System State	
Motor A - Inverter Current - phase A	0	AMP
Motor A - Inverter Current - phase B	0	AMP
Motor A - Inverter Current - phase C	0	AMP
Motor B - Inverter Current - phase A	28	AMP
Motor B - Inverter Current - phase B	12	AMP
Motor B - Inverter Current - phase C	-44	AMP
Outside Air Temperature	82.4	°F
HCP ePT Wake-Up Output	On	
CBC Wake-Up Input	Off	
EPT LOC Diag Enable	Enable LOC Diagnostic	
HV Contactor Status	Closed	

HV Battery Voltage from BPCM	371.10	Volts
PIM DC Link Voltage - A	372	Volts
PIM DC Link Voltage - B	370	Volts
Inverter A IGBT Temperature for phase A	91	°F
Inverter A IGBT Temperature for phase B	90	°F
Inverter A IGBT Temperature for phase C	90	°F
Inverter B IGBT Temperature for phase A	88	°F
Inverter B IGBT Temperature for phase B	88	°F
Inverter B IGBT Temperature for phase C	90	°F
APM Status	Buck CV	
Impact Event	False	
HCP System Shutdown Command	Default	
Distance Travelled with Light ON	0	miles
Motor A Torque	0.000	Ft-Lbs
Motor B Torque	-6.361	Ft-Lbs
OBCM Operating Mode	UTC	
J1772 Prox Detected State	Prox Out	
HV Battery Sleep Time	0	Days
Motor B Resolver Offset Learn Erase	not requested	
GPS Date - Year	2022	Year
GPS Date - Month	6	
GPS Date - Day	29	Days
UTC Time - Hours	16	Hours
UTC Time - Minutes	21	
UTC Time - Seconds	0	seconds
ECU Time - Milliseconds	938	ms

ABSO | B2313-00 | Stored | Wiper System Performance-

NAME	VALUE	UNITS
DTC	A3 13 00	
Test Failed	False	
Test Failed This Operation Cycle	False	
Pending DTC	False	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	False	
Test Not Completed This Operation Cycle	False	
Warning Indicator Requested	False	
Occurrence flag	ERROR	
Controller Event	No	
Mirror Memory	No	
Undervoltage Suspected	No	
Original Odometer Value	23065	miles
Most Recent Odometer Value	23065	miles

Frequency Counter	1	
Ignition Cycle Counter	24	
Fault Time	13107.00	S
Current System Mode	Ignition Run	
Previous System Mode	Ignition Run	
System Condition	OK	
Supply Voltage Valves	14.3	V
Brake Pedal Status	Pressed	
Supply voltage Pump	14.5	V
Brake Pedal Travel Sensor Position	70	%
Ignition Unfiltered	14.4	V
Wheel Speed Left Front	0.000	MPH
Rotation Direction Left Front	Forward	
Wheel Speed Right Front	0.000	MPH
Rotation Direction Right Front	Forward	
Wheel Speed Left Rear	0.000	MPH
Rotation Direction Left Rear	Forward	
Wheel Speed Right Rear	0.000	MPH
Rotation Direction Right Rear	Forward	
Steering Wheel Angle	25.60	°
Longitudinal Acceleration	0.00	m/s ²
Lateral Acceleration	0.00	m/s ²
Yaw Rate	0.000	°/s
Primary Circuit Pressure	622.21	PSI
Engine Speed	0.0	rpm
Accelerator Pedal Position	0.0	%
ABS control	Not active	
ASR control	Not active	
MSR control	Not active	
EBV control	Not active	
ESP Control	Not active	
HSA control	Not active	
HBA control	Not active	
Hold	No	
Braking assistance system	No Assistance System Is Braking	
Plant Mode	No	
EPB Mode Status	Static	
BLS High	Yes	
BLS Low	No	
Park Brake	Not Activated	
ESP-OFF mode	No	
Clutch	Not Activated	
Stop Coordinator Active	No	
Actual Gear	1	

Transmission selector lever setting	D	
Status Parking Brake Left	Brake is Released	
Status Parking Brake Right	Brake is Released	
EPB Switch Status	Idle	
Supplier Internal Code	243	

SNAPSHOT DATA SUMMARY

- No Snapshot Data available for U1110
- No Snapshot Data available for U11BB-00
- No Snapshot Data available for U1519-00
- No Snapshot Data available for B224F-54
- No Snapshot Data available for U0231-00
- No Snapshot Data available for U1215-00
- No Snapshot Data available for U0129-00
- No Snapshot Data available for U11BB-00
- No Snapshot Data available for P0A43-00
- No Snapshot Data available for B2313-00

Vehicle

Selection

Action Items

ECU List

Activities

Guided Diagnostics

Vehicle Preparations

Customer Preferences

Utilities

Flight Recording Viewer

Custom Display

Vehicle Data

Flight Recording

NVP

Analysis

Reports

OBDII Monitors

Inhibit Monitors

Loss of Comm Test

Resources

DealerCONNECT

Service Library

Help

Helpdesk

Knowledge Base

Vehicle

2021 CHRYSLER PACIFICA (PHEV) 3.6L V6 HYBRID ENGINE

2C4RC1S73MR522101

1 Alerts

PCM

Powertrain Control Module

Flash

DTCs

Data

Misc Functions

System Tests

Actuators

Details

Configuration

Type: All

Record

Units: Imperial

Filter Selections

Graph Selections

Add To Vehicle Data

Clear Selections

0.852 s

SENSE

MF TLC Control

0 items

+

Cylinder Imbalance Detection (CID) monitor

0 items

+

EV Mode Unavailable

0 items

+

Ungrouped Data

2 items

-

NAME	VALUE	UNIT	TYPE
Voltage Sense	12.599	Volts	Sensors

Settings

List

1.083 s

Graph

Circle

Left

Pause

Right

31.10s

PCM - Voltage Sense (Volts)

12.553

ASD Sense Switch Filtered Switch State

On

Sensors

S647740

12.30 Volts

Switch ECU

Type here to search

9:21 AM 7/12/2022