

This file represents a consolidation of multiple files sent by the manufacturer. Please use the bookmarks to navigate to each file. (Each bookmark label is the name of the original file.)







300


500

WJ

OK







## CONFIGURATION REPORT

**Vehicle** 2021 CHRYSLER PACIFICA (PHEV) 3.6L V6 HYBRID ENGINE  
**VIN** 2C4RC1S73MR [REDACTED]

**Odometer** 17729.3 miles  
**Publication Date** Aug 8, 2022, 12:47:27 PM

## ECU SUMMARY INFO

| ECU   | NAME                           | BUS TYPE | FLASH PART # | CURRENT VIN | ORIGINAL VIN | PART #     |
|-------|--------------------------------|----------|--------------|-------------|--------------|------------|
| PCM   | Powertrain Control Module      | CAN-C    | 68499122AF   | 2C4RC1S73M  | 2C4RC1S73MR  | 68499122AF |
| PLGM  | Power Liftgate                 | CAN-I    | 68466171AI   | 2C4RC1S73M  | —            | 68466171AI |
| ICS   | Integrated Center Stack        | CAN-I    | 6XY201X8AA   | 2C4RC1S73M  | 2C4RC1S73MR  | 6XY201X8AA |
| RFH   | Radio Frequency Hub            | CAN-C    | 68500152AA   | 2C4RC1S73M  | 2C4RC1S73MR  | 68500152AA |
| ESM   | Electronic Shifter             | CAN-C    | 68240089AM   | 2C4RC1S73M  | 2C4RC1S73MR  | 68240089AM |
| ORC   | Occupant Restraint             | CAN-C    | 68480710AC   | 2C4RC1S73M  | 2C4RC1S73MR  | 68480710AC |
| EPS   | Electric Power Steering        | CAN-C    | 68460392AA   | 2C4RC1S73M  | 2C4RC1S73MR  | 68460392AA |
| HVAC  | Heat, Ventilation and A/C      | CAN-I    | 68493454AE   | 2C4RC1S73M  | 2C4RC1S73MR  | 68493454AE |
| DDM   | Driver Door Module             | CAN-I    | 68496461AB   | 2C4RC1S73M  | 2C4RC1S73MR  | 68496461AB |
| PDM   | Passenger Door Module          | CAN-I    | 68496460AB   | 2C4RC1S73M  | 2C4RC1S73MR  | 68496460AB |
| DMRL  | Door Module Rear Left          | CAN-I    | 68508894AB   | 2C4RC1S73M  | 2C4RC1S73MR  | 68508894AB |
| DMRR  | Door Module Rear Right         | CAN-I    | 68508894AB   | 2C4RC1S73M  | 2C4RC1S73MR  | 68508894AB |
| PSDML | Power Sliding Doors (Left)     | CAN-I    | 68369596AD   | 2C4RC1S73M  | 2C4RC1S73MR  | 68369596AD |
| PSDMR | Power Sliding Doors (Right)    | CAN-I    | 68369596AD   | 2C4RC1S73M  | 2C4RC1S73MR  | 68369596AD |
| MSM   | Memory Seat Module             | CAN-I    | 68321862AC   | 2C4RC1S73M  | 2C4RC1S73MR  | 68321862AC |
| CSWM  | Comfort Seat Wheel Module      | CAN-I    | 68517013AB   | 2C4RC1S73M  | 2C4RC1S73MR  | 68517013AB |
| AMP   | Amplifier                      | CAN-I    | 68476878AA   | 2C4RC1S73M  | 2C4RC1S73MR  | 68476878AA |
| IPC   | Instrument Panel Cluster       | CAN-C    | 68434960AE   | 2C4RC1S73M  | 2C4RC1S73MR  | 68434960AE |
| PTS   | Parktronics                    | CAN-C    | 68485851AA   | 2C4RC1S73M  | 2C4RC1S73MR  | 68485851AA |
| SCCM  | Steering Column Control Module | CAN-C    | 68360889AD   | 2C4RC1S73M  | 2C4RC1S73MR  | 68360889AD |
| BCM   | Body Controller                | CAN-C    | 68491085AG   | 2C4RC1S73M  | 2C4RC1S73MR  | 68491085AG |

|       |                                    |       |            |             |             |            |
|-------|------------------------------------|-------|------------|-------------|-------------|------------|
| ACC   | Adaptive Cruise Control            | CAN-C | 68540436AA | 2C4RC1S73MR | 2C4RC1S73MR | 68540436AA |
| RADIO | Radio                              | CAN-I | 68465292AC | 2C4RC1S73MR | 2C4RC1S73MR | 68465292AC |
| OCM   | Occupant Classification            | CAN-C | 68403127AA | 2C4RC1S73MR | 2C4RC1S73MR | 68403127AA |
| HVACR | Heat, Ventilation and A/C Rear     | CAN-I | 68373079AB | 2C4RC1S73MR | 2C4RC1S73MR | 68373079AB |
| LBSS  | Left Blind Spot Sensor             | CAN-I | 04672786AB | 2C4RC1S73MR | 2C4RC1S73MR | 04672786AB |
| RBSS  | Right Blind Spot Sensor            | CAN-I | 04672786AB | 2C4RC1S73MR | 2C4RC1S73MR | 04672786AB |
| FFCM  | Forward Facing Camera Module       | CAN-C | 68493395AA | 2C4RC1S73MR | 2C4RC1S73MR | 68493395AA |
| EDM   | External Disc Module               | CAN-I | 68499745AA | 2C4RC1S73MR | 2C4RC1S73MR | 68499745AA |
| APM   | Accessory Power Module             | CAN-C | 05185046AB | 2C4RC1S73MR | 2C4RC1S73MR | 05185046AB |
| BPCM  | Battery Pack Control Module        | CAN-C | 05193183AD | 2C4RC1S73MR | 2C4RC1S73MR | 05193183AD |
| HCP   | Hybrid Control Processor           | CAN-C | 05185116AJ | 2C4RC1S73MR | 2C4RC1S73MR | 05185116AJ |
| OBCM  | On Board Charging Module           | CAN-C | 05185047AE | 2C4RC1S73MR | 2C4RC1S73MR | 05185047AE |
| MSMP  | Memory Seat Module - Passenger     | CAN-I | 68321862AC | 2C4RC1S73MR | 2C4RC1S73MR | 68321862AC |
| DSM   | Display Screen Module              | CAN-I | 68437339AD | 2C4RC1S73MR | 2C4RC1S73MR | 68437339AD |
| VRM   | Video Routing Module               | CAN-I | 68493702AA | 2C4RC1S73MR | 2C4RC1S73MR | 68493702AA |
| RCCC  | Rear Cabin Comfort Controls        | CAN-I | 6WL30PD2AA | 2C4RC1S73MR | 2C4RC1S73MR | 6WL30PD2AA |
| EAC   | Electric A/C Compressor            | CAN-C | 68237995AG | 2C4RC1S73MR | 2C4RC1S73MR | 68237995AG |
| AHCP  | Auxiliary Hybrid Control Processor | CAN-C | 05185117AJ | 2C4RC1S73MR | 2C4RC1S73MR | 05185117AJ |
| EBBM  | Electronic Brake Booster Module    | CAN-C | 68461813AB | 2C4RC1S73MR | 2C4RC1S73MR | 68461813AB |
| ABSO  | Anti Lock Brakes OBD               | CAN-C | 68471122AD | 2C4RC1S73MR | 2C4RC1S73MR | 68471122AD |
| SGW   | Security Gateway Module            | CAN-C | 68488429AB |             | 2C4RC1S73MR | 68488429AB |
| TBM2  | Telematic Box Module 2             | CAN-C | 68546266AB | 2C4RC1S73MR | 2C4RC1S73MR | 68546266AB |

## ECU SUMMARY INFO (CONT...)

| ECU  | COUNTRY CODE | HARDWARE VERSION | SOFTWARE VERSION | IDENT        | SERIAL NUMBER | CVNS |
|------|--------------|------------------|------------------|--------------|---------------|------|
| PCM  | USA          | 1B 47            | 75 02 00         | 4422         |               |      |
| PLGM | USA          | 0                | 5084             | 000200000031 |               |      |
| ICS  | USA          | 0F 0C 00         | 13 31 01         | 4700         |               |      |
| RFH  | USA / USA    | 10 17 00         | 13 26 00         | 4A00         |               |      |
| ESM  | USA / USA    | 0F 24 00         | 12 28 FF         | 4402         |               |      |

|       |           |          |          |              |
|-------|-----------|----------|----------|--------------|
| ORC   | USA / USA | 12 1A 00 | 13 2E 00 | 4301         |
| EPS   | USA / USA | 12 2A 00 | 12 1E 01 | 4502         |
| HVAC  | USA       | 0E 09 00 | 14 2F 01 | 4401         |
| DDM   | USA       | 11 07 00 | 14 07 00 | 4202         |
| PDM   | USA       | 11 07 00 | 14 07 00 | 4202         |
| DMRL  | USA / USA | 10 0B 00 | 14 08 00 | 4201         |
| DMRR  | USA / USA | 10 0B 00 | 14 08 00 | 4201         |
| PSDML | USA / USA | 10 17 00 | 14 10 12 | 4001         |
| PSDMR | USA / USA | 10 17 00 | 14 10 12 | 4001         |
| MSM   | USA       | 0F 2B 00 | 10 27 03 | 4101         |
| CSWM  | USA       | 11 2A 00 | 14 25 00 | 4302         |
| AMP   | USA       | 18 2E 01 | 13 15 00 | 4030         |
| IPC   | USA / USA | 12 06 00 | 14 2B 00 | 4705         |
| PTS   | USA       | 0E 32 00 | 14 07 00 | 4311         |
| SCCM  | USA       | 13 28 00 | 13 29 00 | 4301         |
| BCM   | USA       | 0D 11 00 | 14 26 90 | 4420         |
| ACC   | USA / USA | 14 12 01 | 14 26 01 | 4400         |
| RADIO |           | 65       | 5175     | 000200000008 |
| OCM   | USA / USA | 11 1F 01 | 0E 2F 02 | 4030         |
| HVACR | USA       | 0E 09 00 | 10 03 02 | 4301         |
| LBSS  | USA / USA | 11 30 02 | 12 0D 00 | 4202         |
| RBSS  | USA / USA | 11 30 02 | 12 0D 00 | 4202         |
| FFCM  | USA / USA | 11 06 00 | 13 1E 00 | 4102         |
| EDM   | USA       | 12 0A 00 | 11 08 00 | 4000         |
| APM   | USA / USA | 11 32 00 | 11 32 00 | 4001         |
| BPCM  |           | 0E 03 00 | 14 1A 00 | 4005         |
| HCP   | USA       | 11 1F 04 | 0F 2D 00 | 4006         |
| OBCM  | USA       | 0F 0D 00 | 12 02 00 | 4002         |
| MSMP  | USA       | 0F 2B 00 | 10 27 03 | 4001         |
| DSM   | USA / USA | 14 0C 00 | 14 28 00 | 4300         |
| VRM   | USA / USA | 0F 1C 00 | 14 1E 14 | 4001         |
| RCCC  | USA       | 0F 1D 00 | 13 04 00 | 4000         |
| EAC   | USA       | 0E 34 00 | 12 0F 00 | 4102         |
| AHCP  | USA       | 11 1F 04 | 0F 2D 00 | 4000         |
| EBBM  | USA       | 0E 19 02 | 14 0D 18 | 4000         |
| ABSO  | USA       | 0E 15 02 | 14 1B 26 | 4201         |
| SGW   |           | 5        | 969      | 4103         |
| TBM2  | USA       | 13 0E 02 | 14 2A 5C | 4104         |

CONFIGURATION

PCM CONFIGURATION

| NAME        | VALUE | UNITS |
|-------------|-------|-------|
| AC Equipped | False |       |

|                                                   |       |  |
|---------------------------------------------------|-------|--|
| AC Equipped Over Bus                              | False |  |
| Power Steering Switch Equipped                    | False |  |
| 4 Button Integrated Cruise Control                | False |  |
| EMAT (Getrag DCT transmission) Equipped           | False |  |
| Vehicle Speed Sensor #1 Calculated from CAN       | False |  |
| Police Package Equipped                           | False |  |
| Unleaded Gasoline Fuel                            | True  |  |
| Unleaded diesel fuel                              | False |  |
| 6.4 Liter V8 Engine                               | False |  |
| 4 Speed Automatic Transmission Equipped           | False |  |
| Electronic Automatic Transmission (EATX) Equipped | False |  |
| Vehicle Speed Sensor #1 Calculated by ECU         | False |  |
| 4.7 Liter V8 Engine                               | False |  |
| 5.7 Liter V8 Engine                               | False |  |
| 6.1 Liter V8 Engine                               | False |  |
| Sensorless FFV Enabled                            | False |  |
| Electronic Throttle Control Equipped              | True  |  |
| 3.6 Liter V6 Engine                               | True  |  |
| 4.0 Liter I6 Engine                               | False |  |
| 3.8 Liter V6 Engine                               | False |  |
| 3.7 Liter V6 Engine                               | False |  |
| 3.5 Liter V6 Engine                               | False |  |
| 3.3 Liter V6 Engine                               | False |  |
| 3.2 Liter V6 Engine                               | False |  |
| 2.7 Liter V6 Engine                               | False |  |
| MTV Solenoid Equipped                             | False |  |
| MDS Equipped                                      | False |  |
| Turbocharger Equipped                             | False |  |
| SRV Equipped                                      | False |  |
| Secondary Air Equipped                            | False |  |
| Shift Indicator Lamp Equipped                     | False |  |
| Barometric Sensor Equipped                        | False |  |
| TIP Equipped                                      | False |  |
| Battery Temp Sensor Equipped                      | False |  |
| Knock Sensor 1 Equipped                           | True  |  |
| Knock Sensor 2 Equipped                           | True  |  |
| WI4 Variable Valve Timing Equipped                | True  |  |
| Clutch Interlock Switch Equipped                  | False |  |
| ESIM Equipped                                     | False |  |
| Linear Purge Equipped                             | False |  |
| Linear EGR Equipped                               | False |  |
| Continuous Variable Transmission Equipped         | False |  |
| Direct Injection Equipped                         | False |  |
| Secondary Fuel Pump Equipped                      | False |  |

|                                               |       |  |
|-----------------------------------------------|-------|--|
| Electronic Coolant Pump Equipped              | False |  |
| O2 Sensor Bank 1 Sensor 1 Equipped            | True  |  |
| O2 Sensor Bank 1 Sensor 2 Equipped            | True  |  |
| O2 Sensor Bank 1 Sensor 3 Equipped            | False |  |
| O2 Sensor Bank 2 Sensor 1 Equipped            | True  |  |
| O2 Sensor Bank 2 Sensor 2 Equipped            | True  |  |
| Variable Displacement AC Equipped             | False |  |
| Fixed displacement AC Equipped                | True  |  |
| WI4 Intake Flow Control Valve Equipped        | False |  |
| Electric Coolant Valve Equipped               | False |  |
| Engine Oil Heater Cooler Equipped             | True  |  |
| Transmission Oil Heater Equipped              | False |  |
| Electric Water Pump Equipped                  | False |  |
| Rear Heater Equipped                          | False |  |
| Starter Relay 2 Equipped                      | False |  |
| Inrush Current Reduction Relay Equipped       | False |  |
| Active Grille Shutter Equipped                | True  |  |
| Electronic Vacuum Pump Equipped               | False |  |
| Wide Range O2 Sensor 1/1 Equipped             | False |  |
| Wide Range O2 Sensor 2/1 Equipped             | False |  |
| MultiAir Equipped                             | False |  |
| Engine Stop Start Equipped                    | False |  |
| Viscosity Sensor Equipped                     | False |  |
| Duty Cycle Purge Valve Equipped               | True  |  |
| Electric Thermostat Heater Equipped           | False |  |
| Exhaust Cam 1 Equipped                        | True  |  |
| Intake Cam 1 Equipped                         | True  |  |
| 1.8 Liter WI4 engine                          | False |  |
| 2.0 Liter WI4 engine                          | False |  |
| 2.4 Liter WI4 engine                          | False |  |
| 3.0 Liter V6 Engine                           | False |  |
| Tumble Generator Valve Equipped               | False |  |
| Hybrid Electric Vehicle Equipped              | True  |  |
| Auxiliary Heater Electric Water Pump Equipped | False |  |
| Dual Speed Fuel Pump Equipped                 | False |  |
| Exhaust Cam 2 Equipped                        | True  |  |
| Intake Cam 2 Equipped                         | True  |  |
| 1 Speed Fan Mechanical Relay System Equipped  | False |  |
| 2 Speed Fan Mechanical Relay System Equipped  | False |  |
| 2 Speed Fan PWM Relay System Equipped         | False |  |
| Linear PWM Fan Relay System Equipped          | False |  |
| PWM Fan Motor System Equipped                 | True  |  |
| 3 Speed Fan Mechanical Relay System Equipped  | False |  |
| Fan Wake Up Relay System Equipped             | False |  |



|                                                    |           |  |
|----------------------------------------------------|-----------|--|
| 2 Speed Fan 3 Driver 3 Relay System Equipped       | False     |  |
| 40TE / 41TE / 41TEA                                | False     |  |
| 42RLE                                              | False     |  |
| 45RFE / 545RFE / 65RFE                             | False     |  |
| 62TE                                               | False     |  |
| 66RFE / 68RFE                                      | False     |  |
| VLP Is Learnable Indicator                         | False     |  |
| VLP Equipped Indicator                             | False     |  |
| VFS Actuators Available Indicator                  | False     |  |
| ERS Equipped Indicator                             | False     |  |
| Engine Software In Package                         | True      |  |
| Transmission Software Included                     | False     |  |
| ICC Cruise Equipped                                | False     |  |
| ETC Cruise equipped                                | False     |  |
| Adaptive Cruise Control Equipped                   | True      |  |
| A/C Equipped                                       | True      |  |
| Adaptive Cruise Control Hardware Equipped          | False     |  |
| DUAL_ALTERNATOR_GEN1_LEARNEDCOPY                   | False     |  |
| TOOLCONFIG_OIL_PRESS_ABS_EQUIPPED                  | True      |  |
| GPEC2 Equipped                                     | False     |  |
| GPEC2A Equipped                                    | True      |  |
| GPEC3 Equipped                                     | False     |  |
| Cummins Equipped                                   | False     |  |
| GPEC4 Equipped                                     | False     |  |
| VMM Equipped                                       | False     |  |
| Powernet Equipped                                  | True      |  |
| CUSW (11-Bit) Equipped                             | False     |  |
| Fiat 940 Compact Equipped                          | False     |  |
| Next Gen Bus Equipped                              | False     |  |
| Constant Heater Temperature Control Valve Equipped | False     |  |
| High Side Port Tumble Valve Equipped               | Undefined |  |
| CMCV H-Bridge Equipped                             | Undefined |  |
| Turbine Volute Valve Actuator Equipped             | Undefined |  |
| Wastegate H-Bridge Equipped                        | Undefined |  |
| Active Exhaust Valve Equipped                      | False     |  |
| Active Exhaust Pressure Sensor Equipped            | False     |  |
| Engine Idle Shutoff Equipped                       | False     |  |
| Aisin 6-Speed RWD Transmission Equipped            | False     |  |
| Cooled EGR Equipped                                | False     |  |
| Supercharger Equipped                              | False     |  |
| Low Temperature Radiator Coolant Pump Equipped     | False     |  |
| Mechanical Coolant Pump Heater Equipped            | False     |  |
| Auxiliary Coolant Pump Heater Equipped             | Undefined |  |
| Compressed Natural Gas Equipped                    | False     |  |



|                                                                    |                                  |  |
|--------------------------------------------------------------------|----------------------------------|--|
| CUSW PROXI Write Programming Support Enabled                       | False                            |  |
| Active Engine Mount Equipped                                       | False                            |  |
| ZF 9-Speed Transmission Equipped                                   | False                            |  |
| HPT 6-Speed Transmission Equipped                                  | False                            |  |
| Variable Speed Fuel Pump Equipped                                  | True                             |  |
| Operator Idle Speed Request Equipped                               | False                            |  |
| PTO System Equipped                                                | False                            |  |
| Air Shutoff Valve Bank 1 Control Solenoid 1 Equipped               | False                            |  |
| Air Shutoff Valve Bank 1 Control Solenoid 2 Equipped               | False                            |  |
| Air Shutoff Valve Bank 2 Control Solenoid 2 Equipped               | False                            |  |
| Dual Stage Oil Pump Equipped                                       | True                             |  |
| Auxiliary Coolant Pump Equipped                                    | False                            |  |
| Trans Skip Shift Equipped                                          | False                            |  |
| Trans Reverse Lockout Equipped                                     | False                            |  |
| Port Flap Valve Equipped                                           | False                            |  |
| Brushless PWM Fan Equipped                                         | NOT_FAN_PWM_BOSCH_BRUSHLESS_CNFG |  |
| 6.2 Liter V8 Engine                                                | False                            |  |
| Primary Lin Alternator Equipped                                    | False                            |  |
| Coolant On-Off Pump Equipped                                       | False                            |  |
| Oil Pressure Sensor Enabled                                        | True                             |  |
| Fiat VIN Learning Strategy Equipped                                | False                            |  |
| Dual Fuel Tank Equipped                                            | False                            |  |
| Yaw Rate Sensor ESC Equipped                                       | False                            |  |
| 1.0 Liter I3 Engine                                                | False                            |  |
| Coolant On-Off Valve Equipped                                      | False                            |  |
| Buffered Crank Output for ANC (Active Noise Cancellation) Equipped | True                             |  |
| Buffered Crank Output for PHEV Engine Pulse Calculation Equipped   | True                             |  |
| Throttle Inlet Temp Sensor Equipped                                | False                            |  |
| Humidity, Temperature and Pressure Sensor (LIN) Equipped           | False                            |  |
| Dual Fuel Pressure Sensor Equipped                                 | False                            |  |
| Brake Pedal Sensor Equipped                                        | False                            |  |
| Dual Fuel Tank Equipped                                            | False                            |  |
| PTO System Equipped                                                | False                            |  |
| Low Temp Radiator Coolant Pump Equipped                            | False                            |  |
| Engine Idle Shutoff Equipped                                       | False                            |  |
| A/C Relay Powered from Engine Switched Battery                     | False                            |  |
| CNG Large Gas Tank Equipped                                        | False                            |  |
| Cooled EGR Equipped                                                | False                            |  |
| Supercharger Equipped                                              | False                            |  |
| Hybrid MEC Shifter Equipped                                        | False                            |  |
| Dual Alternator Gen1 Capable                                       | False                            |  |
| Auxillary Coolant Pump Equipped                                    | False                            |  |
| ZF 9-Speed Trans Equipped                                          | False                            |  |
| HPT 6-Speed Trans Equipped                                         | False                            |  |



|                                                  |              |      |
|--------------------------------------------------|--------------|------|
| CUSW 4-Button Cruise Equipped                    | False        |      |
| Power Steering Angle Sensor Mandatory            | False        |      |
| Throttle Inlet Temp Sensor Equipped              | False        |      |
| LIN Humidity, Temp, and Pressure Sensor Equipped | False        |      |
| Dual Fuel Pressure Sensor Equipped               | False        |      |
| Brake Pedal Sensor Equipped                      | False        |      |
| Clutch Sensor Equipped                           | False        |      |
| SWAP HARDWIRED BRAKE SWITCH INPUTS               | False        |      |
| Mass Airflow System Equipped                     | False        |      |
| Bi-Directional Crank Sensor Equipped             | True         |      |
| 5 Button Cruise (LIN) Equipped                   | True         |      |
| Operator Idle Speed Request Equipped             | False        |      |
| INTAKE O2 SENSOR EQUIPPED                        | False        |      |
| Cylinder Pressure Sensor Equipped                | False        |      |
| Make Up Air Sensor Equipped                      | False        |      |
| Active Exhaust Pressure Sensor Equipped          | False        |      |
| Secondary Mass Airflow Sensor Equipped           | False        |      |
| 1.0 Liter I3 Engine                              | False        |      |
| 2.0 Liter I4 Direct Injection Engine             | False        |      |
| Variable Valve Lift Equipped                     | Not Equipped |      |
| Coolant On-Off Pump Equipped                     | Not Equipped |      |
| Primary Lin Alternator Equipped                  | Not Equipped |      |
| Electronic Parking Brake Equipped                | True         |      |
| Active Exhaust Valve(s) Equipped                 | False        |      |
| Mechanical Coolant Pump Equipped                 | False        |      |
| Aux Coolant Pump Heater Equipped                 | False        |      |
| Heater Temp Control Valve Equipped               | False        |      |
| High Side Port Tumble Valve Equipped             | False        |      |
| Wastegate HBridge Equipped                       | False        |      |
| Remote Start Present                             | Present      |      |
| Engine Oil Pressure Sensor Type                  | 255          | None |

## ICS CONFIGURATION

| NAME                | VALUE | UNITS |
|---------------------|-------|-------|
| Display Type (Base) | True  |       |
| Display Type (Mid)  | False |       |
| Display Type (High) | False |       |

## RFH CONFIGURATION

| NAME                        | VALUE | UNITS |
|-----------------------------|-------|-------|
| PIN Successfully Programmed | Yes   |       |
| VIN Successfully Programmed | Yes   |       |
| Valid Key In Ignition       | Yes   |       |
| KeySense Configuration      | True  |       |



|                                                     |                              |  |
|-----------------------------------------------------|------------------------------|--|
| Keyless Go                                          | True                         |  |
| Ignition system type connected                      | KIN system                   |  |
| TPM Auto-Locate Enabled                             | True                         |  |
| e-shifter present                                   | True                         |  |
| Auto Park Present                                   | True                         |  |
| Secret Codes Programmed                             | True                         |  |
| Passive Entry                                       | True                         |  |
| Premium TPM                                         | True                         |  |
| Base TPM                                            | False                        |  |
| RKE                                                 | True                         |  |
| Module Configuration Status                         | True                         |  |
| Remote Start Present                                | True                         |  |
| Hybrid Type                                         | PHEV                         |  |
| \$0214 Programmed by                                | Programmed by Supplier EOL   |  |
| Hardware Configuration: Remote Start Antenna        | Present                      |  |
| Hardware Configuration: Front Left Door Handle H/W  | Serial AP                    |  |
| Hardware Configuration: Front Right Door Handle H/W | Serial AP                    |  |
| Hardware Configuration: Rear Left Door Handle H/W   | No AP                        |  |
| Hardware Configuration: Rear Right Door Handle H/W  | No AP                        |  |
| Hardware Configuration: Trunk Door Handle H/W       | Simple Switch AP             |  |
| RFHub Locked                                        | RFHUB Locked after IAC write |  |
| Fob Location #1 Successfully Programmed             | Yes                          |  |
| Fob Location #2 Successfully Programmed             | Yes                          |  |
| Fob Location #3 Successfully Programmed             | Yes                          |  |
| Fob Location #4 Successfully Programmed             | No                           |  |
| Fob Location #5 Successfully Programmed             | No                           |  |
| Fob Location #6 Successfully Programmed             | No                           |  |
| Fob Location #7 Successfully Programmed             | No                           |  |
| Fob Location #8 Successfully Programmed             | No                           |  |
| Fob Location #1 Key sense status                    | Fob is NOT Key Sense         |  |
| Fob Location #2 Key sense status                    | Fob is NOT Key Sense         |  |
| Fob Location #3 Key sense status                    | Fob is Key Sense             |  |
| Fob Location #4 Key sense status                    | Fob is NOT Key Sense         |  |
| Fob Location #5 Key sense status                    | Fob is NOT Key Sense         |  |
| Fob Location #6 Key sense status                    | Fob is NOT Key Sense         |  |
| Fob Location #7 Key sense status                    | Fob is NOT Key Sense         |  |
| Fob Location #8 Key sense status                    | Fob is NOT Key Sense         |  |
| Back Up Vehicle Config 1                            | True                         |  |
| Back Up Vehicle Config 2                            | True                         |  |
| Back Up Vehicle Config 3                            | True                         |  |
| Back Up Vehicle Config 4                            | True                         |  |
| Back Up Vehicle Config 5                            | True                         |  |
| Back Up Vehicle Config 6                            | True                         |  |
| Back Up Vehicle Config 7                            | True                         |  |



|                                                          |      |  |
|----------------------------------------------------------|------|--|
| Back Up ECU Configuration 1                              | True |  |
| Back Up ECU Configuration 2                              | True |  |
| Back Up ECU Configuration 3                              | True |  |
| Back Up ECU Configuration 4                              | True |  |
| Back Up ECU Configuration 5                              | True |  |
| Back Up ECU Configuration 6                              | True |  |
| Back Up ECU Configuration 7                              | True |  |
| Back Up ECU Configuration 8                              | True |  |
| Back Up ECU Configuration 9                              | True |  |
| Back Up ECU Configuration 10                             | True |  |
| Back Up ECU Configuration 11                             | True |  |
| Back Up ECU Configuration 12                             | True |  |
| Back Up ECU Configuration 13                             | True |  |
| Back Up ECU Configuration 14                             | True |  |
| Back Up ECU Configuration 15                             | True |  |
| Back Up ECU Configuration 16                             | True |  |
| Back Up ECU Configuration 17                             | True |  |
| Back Up Customer Settings Menu 1 (CSM1)                  | True |  |
| Back Up Customer Settings Menu 2 (CSM2)                  | True |  |
| Back Up Programmed ECUs: Cabin Network                   | True |  |
| Back Up Programmed ECUs: P/T Chassis Network             | True |  |
| Secret Key Sent to Body Controller - Most recent attempt | Yes  |  |
| Secret Key Sent to Body Controller - Original attempt    | Yes  |  |

## ORC CONFIGURATION

| NAME                                       | VALUE          | UNITS |
|--------------------------------------------|----------------|-------|
| Rollover Sensing                           | Configured     |       |
| EPPM                                       | Not Configured |       |
| Occupant Classification (OCM)              | Configured     |       |
| First Row Driver Seatbelt Buckle Switch    | Configured     |       |
| First Row Passenger Seatbelt Buckle Switch | Configured     |       |
| Second Row Left seat belt Switch           | Not Configured |       |
| Second Row Center seat belt Switch         | Not Configured |       |
| Second Row Right seat belt Switch          | Not Configured |       |
| Driver Seat Track Position Sensor          | Configured     |       |
| Passenger Seat Track Position Sensor       | Configured     |       |
| Passenger Occupant Detection Sensor        | Not Configured |       |
| Passenger Airbag Disable Switch            | Not Configured |       |
| Passenger Airbag Disable Indicator         | Not Configured |       |
| Driver Frontal Squib 1                     | Configured     |       |
| Driver Frontal Squib 2                     | Configured     |       |
| Driver Frontal Squib 3                     | Configured     |       |
| Passenger Frontal Squib 1                  | Configured     |       |
| Passenger Frontal Squib 2                  | Configured     |       |



|                                           |                |  |
|-------------------------------------------|----------------|--|
| Passenger Frontal Squib 3                 | Configured     |  |
| Driver Knee Bolster Squib                 | Configured     |  |
| Passenger Knee Bolster Squib              | Configured     |  |
| Driver Seatbelt Retractor Pretensioner    | Configured     |  |
| Passenger Seatbelt Retractor Pretensioner | Configured     |  |
| Driver Seatbelt Load Limiter              | Configured     |  |
| Passenger Seatbelt Load Limiter           | Configured     |  |
| Driver Seatbelt Anchor Pretensioner       | Configured     |  |
| Passenger Seatbelt Anchor Pretensioner    | Configured     |  |
| Driver Seatbelt Buckle Pretensioner       | Not Configured |  |
| Passenger Seatbelt Buckle Pretensioner    | Not Configured |  |
| Left Curtain Squib 1                      | Configured     |  |
| Right Curtain Squib 1                     | Configured     |  |
| Left Side Seat Squib 1                    | Configured     |  |
| Right Side Seat Squib 1                   | Configured     |  |
| Second Row Left Seat Side Airbag          | Not Configured |  |
| Second Row Right Seat Side Airbag         | Not Configured |  |
| Driver Frontal Squib 4                    | Not Configured |  |
| Passenger Frontal Squib 4                 | Not Configured |  |
| Left Up-Front Acceleration Sensor         | Configured     |  |
| Right Up-Front Acceleration Sensor        | Configured     |  |
| Right B-Pillar Impact Acceleration Sensor | Configured     |  |
| Left B-Pillar Impact Acceleration Sensor  | Configured     |  |
| Left C-Pillar Impact Acceleration Sensor  | Configured     |  |
| Right C-Pillar Impact Acceleration Sensor | Configured     |  |
| Right D-Pillar Impact Acceleration Sensor | Configured     |  |
| Left D-Pillar Impact Acceleration Sensor  | Configured     |  |
| Left Side Door Pressure Sensor            | Configured     |  |
| Right Side Door Pressure Sensor           | Configured     |  |
| Configuration Column Identifier           | A3             |  |

## EPS CONFIGURATION

| NAME                                   | VALUE | UNITS |
|----------------------------------------|-------|-------|
| Stop/Start Feature Active              | False |       |
| Lane Feedback Feature Active           | True  |       |
| Parallel Park Assist Feature Active    | False |       |
| Dynamic Steering Torque Feature Active | True  |       |

## HVAC CONFIGURATION

| NAME                                | VALUE | UNITS |
|-------------------------------------|-------|-------|
| DualZone ATC Control (Factory) (BB) | True  |       |
| DualZone ATC Control (BB)           | True  |       |
| Dual Zone MTC Control (BB)          | False |       |
| Single Zone MTC Control (BB)        | False |       |



|                         |                      |  |
|-------------------------|----------------------|--|
| MTC With EBL (3Knob)    | False                |  |
| MTC Without EBL (3Knob) | False                |  |
| MTC heater only (3Knob) | False                |  |
| HVAC Configuration      | Dual Zone ATC + Rear |  |

**PDM CONFIGURATION**

| NAME             | VALUE | UNITS |
|------------------|-------|-------|
| Frameless Window | False |       |

**PSDML CONFIGURATION**

| NAME        | VALUE | UNITS |
|-------------|-------|-------|
| VSIM Status | False |       |

**PSDMR CONFIGURATION**

| NAME                                         | VALUE | UNITS |
|----------------------------------------------|-------|-------|
| UPFM Status (Present = True, Absent = False) | False |       |

**MSM CONFIGURATION**

| NAME              | VALUE | UNITS |
|-------------------|-------|-------|
| Adjustable Pedals | False |       |
| Telescope/Tilt    | False |       |

**CSWM CONFIGURATION**

| NAME                  | VALUE      | UNITS |
|-----------------------|------------|-------|
| Heated Steering Wheel | True       |       |
| Vehicle Line D-Series | False      |       |
| Vehicle Line R-Series | True       |       |
| Vehicle Line W-Series | False      |       |
| Vehicle Line J-Series | False      |       |
| Vehicle Line L-Series | False      |       |
| Vehicle Line M-Series | False      |       |
| Vehicle Line P-Series | False      |       |
| Vehicle Line U-Series | False      |       |
| EC - Seat A           | Programmed |       |
| EC - Seat B           | Programmed |       |

**AMP CONFIGURATION**

| NAME                                 | VALUE                              | UNITS |
|--------------------------------------|------------------------------------|-------|
| ANC Calibration Date - Year          | 16                                 |       |
| ANC Calibration Date - Week          | 24                                 |       |
| ANC Calibration Date - Patch Level   | 0                                  |       |
| Current ANC Calibration ID - Service | RU PHEV 3.6L: Sunroof & Alpine AMP |       |
| ANC Status                           | Off - Window Mute                  |       |



|                           |         |  |
|---------------------------|---------|--|
| Surround Sound Activated  | Not Set |  |
| Door Module - Left Front  | Present |  |
| Door Module - Left Rear   | Present |  |
| Door Module - Right Front | Present |  |
| Door Module - Right Rear  | Present |  |
| Premuim - 1               | False   |  |
| Premuim - 2               | True    |  |
| Premuim - 3               | False   |  |
| Non -ANC                  | False   |  |
| No Rear Doors             | False   |  |
| No HALF Chimes            | False   |  |

### IPC CONFIGURATION

| NAME          | VALUE | UNITS |
|---------------|-------|-------|
| PHEV          | True  |       |
| Rear Fog Lamp | False |       |

### PTS CONFIGURATION

| NAME                              | VALUE                    | UNITS |
|-----------------------------------|--------------------------|-------|
| Front License Plate Configuration | Front Plate Config - USA |       |
| Rear System with 6 Front Sensors  | False                    |       |
| Front System with 6 Rear Sensors  | False                    |       |

### SCCM CONFIGURATION

| NAME                 | VALUE | UNITS |
|----------------------|-------|-------|
| Rear Wiper           | True  |       |
| Tilt Telescope       | False |       |
| Paddle Shifter       | False |       |
| Cruise Control / ACC | True  |       |

### BCM CONFIGURATION

| NAME               | VALUE   | UNITS |
|--------------------|---------|-------|
| BCM (Interior Bus) | Set     |       |
| HSM                | Set     |       |
| DDM                | Set     |       |
| PDM                | Set     |       |
| DMRL               | Set     |       |
| DMRR               | Set     |       |
| HVAC               | Set     |       |
| MSM                | Set     |       |
| PLGM               | Set     |       |
| VTM                | Not Set |       |
| PSDML              | Set     |       |
| PSDMR              | Set     |       |



|          |         |  |
|----------|---------|--|
| FSM      | Not Set |  |
| Radio    | Set     |  |
| DTV      | Not Set |  |
| ITM      | Not Set |  |
| AMP      | Set     |  |
| EDM      | Set     |  |
| ICS      | Set     |  |
| HVACR    | Set     |  |
| CVPM     | Not Set |  |
| EOMR     | Set     |  |
| MSMP     | Set     |  |
| VRM      | Set     |  |
| DSM      | Set     |  |
| EAM      | Set     |  |
| ANC      | Not Set |  |
| AHLM     | Not Set |  |
| BCM (PT) | Set     |  |
| PCM      | Set     |  |
| EPS      | Set     |  |
| ESM      | Set     |  |
| ABS      | Not Set |  |
| RFH      | Set     |  |
| IPC      | Set     |  |
| ACC      | Set     |  |
| ORC      | Set     |  |
| PTS      | Set     |  |
| SCCM     | Set     |  |
| TCM      | Not Set |  |
| OCM      | Set     |  |
| FFCM     | Set     |  |
| ABSO     | Set     |  |
| ESL      | Not Set |  |
| HCP      | Set     |  |
| EBCM     | Set     |  |
| ORC      | Set     |  |
| ESM      | Set     |  |
| ESC      | Set     |  |
| ECM      | Set     |  |
| HCP      | Set     |  |
| OBCM     | Set     |  |
| AHCP     | Set     |  |
| EAC      | Set     |  |
| BPCM     | Set     |  |
| APM      | Set     |  |



|                                                               |                 |       |
|---------------------------------------------------------------|-----------------|-------|
| Number of Reprogramming Attempts - Counter #0                 | 1               |       |
| Vehicle Configuration Programmed Status                       | True            |       |
| Last Programmed Status                                        | Manufacturing   |       |
| Last Configuration Odometer                                   | 0               | miles |
| Vehicle Configuration Auto Write Counter                      | 1               |       |
| Vehicle Configuration 1 - Write Counter                       | 3               |       |
| Vehicle Configuration 2 - Write Counter                       | 3               |       |
| Vehicle Configuration 3 - Write Counter                       | 3               |       |
| Vehicle Configuration 4 - Write Counter                       | 3               |       |
| Vehicle Configuration 5 - Write Counter                       | 3               |       |
| Vehicle Configuration 6 - Write Counter                       | 3               |       |
| Programmed ECUs: Cabin Network                                | 3               |       |
| Programmed ECUs: P/T Chassis Network                          | 3               |       |
| Programmed Network Configuration - Audio / Telematics Network | 0               |       |
| Programmed ECUs: Hybrid LAN Network                           | 0               |       |
| ECU Configuration 1 (CBC Configurable Inputs and Outputs)     | 3               |       |
| ECU Configuration 2 (CBC Features)                            | 3               |       |
| ECU Configuration 3                                           | 3               |       |
| ECU Configuration 4                                           | 3               |       |
| ECU Configuration 5 (Wireless)                                | 3               |       |
| ECU Configuration 5 (Doors)                                   | 3               |       |
| ECU Configuration 5 (Memory)                                  | 3               |       |
| ECU Configuration 6 (Brake)                                   | 3               |       |
| ECU Configuration 6 (Suspension)                              | 3               |       |
| ECU Configuration 6 (Powertrain)                              | 3               |       |
| ECU Configuration 6 (Safety)                                  | 3               |       |
| ECU Configuration 7 (CBC Exterior Lighting Calibrations)      | 3               |       |
| ECU Configuration 8 (LIN and Miscellaneous )                  | 3               |       |
| ECU Configuration 9A                                          | 3               |       |
| ECU Configuration 9 (ITM)                                     | 3               |       |
| ECU Configuration 10                                          | 3               |       |
| ECU Configuration 11                                          | 3               |       |
| ECU Configuration 12                                          | 3               |       |
| ECU Configuration 13                                          | 3               |       |
| ECU Configuration 14                                          | 3               |       |
| ECU Configuration 15 (CBC Features)                           | 3               |       |
| ECU Configuration 15 (Suspension)                             | 3               |       |
| Vehicle Configuration 7 - Write Counter                       | 3               |       |
| Vehicle Config CSM1                                           | 3               |       |
| Vehicle Config CSM2                                           | 3               |       |
| Model Year                                                    | 2021            |       |
| Vehicle Line                                                  | RU              |       |
| Country Code                                                  | USA             |       |
| Left/Right Hand Drive                                         | Left Hand Drive |       |



|                                               |                                              |         |
|-----------------------------------------------|----------------------------------------------|---------|
| Remote Start Present                          | Set                                          |         |
| Drive Configuration                           | 2WD Front                                    |         |
| Emode Present                                 | Not Set                                      |         |
| Auto Highbeam                                 | Set                                          |         |
| Body Style                                    | Station Wagon                                |         |
| Maximum Vehicle Speed                         | 0                                            | MPH     |
| Shifter Type                                  | 5 Position Rotary Eshifter PRNDL / Type RS5L |         |
| Performance Pages Present                     | Not Present                                  |         |
| Special Packages                              | 74                                           |         |
| PTS Configuration                             | Rear / REAR                                  |         |
| Hill Descent Feature Present                  | Not Set                                      |         |
| Select Speed Control Feature Present          | Not Set                                      |         |
| Power Inverter Type                           | No Power Inverter                            |         |
| Thatcham Present                              | Not Set                                      |         |
| Rain Sensor Present                           | Set                                          |         |
| SKIM System Present                           | Not Set                                      |         |
| Air Conditioning Present                      | Not Set                                      |         |
| Cruise Feature is Present                     | Not Set                                      |         |
| Flipper Glass Present                         | Not Set                                      |         |
| Full Size Spare                               | Not Set                                      |         |
| Off Road Capable                              | Not Set                                      |         |
| Special Packages IC                           | Pacifica                                     |         |
| Max Load Inflation Pressure Rear Tire         | 36.0                                         | PSI     |
| Max Load Inflation Pressure Front Tire        | 36.0                                         | PSI     |
| Police Lighting Feature                       | Not Set                                      |         |
| Power Right Sliding Door Present              | Set                                          |         |
| Power Left Sliding Door Present               | Set                                          |         |
| RKE System Present                            | Set                                          |         |
| T-Case Type                                   | Not Present / Not Present                    |         |
| Wheel Base                                    | Wheel base not programmed / WB_NP            |         |
| FOBIK Safe Enable                             | Set                                          |         |
| ELV Present                                   | Not Set                                      |         |
| Fuel Capacity                                 | 17                                           | gallons |
| Window Express Feature Configuration          | All windows express feature                  |         |
| Adjustable Pedal Feature Present (non-Memory) | Not Set                                      |         |
| Auto Headlamp Feature Present                 | Set                                          |         |
| Door Alert Feature Present                    | Not Set                                      |         |
| Two Fuel Sending Units Present                | Not Set                                      |         |
| Vehicle is an SRT                             | Not Set                                      |         |
| Disable Display of Radio Clock                | Not Set                                      |         |
| Chassis Type                                  | Type 8                                       |         |
| Display Outside Temperature Present           | Set                                          |         |
| HVAC Configuration                            | Dual Zone ATC + Rear                         |         |
| Vehicle Brand                                 | Chrysler                                     |         |



|                                                                                    |                                |         |
|------------------------------------------------------------------------------------|--------------------------------|---------|
| Display Compass Heading Present                                                    | Set                            |         |
| ESCL system present                                                                | Not Set                        |         |
| High Intensity Discharge Head Lamps                                                | Set                            |         |
| Secondary Lock Present                                                             | Not Set                        |         |
| Liftgate/Trunk Type                                                                | Power Liftgate                 |         |
| Collision Mitigation System present                                                | Set                            |         |
| Forward Collision Warning present                                                  | Set                            |         |
| Base TPM system present                                                            | Not Set                        |         |
| Premium TPM system present                                                         | Set                            |         |
| Paddle Shift Feature Present                                                       | Not Set                        |         |
| Sport Mode Present                                                                 | Not Set                        |         |
| Auto Park Present                                                                  | Set                            |         |
| Passive Entry Present                                                              | Set                            |         |
| Keyless Go Present                                                                 | Set                            |         |
| Transfer Case High Ratio                                                           | 1.000                          | No Unit |
| Axle Ratio                                                                         | 3.251                          |         |
| Transfer Case Low Range Reduction Ratio                                            | 0.000                          |         |
| Dynamic Tire Circumference (All or Rear)                                           | 89                             | inch    |
| Analog Door Sensor Configuration                                                   | Driver Door Only Analog Sensor |         |
| Air Quality System Present                                                         | Not Set                        |         |
| Steering Ratio at Negative Angle 1                                                 | 0.0                            | No Unit |
| Connector G Pin 9: Ambient Light Dimmer Wheel Input Present                        | Set                            |         |
| Connector A Pin 3/Connector D Pin 2: Low Beam Output Present                       | Set                            |         |
| Connector E Pin 29: Rear Wiper Motor Park Signal Present                           | Set                            |         |
| Connector F Pin 9: Analog Door Ajar Signal Front Driver Present                    | Set                            |         |
| Connector F Pin 23: Door Lock Switch Signal Front Passenger Present                | Set                            |         |
| Connector F Pin 29: Horn Switch Present                                            | Set                            |         |
| Connector A Pin 11: Hood Ajar Switch Input Present                                 | Set                            |         |
| Connector F Pin 8 : Liftgate Release Outside Handle Switch Present                 | Not Set                        |         |
| Connector E Pin 5: PHEV Fuel Door Switch Input                                     | Set                            |         |
| Connector F Pin 6: Fuel Door Motor Output Signal Present                           | Set                            |         |
| Connector D Pin 7: Stop/Turn Trailer Tow Right Output Present                      | Not Set                        |         |
| Connector D Pin 9: Trailer Tow Backup Output Present                               | Not Set                        |         |
| Connector D Pin 10: Trailer Tow Tail Lamp Output Present                           | Not Set                        |         |
| Connector D Pin 11: Stop/Turn Trailer Tow Left Output Present                      | Not Set                        |         |
| Connector D Pin 12: PHEV ECM Hardwire Wake Up Output Present                       | Set                            |         |
| Connector E Pin 34: Vacuum Cleaner Relay Output Present                            | Not Set                        |         |
| Connector G Pin 24 (Internally tied to Connector F Pin 7): Ambient Lighting Output | Set                            |         |
| Connector F Pin 35: Inverter Enable Relay Output Present                           | Set                            |         |
| Connector E Pin 39/Connector F Pin 5: Rear Fog Lamps Output Present                | Not Set                        |         |
| Connector E Pin 4/Connector F Pin 32: Rear Park Lamps Output Present               | Set                            |         |
| Connector E Pin 3/Connector F Pin 42: Rear Turn Lamps Output Present               | Not Set                        |         |



|                                                                                                    |                 |  |
|----------------------------------------------------------------------------------------------------|-----------------|--|
| Connector E Pin 48 (Tied internally to Connector A Pin16): Rear Wiper Motor Control Output Present | Set             |  |
| Connector E Pin 9: Run-ACC Y Relay #2 Output Present                                               | Set             |  |
| Connector A Pin 10/Connector D Pin 5: Side Markers Output Present                                  | Set             |  |
| Connector E Pin 8: PHEV HCP Hardwire Wakeup                                                        | Set             |  |
| Connector E Pin 42: Charge Port Lock Output Present                                                | Set             |  |
| Connector E Pin 41: Charge Port Unlock Output Present                                              | Set             |  |
| Connector F Pin 4: Liftgate Release Present                                                        | Not Set         |  |
| Connector G Pin 15: UGDO Feed Output Present                                                       | Set             |  |
| Connector G Pin 22: VTA Warning LED Output Present                                                 | Set             |  |
| Connector E Pin 11: Vacuum Switch Input                                                            | Not Set         |  |
| Connectro E Pin 37: Right HID Control Output Present                                               | Not Set         |  |
| Connector E Pin 7: Left HID Relay Control Output Present                                           | Not Set         |  |
| Connector D Pin 22/ Connector D Pin 23: Ambient Temperature Signal/Return Present                  | Set             |  |
| Tip Start Enabled                                                                                  | Set             |  |
| Dual Start Relay System Present                                                                    | Not Set         |  |
| Wiper Service Position Enabled                                                                     | Not Set         |  |
| Fuel Door Release Enabled                                                                          | Not Present     |  |
| Trailer Tow Present                                                                                | Not Set         |  |
| Quad Headlamps Enable                                                                              | Set             |  |
| Horn Chirp Allowed                                                                                 | Set             |  |
| Bi Xenon Headlamps Enable                                                                          | Not Set         |  |
| Hazard Lamp Configuration                                                                          | Latching Switch |  |
| Park Lamp Loadshed Enable                                                                          | Set             |  |
| Front Fog Lamp Dropout Enable                                                                      | Set             |  |
| Combined Rear Lighting Enable                                                                      | Set             |  |
| Side Repeaters Enable                                                                              | Not Set         |  |
| One Touch Lane Change                                                                              | Set             |  |
| Exterior Light Loadshed Enable                                                                     | Set             |  |
| Front Wiper Park Enable                                                                            | Set             |  |
| Rear Wiper Park Enable                                                                             | Set             |  |
| Reversible Washer Pump Enable                                                                      | Set             |  |
| Combined Front Park/Turn Feature Enable                                                            | Not Set         |  |
| DRL Configuration                                                                                  | No DRL          |  |
| DRL Lamp Location                                                                                  | Low Beam DRL    |  |
| DRL Dropout Enable                                                                                 | Not Set         |  |
| Tunnel Detection                                                                                   | Not Set         |  |
| Fuel Door Present                                                                                  | Not Set         |  |
| LED Reverse Lamps Present                                                                          | Not Set         |  |
| LED Stop Lamps Present                                                                             | Not Set         |  |
| LED Rear Turn Lamps Present                                                                        | Not Set         |  |
| LED Tail Lamps Present                                                                             | Set             |  |
| LED Rear Fog Lamps Present                                                                         | Not Set         |  |
| LED License Lamps Present                                                                          | Set             |  |



|                                                    |                                         |  |
|----------------------------------------------------|-----------------------------------------|--|
| LED Front Turn Lamps Present                       | Not Set                                 |  |
| LED Front Fog Lamps Present                        | Set                                     |  |
| LED Dedicated DRL Present                          | Not Set                                 |  |
| LED Low Beam Lamps Present                         | Set                                     |  |
| LED High Beam Lamps Present                        | Set                                     |  |
| LED Front Park/Marker Lamps Present                | Set                                     |  |
| Illuminated approach Enabled                       | Not Set                                 |  |
| Headlamp Wash Spray Duration (at 100 ms intervals) | 1100ms                                  |  |
| Headlamp Wash Interval                             | wash cycle#11                           |  |
| Headlamp Wash Shot                                 | double                                  |  |
| Front Wiper Wipes After Wash                       | 2 Wipes                                 |  |
| Headlamp Washer Low Fluid Shut-Off Enable          | Set                                     |  |
| Intermittent Wiper States                          | 4 Intermittent Wiper position Switch    |  |
| LED CHMSL Lamp Present                             | Set                                     |  |
| Rear Camera Present                                | Set                                     |  |
| Power Inverter Present                             | Not Set                                 |  |
| Front Park Assist Present                          | Set                                     |  |
| Front Heated Seats Present                         | Set                                     |  |
| Destination                                        | United States of America                |  |
| Cabin Equilization Curve Number                    | RU Premium System - Alpine 12ch         |  |
| Heated Steering Wheel Present                      | Set                                     |  |
| Surround Sound Feature Present                     | Set                                     |  |
| Power Door Locks Present                           | Set                                     |  |
| Antenna Type                                       | Active Primary and no secondary antenna |  |
| Disable CD Eject                                   | Not Set                                 |  |
| Microphone Tuning Parameter                        | Absent [Not Used]                       |  |
| Microphone Configuration                           | 2 Microphones                           |  |
| Microphone Type                                    | Peiker 300 mv                           |  |
| External Port Type                                 | AUX + USB + extra USB                   |  |
| Splashscreen Type                                  | Vehicle Brand                           |  |
| Fleet Vehicle Content                              | Not Set                                 |  |
| Vehicle Variant                                    | Undefined                               |  |
| Tip Start Present                                  | Set                                     |  |
| AP5 Trunk Unlock                                   | CAN                                     |  |
| Airport Scenario Trunk                             | Not Set                                 |  |
| AP5 Trunk Lock                                     | Simple Switch                           |  |
| AP1 Left Front                                     | Smart Switch                            |  |
| AP2 Right Front                                    | Smart Switch                            |  |
| AP3 Left Rear                                      | CAN                                     |  |
| AP4 Right Rear                                     | CAN                                     |  |
| Global Up                                          | Not Set                                 |  |
| Global Down                                        | Not Set                                 |  |
| Sun Shade                                          | Not Set                                 |  |
| Puddle Lamp Present                                | Not Set                                 |  |



|                                            |                                                 |      |
|--------------------------------------------|-------------------------------------------------|------|
| Rear Door Pre Short Drop                   | Not Set                                         |      |
| Passenger Window Lockout                   | Not Set                                         |      |
| Folding mirrors present                    | Set                                             |      |
| Heated Mirrors Present                     | Set                                             |      |
| Mirror turn signals present                | Set                                             |      |
| Driver Memory Mirrors Present              | Set                                             |      |
| Passenger Memory Mirror Present            | Set                                             |      |
| Electro-chromatic driver mirror present    | Set                                             |      |
| Electro-chromatic passenger mirror present | Not Set                                         |      |
| Tow Mirror Present                         | Not Set                                         |      |
| Blindspot Mirror Present                   | Set                                             |      |
| Window Motor Type                          | Not Set                                         |      |
| Window Hall Sensors Present                | Not Set                                         |      |
| Frameless Window Present                   | Not Set                                         |      |
| Memory Adjustable Pedals Present           | Not Set                                         |      |
| Tilt/Telescope Steering Present            | Not Set                                         |      |
| Driver Memory Seat Present                 | Set                                             |      |
| Stow 'n Assist Present - Driver            | Set                                             |      |
| Stow 'n Assist Present - Passenger         | Set                                             |      |
| Rear Heated Seats Present                  | Not Present                                     |      |
| Front Vented Seats Present                 | Present                                         |      |
| Heated Steering Wheel Present              | Present                                         |      |
| Heated Seat Material Type                  | Base Leather                                    |      |
| Heated Wheel Material Type                 | Full Leather                                    |      |
| Brake System ECU Configuration A           | value 0                                         |      |
| ECO Mode Configuration                     | Remember Previous State with Ignition Key Cycle |      |
| Dual Alternator Present                    | Not Set                                         |      |
| ODS Present                                | False                                           |      |
| Driver Kneebag Present                     | True                                            |      |
| Passenger Kneebag Present                  | True                                            |      |
| Curtain Airbags Present                    | True                                            |      |
| Tow Hooks Present                          | False                                           |      |
| Passive Ped Pro Present                    | False                                           |      |
| 1st Row Seat Side Airbags Present          | True                                            |      |
| Integrated EPP Present                     | False                                           |      |
| BUX Market                                 | False                                           |      |
| Front Park/Turn Voltage                    | Park to Turn ratio 55 Percent                   |      |
| Auto Headlamp On Threshold                 | 3.31409                                         | Volt |
| Auto Headlamp Off Threshold                | 2.54930                                         | Volt |
| Left Low Beam Voltage Regulation           | 13.6 Volts                                      |      |
| Left High Beam Voltage Regulation          | 13.6 Volts                                      |      |
| Right Low Beam Voltage Regulation          | 14 Volts                                        |      |
| Right High Beam Voltage Regulation         | 13.8 Volts                                      |      |
| Left Front Corner Voltage                  | 13.2 Volts                                      |      |



|                                                          |                         |         |
|----------------------------------------------------------|-------------------------|---------|
| Right Front Corner Voltage                               | 13.4 Volts              |         |
| Left Rear Corner Voltage                                 | 14 Volts                |         |
| Right Rear Corner Voltage                                | 14 Volts                |         |
| Alert no Reply                                           | Set                     |         |
| Alert On System Fault                                    | Set                     |         |
| Alert On Search Timeout                                  | Set                     |         |
| Panic Enable                                             | Set                     |         |
| Compass Mounting Orientation                             | Rightside up            |         |
| Washer Fluid Level Voltage Threshold                     | 4.46 volts              |         |
| Fobik Safe Alerts Per Ignition Cycle                     | 2                       |         |
| IBS Present                                              | Set                     |         |
| OHC Module Present                                       | Set                     |         |
| Humidity Sensor Present                                  | Set                     |         |
| HFRM Present                                             | Set                     |         |
| Auto Relock Time                                         | 60                      | seconds |
| VTA System Present                                       | VTA                     |         |
| Illuminated Approach Interior Lighting Target Percentage | 100(50%)                |         |
| Illuminated Approach Headlamp Target Percentage          | 125 (62.5%)             |         |
| Illuminated Approach Taillamp Target Percentage          | 125 (62.5%)             |         |
| Illuminated Approach Interior Lighting Ramp Up Time      | 130(2600ms)             |         |
| CRVMM Present                                            | Set                     |         |
| EVIC SWS Module Present                                  | Set                     |         |
| Compass Mounting Angle                                   | 0                       | Degree  |
| IBS Activate MWU                                         | Not Set                 |         |
| Battery Types                                            | SNA                     |         |
| IBS Quiescence Current Limit                             | -250                    | mA      |
| IBS Minimum Voltage Limit                                | 5.0                     | Volts   |
| IBS Minimal Charge Limit                                 | 10                      | AmpHrs  |
| Battery Type II                                          | 22                      |         |
| IBS Minimum Charge Limit                                 | 600                     | mA      |
| Connector F Pin 41: Backup-Reverse lamp Left             | Not Set                 |         |
| Connector E Pin 1: Backup-Reverse lamp Right             | Set                     |         |
| Connector F Pin 5: Left Rear Fog Lamp                    | Output Disable          |         |
| Connector E Pin 39: Right Rear Fog Lamp                  | Output Disable          |         |
| Connector F Pin 42: Right Rear Turn Signal               | Right Rear Turn Signal  |         |
| Connector E Pin 3: Left Rear Turn Signal                 | Left Rear Turn Signal   |         |
| Connector D Pin 1: Left High Beam Feed                   | AUX High Beam           |         |
| Connector A Pin 2: Right High Beam Feed                  | AUX High Beam           |         |
| Connector F Pin 25: Left Rear Turn Lamp Fault Sense      | Disable                 |         |
| Connector F Pin 28: Right Rear Turn Lamp Fault Sense     | Disable                 |         |
| Connector F Pin 27: Left Sliding Door Ajar               | Left Sliding Door Ajar  |         |
| Connector F Pin 4: Liftgate Release                      | Trunk/Liftgate Release  |         |
| Connector F Pin 31: Right Sliding Door Ajar              | Right Sliding Door Ajar |         |
| Connector D Pin 21: Brake Fluid Level Switch             | no parallel resistor    |         |



|                                                                                                    |                                               |         |
|----------------------------------------------------------------------------------------------------|-----------------------------------------------|---------|
| Connector D Pin 12: PHEV ECM Hardwire Wake Up                                                      | Engine Control Module Wake up (PHEV only)     |         |
| Connector F Pin 29: Horn Switch Input                                                              | Horn Switch Input                             |         |
| Connector A Pin 11: Hood Ajar Switch Signal                                                        | 500 ohm series and 500 ohm parallel resistors |         |
| Connector E Pin 7: Left HID Relay Control                                                          | Left HID Lamp Relay                           |         |
| Connector E Pin 37: Right HID Relay Control                                                        | Right HID Lamp Relay                          |         |
| Connector E Pin 29: Rear Wiper Motor Park Signal                                                   | Reserved                                      |         |
| Connector E Pin 5: E-5 PHEV Fuel Door Switch Input                                                 | PHEV Fuel Door Switch                         |         |
| Stop/Start Enable Switch Present                                                                   | Not Set                                       |         |
| Siren                                                                                              | Not Set                                       |         |
| Ultrasonics                                                                                        | Not Set                                       |         |
| Tilt                                                                                               | Not Set                                       |         |
| Connector F Pin 13: Left Sliding Door Switch Input (B-Pillar)                                      | Left B-Pillar sliding Door Switch             |         |
| Connector F Pin 14: Right Sliding Door Switch Input (B-Pillar)                                     | Right B-Pillar Sliding Door Switch            |         |
| Connector F Pin 15: Driver Door Lock Switch Input                                                  | Not Present                                   |         |
| Heatsoak Flush Time                                                                                | 105                                           | Time    |
| Engine Off Clear Time                                                                              | 180                                           | Time    |
| Connector F Pin 30: Fuel Door Lock (BUX)                                                           | Not Present                                   |         |
| Connector F Pin 33: Fuel Door Unlock (BUX)                                                         | Not Present                                   |         |
| Connector F Pin 34: Spare HSD                                                                      | Not Present                                   |         |
| Connector F Pin 37: Vacuum Cleaner Power Saver Indicator                                           | Not Present                                   |         |
| Ambient Stable Counter Limit                                                                       | 40                                            | Counter |
| Heatsoak Speed                                                                                     | 15                                            | Counter |
| Heatsoak Set Time                                                                                  | 15                                            | Time    |
| Max Engine Off Time                                                                                | 220                                           | Time    |
| CHMSL Lamp Output Disable                                                                          | Not Set                                       |         |
| Connector E Pin 28: Secondary Door Ajar Switch Present - PIN E-28                                  | Set                                           |         |
| Manual Door Locks Present                                                                          | Not Set                                       |         |
| Connector E Pin 48 (Tied internally to Connector A Pin16): Rear Wiper Motor Control Output Present | Rear Wiper (0)                                |         |
| Connector G Pin11/Connector G Pin 12: Not Used                                                     | ERS                                           |         |
| Rain Sensor Module #2 Present                                                                      | Set                                           |         |
| Humidity Sensor Long Present                                                                       | Set                                           |         |
| Auto High Beam Module Location                                                                     | HaLF                                          |         |
| License Plate Lamp Disable                                                                         | Not Set                                       |         |
| Connector F Pin 29: Horn Switch Present                                                            | Horn Switch Input                             |         |
| Connector E Pin 39: Right Rear Turn Signal                                                         | Right Rear Turn Signal                        |         |
| Connector E Pin 3: Left Rear Turn Signal                                                           | Left Rear Turn Signal                         |         |
| Excess Lateral Acceleration Factor                                                                 | Filter Off                                    |         |
| Average Last Lateral Acceleration Values                                                           | No Averaging                                  |         |
| Excess Longitudinal Acceleration Factor                                                            | Filter Off                                    |         |
| Average Last Longitudinal Acceleration Values                                                      | No Averaging                                  |         |
| Brake Smoothing Duration                                                                           | Filter Off                                    |         |
| Brake Smoothing Factor                                                                             | Filter Off                                    |         |
| Steering Smoothing Duration                                                                        | Filter Off                                    |         |



|                                              |                                         |         |
|----------------------------------------------|-----------------------------------------|---------|
| Steering Smoothing Factor                    | Filter Off                              |         |
| Steering Smoothing Threshold                 | Filter Off                              |         |
| Brake Smoothing Threshold                    | Filter Off                              |         |
| Maximum Longitudinal Change                  | Filter Off                              |         |
| Maximum Lateral Change                       | Filter Off                              |         |
| Acceleration Threshold                       | Filter Off                              |         |
| Acceleration Factor                          | Filter Off                              |         |
| Nose Dive Threshold                          | Filter Off                              |         |
| Nose Dive Factor                             | Filter Off                              |         |
| Horn Chirp Duration                          | Short                                   |         |
| VTA Hood Ajar Monitoring                     | Not Set                                 |         |
| Headlamp Soak Delay                          | 1.0 sec                                 |         |
| Auto High Beam ON Threshold                  | 25 km/hr                                |         |
| Auto High Beam OFF Threshold                 | 20 km/hr                                |         |
| RKE Auto-Relock Feature Enable               | Not Set                                 |         |
| PE Auto-Relock Feature Enable                | Set                                     |         |
| Parking Light Enable                         | Not Set                                 |         |
| Interior Lighting Night Threshold            | 4.45147                                 | Volt    |
| Interior Lighting Day Threshold              | 4.27498                                 | Volt    |
| TPMS Configuration                           | Logic 1 NHTSA Enable Warning            |         |
| Smart Alternator Present                     | Not Set                                 |         |
| Temperature Display Resolution               | HaLF                                    |         |
| Sunroof Present                              | Set                                     |         |
| Radio Speaker Open Circuit Disable (LF)      | Not Set                                 |         |
| Radio Speaker Open Circuit Disable (RF)      | Not Set                                 |         |
| Radio Speaker Open Circuit Disable (LR)      | Not Set                                 |         |
| Radio Speaker Open Circuit Disable (RR)      | Not Set                                 |         |
| ANC Calibration Parameter Data Set           | RU_PHEV_3.6L_tripane_SunRoof_Alpine_AMP |         |
| Surround View Camera On/Off Softkey Present  | Not Set                                 |         |
| Drive Mode Version                           | Version 1                               |         |
| Show Phone Information in Cluster            | 01                                      |         |
| Auto Dimming Mirror Hard Button Present      | Set                                     |         |
| Automatic Crash Notification Feature Present | Undefined                               |         |
| Park Assist Tuning Set                       | Sahara                                  |         |
| Unlock all doors on 1st press                | Set                                     |         |
| Sound Horn on Lock                           | Set                                     |         |
| Flash Lamps on Lock                          | Set                                     |         |
| Headlamps on with Wipers                     | Set                                     |         |
| Auto Lock                                    | Set                                     |         |
| Auto Unlock                                  | Set                                     |         |
| Sliding Door Alert                           | Not Set                                 |         |
| Auto Wipers                                  | Set                                     |         |
| Illuminated Approach Time                    | 0                                       | seconds |
| Headlamp Delay Time                          | 0                                       | seconds |



|                                             |                           |         |
|---------------------------------------------|---------------------------|---------|
| Accessory Delay Time                        | 45                        | seconds |
| Daytime Running Lamps                       | Not Set                   |         |
| Hands Free Sliding Door Enable              | Set                       |         |
| Sliding Door Chime Enable                   | Set                       |         |
| Auto Highbeam                               | Set                       |         |
| Sound Horn on Remote Start                  | Not Set                   |         |
| Sound Horn On Lock Status                   | Chirp on 2nd press/SECOND |         |
| Rear View Camera Static Grid Lines Enabled  | Not Set                   |         |
| Rear View Camera Dynamic Grid Lines Enabled | Set                       |         |

## RADIO CONFIGURATION

| NAME                                          | VALUE          | UNITS   |
|-----------------------------------------------|----------------|---------|
| Satellite Subscription Status                 | Not Subscribed |         |
| Reason Code                                   | 00             |         |
| Suspend Day                                   | 00             |         |
| Suspend Month                                 | 00             |         |
| Suspend Year                                  | 00             |         |
| Distortion Limiting                           | Off            |         |
| Clock Defeat                                  | On             |         |
| Stereo Blend                                  | Off            |         |
| High Cut                                      | Off            |         |
| Automated Loudness                            | Off            |         |
| Anti-Theft Enable Status                      | On             |         |
| 12/24 Time Selection                          | 12 Hour Time   |         |
| Front Seat Video Playback                     | Disabled       |         |
| Cabin EQ Curve Number Currently Used by Radio | 223            | events  |
| Splash Screen                                 | Automatic      |         |
| USB Hubs Detected                             | 3              | No Unit |
| SD Card Readers Detected                      | 0              | No Unit |
| Enumerated USB Devices                        | 0              | No Unit |
| Aux Jack                                      | Not Inserted   |         |

## HVACR CONFIGURATION

| NAME                                | VALUE | UNITS |
|-------------------------------------|-------|-------|
| DualZone ATC Control (Factory) (BB) | False |       |
| DualZone ATC Control (BB)           | False |       |
| Dual Zone MTC Control (BB)          | False |       |
| Single Zone MTC Control (BB)        | False |       |
| MTC w EBL (3Knob)                   | False |       |
| MTC wo EBL (3Knob)                  | False |       |
| MTC heater only (3Knob)             | False |       |

## LBSS CONFIGURATION

| NAME | VALUE | UNITS |
|------|-------|-------|
|------|-------|-------|



|                            |                      |  |
|----------------------------|----------------------|--|
| Steering (LHD/RHD)         | Left Hand Drive/ LHD |  |
| Teen Key (RU variant only) | Yes                  |  |
| CFG FEATURE                | CFG_NONE             |  |

**RBSS CONFIGURATION**

| NAME                       | VALUE                | UNITS |
|----------------------------|----------------------|-------|
| Steering Variant (LHD/RHD) | Left Hand Drive/ LHD |       |
| Teen Key (RU variant only) | Yes                  |       |

**FFCM CONFIGURATION**

| NAME              | VALUE          | UNITS |
|-------------------|----------------|-------|
| HIL mode Enabled  | False          |       |
| Traceability info | 02203264405813 |       |
| Traceability info | 11203269599702 |       |
| XCP Enabled       | False          |       |

**EDM CONFIGURATION**

| NAME                              | VALUE         | UNITS |
|-----------------------------------|---------------|-------|
| VES                               | False         |       |
| Vehicle Line                      | RU            |       |
| Body Style                        | Station Wagon |       |
| Vehicle Brand Type                | Chrysler      |       |
| Radio                             | Present       |       |
| Vehicle System Interface Module   | Not Present   |       |
| Intrusion module                  | Not Present   |       |
| CAN I in-dash disc player module  | Present       |       |
| Video Ent. System Screen 2 Module | Not Present   |       |
| Video Ent. System Screen 1 Module | Not Present   |       |

**RCCC CONFIGURATION**

| NAME                    | VALUE | UNITS |
|-------------------------|-------|-------|
| DualZone ATC Control    | False |       |
| DualZone ATC Control    | True  |       |
| Dual Zone MTC Control   | False |       |
| Single Zone MTC Control | False |       |
| MTC with EBL            | False |       |
| MTC without EBL         | False |       |
| MTC Heater Only         | False |       |

**ABSO CONFIGURATION**

| NAME                      | VALUE | UNITS |
|---------------------------|-------|-------|
| Multiple Pressure Sensors | True  |       |
| Front Directional Sensors | False |       |



|                            |           |         |
|----------------------------|-----------|---------|
| Rear Directional Sensors   | True      |         |
| Feature PIN                | False     |         |
| EPB                        | True      |         |
| ACC                        | True      |         |
| Hardwired VSO              | True      |         |
| Drive Configuration        | 2WD Front |         |
| VC Chassis Type            | Type 8    |         |
| ESC BLA Enabled            | False     |         |
| Dynamic Tire Circumference | 89        | inch    |
| Axle Ratio                 | 3.251     | No Unit |
| Engine Displacement        | 3.6       | No Unit |
| PN ESC Byte1               | 0         |         |
| PN ESC Byte2               | 0         |         |





## VEHICLE SCAN REPORT

**Vehicle** 2021 CHRYSLER PACIFICA (PHEV) 3.6L V6 HYBRID ENGINE  
**VIN** 2C4RC1S73M [REDACTED]

**Odometer** 17729.3 miles  
**Publication Date** Aug 8, 2022, 12:46:50 PM

## ECU SUMMARY INFO

| ECU   | NAME                           | BUS TYPE | FLASH PART # | CURRENT VIN | ORIGINAL VIN          | PART #     |
|-------|--------------------------------|----------|--------------|-------------|-----------------------|------------|
| PCM   | Powertrain Control Module      | CAN-C    | 68499122AF   | 2C4RC1S73M  | 2C4RC1S73M [REDACTED] | 68499122AF |
| PLGM  | Power Liftgate                 | CAN-I    | 68466171AI   | 2C4RC1S73M  | —                     | 68466171AI |
| ICS   | Integrated Center Stack        | CAN-I    | 6XY201X8AA   | 2C4RC1S73M  | 2C4RC1S73M [REDACTED] | 6XY201X8AA |
| RFH   | Radio Frequency Hub            | CAN-C    | 68500152AA   | 2C4RC1S73M  | 2C4RC1S73M [REDACTED] | 68500152AA |
| ESM   | Electronic Shifter             | CAN-C    | 68240089AM   | 2C4RC1S73M  | 2C4RC1S73M [REDACTED] | 68240089AM |
| ORC   | Occupant Restraint             | CAN-C    | 68480710AC   | 2C4RC1S73M  | 2C4RC1S73M [REDACTED] | 68480710AC |
| EPS   | Electric Power Steering        | CAN-C    | 68460392AA   | 2C4RC1S73M  | 2C4RC1S73M [REDACTED] | 68460392AA |
| HVAC  | Heat, Ventilation and A/C      | CAN-I    | 68493454AE   | 2C4RC1S73M  | 2C4RC1S73M [REDACTED] | 68493454AE |
| DDM   | Driver Door Module             | CAN-I    | 68496461AB   | 2C4RC1S73M  | 2C4RC1S73M [REDACTED] | 68496461AB |
| PDM   | Passenger Door Module          | CAN-I    | 68496460AB   | 2C4RC1S73M  | 2C4RC1S73M [REDACTED] | 68496460AB |
| DMRL  | Door Module Rear Left          | CAN-I    | 68508894AB   | 2C4RC1S73M  | 2C4RC1S73M [REDACTED] | 68508894AB |
| DMRR  | Door Module Rear Right         | CAN-I    | 68508894AB   | 2C4RC1S73M  | 2C4RC1S73M [REDACTED] | 68508894AB |
| PSDML | Power Sliding Doors (Left)     | CAN-I    | 68369596AD   | 2C4RC1S73M  | 2C4RC1S73M [REDACTED] | 68369596AD |
| PSDMR | Power Sliding Doors (Right)    | CAN-I    | 68369596AD   | 2C4RC1S73M  | 2C4RC1S73M [REDACTED] | 68369596AD |
| MSM   | Memory Seat Module             | CAN-I    | 68321862AC   | 2C4RC1S73M  | 2C4RC1S73M [REDACTED] | 68321862AC |
| CSWM  | Comfort Seat Wheel Module      | CAN-I    | 68517013AB   | 2C4RC1S73M  | 2C4RC1S73M [REDACTED] | 68517013AB |
| AMP   | Amplifier                      | CAN-I    | 68476878AA   | 2C4RC1S73M  | 2C4RC1S73M [REDACTED] | 68476878AA |
| IPC   | Instrument Panel Cluster       | CAN-C    | 68434960AE   | 2C4RC1S73M  | 2C4RC1S73M [REDACTED] | 68434960AE |
| PTS   | Parktronics                    | CAN-C    | 68485851AA   | 2C4RC1S73M  | 2C4RC1S73M [REDACTED] | 68485851AA |
| SCCM  | Steering Column Control Module | CAN-C    | 68360889AD   | 2C4RC1S73M  | 2C4RC1S73M [REDACTED] | 68360889AD |
| BCM   | Body Controller                | CAN-C    | 68491085AG   | 2C4RC1S73M  | 2C4RC1S73M [REDACTED] | 68491085AG |

|       |                                    |       |            |            |             |            |
|-------|------------------------------------|-------|------------|------------|-------------|------------|
| ACC   | Adaptive Cruise Control            | CAN-C | 68540436AA | 2C4RC1S73M | 2C4RC1S73MR | 68540436AA |
| RADIO | Radio                              | CAN-I | 68465292AC | 2C4RC1S73M | 2C4RC1S73MR | 68465292AC |
| OCM   | Occupant Classification            | CAN-C | 68403127AA | 2C4RC1S73M | 2C4RC1S73MR | 68403127AA |
| HVACR | Heat, Ventilation and A/C Rear     | CAN-I | 68373079AB | 2C4RC1S73M | 2C4RC1S73MR | 68373079AB |
| LBSS  | Left Blind Spot Sensor             | CAN-I | 04672786AB | 2C4RC1S73M | 2C4RC1S73MR | 04672786AB |
| RBSS  | Right Blind Spot Sensor            | CAN-I | 04672786AB | 2C4RC1S73M | 2C4RC1S73MR | 04672786AB |
| FFCM  | Forward Facing Camera Module       | CAN-C | 68493395AA | 2C4RC1S73M | 2C4RC1S73MR | 68493395AA |
| EDM   | External Disc Module               | CAN-I | 68499745AA | 2C4RC1S73M | 2C4RC1S73MR | 68499745AA |
| APM   | Accessory Power Module             | CAN-C | 05185046AB | 2C4RC1S73M | 2C4RC1S73MR | 05185046AB |
| BPCM  | Battery Pack Control Module        | CAN-C | 05193183AD | 2C4RC1S73M | 2C4RC1S73MR | 05193183AD |
| HCP   | Hybrid Control Processor           | CAN-C | 05185116AJ | 2C4RC1S73M | 2C4RC1S73MR | 05185116AJ |
| OBCM  | On Board Charging Module           | CAN-C | 05185047AE | 2C4RC1S73M | 2C4RC1S73MR | 05185047AE |
| MSMP  | Memory Seat Module - Passenger     | CAN-I | 68321862AC | 2C4RC1S73M | 2C4RC1S73MR | 68321862AC |
| DSM   | Display Screen Module              | CAN-I | 68437339AD | 2C4RC1S73M | 2C4RC1S73MR | 68437339AD |
| VRM   | Video Routing Module               | CAN-I | 68493702AA | 2C4RC1S73M | 2C4RC1S73MR | 68493702AA |
| RCCC  | Rear Cabin Comfort Controls        | CAN-I | 6WL30PD2AA | 2C4RC1S73M | 2C4RC1S73MR | 6WL30PD2AA |
| EAC   | Electric A/C Compressor            | CAN-C | 68237995AG | 2C4RC1S73M | 2C4RC1S73MR | 68237995AG |
| AHCP  | Auxiliary Hybrid Control Processor | CAN-C | 05185117AJ | 2C4RC1S73M | 2C4RC1S73MR | 05185117AJ |
| EBBM  | Electronic Brake Booster Module    | CAN-C | 68461813AB | 2C4RC1S73M | 2C4RC1S73MR | 68461813AB |
| ABSO  | Anti Lock Brakes OBD               | CAN-C | 68471122AD | 2C4RC1S73M | 2C4RC1S73MR | 68471122AD |
| SGW   | Security Gateway Module            | CAN-C | 68488429AB |            | 2C4RC1S73MR | 68488429AB |
| TBM2  | Telematic Box Module 2             | CAN-C | 68546266AB | 2C4RC1S73M | 2C4RC1S73MR | 68546266AB |

## ECU SUMMARY INFO (CONT...)

| ECU  | COUNTRY CODE | HARDWARE VERSION | SOFTWARE VERSION | IDENT        | SERIAL NUMBER | CVNS |
|------|--------------|------------------|------------------|--------------|---------------|------|
| PCM  | USA          | 1B 47            | 75 02 00         | 4422         |               |      |
| PLGM | USA          | 0                | 5084             | 000200000031 |               |      |
| ICS  | USA          | 0F 0C 00         | 13 31 01         | 4700         |               |      |
| RFH  | USA / USA    | 10 17 00         | 13 26 00         | 4A00         |               |      |
| ESM  | USA / USA    | 0F 24 00         | 12 28 FF         | 4402         |               |      |



|       |           |          |          |              |
|-------|-----------|----------|----------|--------------|
| ORC   | USA / USA | 12 1A 00 | 13 2E 00 | 4301         |
| EPS   | USA / USA | 12 2A 00 | 12 1E 01 | 4502         |
| HVAC  | USA       | 0E 09 00 | 14 2F 01 | 4401         |
| DDM   | USA       | 11 07 00 | 14 07 00 | 4202         |
| PDM   | USA       | 11 07 00 | 14 07 00 | 4202         |
| DMRL  | USA / USA | 10 0B 00 | 14 08 00 | 4201         |
| DMRR  | USA / USA | 10 0B 00 | 14 08 00 | 4201         |
| PSDML | USA / USA | 10 17 00 | 14 10 12 | 4001         |
| PSDMR | USA / USA | 10 17 00 | 14 10 12 | 4001         |
| MSM   | USA       | 0F 2B 00 | 10 27 03 | 4101         |
| CSWM  | USA       | 11 2A 00 | 14 25 00 | 4302         |
| AMP   | USA       | 18 2E 01 | 13 15 00 | 4030         |
| IPC   | USA / USA | 12 06 00 | 14 2B 00 | 4705         |
| PTS   | USA       | 0E 32 00 | 14 07 00 | 4311         |
| SCCM  | USA       | 13 28 00 | 13 29 00 | 4301         |
| BCM   | USA       | 0D 11 00 | 14 26 90 | 4420         |
| ACC   | USA / USA | 14 12 01 | 14 26 01 | 4400         |
| RADIO |           | 65       | 5175     | 000200000008 |
| OCM   | USA / USA | 11 1F 01 | 0E 2F 02 | 4030         |
| HVACR | USA       | 0E 09 00 | 10 03 02 | 4301         |
| LBSS  | USA / USA | 11 30 02 | 12 0D 00 | 4202         |
| RBSS  | USA / USA | 11 30 02 | 12 0D 00 | 4202         |
| FFCM  | USA / USA | 11 06 00 | 13 1E 00 | 4102         |
| EDM   | USA       | 12 0A 00 | 11 08 00 | 4000         |
| APM   | USA / USA | 11 32 00 | 11 32 00 | 4001         |
| BPCM  |           | 0E 03 00 | 14 1A 00 | 4005         |
| HCP   | USA       | 11 1F 04 | 0F 2D 00 | 4006         |
| OBCM  | USA       | 0F 0D 00 | 12 02 00 | 4002         |
| MSMP  | USA       | 0F 2B 00 | 10 27 03 | 4001         |
| DSM   | USA / USA | 14 0C 00 | 14 28 00 | 4300         |
| VRM   | USA / USA | 0F 1C 00 | 14 1E 14 | 4001         |
| RCCC  | USA       | 0F 1D 00 | 13 04 00 | 4000         |
| EAC   | USA       | 0E 34 00 | 12 0F 00 | 4102         |
| AHCP  | USA       | 11 1F 04 | 0F 2D 00 | 4000         |
| EBBM  | USA       | 0E 19 02 | 14 0D 18 | 4000         |
| ABSO  | USA       | 0E 15 02 | 14 1B 26 | 4201         |
| SGW   |           | 5        | 969      | 4103         |
| TBM2  | USA       | 13 0E 02 | 14 2A 5C | 4104         |

**DTC SUMMARY**

| ECU | DTC CODE | DTC DESCRIPTION    | STATUS |
|-----|----------|--------------------|--------|
| RFH | C0077-00 | Low Tire Pressure- | Stored |

**ENVIRONMENTAL DATA SUMMARY****RFH | C0077-00 | Stored | Low Tire Pressure-**

| NAME                                    | VALUE | UNITS |
|-----------------------------------------|-------|-------|
| Test Failed                             | False |       |
| Test Failed This Operation Cycle        | True  |       |
| Pending DTC                             | False |       |
| Confirmed DTC                           | True  |       |
| Test Not Completed Since Last Clear     | False |       |
| Test Failed Since Last Clear            | False |       |
| Test Not Completed This Operation Cycle | False |       |
| Warning Indicator Requested             | False |       |
| DTC Extended Data Record Number - All   | 01    |       |
| Occurrence flag                         | ERROR |       |
| Original Odometer Value                 | 17717 | miles |
| Most Recent Odometer Value              | 17717 | miles |
| Frequency Counter                       | 1     |       |
| Ignition Cycle Counter                  | 1     |       |

**SNAPSHOT DATA SUMMARY**

No Snapshot Data available for C0077-00