



WI  
TECH 2.0

## CONFIGURATION REPORT

**Vehicle** 2018 RAM 2500 PICKUP 6.7L I6 CUMMINS TURBO DIESEL  
**VIN** 3C6UR4CL0JG [REDACTED]

**Odometer** 18991.5 miles  
**Publication Date** May 27, 2020, 9:30:03 AM

### ECU SUMMARY INFO

| ECU   | NAME                           | BUS TYPE | FLASH PART # | CURRENT VIN | ORIGINAL VIN | PART #     |
|-------|--------------------------------|----------|--------------|-------------|--------------|------------|
| PCM   | Powertrain Control Module      | CAN-C    | 32370831AF   | 3C6UR4CL0J  | 3C6UR4CL0J   | 32370831AF |
| RFH   | Radio Frequency Hub            | CAN-C    | 68363202AC   | —           | 3C6UR4CL0J   | 68363202AC |
| ABS   | Anti Lock Brakes               | CAN-C    | 68351453AA   | 3C6UR4CL0J  | 3C6UR4CL0J   | 68351453AA |
| ORC   | Occupant Restraint             | CAN-C    | 68346749AB   | 3C6UR4CL0J  | 3C6UR4CL0J   | 68346749AB |
| HVAC  | Heat, Ventilation and A/C      | CAN-I    | 68268189AA   | 3C6UR4CL0J  | 3C6UR4CL0J   | 68268189AA |
| DDM   | Driver Door Module             | CAN-I    | 68225101AC   | 3C6UR4CL0J  | 3C6UR4CL0J   | 68225101AC |
| PDM   | Passenger Door Module          | CAN-I    | 68225100AC   | 3C6UR4CL0J  | 3C6UR4CL0J   | 68225100AC |
| IPC   | Instrument Panel Cluster       | CAN-C    | 68340678AB   |             | 3C6UR4CL0J   | 68340678AB |
| SCCM  | Steering Column Control Module | CAN-C    | 68110739AE   | 3C6UR4CL0J  | 3C6UR4CL0J   | 68110739AE |
| BCM   | Body Controller                | CAN-C    | 68357473AD   | 3C6UR4CL0J  | 3C6UR4CL0J   | 68357472AD |
| DCU   | Dosing Control Unit            | CAN-C    | 68313041AB   | —           | —            | 68313041AB |
| RADIO | Radio                          | CAN-I    | 68365210AC   | 3C6UR4CL0J  | 3C6UR4CL0J   | 68365210AC |
| VGT   | Variable Geometry Turbo        | CAN-C    | 68213171AE   |             |              | 68213171AE |
| SGW   | Security Gateway Module        | CAN-C    | 68398617AB   |             | 3C6UR4CL0J   | 68398617AB |

### ECU SUMMARY INFO (CONT...)

| ECU  | COUNTRY CODE | HARDWARE VERSION | SOFTWARE VERSION | IDENT | CVNS   |
|------|--------------|------------------|------------------|-------|--|
| PCM  | USA          | 00               | 18               | 2408  | 45423E6F<br>138973A8<br>C9F94B8C<br>611575E0<br>1166CE8F<br>A90FBFD2<br>03A23973 |
| RFH  | USA          | 0D 20 01         | 11 24 01         | 4110  |  |
| ABS  |              | 11 0B 00         | 10 09 01         | 4008  |  |
| ORC  | USA          | 0C 25 02         | 11 30 00         | 4201  |  |
| HVAC | USA          | 0E 03 09         | 0E 30 00         | 4201  |  |

|       |           |          |          |      |  |
|-------|-----------|----------|----------|------|--|
| DDM   | USA / USA | 13 22 00 | 15 07 00 | 4102 |  |
| PDM   | USA       | 13 22 00 | 15 07 00 | 4102 |  |
| IPC   | USA / USA | 05 01 00 | 11 07 00 | 4201 |  |
| SCCM  | USA       | 0A 2E 04 | 0B 26 00 | 4101 |  |
| BCM   | GERMANY   | 0D 11 00 | 12 06 40 | 4311 |  |
| DCU   | —         | 0C 18 00 | 0E 21 00 | 0200 |  |
| RADIO | USA       | 12 25 00 | 12 05 61 | 8010 |  |
| VGT   |           | 0D 2B 00 | 11 0A 00 | 0100 |  |
| SGW   |           | 5        | 425      | 4101 |  |

## PCM CONFIGURATION

| NAME                                   | VALUE     | UNITS |
|--|-----------|-------|
| SS4OBD                                 | False     |       |
| SS2OBD                                 | False     |       |
| EN4P                                   | True      |       |
| TRIP                                   | False     |       |
| EN22P                                  | True      |       |
| GHD                                    | False     |       |
| TCASEBE                                | True      |       |
| SS1OBD                                 | False     |       |
| LUA                                    | False     |       |
| SSROBD                                 | False     |       |
| TMXEN                                  | False     |       |
| TBEN                                   | True      |       |
| DMEN                                   | Dual Mode |       |
| ERSG                                   | 7         |       |
| SSNOBD                                 | False     |       |
| SS3OBD                                 | False     |       |
| Transmission Software Included         | True      |       |
| Ammonia Sensor Equipped                | False     |       |
| 68RFE                                  | True      |       |
| PTO Single Speed Equipped              | False     |       |
| 2nd Alternator Equipped                | False     |       |
| ENVFSACT                               | True      |       |
| 6.7 L Engine                           | True      |       |
| Auxiliary Fuel Tank Equipped           | False     |       |
| Air Conditioning Equipped              | True      |       |
| Raw Ambient Air Temperature In Package | True      |       |
| Cruise Control Equipped                | False     |       |
| VLPEN                                  | True      |       |
| Switched Max Operating Speed Equipped  | False     |       |
| EVR Idle Up Equipped                   | False     |       |
| Mobile PTO Equipped                    | False     |       |
| ERS ON BUS                             | True      |       |

|                                    |       |  |
|------------------------------------|-------|--|
| Vehicle Type (0 is CC and 1 is PU) | True  |  |
| PTO In Cab Equipped                | False |  |
| Accelerator Interlock Equipped     | False |  |
| Manual Transmission Equipped       | False |  |
| Fan Config                         | True  |  |
| Automatic Transmission Equipped    | True  |  |
| SKIM Equipped                      | True  |  |
| Stationary Desoot Available        | True  |  |
| PM Sensor Equipped                 | True  |  |
| PTO Equipped                       | False |  |
| Idle Shutdown Equipped             | False |  |
| Remote PTO Auto Resume Equipped    | False |  |
| Engine Software In Package         | True  |  |
| Remote Throttle Equipped           | False |  |
| Remote PTO Equipped                | False |  |
| ENVLPLRN                           | False |  |

## RFH CONFIGURATION

| NAME   | VALUE | UNITS |
|--|-------|-------|
| Back Up Vehicle Config 7 Programmed  | True  |       |
| Back Up Network Configuration ePT  | False |       |
| Back Up Vehicle Config 5 Programmed  | True  |       |
| Back Up ECU Configuration 2 Programmed   | True  |       |
| Back Up Programmed ECUs: P/T Chassis Network Programmed                          | True  |       |
| Back Up ECU Configuration 13 Programmed  | True  |       |
| Back Up ECU Configuration 14 Programmed  | True  |       |
| Back Up ECU Configuration 10 Programmed  | True  |       |
| Back Up Vehicle Config CSM 2 Programmed  | True  |       |
| Back Up ECU Configuration 11 Programmed  | True  |       |
| Back Up Vehicle Config 6 Programmed  | True  |       |
| Back Up ECU Configuration 7 Programmed   | True  |       |
| Back Up ECU Configuration 9 Programmed   | True  |       |
| Back Up ECU Configuration 8 Programmed   | True  |       |
| Back Up ECU Configuration 3 Programmed   | True  |       |
| Back Up Vehicle Config 4 Programmed  | True  |       |
| Back Up Programmed Network Configuration - Audio / Telematics Network Programmed | True  |       |
| Back Up Vehicle Config 2 Programmed  | True  |       |
| Back Up Programmed ECUs: Cabin Network Programmed                                | True  |       |
| Back Up ECU Configuration 6 Programmed   | True  |       |
| Back Up ECU Configuration 17 Programmed  | False |       |
| Back Up Vehicle Config CSM 1 Programmed  | True  |       |
| Back Up Vehicle Config 1 Programmed  | True  |       |
| Back Up ECU Configuration 12 Programmed  | True  |       |
| Back Up Vehicle Config 8 Programmed  | False |       |

|  |                     |     |
|--|---------------------|-----|
| Back Up ECU Configuration 5 Programmed   | True                |     |
| Back Up ECU Configuration 15 Programmed  | True                |     |
| Back Up ECU Configuration 1 Programmed   | True                |     |
| Back Up Vehicle Config CSM 3 Programmed  | False               |     |
| Back Up Vehicle Config 3 Programmed      | True                |     |
| Back Up ECU Configuration 4 Programmed   | True                |     |
| Hardware Configuration: Ignition Module  | IGNM                |     |
| ESCL Programmed                          | False               |     |
| RKE                                      | True                |     |
| Module Configuration Status              | True                |     |
| Fob-Alike                                | False               |     |
| ELV Programmed                           | False               |     |
| Base TPM                                 | False               |     |
| Premium TPM                              | True                |     |
| Passive Entry                            | False               |     |
| Remote Start Present                     | Not Set             |     |
| SKIM System Present                      | Set                 |     |
| Left/Right Hand Drive                    | Left Hand Drive     |     |
| RKE System Present                       | Set                 |     |
| Wait To Start Feature                    | Not Set             |     |
| Auto Park Present                        | Not Set             |     |
| Model Year                               | 2018                |     |
| Police Lighting Feature                  | Not Set             |     |
| ESCL system present                      | Not Set             |     |
| Passive Entry System present             | Not Set             |     |
| Keyless Go feature present               | Not Set             |     |
| Thatcham Present                         | Not Set             |     |
| FOBIK safe feature                       | Not Set             |     |
| ELV System Present                       | Not Set             |     |
| Rear Dually Present                      | Not Set             |     |
| Body Style                               | 4-Door Pickup       |     |
| Vehicle Line                             | DJ                  |     |
| T-Case Type                              | Not Present         |     |
| Max Load Inflation Pressure Front Tire   | 75.0                | PSI |
| Full Size Spare                          | Not Set             |     |
| Light Load Inflation Pressure Rear Tire  | 0.0                 | PSI |
| Light Load Inflation Pressure Front Tire | 0.0                 | PSI |
| Max Load Inflation Pressure Rear Tire    | 80.0                | PSI |
| Key type                                 | FOBik1 - PCF7961ATT |     |
| PIN Successfully Programmed              | Yes                 |     |
| Valid Key In Ignition                    | Yes                 |     |
| VIN Successfully Programmed              | Yes                 |     |
| Key Location #2 Successfully Programmed  | Yes                 |     |
| Key Location #1 Successfully Programmed  | Yes                 |     |

|  |             |  |
|--|-------------|--|
| Cygnus Transmission                        | Not Present |  |
| Transmission Type                          | Automatic   |  |
| Premium TPM system present                 | Set         |  |
| Base TPM system present                    | Not Set     |  |
| Vehicle Brand                              | Ram         |  |
| Configuration Status                       | Configured  |  |
| Hardware Configuration: Right Front Handle | No AP       |  |
| Hardware Configuration: Left Front Handle  | No AP       |  |

## ABS CONFIGURATION

| NAME               | VALUE | UNITS |
|--------------------|-------|-------|
| 3 Channel System   | False |       |
| No Drive Test      | False |       |
| HW BRK             | True  |       |
| CAN BLS            | False |       |
| Brake Pedal Sensor | True  |       |
| ACC                | False |       |
| HBC                | True  |       |
| PN-2011            | True  |       |
| Long Accel         | True  |       |
| FTR PIN            | False |       |
| Pro Active         | False |       |
| Conti              | False |       |
| HSA                | True  |       |
| ESC                | True  |       |
| Evac and Fill      | True  |       |

## ORC CONFIGURATION

| NAME   | VALUE | UNITS |
|--|-------|-------|
| Seatbelt Switch 2nd Row Left Configured                            | False |       |
| Door Head Airbag Right ( ZD Only ) Configured                      | False |       |
| Seatbelt Switch 2nd Row Center Configured                          | False |       |
| First Row Side / Thorax Bag Right ( D-Platforms Only ) Configured  | True  |       |
| Active Hood (Bus)  | False |       |
| Passenger Retractor Pretensioner (B-Pillar) Configured             | True  |       |
| Internal Low G (Z Axis)  | True  |       |
| Passenger Airbag Squib 1 Configured                                | True  |       |
| VipSecond Row Right Retractor Pretensioner (C-Pillar) Configured   | False |       |
| Seatbelt Switch 2nd Row Right Configured                           | False |       |
| Passenger Seat Track Position Sensor                               | False |       |
| Second Row Side / Thorax Bag Right ( D-Platforms Only ) Configured | False |       |
| Third Row Right Retractor Pretensioner (C-Pillar) Configured       | False |       |
| Passenger Airbag Disable Feature (Bus)                             | False |       |
| Second Row Left Retractor Pretensioner (C-Pillar) Configured       | False |       |

|   |            |  |
|---|------------|--|
| Driver Airbag Squib 1 Configured                                  | True       |  |
| Curtain/Windowbag right ( D-Platforms Only ) Configured           | True       |  |
| Curtain/Windowbag left ( D-Platforms Only ) Configured            | True       |  |
| Passenger Kneebag configured                                      | False      |  |
| Second Row Side / Thorax Bag Left ( D-Platforms Only ) Configured | False      |  |
| First Row Center Pretensioner (buckle Side) Configured            | False      |  |
| Door Head Airbag Left ( ZD Only ) Configured                      | False      |  |
| Driver Seat Track Position Sensor                                 | False      |  |
| Passenger Belt Buckle Pretensioner (buckle Side) Configured       | False      |  |
| Passenger Seatbelt Sensor Configured                              | False      |  |
| Driver Airbag Squib 2 Configured                                  | True       |  |
| Seat Pelvic Airbag Left ( ZD Only ) Configured                    | False      |  |
| Passenger Occupant Detection Sensor Status                        | Unoccupied |  |
| Driver Kneebag configured   | False      |  |
| Internal Roll sensor  | True       |  |
| Driver Retractor Pretensioner (B-Pillar) Configured               | True       |  |
| Pass Belt Adaptive Pretensioner (buckle Side) Configured          | False      |  |
| Seatbelt Switch 3rd Row Left Configured                           | False      |  |
| Passenger Airbag Squib 3 configured                               | False      |  |
| Door Thorax Airbag Left ( ZD Only ) Configured                    | False      |  |
| Door Thorax Airbag Right ( ZD Only ) Configured                   | False      |  |
| Seatbelt Switch 3rd Row Right Configured                          | False      |  |
| Seatbelt Switch 3rd Row Center Configured                         | False      |  |
| Driver Belt Adaptive Pretensioner (buckle Side) Configured        | False      |  |
| First Row Side / Thorax Bag Left ( D-Platforms Only ) Configured  | True       |  |
| Third Row Center Pretensioner (buckle Side) Configured            | False      |  |
| Internal Low G (Y Axis)   | True       |  |
| Passenger Airbag Squib 2 Configured                               | True       |  |
| Second Row Center Pretensioner (buckle Side) Configured           | False      |  |
| Seat Pelvic Airbag Right ( ZD Only ) Configured                   | False      |  |
| Internal Low G (X Axis)   | True       |  |
| Third Row Left Retractor Pretensioner (C-Pillar) Configured       | False      |  |
| Driver Seatbelt Sensor Configured                                 | True       |  |
| Driver Belt Buckle Pretensioner (buckle Side) Configured          | False      |  |
| Internal yaw rate   | True       |  |
| Driver Airbag Squib 3 configured                                  | False      |  |

## HVAC CONFIGURATION

| NAME                                | VALUE | UNITS |
|-------------------------------------|-------|-------|
| DualZone ATC Touchscreen            | False |       |
| Standalone Single Zone MTC With EBL | True  |       |
| Standalone Single Zone MTC W/O EBL  | False |       |
| DualZone ATC Touchscreen (Factory)  | False |       |

**DDM CONFIGURATION**

| NAME                             | VALUE | UNITS |
|----------------------------------|-------|-------|
| Power Folding Mirror             | False |       |
| EC Mirrors                       | False |       |
| Map Pocket LED (Ambient Lights)  | False |       |
| Blindspot Mirror                 | False |       |
| Ambient Temperature Sensor       | True  |       |
| Window express feature           | True  |       |
| Door Courtesy Lamp               | False |       |
| Memory Feature                   | False |       |
| Mirror Puddle Lamps              | False |       |
| Window Motor Hall Sensors        | False |       |
| Sun Shade                        | False |       |
| Tow Mirrors                      | False |       |
| Door Handle LED (Ambient Lights) | False |       |
| Heated Mirror                    | True  |       |
| Global Up                        | False |       |
| Global Down                      | False |       |
| Mirror Signal Lamp               | False |       |

**PDM CONFIGURATION**

| NAME                             | VALUE | UNITS |
|----------------------------------|-------|-------|
| Sun Shade                        | False |       |
| Door Courtesy Lamp               | False |       |
| Door Handle LED (Ambient Lights) | False |       |
| Frameless Window                 | False |       |
| Window express feature           | True  |       |
| Global Down                      | False |       |
| EC Mirrors                       | False |       |
| Puddle lamps                     | False |       |
| Ambient Temperature Sensor       | False |       |
| Power Folding Mirror             | False |       |
| Global Up                        | False |       |
| Window Motor Hall Sensors        | False |       |
| Tow Mirrors                      | False |       |
| Mirror Signal Lamp               | False |       |
| Heated Mirror                    | True  |       |
| Memory Feature                   | False |       |
| Map Pocket LED (Ambient Lights)  | False |       |
| Blindspot Mirror                 | False |       |

**IPC CONFIGURATION**

| NAME                  | VALUE | UNITS |
|-----------------------|-------|-------|
| Speedo Rng(Max scale) | NA    |       |

|   |                                    |         |
|---|------------------------------------|---------|
| Split Shaft Present                     | LBX                                |         |
| PTO Present                             | LBN or LBV                         |         |
| ERS Available                           | NA                                 |         |
| Virtual Speedometer                     | NA                                 |         |
| Heated Seat Present                     | CMA                                |         |
| Tire Pressure Monitoring Present        | False                              |         |
| Park Assist Present                     | False                              |         |
| Auto Highbeams Present                  | True                               |         |
| Automatic Transmission Present          | False                              |         |
| Remote Start Present                    | False                              |         |
| Lowline Cluster Present                 | False                              |         |
| Start-Stop System Present               | False                              |         |
| 4WD System Present                      | True                               |         |
| Trailer Tow Present                     | False                              |         |
| Compressed Natural Gas Present          | False                              |         |
| Air Suspension System Present           | False                              |         |
| Diesel Powertrain Present               | False                              |         |
| Memory Seat Present                     | True                               |         |
| Transmission Temperature Sensor Present | False                              |         |
| Electronic Power Steering Present       | False                              |         |
| Transmission Type                       | Auto                               |         |
| Stop Start Feature Present              | False                              |         |
| Fuel Type                               | Diesel / DIESEL                    |         |
| Electronic Throttle Control             | True                               |         |
| Engine Displacement                     | 2                                  | gallons |
| PTS Display Type and Location           | Headliner or NO Display Programmed |         |
| Shifter Type                            | Not applicable / TYPE_NA           |         |
| Left/Right Hand Drive                   | Left hand drive / LHD              |         |
| UREA/SCR System Present                 | Present                            |         |
| Remote Start Present                    | Not Present                        |         |
| Headrest present                        | Not Present                        |         |
| Drive Configuration                     | 2wd rear / 2RR                     |         |
| Performance Pages Present               | Not Present                        |         |
| Maximum Vehicle Speed                   | 0                                  | MPH     |
| Auto Highbeam feature present           | Not Present                        |         |
| CHMSL camera                            | Not Present                        |         |
| Parktronic system configuration         | 02                                 |         |
| Ambient Dimmer                          | Not Present                        |         |
| Rear Wheels                             | Single Rear Wheel                  |         |
| Maximum Achievable Gear                 | 0                                  | Gear    |
| Fuel Tank 1 Capacity                    | 17                                 | gallons |
| PTO Present                             | Not Present                        |         |
| Personalization in Cluster              | Disable Personalization in Cluster |         |
| ERS Available                           | Present                            |         |
|   |                                    |         |

|  |             |         |
|--|-------------|---------|
| Virtual Primary Speedo                       | Undefined   |         |
| Units - US or Metric Display                 | US          |         |
| Seatbelt Alert System                        | Enabled     |         |
| Vehicle equipped with two fuel sending units | False       |         |
| Display Compass Heading Present              | Present     |         |
| Fuel Capacity                                | 31          | gallons |
| Door Alert Feature Present                   | Not Present |         |
| Premium TPM system present                   | Present     |         |
| Police Lighting Feature                      | Not Present |         |
| Display Outside Temperature Present          | Present     |         |
| Base TPM system present                      | Not Present |         |

## BCM CONFIGURATION

| NAME  | VALUE         | UNITS |
|---|---------------|-------|
| Number of Reprogramming Attempts - Counter #0                 | 0             |       |
| Vehicle Configuration Programmed Status                       | True          |       |
| Last Programmed Status  | Manufacturing |       |
| Vehicle Configuration 6 - Write Counter                       | 1             |       |
| ECU Configuration 6 (Brake)                                   | 1             |       |
| ECU Configuration 2 (CBC Features)                            | 1             |       |
| ECU Configuration 12  | 0             |       |
| ECU Configuration 6 (Suspension)                              | 0             |       |
| Vehicle Configuration 4 - Write Counter                       | 1             |       |
| Programmed Network Configuration - Audio / Telematics Network | 1             |       |
| ECU Configuration 15 (Suspension)                             | 0             |       |
| Vehicle Configuration 2 - Write Counter                       | 1             |       |
| Vehicle Configuration 7 - Write Counter                       | 1             |       |
| ECU Configuration 11  | 1             |       |
| Vehicle Configuration 3 - Write Counter                       | 1             |       |
| ECU Configuration 9A  | 1             |       |
| ECU Configuration 5 (Doors)                                   | 1             |       |
| ECU Configuration 5 (Memory)                                  | 1             |       |
| ECU Configuration 15 (CBC Features)                           | 1             |       |
| ECU Configuration 8 (LIN and Miscellaneous )                  | 1             |       |
| ECU Configuration 14  | 1             |       |
| ECU Configuration 6 (Safety)                                  | 1             |       |
| ECU Configuration 10  | 1             |       |
| Programmed ECUs: Hybrid LAN Network                           | 0             |       |
| ECU Configuration 13  | 1             |       |
| Last Configuration Odometer                                   | 0             | miles |
| Vehicle Config CSM2   | 1             |       |
| Programmed ECUs: Cabin Network                                | 1             |       |
| ECU Configuration 5 (Wireless)                                | 1             |       |
| Vehicle Configuration 5 - Write Counter                       | 1             |       |

|   |                                    |     |
|---|------------------------------------|-----|
| Vehicle Configuration 1 - Write Counter                   | 1                                  |     |
| ECU Configuration 7 (CBC Exterior Lighting Calibrations)  | 1                                  |     |
| ECU Configuration 1 (CBC Configurable Inputs and Outputs) | 1                                  |     |
| ECU Configuration 4                                       | 1                                  |     |
| Vehicle Config CSM1                                       | 1                                  |     |
| ECU Configuration 6 (Powertrain)                          | 1                                  |     |
| Vehicle Configuration Auto Write Counter                  | 1                                  |     |
| ECU Configuration 9 (ITM)                                 | 1                                  |     |
| Programmed ECUs: P/T Chassis Network                      | 1                                  |     |
| ECU Configuration 3                                       | 1                                  |     |
| Left/Right Hand Drive                                     | Left Hand Drive                    |     |
| Hill Descent Feature Present                              | Not Set                            |     |
| Special Packages  | No Package / NONE                  |     |
| CHMSL camera  | Not Set                            |     |
| Country Code  | USA                                |     |
| Drive Configuration                                       | 2WD Rear                           |     |
| PTS Display Type and Location                             | Headliner or NO Display Programmed |     |
| Headrest present  | Not Set                            |     |
| PTS Configuration   | Reserved                           |     |
| UREA/SCR System Present                                   | Set                                |     |
| Rear View Camera  | Set                                |     |
| Model Year  | 2018                               |     |
| Performance Pages Present                                 | Not Present                        |     |
| Body Style  | 4-Door Pickup                      |     |
| Select Speed Control Feature Present                      | Not Set                            |     |
| Maximum Vehicle Speed                                     | SNA / Not Programmed               | MPH |
| Remote Start Present                                      | Not Set                            |     |
| Emode Present   | Not Set                            |     |
| Shifter Type  | Not applicable / TYPE_NA           |     |
| Vehicle Line  | DJ                                 |     |
| Auto Highbeam   | Not Set                            |     |
| Thatcham Present  | Not Set                            |     |
| Memory drive mode sub-feature configuration               | Not Set                            |     |
| Light Load Inflation Pressure Rear Tire                   | 0.0                                | PSI |
| Flipper Glass Present                                     | Not Set                            |     |
| Off Road Capable  | Not Set                            |     |
| Special Packages  | No Package / NONE                  |     |
| Power Inverter Type                                       | No Power Inverte                   |     |
| Cruise Feature is Present                                 | Set                                |     |
| Secure park feature present                               | Not Set                            |     |
| ESC drive mode sub-feature configuration                  | Not Set                            |     |
| Light Load Inflation Pressure Front Tire                  | 0.0                                | PSI |
| Max Load Inflation Pressure Rear Tire                     | 80.0                               | PSI |
| Max Load Inflation Pressure Front Tire                    | 75.0                               | PSI |

|   |   |         |
|---|---|---------|
| ECM drive mode sub-feature configuration              | Not Set   |         |
| Air Conditioning Present                              | Set   |         |
| Full Size Spare                                       | Not Set   |         |
| Run flat tires present                                | Not Set   |         |
| Drive mode feature configuration                      | Not Set   |         |
| Maserati vehicle mode                                 | Normal  |         |
| Rain Sensor Present                                   | Not Set   |         |
| Pass. Airbag Disable Switch Present                   | Not Set   |         |
| Configuration for performance & gear shift indication | Performance or gear shift indication not present / NONE |         |
| SKIM System Present                                   | Set   |         |
| ECO Indicator Present                                 | Not Set   |         |
| Passive Entry Present                                 | Not Set   |         |
| Power Lift Gate Present                               | Not Set   |         |
| Liftgate/Trunk Type                                   | Trunk   |         |
| Sunshade Present                                      | Not Set   |         |
| HVAC Configuration                                    | Single Zone MTC   |         |
| Two Fuel Sending Units Present                        | Not Set   |         |
| Power Right Sliding Door Present                      | Not Set   |         |
| Wheel Base  | Long wheel base (140" & 149" Ram Truck) / LONG          |         |
| High Intensity Discharge Head Lamps                   | Not Set   |         |
| Display Outside Temperature Present                   | Set   |         |
| Power Left Sliding Door Present                       | Not Set   |         |
| Auto Park Present                                     | Not Set   |         |
| Disable Display of Radio Clock                        | Not Set   |         |
| Interior EC Mirror Present                            | Not Set   |         |
| Paddle Shift Feature Present                          | Not Set   |         |
| Police Lighting Feature                               | Not Set   |         |
| Secondary Lock Present                                | Not Set   |         |
| Collision Mitigation System present                   | Not Set   |         |
| Sport Mode Present                                    | Not Set   |         |
| Forward Collision Warning present                     | Not Set   |         |
| Chassis Type  | Type 17   |         |
| Fuel Capacity   | 31  | gallons |
| Adjustable Pedal Feature Present (non-Memory)         | Not Set   |         |
| Vehicle Brand   | Ram   |         |
| Keyless Go Present                                    | Not Set   |         |
| Auto Headlamp Feature Present                         | Set   |         |
| FOBIK Safe Enable                                     | Not Set   |         |
| Vehicle is an SRT                                     | Not Set   |         |
| Premium TPM system present                            | Set   |         |
| Display Compass Heading Present                       | Set   |         |
| Base TPM system present                               | Not Set   |         |
| ESCL system present                                   | Not Set   |         |
| Door Alert Feature Present                            | Not Set   |         |

|   |                              |         |
|---|------------------------------|---------|
| T-Case Type   | not present / NOT_PRSNT      |         |
| ELV Present   | Not Set                      |         |
| RKE System Present  | Set                          |         |
| Window Express Feature Configuration                          | Front windows express only   |         |
| Dynamic Tire Circumference (All or Rear)                      | 93                           | inch    |
| Axle Ratio  | 3.420                        |         |
| Transfer Case High Ratio                                      | 0.000                        | No Unit |
| Transfer Case Low Range Reduction Ratio                       | SNA                          |         |
| Ambient temperature sensor location                           | DCM                          |         |
| Wait to Start Feature Present                                 | Not Set                      |         |
| Semi-Automatic Parking System Present                         | Not Set                      |         |
| Seat Belt Reminder Module Present                             | Not Set                      |         |
| Luci feature present  | Not Set                      |         |
| Ambient Lighting Feature Present                              | Not Set                      |         |
| Rear door lock switch present                                 | Not Set                      |         |
| Dual Rear Wheel (DRW) Vehicle Present                         | Not Set                      |         |
| Park With Stop Present  | Not Set                      |         |
| Off-Road Pages Present  | Not Set                      |         |
| Non-Regulated Tire Pressure Information System (TPIS) Present | Not Set                      |         |
| Child Display Feature Present                                 | Not Set                      |         |
| Speed Limiter Present   | Not Set                      |         |
| Steering Ratio at zero  | 0.0                          | No Unit |
| Brake type configuration (M156/7)                             | Signal Not Available / SNA   |         |
| Analog Door Sensor Configuration                              | No Doors with Analog Sensors |         |
| Air Quality System Present                                    | Not Set                      |         |
| Snow Plow Park Lamps  | Not Set                      |         |
| IOD RELAY ON HSD Present                                      | Not Set                      |         |
| Manual T-Case Present(Analog Spare Input #1 Present)          | Not Set                      |         |
| VTA Warning LED Output Present                                | Set                          |         |
| Front Fog Lamps Output Present                                | Not Set                      |         |
| Ram Box/Tail Gate Unlock                                      | Set                          |         |
| Side Repeaters Output Present                                 | Not Set                      |         |
| Foot Well Lamps Output Present                                | Set                          |         |
| Trailer Backup Lamps Output Present                           | Set                          |         |
| IOD RELAY OFF HSD Present                                     | Not Set                      |         |
| Sunshade Switch Input Present                                 | Set                          |         |
| Left Dedicated DRL Lamps Output Present                       | Not Set                      |         |
| Relay LSD Spare #1 Output Present                             | Not Set                      |         |
| Adjustable Pedal Motor Relay Output Present                   | Not Set                      |         |
| Hood Ajar Switch Input Present                                | Not Set                      |         |
| Ignition UNLOCK RUN START Present                             | Set                          |         |
| Rear Fog Lamps Output Present                                 | Not Set                      |         |
| Trailer Turn_Stop Relay Ctrl LT Output Present                | Set                          |         |
| Baggage Comp Lamps Output Present                             | Set                          |         |

|   |                                  |  |
|---|----------------------------------|--|
| Trailer Tail Lamp Relay Ctrl Output Present             | Set                              |  |
| UGDO Feed Output Present                                | Not Set                          |  |
| Rear Park Lamps Output Present                          | Set                              |  |
| Rear Turn Lamps Output Present                          | Not Set                          |  |
| Ambient Temperature Sensor Present                      | Not Set                          |  |
| Reserved (Trunk/Flipper Glass Rel SW SIG Input Present) | Set                              |  |
| Auxiliary Fuel Pump                                     | Not Set                          |  |
| Ram Box/Tail Gate Lock                                  | Set                              |  |
| RLS Analog In 3 Input Present                           | Set                              |  |
| Right Dedicated DRL Lamp Output Present                 | Not Set                          |  |
| IOD ON LSD Output Present                               | Not Set                          |  |
| Snow Plow Enable/Disable                                | Set                              |  |
| Trailer Turn_Stop Relay Ctrl RT Output Present          | Set                              |  |
| Sunshade Control Output Present                         | Not Set                          |  |
| ESM Present   | Set                              |  |
| Bed Light SW Signal Input Present                       | Set                              |  |
| Diesel Fuel Heater Relay Output Present                 | Set                              |  |
| Washer Fluid Level Sense SIG Input Present              | Set                              |  |
| ESCL Unlock Control Output Present                      | Set                              |  |
| Diesel Cabin Heater #1 Output Present                   | Not Set                          |  |
| Backup-Reverse SW Input Present                         | Not Set                          |  |
| Fuel Level Sensor #2 Input Present                      | Not Set                          |  |
| Headlamp Washer Motor Ctrl Output Present               | Not Set                          |  |
| Relay LSD Spare #2 Output Present                       | Not Set                          |  |
| SNOW PLOW LSD #3  | Not Set                          |  |
| Hard Top Sense/Stealth Input Present                    | Not Set                          |  |
| Run-ACC Y Relay #2 Output Present                       | Set                              |  |
| Ambient Light Dimmer Wheel Input Present                | Not Set                          |  |
| ERS Switch Input Present                                | Set                              |  |
| Park Brake Input Present                                | Set                              |  |
| Diesel Cabin Heater #2 Output Present                   | Not Set                          |  |
| Inverter Status Input Present                           | Not Set                          |  |
| Inverter Enable Relay Output Present                    | Not Set                          |  |
| Diesel Cabin Heater #3 Output Present                   | Not Set                          |  |
| Hazard Lamp Configuration                               | Latching Switch                  |  |
| LED Stop Lamps Present                                  | Not Set                          |  |
| One Touch Lane Change                                   | Set                              |  |
| Front Wiper Park Enable                                 | Set                              |  |
| Quad Headlamps Enable                                   | Set                              |  |
| Horn Chirp Allowed                                      | Set                              |  |
| Rear Lighting DTC Disable                               | Not Set                          |  |
| Front Wiper Wipes After Wash                            | 2 Wipes                          |  |
| Door Lock Switch Signal FT LT Usage                     | ANALOG DOOR AJAR SW SIG DRIV (0) |  |
| Side Repeaters Enable                                   | Not Set                          |  |

|  |  |  |
|--|--|--|
| Rear Wiper Park Enable                             | Not Set                                  |  |
| Reversible Washer Pump Enable                      | Not Set                                  |  |
| VTA Hood Ajar Monitoring                           | Not Set                                  |  |
| LED Rear Fog Lamps Present                         | Not Set                                  |  |
| Wiper Service Position Enabled                     | Not Set                                  |  |
| Single Element Tail Lamp                           | Not Set                                  |  |
| Dual Start Relay System Present                    | Not Set                                  |  |
| Exterior Light Loadshed Enable                     | Set                                      |  |
| LED Low Beam Lamps Present                         | Not Set                                  |  |
| LED High Beam Lamps Present                        | Not Set                                  |  |
| Front Fog Lamp Dropout Enable                      | Not Set                                  |  |
| Tip Start Enabled                                  | Set                                      |  |
| LED License Lamps Present                          | Not Set                                  |  |
| Bi Xenon Headlamps Enable                          | Not Set                                  |  |
| DRL Configuration                                  | Optional DRL                             |  |
| LED Reverse Lamps Present                          | Not Set                                  |  |
| LED Dedicated DRL Present                          | Not Set                                  |  |
| LED Tail Lamps Present                             | Not Set                                  |  |
| DRL Dropout Enable                                 | Set                                      |  |
| DRL Lamp Location                                  | None                                     |  |
| LED Rear Turn Lamps Present                        | Not Set                                  |  |
| Side Mirror Repeaters used as side markers         | Not Set                                  |  |
| Headlamp Wash Spray Duration (at 100 ms intervals) | 2000ms                                   |  |
| Tunnel Detection                                   | Not Set                                  |  |
| LED Front Fog Lamps Present                        | Not Set                                  |  |
| Intermittent Wiper States                          | 5 Intermittent Wiper position Switch     |  |
| Headlamp Wash Interval                             | wash cycle#11                            |  |
| LED Front Turn Lamps Present                       | Not Set                                  |  |
| LED Front Park/Marker Lamps Present                | Not Set                                  |  |
| Headlamp Washer Low Fluid Shut-Off Enable          | Set                                      |  |
| Park Lamp Loadshed Enable                          | Set                                      |  |
| AUX High Beam Present                              | Not Set                                  |  |
| Combined Rear Lighting Enable                      | Set                                      |  |
| Trailer Tow Present                                | Set                                      |  |
| TCSM Present                                       | Not Set                                  |  |
| Door Lock Switch Signal FT RT Usage                | ANALOG DOOR AJAR SW SIG PASS (0)         |  |
| LED CHMSL Lamp Present                             | Not Set                                  |  |
| Antenna Type                                       | Passive Primary and no secondary antenna |  |
| Disable CD Eject                                   | Not Set                                  |  |
| Power Door Locks Present                           | Set                                      |  |
| Cabin Equilization Curve Number                    | Crew Cab 6 Speaker Base (Ds)             |  |
| Front Heated Seats Present                         | Not Set                                  |  |
| DTV Side Camera Present                            | Not Set                                  |  |
| Configuration messages status 3                    | Programmed                               |  |

|  |                          |         |
|--|--------------------------|---------|
| Front Ventilated Seats Present             | Not Set                  |         |
| Destination                                | United States of America |         |
| Microphone Type                            | Peiker 300 mv            |         |
| DRL customer setting enable/disable        | Not Set                  |         |
| DTV Front Camera Present                   | Not Set                  |         |
| Microphone Configuration                   | 2 mics                   |         |
| Rear Camera Present                        | Set                      |         |
| Splashscreen Type                          | Vehicle Brand            |         |
| Microphone Tuning Parameter                | absent                   |         |
| External Port Type                         | AUX + USB                |         |
| Surround Sound Feature Present             | Not Set                  |         |
| Heated Steering Wheel Present              | Not Set                  |         |
| Vehicle Class                              | 2500 / 2500              |         |
| Max Gear                                   | Six gear                 |         |
| ERS Available                              | available                |         |
| IC Config Feature                          | NOT AVAILABLE            |         |
| Rear Wheel Dually                          | NOT AVAILABLE            |         |
| Split Shaft Present                        | NOT AVAILABLE            |         |
| Fuel Capacity                              | 0                        | gallons |
| Heated Seat Present                        | NOT AVAILABLE            |         |
| Airport Scenario Trunk Set                 | Not Set                  |         |
| AP3 Left Rear                              | Not Present              |         |
| Wireless ECU Configuration A               | Undefined                |         |
| AP4 Right Rear                             | Not Present              |         |
| AP2 Right Front                            | Not Present              |         |
| Tip Start Present                          | Set                      |         |
| AP5 Trunk                                  | Not Present              |         |
| AP1 Left Front                             | Not Present              |         |
| Door Courtesy Lamps Present                | Not Set                  |         |
| Electro-chromatic passenger mirror present | Not Set                  |         |
| Window Motor Type                          | Not Set                  |         |
| Heated Mirrors Present                     | Set                      |         |
| Door map pocket LED                        | Not Set                  |         |
| Global Down                                | Not Set                  |         |
| Tow Mirror Present                         | Not Set                  |         |
| Window Hall Sensors Present                | Not Set                  |         |
| Electro-chromatic driver mirror present    | Not Set                  |         |
| Global Up                                  | Not Set                  |         |
| Door Handle LED - Ambient Lights           | Not Set                  |         |
| Frameless Window Present                   | Not Set                  |         |
| Sun Shade                                  | Not Set                  |         |
| Mirror Approach Lights Present             | Not Set                  |         |
| Driver Memory Mirrors Present              | Not Set                  |         |
| Mirror turn signals present                | Not Set                  |         |

|   |  |  |
|---|--|--|
| Puddle Lamp Present                                       | Not Set                                    |  |
| Rear Door Pre Short Drop                                  | Not Set                                    |  |
| Passenger Memory Mirror Present                           | Not Set                                    |  |
| Passenger Window Lockout                                  | Not Set                                    |  |
| Blindspot Mirror Present                                  | Not Set                                    |  |
| Folding mirrors present                                   | Not Set                                    |  |
| Heated Steering Wheel Present                             | Not Present                                |  |
| Memory Adjustable Pedals Present                          | Not Set                                    |  |
| Memory Seat Present                                       | Not Set                                    |  |
| Heated Wheel Material Type                                | Wood/Leather                               |  |
| Tilt/Telescope Steering Present                           | Not Set                                    |  |
| Rear Heated Seats Present                                 | Not Present                                |  |
| Heated Seat Material Type                                 | Cloth                                      |  |
| Front Vented Seats Present                                | Not Present                                |  |
| Brake System ECU Configuration A                          | value 12                                   |  |
| Brake System ECU Configuration B                          | 21   |  |
| Suspension ECU Configuration A                            | 00   |  |
| Suspension ECU Configuration B                            | 00   |  |
| Powertrain ECU Configuration B                            | 00   |  |
| Vehicle is equipped with Variable Geomeric Turbo Actuator | Set  |  |
| Dual Alternator Present                                   | Not Set                                    |  |
| Vehicle is equipped with Dosing Control Unit              | Set  |  |
| ECO Mode Configuration                                    | Remember previous state with Ign Key Cycle |  |
| Front Park Lamps Open Circuit DTC Enable                  | Not Set                                    |  |
| Flipper Glass Ajar Signal Usage                           | Upfitter Rear Lamp DTC Disable             |  |
| Auto High Beam Module Location                            | None                                       |  |
| Liftgate Unlock   | Not Present                                |  |
| Dedicated DRL Lamps Open Circuit DTC Enable               | Not Set                                    |  |
| Left Rear Turn Signal Usage                               | Left Rear Turn Signal                      |  |
| Front Fog Lamps Open Circuit DTC Enable                   | Not Set                                    |  |
| Stop Lamps Open Circuit DTC Enable                        | Not Set                                    |  |
| High Beam Lamps Open Circuit DTC Enable                   | Not Set                                    |  |
| Snow Plow Left Turn                                       | Not Present                                |  |
| License Lamp Disabled                                     | Not Set                                    |  |
| ERS Input Usage   | ERS  |  |
| Spare Relay LSD #4  | Not Present                                |  |
| CHMSL Lamp Output Disable                                 | Not Set                                    |  |
| License Lamp Open Circuit DTC Enable                      | Not Set                                    |  |
| Manual Door Locks Present                                 | Not Set                                    |  |
| CHMSL Lamp Open Circuit DTC Enable                        | Not Set                                    |  |
| Right Rear Turn Signal Usage                              | Right Rear Turn Signal                     |  |
| Liftgate Lock   | Not Present                                |  |
| Rain Sensor Module #2 Present                             | Not Set                                    |  |
| Switch Lamp Indicator #3                                  | Not Present                                |  |

|  |                                |  |
|--|--------------------------------|--|
| Baggage (Cargo) Lamp Output Disabled with vehicle speed        | Not Set                        |  |
| Truck Bed Lighting Feature                                     | Bed Lighting Feature Present   |  |
| Rear Park Lamps Open Circuit DTC Enable                        | Not Set                        |  |
| IOD Relay Voltage Sense  | Not Set                        |  |
| Spare Relay LSD #5   | Not Present                    |  |
| Rear Fog Lamps Open Circuit DTC Enable                         | Not Set                        |  |
| Humidy Sensor Long Present                                     | Not Set                        |  |
| Switch Lamp Indicator #1                                       | Not Present                    |  |
| Switch Lamp Indicator #2                                       | Not Present                    |  |
| Reverse Lamps Open Circuit DTC Enable                          | Not Set                        |  |
| Rear Wiper Motor Control Usage                                 | Rear Wiper (0)                 |  |
| Brake Smoothing Duration                                       | 31 periods                     |  |
| Steering Smoothing Threshold                                   | Filter Off                     |  |
| Acceleration Threshold   | 480 degrees                    |  |
| Brake Smoothing Factor   | 1                              |  |
| Brake Smoothing Threshold                                      | 375 Nm                         |  |
| Maximum Longitudinal Change                                    | 1.0 degrees                    |  |
| Average Last Lateral Acceleration Values                       | Average 15                     |  |
| Acceleration Factor  | 5                              |  |
| Nose Dive Threshold  | 0.5 ms                         |  |
| Steering Smoothing Duration                                    | 3 periods                      |  |
| Excess Lateral Acceleration Factor                             | Filter Off                     |  |
| Nose Dive Factor   | 0.5                            |  |
| Steering Smoothing Factor                                      | 2                              |  |
| Excess Longitudinal Acceleration Factor                        | 7.5                            |  |
| Maximum Lateral Change   | Filter Off                     |  |
| Average Last Longitudinal Acceleration Values                  | Average 15                     |  |
| Cfg_Aux_PTO  | No AUX Switchs are used / NONE |  |
| e-shifter present  | Not Set                        |  |
| Shift feature autostick / electronic range select status       | ERS present / ERS              |  |
| ACC Type   | ACC not present / NONE         |  |
| Red Key Feature  | Not Set                        |  |
| Paddles lock-out feature                                       | Not Set                        |  |
| ASCM Active Damping  | Not Set                        |  |
| Full Central Vision Processing                                 | Not Set                        |  |
| Temperature Display Resolution                                 | Not Set                        |  |
| Teen Key Feature Present                                       | Not Set                        |  |
| Transmission drive mode feature                                | Not Set                        |  |
| Super trac pack present  | Not Set                        |  |
| Dynamic steering torque present                                | Not Set                        |  |
| Full Speed Range forward collision warning plus system present | Not Set                        |  |
| Transmission Neutral Hold Feature                              | Not Set                        |  |
| Automatic transmission type                                    | 68RFE / c68RFE                 |  |
| Active Blind Spot  | Set                            |  |

|  |                              |  |
|--|------------------------------|--|
| ASCM Suspension                          | Not Set                      |  |
| Lane Departure Warning present           | Not Set                      |  |
| Auto-On Driver Comfort CSM               | Feature not present / Absent |  |
| Headlamps On with Wipers CSM             | Set                          |  |
| Electric Power Steering CSM              | Not Set                      |  |
| Headlamp Off Delay CSM                   | Set                          |  |
| Rain Sensitive Wipers CSM                | Not Set                      |  |
| Unit of Distance CSM                     | Not Set                      |  |
| Illuminated Approach CSM                 | Set                          |  |
| Compass Variance CSM                     | Set                          |  |
| Headlamp Drop CSM                        | Not Set                      |  |
| DRL CSM                                  | Not Set                      |  |
| Sound Horn with Remote Lower CSM         | Not Set                      |  |
| Rear View Camera Gridlines CSM           | Dynamic / DYNAMIC            |  |
| Sound Horn with Remote Start CSM         | Not Set                      |  |
| Park Assist Rear Volume CSM              | Not Set                      |  |
| Auto High Beam CSM                       | Not Set                      |  |
| Compass Calibration CSM                  | Set                          |  |
| Auto Door Lock CSM                       | Set                          |  |
| Park Assist CSM                          | Feature not present / Absent |  |
| Auxiliary Switches CSM                   | Feature not present / Absent |  |
| CHMSL Line CSM                           | Not Set                      |  |
| Rear Camera CSM                          | Set                          |  |
| Easy Exit Seat CSM                       | Not Set                      |  |
| Power Liftgate Chime CSM                 | Not Set                      |  |
| Adaptive Front Light System CSM          | Not Set                      |  |
| Flash Lights with Remote Lower CSM       | Not Set                      |  |
| Park Assist Brake CSM                    | Not Set                      |  |
| Park Assist Front Volume CSM             | Not Set                      |  |
| Passive Entry CSM                        | Not Set                      |  |
| Flash Lamps with Lock CSM                | Set                          |  |
| Performance Shift Enable CSM             | Not Set                      |  |
| Lane Departure Torque CSM                | Not Set                      |  |
| Power Accessory Delay CSM                | Set                          |  |
| Tire Jack Mode CSM                       | Not Set                      |  |
| EPB Service Mode CSM                     | Not Set                      |  |
| Blind Spot Alert CSM                     | Not Set                      |  |
| Ambient Dimmer CSM                       | Not Set                      |  |
| Navigation Turn-by-Turn CSM              | Not Set                      |  |
| Auto Entry Exit Mode CSM                 | Not Set                      |  |
| Unit of Power CSM                        | Not Set                      |  |
| Unit of Capacity CSM                     | Not Set                      |  |
| Auto Door Unlock CSM                     | Set                          |  |
| Forward Collision Mitigation Braking CSM | Not Set                      |  |

|   |                                   |  |
|---|-----------------------------------|--|
| Sound Horn with Remote Lock CSM             | Feature 2 - 3 option / Option_2_3 |  |
| Air Suspension Warning CSM                  | Not Set                           |  |
| Power Take Off CSM                          | Not Set                           |  |
| Lane Departure Warning CSM                  | Not Set                           |  |
| Auto Park CSM                               | Not Set                           |  |
| Clock Display CSM                           | Not Set                           |  |
| Automatic Aero Mode CSM                     | Not Set                           |  |
| Police Passive Entry Settings CSM           | Not Set                           |  |
| Hill Start Assist CSM                       | Set                               |  |
| Performance Shift RPM CSM                   | Not Set                           |  |
| Consumption Unit CSM                        | Not Set                           |  |
| Pressure Unit CSM                           | Not Set                           |  |
| Forward Collision Warning CSM               | Feature not present / Absent      |  |
| Rear View Camera Delay CSM                  | Set                               |  |
| Tilt Mirror in Reverse CSM                  | Not Set                           |  |
| Unit of Speed CSM                           | Not Set                           |  |
| Fuel Saver CSM                              | Not Set                           |  |
| Trailer Type CSM                            | Not Set                           |  |
| Transport Mode CSM                          | Not Set                           |  |
| RKE Linked to Memory CSM                    | Not Set                           |  |
| RKE Unlock CSM                              | Set                               |  |
| Wheel Alignment CSM                         | Not Set                           |  |
| Trailer Selected CSM                        | Not Set                           |  |
| Trailer Name CSM                            | Not Set                           |  |
| US/Metric CSM                               | Set                               |  |
| Unit of Torque CSM                          | Not Set                           |  |
| Radio Speaker Open Circuit Disable (LR)     | Not Set                           |  |
| Auto Dimming Mirror Hard Button Present     | Not Set                           |  |
| Drive Mode Version                          | Version 1                         |  |
| ANC Calibration Parameter Data Set          | Default                           |  |
| Radio Speaker Open Circuit Disable (LF)     | Not Set                           |  |
| Trailer Hitch Camera Present                | Not Set                           |  |
| Show Phone Information in Cluster           | Not Set                           |  |
| Surround View Camera On/Off Softkey Present | Not Set                           |  |
| Radio Speaker Open Circuit Disable (RF)     | Not Set                           |  |
| Radio Speaker Open Circuit Disable (RR)     | Not Set                           |  |
| Rear Defrost and Heated Mirrors Present     | Mirror Only                       |  |
| EPP   | False                             |  |
| ODS Present                                 | False                             |  |
| ORC Configuration LSB Byte bit4             | False                             |  |
| ORC - Special Type                          | DS 2 door, DJ 4 door              |  |
| BUX vehicle                                 | False                             |  |
| ORC - Calibration Selection                 | DS 2 door, DJ 4 door              |  |
| ORC Configuration LSB Byte bit5             | False                             |  |

|                                |                          |         |
|--------------------------------|--------------------------|---------|
| EPS                            | Not Set                  |         |
| RFH                            | Set                      |         |
| ADCM                           | Not Set                  |         |
| ITBM                           | Not Set                  |         |
| TPM                            | Not Set                  |         |
| SCCM                           | Set                      |         |
| VSIM                           | Not Set                  |         |
| ELSD                           | Not Set                  |         |
| PCM                            | Set                      |         |
| PTS                            | Not Set                  |         |
| ORC                            | Set                      |         |
| BCM (PT)                       | Set                      |         |
| ACC                            | Not Set                  |         |
| ABS                            | Set                      |         |
| ASCM                           | Not Set                  |         |
| DTCM                           | Not Set                  |         |
| TCM                            | Not Set                  |         |
| FFCM                           | Not Set                  |         |
| IPC                            | Set                      |         |
| SGW                            | Set                      |         |
| FDCM                           | Not Set                  |         |
| ESM                            | Not Set                  |         |
| Auto Highbeam                  | Not Set                  |         |
| Sound Horn On Lock Status      | Chirp on 1st press/FIRST |         |
| Auto Relock Enabled            | Set                      |         |
| EC Mirror Auto Dim Enabled     | Not Set                  |         |
| Daytime Running Lamps          | Set                      |         |
| Remote lowering horn enabled   | Not Set                  |         |
| Accessory Delay Time           | 45                       | seconds |
| Sound Horn on Lock             | Set                      |         |
| Auto Unlock                    | Set                      |         |
| Illuminated Approach Time      | 30                       | seconds |
| Headlamp Delay Time            | 30                       | seconds |
| Sound Horn on Remote Start     | Set                      |         |
| Dynamic Gridlines Enabled      | Set                      |         |
| Auto Wipers                    | Not Set                  |         |
| Flash Lamps on Lock            | Set                      |         |
| Auto Lock                      | Set                      |         |
| Static Gridlines Enabled       | Not Set                  |         |
| Headlamps on with Wipers       | Set                      |         |
| Remote lowering lights enabled | Not Set                  |         |
| RBSM                           | Not Set                  |         |
| MSM                            | Not Set                  |         |
| VES3                           | Not Set                  |         |

|   |              |         |
|---|--------------|---------|
| BCM (Interior Bus)                              | Set          |         |
| ETM   | Not Set      |         |
| HVAC  | Set          |         |
| PDM   | Set          |         |
| ITM   | Not Set      |         |
| ICS   | Not Set      |         |
| VTM   | Not Set      |         |
| AMP   | Not Set      |         |
| DDM   | Set          |         |
| LBSM  | Not Set      |         |
| VES2  | Not Set      |         |
| Radio   | Set          |         |
| HSM   | Not Set      |         |
| Ultrasonics                                     | Set          |         |
| ITM ecu configuration B                         | 00           |         |
| Tilt  | Set          |         |
| Siren   | Set          |         |
| Rear View Camera Static Grid Lines Enabled      | Not Set      |         |
| Rear View Camera Dynamic Grid Lines Enabled     | Set          |         |
| IBS Minimal Charge Limit                        | 10           | AmpHrs  |
| Battery Types                                   | Battery ID 4 |         |
| IBS Minimum Voltage Limit                       | 5.0          | Volts   |
| IBS Standby Time                                | 7620         | seconds |
| IBS Minimum Charge Limit                        | 600          | mA      |
| IBS Quiescence Current Limit                    | -250         | mA      |
| IBS Activate MWU                                | Not Set      |         |
| DC to DC Converter Present                      | Not Set      |         |
| Illuminated Approach Headlamp Target Percentage | 165 (82.50%) |         |
| ECC_AHBM Present                                | Not Set      |         |
| UCONNECT Access Mirror Buttons Present          | Not Set      |         |
| Humidity Sensor Present                         | Not Set      |         |
| Snow Plow Enable                                | Not Set      |         |
| Manual Trans Present                            | Not Set      |         |
| Compass Mounting Orientation                    | Upside Down  |         |
| Washer Fluid Level Voltage Threshold            | 4.46 volts   |         |
| Alert On System Fault                           | Not Set      |         |
| CRVMM Present                                   | Not Set      |         |
| Auto Relock Time                                | 60           | seconds |
| RCM Present                                     | Not Set      |         |
| Panic Enable                                    | Set          |         |
| VTA System Present                              | No Security  |         |
| Alert no Reply                                  | Not Set      |         |
| IBS Present                                     | Set          |         |
| ASBM Present                                    | Set          |         |

|  |                             |        |
|--|-----------------------------|--------|
| Illuminated Approach Taillamp Target Percentage          | 165 (82.50%)                |        |
| DC to DC Converter #2 Present                            | Not Set                     |        |
| Illuminated Approach Interior Lighting Ramp Up Time      | 150 (3000 ms)               |        |
| Illuminated Approach Interior Lighting Target Percentage | 150 (75%)                   |        |
| Alert On Search Timeout                                  | Not Set                     |        |
| Compass Mounting Angle                                   | 0                           | Degree |
| EOM Present  | Set                         |        |
| Fobik Safe Alerts Per Ignition Cycle                     | 2                           |        |
| Auto Headlamp Off Threshold                              | 2.54930                     | Volt   |
| Left High Beam Voltage Regulation                        | 14.2 Volts                  |        |
| Right High Beam Voltage Regulation                       | 14.2 Volts                  |        |
| Right Rear Corner Voltage                                | 13 Volts                    |        |
| Right Low Beam Voltage Regulation                        | 14 Volts                    |        |
| Left Low Beam Voltage Regulation                         | 14 Volts                    |        |
| Left Rear Corner Voltage                                 | 13 Volts                    |        |
| Left Front Corner Voltage                                | 13 Volts                    |        |
| Auto Headlamp On Threshold                               | 3.31409                     | Volt   |
| Right Front Corner Voltage                               | 13 Volts                    |        |
| Left Side DRL Voltage Target                             | 7.4 Volts                   |        |
| Right Side DRL Voltage Target                            | 7.4 Volts                   |        |
| Left Rear Door Ajar Switch Signal Usage                  | Disable                     |        |
| Left Rear Fog Lamp/High Beam Shutter                     | Output Disable              |        |
| IOD HSD Relay Off Usage                                  | SNOW PLOW RIGHT TURN (0)    |        |
| Stop-Start Enable Switch Present                         | Not Set                     |        |
| Left Rear Turn Signal - Second/Left Reverse Lamp         | Left Rear Turn Signal       |        |
| Hood Ajar Switch Signal Usage                            | 1K parallel resistor        |        |
| Front Passenger Door Ajar Switch Signal Usage            | Disable                     |        |
| ANALOG SPARE INPUT #1 Usage                              | SUNSHADE SW (1)             |        |
| ESCL Usage   | T120 Park LSD Ground Active |        |
| IOD LSD Relay On Usage                                   | Snow Plow High Beam Control |        |
| Backup-Reverse Lamp Left                                 | Set                         |        |
| HARDTOP STEALTH Usage                                    | DRIVER INSIDE HANDLE SW ZD  |        |
| IOD HSD Relay On Usage                                   | SNOW PLOW LEFT TURN (0)     |        |
| Right Rear Door Ajar Switch Signal Usage                 | Disable                     |        |
| THATCHAM UNLOCK Usage                                    | RAM BOX/TAIL GATE (+)       |        |
| Spare LSD Relay #2 Usage                                 | Snow Plow Park Lamp Control |        |
| Right Rear Turn Signal - Second/Right Reverse Lamp       | Right Rear Turn Signal      |        |
| Right High Beam Feed Usage                               | Right High Beam (0)         |        |
| Right Rear Fog Lamp/High Beam Shutter                    | Output Disable              |        |
| Trunk/Flipper Glass Relay Switch Usage                   | Upfitter Combined Function  |        |
| Spare LSD Relay #1 Usage                                 | Snow Plow Low Beam Control  |        |
| Left High Beam Feed Usage                                | Left High Beam (0)          |        |
| Truck Cargo Lamps - Car Trunk Lamps                      | Truck Cargo Lamps           |        |
| IOD RELAY OFF LSD Usage                                  | SNOW PLOW PARK LAMP RELAY   |        |

|  |                       |  |
|--|-----------------------|--|
| Front Driver Door Ajar Switch Signal Usage | Disable               |  |
| THATCHAM LOCK Usage                        | RAM BOX /TAIL GATE(-) |  |
| Backup-Reverse Lamp Right                  | Set                   |  |
| ESM Usage                                  | TOPPER CHMSL          |  |

## RADIO CONFIGURATION

| NAME  | VALUE        | UNITS   |
|---|--------------|---------|
| GPS on the Bus messaging Authorization        | —            |         |
| Satellite Subscription Status                 | Subscribed   |         |
| Satellite Subscription ID                     | GCPGQAW7     |         |
| Suspend Month                                 | FF           |         |
| Reason Code                                   | 00           |         |
| Suspend Year                                  | FF           |         |
| Suspend Day                                   | FF           |         |
| NAV Activation Request Code                   | —            |         |
| SD Card Readers Detected                      | 0            | No Unit |
| Aux Jack                                      | Not Inserted |         |
| USB Hubs Detected                             | 1            | No Unit |
| Enumerated USB Devices                        | 0            | No Unit |
| DTV Short Term Configuration                  | —            |         |
| 911 Button                                    | —            |         |
| Clock Defeat                                  | Off          |         |
| Automated Loudness                            | Off          |         |
| Anti-Theft Enable Status                      | On           |         |
| Front Seat Video Playback                     | Enabled      |         |
| Cabin EQ Curve Number Currently Used by Radio | 54           |         |
| 12/24 Time Selection                          | 12 Hour Time |         |
| SDARS   | True         |         |
| Application Framework                         | False        |         |
| FM Diversity                                  | False        |         |
| Cellular                                      | False        |         |
| Navigation Active                             | False        |         |
| Wi-Fi   | False        |         |
| Internal CD Player                            | False        |         |
| Bluetooth                                     | True         |         |
| Splash Screen                                 | Ram          |         |
| Market Selection Configuration                | 02           |         |