

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C.

THIS VEHICLE CONFORMS TO ALL APPLICABLE
STANDARDS IN EFFECT ON THE DATE OF

VIN:

VEHICLE



TYPE:

MADE IN MEXICO

PAINT: P%







ACME
Steel Service
Supply

OKLAHOMA CITY OK





DON'T TREAD
ON ME

RAM

PARTS
PARKING



DON'T TREAD ON ME



RAM





ACME
Truck Line, LLC
OKLAHOMA CITY, OK

[REDACTED]























A close-up photograph of a black leather steering wheel. At the top center, there is a silver, shield-shaped emblem with a central metallic piece. Below the emblem, the steering wheel's surface is embossed with the text "SRS" above "AIRBAG". The leather has a fine, pebbled texture. The background is out of focus, showing parts of the car's interior.

SRS
AIRBAG

⚠ WARNING

EVEN WITH ADVANCED AIRBAGS

- CHILDREN CAN BE KILLED OR SERIOUSLY INJURED BY THE AIRBAG.
- THE BACK SEAT IS THE SAFEST PLACE FOR CHILDREN.
- NEVER PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- ALWAYS USE SEATBELTS AND CHILD RESTRAINTS.
- SEE OWNER'S MANUAL FOR MORE INFORMATION ABOUT AIRBAGS.




00108 114AA

⚠ MISE EN GARDE

MÊME AVEC DES SACS GONFLABLES PERFECTIONNÉS

- LES ENFANTS PEUVENT ÊTRE TUÉS OU GRAVEMENT BLESSÉS PAR UN SAC GONFLABLE.
- LA BANQUETTE ARRIÈRE EST LA PLACE LA PLUS SÛRE POUR LES ENFANTS.
- NE JAMAIS PLACER UN SIÈGE POUR ENFANT (NOTÉMENT UN SIÈGE ARRIÈRE À L'AVANT DU VÉHICULE).
- TOUJOURS UTILISER LES CEINTURES DE SÉCURITÉ ET LES AIRBAGS DE RÉTENTION POUR ENFANT.
- CONSULTER LE GUIDE DE L'UTILISATEUR POUR OBTENIR PLUS DE RENSEIGNEMENTS SUR LES SACS GONFLABLES.

NG CHILD SEAT IN THE FRONT.
S AND CHILD RESTRAINTS.
FOR MORE INFORMATION ABOUT













TD168A

SRS
AIRBAG



SRS
AIR BAG









SRS
AIRBAG





SRS
AIRBAG



Color: BLACK

Year: 2004

Mile: 100000

Class: 2004-2005







34085057B

3235

14

34085057B

3235





SHS
AIR BAG





LIMITED

BRAKE

ED



Trip A
79.3 mi



Ignition on

LIMIT 13



BLAKE   

0 100 200 300 400 500 600 700 800 900 1000
km/h

Trip A
73.3 mi



Ignition or





Ign
Acce

0

35

psi

99° F

4WD
SERV

4210

P R N











EGR

EGR







T15BC 095A A 1170
P0445728AA



T130C 2000 A 1123

P04607304






Left Front





























Right Front





NEXEN

LT235/60R17

ROADIAN AT



























Left Rear



















Right Rear

A photograph showing the right rear wheel and suspension of a vehicle. A white rectangular label with the text "Right Rear" is positioned in the upper center of the image. Below the label, the tire tread and suspension components are visible. The background is dark and textured, likely the underside of the car.















Collect data failed!
No communications with module.
Please check DLC cable or cable to module.

OK









Interface OK

10:11 AM
8/10/2019



0 km/h

98° F

Press  for MPH

Range
234 mi


42104.9 mi

 P R N D

Press for MPH

42104.9 mi

P R N D

Press  for MPH

42111.3 mi

P R N D

COM 9 COM 13 COM 10 COM 14

Automatic Serial Port Selection

The CDR System has successfully detected and selected COM port 5.
Click OK to close this message box and start using your CDR system.

OK

Get VIN From Vehicle



The CDR tool is unable to communicate with the vehicle. Verify the vehicle's ignition is in the on position and the CDR interface module is plugged into its DLC connector. Click Retry to continue.

Retry

Cancel

Cancel

SWID One



Collect data failed!
No communications with module.
Please check DLC cable or cable to module.

OK



RAND MENALLY



