

## 2018 CHEVROLET Volt 1.5L 4-Cylinder

Last Entered Odometer: 104,848 miles

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552(B)(6)



### Oxygen Sensor Monitor Bank 1 - Sensor 1

Rich to lean sensor threshold voltage (constant)

Status: Test not complete

MID: 01

Min: -

Val: - V

TID: 01

Max: -



### Oxygen Sensor Monitor Bank 1 - Sensor 1

Lean to rich sensor threshold voltage (constant)

Status: Test not complete

MID: 01

Min: -

Val: - V

TID: 02

Max: -



### Oxygen Sensor Monitor Bank 1 - Sensor 1

Low sensor voltage for switch time calculation (constant)

Status: Complete and Pass

MID: 01

Min: 0.399896

Val: 0.399896 V

TID: 03

Max: 0.399896



### Oxygen Sensor Monitor Bank 1 - Sensor 1

High sensor voltage for switch time calculation (constant)

Status: Complete and Pass

MID: 01

Min: 0.599966

Val: 0.599966 V

TID: 04

Max: 0.599966



### Oxygen Sensor Monitor Bank 1 - Sensor 1

Rich to lean sensor switch time (calculated)

Status: Complete and Pass

MID: 01

Min: 00m:00s

Val: 00m:12s

TID: 05

Max: 02m:00s

 **Oxygen Sensor Monitor Bank 1 - Sensor 1**

Lean to rich sensor switch time (calculated)

Status: Complete and Pass

MID: 01	Min: 00m:00s	Val: 00m:11s
TID: 06	Max: 02m:09s	

 **Oxygen Sensor Monitor Bank 1 - Sensor 1**

Manufacturer Defined Test

Status: Complete and Pass

MID: 01	Min: -32.768	Val: 0.012 s
TID: 91	Max: 0.685	

 **Oxygen Sensor Monitor Bank 1 - Sensor 1**

Manufacturer Defined Test

Status: Complete and Pass

MID: 01	Min: -32.768	Val: 0.027 s
TID: 92	Max: 0.700	

 **Oxygen Sensor Monitor Bank 1 - Sensor 2**

Manufacturer Defined Test

Status: Complete and Pass

MID: 02	Min: 0.759803	Val: 0.761510 V
TID: 8B	Max: 7.990000	

 **Oxygen Sensor Monitor Bank 1 - Sensor 2**

Manufacturer Defined Test

Status: Complete and Pass

MID: 02	Min: 0.000000	Val: 0.058399 V
TID: 8C	Max: 0.099974	

 **Oxygen Sensor Monitor Bank 1 - Sensor 2**

Manufacturer Defined Test


Status: Complete and Pass


MID: 02	Min: 0.000000	Val: 0.390630 V
TID: 91	Max: 0.449883	


 **Oxygen Sensor Monitor Bank 1 - Sensor 2**  
 Manufacturer Defined Test  
 Status: Complete and Pass  
 MID: 02 Min: 0.349909 Val: 0.564732 V  
 TID: 92 Max: 7.990000







 **Oxygen Sensor Monitor Bank 1 - Sensor 2**  
 Manufacturer Defined Test  
 Status: Complete and Pass  
 MID: 02 Min: 0.00 Val: 0.51  
 TID: 93 Max: 8.00

 **Oxygen Sensor Monitor Bank 1 - Sensor 2**  
 Manufacturer Defined Test  
 Status: Complete and Pass  
 MID: 02 Min: 0.00 Val: 0.09  
 TID: 94 Max: 8.00

 **Catalyst Monitor Bank 1**  
 Manufacturer Defined Test  
 Status: Complete and Pass  
 MID: 21 Min: 0.349837 Val: 0.943676  
 TID: A0 Max: 3.999796


 **EGR Monitor Bank 1**  
 Manufacturer Defined Test  
 Status: Complete and Pass  
 MID: 31 Min: 0.7996000 Val: 1.0551828  
 TID: A2 Max: 1.9990000

 **EGR Monitor Bank 1**  
 Manufacturer Defined Test  
 Status: Complete and Pass  
 MID: 31 Min: -32.768 Val: -6.898 kPa  
 TID: A9 Max: 2.399

	<p><b>VVT Monitor Bank 1</b>                  Manufacturer Defined Test                  Status: Complete and Pass                  MID: 35                  TID: B0</p>	<p>Min: 0                  Max: 300</p>	<p>Val: 0 counts</p>
	<p><b>VVT Monitor Bank 1</b>                  Manufacturer Defined Test                  Status: Complete and Pass                  MID: 35                  TID: B1</p>	<p>Min: 0                  Max: 300</p>	<p>Val: 0 counts</p>
	<p><b>EVAP Monitor (0.090")</b>                  Manufacturer Defined Test                  Status: Test not complete                  MID: 3A                  TID: EC</p>	<p>Min: -                  Max: -</p>	<p>Val: - V</p>
	<p><b>EVAP Monitor (0.090")</b>                  Manufacturer Defined Test                  Status: Complete and Pass                  MID: 3A                  TID: ED</p>	<p>Min: 0.000000                  Max: 1.899019</p>	<p>Val: 0.295411 V</p>
	<p><b>EVAP Monitor (0.090")</b>                  Manufacturer Defined Test                  Status: Test not complete                  MID: 3A                  TID: EE</p>	<p>Min: -                  Max: -</p>	<p>Val: - kPa</p>
	<p><b>EVAP Monitor (0.020")</b>                  Manufacturer Defined Test                  Status: Test not complete                  MID: 3C                  TID: E0</p>	<p>Min: -                  Max: -</p>	<p>Val: - V</p>

 **EVAP Monitor (0.020")**  
 Manufacturer Defined Test  
 Status: Complete and Pass  
 MID: 3C Min: 0.000000 Val: 0.295411 V  
 TID: E1 Max: 1.899019

 **EVAP Monitor (0.020")**  
 Manufacturer Defined Test  
 Status: Test not complete  
 MID: 3C Min: - Val: - kPa  
 TID: E2 Max: -

 **EVAP Monitor (0.020")**  
 Manufacturer Defined Test  
 Status: Complete and Pass  
 MID: 3C Min: 3.192 Val: 7.556 kPa  
 TID: E3 Max: 32.767

 **EVAP Monitor (0.020")**  
 Manufacturer Defined Test  
 Status: Complete and Pass  
 MID: 3C Min: False Val: True  
 TID: E6 Max: True

 **EVAP Monitor (0.020")**  
 Manufacturer Defined Test  
 Status: Test not complete  
 MID: 3C Min: - Val: - Pa  
 TID: E7 Max: -

 **EVAP Monitor (0.020")**  
 Manufacturer Defined Test  
 Status: Test not complete  
 MID: 3C Min: - Val: - kPa  
 TID: E8 Max: -



**Purge Flow Monitor**

Manufacturer Defined Test

Status: Complete and Pass

MID: 3D	Min: 2.000	Val: 2.110 kPa
TID: EB	Max: 32.767	



**Purge Flow Monitor**

Manufacturer Defined Test

Status: Complete and Pass

MID: 3D	Min: 0	Val: 0 counts
TID: EC	Max: 50	



**Oxygen Sensor Heater Monitor Bank 1 - Sensor 1**

Manufacturer Defined Test

Status: Complete and Pass

MID: 41	Min: 0	Val: 0 counts
TID: D2	Max: 8	



**Oxygen Sensor Heater Monitor Bank 1 - Sensor 1**

Manufacturer Defined Test

Status: Complete and Pass

MID: 41	Min: -3.898	Val: -0.066
TID: D3	Max: 2.782	



**Oxygen Sensor Heater Monitor Bank 1 - Sensor 2**

Manufacturer Defined Test

Status: Complete and Pass

MID: 42	Min: 0	Val: 0 counts
TID: D2	Max: 8	



**Oxygen Sensor Heater Monitor Bank 1 - Sensor 2**

Manufacturer Defined Test

Status: Complete and Pass

MID: 42	Min: -3.580	Val: 0.805
TID: D3	Max: 3.723	

 **Mis-Fire Cylinder 1 Data**

EWMA (Exponential Weighted Moving Average) misfire counts for last ten (10) driving cycles (calculated, rounded to an integer value)

Status: Complete and Pass

MID: A2 Min: 0 Val: 0 counts

TID: 0B Max: 65535

 **Mis-Fire Cylinder 1 Data**

Misfire counts for last/current driving cycles (calculated, rounded to an integer value)

Status: Test not complete

MID: A2 Min: - Val: - counts

TID: 0C Max: -

 **Mis-Fire Cylinder 2 Data**

EWMA (Exponential Weighted Moving Average) misfire counts for last ten (10) driving cycles (calculated, rounded to an integer value)

Status: Complete and Pass

MID: A3 Min: 0 Val: 0 counts

TID: 0B Max: 65535

 **Mis-Fire Cylinder 2 Data**

Misfire counts for last/current driving cycles (calculated, rounded to an integer value)

Status: Test not complete

MID: A3 Min: - Val: - counts

TID: 0C Max: -

 **Mis-Fire Cylinder 3 Data**

EWMA (Exponential Weighted Moving Average) misfire counts for last ten (10) driving cycles (calculated, rounded to an integer value)

Status: Complete and Pass

MID: A4 Min: 0 Val: 0 counts

TID: 0B Max: 65535

 **Mis-Fire Cylinder 3 Data**

Misfire counts for last/current driving cycles (calculated, rounded to an integer value)

Status: Test not complete

