

CONFIGURATION REPORT

Vehicle 2021 JEEP GLADIATOR 3.6L V6 24V VVT ENGINE UPG I W/ESS
VIN [REDACTED]

Odometer 2001.0 miles
Publication Date Oct 12, 2021, 12:13:15 PM

ECU SUMMARY INFO

ECU	NAME	BUS TYPE	FLASH PART #	CURRENT VIN	ORIGINAL VIN	PART #
TCM	Transmission Control Module	CAN-C	68485583AD	[REDACTED]	[REDACTED]	68485583AD
PCM	Powertrain Control Module	CAN-C	68484031AF	[REDACTED]	[REDACTED]	68484031AF
ASBS	Automatic Sway Bar System	CAN-C	68251036AC	[REDACTED]	[REDACTED]	68251036AC
ICS	Integrated Center Stack	CAN-I	7BU53DX9AA	[REDACTED]	[REDACTED]	7BU53DX9AA
TPM	Tire Pressure Monitor	CAN-C	68411061AE	[REDACTED]	[REDACTED]	68411061AE
RFH	Radio Frequency Hub	CAN-C	68488346AA	[REDACTED]	[REDACTED]	68488346AA
ABS	Anti Lock Brakes	CAN-C	68519476AA	[REDACTED]	[REDACTED]	68519476AA
ESM	Electronic Shifter	CAN-C	04670714AD	[REDACTED]	[REDACTED]	04670714AD
DTCM	Drive Train Control Module	CAN-C	68483374AB	[REDACTED]	[REDACTED] ML525490	68483374AB
ORC	Occupant Restraint	CAN-C	68477641AA	[REDACTED]	[REDACTED]	68477641AA
EPS	Electric Power Steering	CAN-C		—	—	—
HVAC	Heat, Ventilation and A/C	CAN-I	68474248AC	[REDACTED]	[REDACTED]	68474248AC
CSWM	Comfort Seat Wheel Module	CAN-I	68510873AA	[REDACTED]	[REDACTED]	68510873AA
AMP	Amplifier	CAN-I	68441766AB	[REDACTED]	[REDACTED]	68441766AB
IPC	Instrument Panel Cluster	CAN-C	68482358AD	[REDACTED]	[REDACTED]	68482358AD
PTS	Parktronics	CAN-C	04672768AE	[REDACTED]	[REDACTED]	04672768AE
SCCM	Steering Column Control Module	CAN-C	68491577AB	[REDACTED]	[REDACTED]	68491577AB
BCM	Body Controller	CAN-C	68496171AB	[REDACTED]	[REDACTED]	68496170AB
RADIO	Radio	CAN-I	68472596AJ	[REDACTED]	1 [REDACTED]	68472596AJ
OCM	Occupant Classification	CAN-C	68418205AA	[REDACTED]	[REDACTED]	68418205AA
LBSS	Left Blind Spot Sensor	CAN-I	68416989AC	[REDACTED]	[REDACTED]	68416989AC

RBSS	Right Blind Spot Sensor	CAN-I	68416989AC			68416989AC
CVPM	Central vision processing module	CAN-I	04672861AB			04672861AB
SGW	Security Gateway Module	CAN-C	68488416AB			68488416AB
DPDM	Driver Presence Detection Module	CAN-C	68418198AA			68418198AA

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	CVNS
TCM	USA / USA	63 35 FF	63 35 FF	4564	
PCM	USA	1B 47	17 01 01	4431	
ASBS	USA	10 01 00	11 21 00	4500	
ICS	USA	10 1E 00	13 29 01	4802	
TPM	USA	0E 23 00	13 09 05	4110	
RFH	USA / USA	10 31 00	13 21 00	4620	
ABS	USA	11 0E 61	14 0C 81	4600	
ESM	USA	13 0C 00	12 15 00	4322	
DTCM	USA	11 22 00	14 0C 01	4501	
ORC	USA	12 05 00	13 04 01	4501	
EPS	—	—	—	4005	
HVAC	USA	13 20 00	14 0A 01	4420	
CSWM	USA	10 2B 00	14 08 00	4202	
AMP	USA	18 2E 00	12 2F 00	4030	
IPC	USA	17 17 01	14 17 01	4805	
PTS	USA	10 32 01	13 27 01	4401	
SCCM	USA	13 28 00	13 29 00	4301	
BCM	USA	0D 11 00	14 05 B0	4655	
RADIO	USA	15 12 14	15 12 14	8205	
OCM	USA	11 31 01	11 07 04	4060	
LBSS	USA	11 23 01	12 25 00	4204	
RBSS	USA	11 23 01	12 25 00	4204	
CVPM	USA	11 27 01	14 21 01	4011	
SGW		5	955	4103	
DPDM	USA	11 31 01	11 0F 04	4510	

CONFIGURATION

TCM CONFIGURATION

NAME	VALUE	UNITS
Sport Mode Switch or Virtual Switch (Non-Terrain) Equipped	—	
FWD Equipped	—	
Shifter with Sport Mode Position Equipped	—	
AWD Equipped	—	
Autostick/ERS On/Off Switch Equipped	—	

Overdrive Off or Tow Haul Mode Switch or Virtual Switch (Non-Terrain) Equipped	—	
ECO/Optimizer Switch Equipped	—	
Long Learn Enabled	—	
RWD Equipped	—	
4WD with switchable Lo Range equipped	—	
Polystable E-shift (Cableless without return-to-center) equipped	—	
Paddle-Shift Switches Equipped	—	
Shifter with Low Mode Position Equipped	—	
ERS/Autostick/Tip Non-paddle on Steering Wheel equipped	—	
Short Learn Enabled	—	
ERS/Autostick/Tip Non-paddle on Shifter in A or M position equipped	—	
Engine Start/Stop equipped	—	
ERS/Autostick/Tip Non-paddle on Shifter in D position equipped	—	

PCM CONFIGURATION

NAME	VALUE	UNITS
Secondary Mass Airflow Sensor Equipped	—	
Active Exhaust Pressure Sensor Equipped	—	
Electronic Parking Brake Equipped	—	
Active Exhaust Valve(s) Equipped	—	
Heater Temp Control Valve Equipped	—	
Wastegate HBridge Equipped	—	
High Side Port Tumble Valve Equipped	—	
Mechanical Coolant Pump Equipped	—	
Aux Coolant Pump Heater Equipped	—	
2.4 Liter WI4 engine	—	
Vehicle Speed Sensor #1 Calculated by ECU	—	
Coolant On-Off Valve Equipped	—	
Brake Pedal Sensor Equipped	—	
Yaw Rate Sensor ESC Equipped	—	
Clutch Interlock Switch Equipped	—	
ZF 9-Speed Transmission Equipped	—	
3 Speed Fan Mechanical Relay System Equipped	—	
MTV Solenoid Equipped	—	
Compressed Natural Gas Equipped	—	
Air Shutoff Valve Bank 1 Control Solenoid 2 Equipped	—	
Continuous Variable Transmission Equipped	—	
Powernet Equipped	—	
Active Grille Shutter Equipped	—	
High Side Port Tumble Valve Equipped	—	
Adaptive Cruise Control Hardware Equipped	—	
Linear EGR Equipped	—	
DUAL_ALTERNATOR_GEN1_LEARNEDCOPY	—	
Sensorless FFV Enabled	—	

VLP Is Learnable Indicator	—	
CUSW (11-Bit) Equipped	—	
O2 Sensor Bank 1 Sensor 1 Equipped	—	
42RLE	—	
Knock Sensor 2 Equipped	—	
Shift Indicator Lamp Equipped	—	
Cummins Equipped	—	
Direct Injection Equipped	—	
O2 Sensor Bank 2 Sensor 1 Equipped	—	
3.0 Liter V6 Engine	—	
3.7 Liter V6 Engine	—	
2.7 Liter V6 Engine	—	
VMM Equipped	—	
2 Speed Fan PWM Relay System Equipped	—	
Electric Water Pump Equipped	—	
Electronic Automatic Transmission (EATX) Equipped	—	
Electric Thermostat Heater Equipped	—	
Supercharger Equipped	—	
4 Button Integrated Cruise Control	—	
Fiat 940 Compact Equipped	—	
Brushless PWM Fan Equipped	—	
CUSW PROXI Write Programming Support Enabled	—	
O2 Sensor Bank 1 Sensor 3 Equipped	—	
Unleaded diesel fuel	—	
A/C Equipped	—	
WI4 Variable Valve Timing Equipped	—	
Duty Cycle Purge Valve Equipped	—	
CMCV H-Bridge Equipped	—	
Electronic Coolant Pump Equipped	—	
WI4 Intake Flow Control Valve Equipped	—	
Inrush Current Reduction Relay Equipped	—	
Auxiliary Heater Electric Water Pump Equipped	—	
Secondary Air Equipped	—	
Wide Range O2 Sensor 1/1 Equipped	—	
Coolant On-Off Pump Equipped	—	
AC Equipped Over Bus	—	
VFS Actuators Available Indicator	—	
6.4 Liter V8 Engine	—	
Constant Heater Temperature Control Valve Equipped	—	
Port Flap Valve Equipped	—	
ERS Equipped Indicator	—	
ICC Cruise Equipped	—	
GPEC4 Equipped	—	
PTO System Equipped	—	

3.5 Liter V6 Engine	—	
Electronic Vacuum Pump Equipped	—	
Wastegate H-Bridge Equipped	—	
Secondary Fuel Pump Equipped	—	
1.0 Liter I3 Engine	—	
Electronic Throttle Control Equipped	—	
MDS Equipped	—	
3.6 Liter V6 Engine	—	
Starter Relay 2 Equipped	—	
Linear Purge Equipped	—	
Engine Oil Heater Cooler Equipped	—	
Cooled EGR Equipped	—	
1 Speed Fan Mechanical Relay System Equipped	—	
2 Speed Fan 3 Driver 3 Relay System Equipped	—	
GPEC3 Equipped	—	
Transmission Oil Heater Equipped	—	
Intake Cam 2 Equipped	—	
6.2 Liter V8 Engine	—	
SRV Equipped	—	
Variable Displacement AC Equipped	—	
TOOLCONFIG_OIL_PRESS_ABS_EQUIPPED	—	
Dual Speed Fuel Pump Equipped	—	
Viscosity Sensor Equipped	—	
Police Package Equipped	—	
Wide Range O2 Sensor 2/1 Equipped	—	
EMAT (Getrag DCT transmission) Equipped	—	
Unleaded Gasoline Fuel	—	
Variable Speed Fuel Pump Equipped	—	
Operator Idle Speed Request Equipped	—	
Throttle Inlet Temp Sensor Equipped	—	
40TE / 41TE / 41TEA	—	
3.8 Liter V6 Engine	—	
Knock Sensor 1 Equipped	—	
Trans Skip Shift Equipped	—	
AC Equipped	—	
Air Shutoff Valve Bank 1 Control Solenoid 1 Equipped	—	
Dual Stage Oil Pump Equipped	—	
Low Temperature Radiator Coolant Pump Equipped	—	
O2 Sensor Bank 2 Sensor 2 Equipped	—	
4.0 Liter I6 Engine	—	
O2 Sensor Bank 1 Sensor 2 Equipped	—	
Engine Stop Start Equipped	—	
Power Steering Switch Equipped	—	
Turbocharger Equipped	—	

62TE	—	
Humidity, Temperature and Pressure Sensor (LIN) Equipped	—	
2 Speed Fan Mechanical Relay System Equipped	—	
Mechanical Coolant Pump Heater Equipped	—	
Buffered Crank Output for PHEV Engine Pulse Calculation Equipped	—	
Electric Coolant Valve Equipped	—	
Aisin 6-Speed RWD Transmission Equipped	—	
Next Gen Bus Equipped	—	
Hybrid Electric Vehicle Equipped	—	
Barometric Sensor Equipped	—	
1.8 Liter I4 engine	—	
PWM Fan Motor System Equipped	—	
Transmission Software Included	—	
Oil Pressure Sensor Enabled	—	
Fan Wake Up Relay System Equipped	—	
4.7 Liter V8 Engine	—	
Battery Temp Sensor Equipped	—	
3.2 Liter V6 Engine	—	
Vehicle Speed Sensor #1 Calculated from CAN	—	
Buffered Crank Output for ANC (Active Noise Cancellation) Equipped	—	
Intake Cam 1 Equipped	—	
Auxiliary Coolant Pump Heater Equipped	—	
GPEC2A Equipped	—	
4 Speed Automatic Transmission Equipped	—	
45RFE / 545RFE / 65RFE	—	
Engine Software In Package	—	
GPEC2 Equipped	—	
5.7 Liter V8 Engine	—	
6.1 Liter V8 Engine	—	
Air Shutoff Valve Bank 2 Control Solenoid 2 Equipped	—	
Dual Fuel Pressure Sensor Equipped	—	
Turbine Volute Valve Actuator Equipped	—	
Adaptive Cruise Control Equipped	—	
ETC Cruise equipped	—	
Active Engine Mount Equipped	—	
MultiAir Equipped	—	
Rear Heater Equipped	—	
Engine Idle Shutoff Equipped	—	
HPT 6-Speed Transmission Equipped	—	
ESIM Equipped	—	
3.3 Liter V6 Engine	—	
Fixed displacement AC Equipped	—	
Exhaust Cam 1 Equipped	—	
Active Exhaust Valve Equipped	—	

Linear PWM Fan Relay System Equipped	—	
Fiat VIN Learning Strategy Equipped	—	
Exhaust Cam 2 Equipped	—	
Auxiliary Coolant Pump Equipped	—	
Tumble Generator Valve Equipped	—	
VLP Equipped Indicator	—	
Active Exhaust Pressure Sensor Equipped	—	
Dual Fuel Tank Equipped	—	
TIP Equipped	—	
66RFE / 68RFE	—	
Trans Reverse Lockout Equipped	—	
Primary Lin Alternator Equipped	—	
2.0 Liter I4 engine	—	
Primary Lin Alternator Equipped	—	
1.0 Liter I3 Engine	—	
Variable Valve Lift Equipped	—	
2.0 Liter I4 Direct Injection Engine	—	
Coolant On-Off Pump Equipped	—	
Remote Start Present	—	
Engine Oil Pressure Sensor Type	—	None
CNG Large Gas Tank Equipped	—	
Auxillary Coolant Pump Equipped	—	
HPT 6-Speed Trans Equipped	—	
Dual Alternator Gen1 Capable	—	
Supercharger Equipped	—	
PTO System Equipped	—	
Dual Fuel Tank Equipped	—	
Hybrid MEC Shifter Equipped	—	
Cooled EGR Equipped	—	
A/C Relay Powered from Engine Switched Battery	—	
ZF 9-Speed Trans Equipped	—	
Low Temp Radiator Coolant Pump Equipped	—	
Engine Idle Shutoff Equipped	—	
INTAKE O2 SENSOR EQUIPPED	—	
LIN Humidity, Temp, and Pressure Sensor Equipped	—	
Clutch Sensor Equipped	—	
CUSW 4-Button Cruise Equipped	—	
Bi-Directional Crank Sensor Equipped	—	
Cylinder Pressure Sensor Equipped	—	
Power Steering Angle Sensor Mandatory	—	
Brake Pedal Sensor Equipped	—	
Operator Idle Speed Request Equipped	—	
5 Button Cruise (LIN) Equipped	—	
Mass Airflow System Equipped	—	

Dual Fuel Pressure Sensor Equipped	—	
SWAP HARDWIRED BRAKE SWITCH INPUTS	—	
Throttle Inlet Temp Sensor Equipped	—	
Make Up Air Sensor Equipped	—	

ICS CONFIGURATION

NAME	VALUE	UNITS
Display Type (Base)	True	
Display Type (High)	False	
Display Type (Mid)	False	

TPM CONFIGURATION

NAME	VALUE	UNITS
RSSI Margin 4 Wheel Constant B	80	No Unit
RSSI Margin 4 Wheel Constant C	40	No Unit
RSSI Margin 4 Wheel Constant D	80	No Unit
RSSI Margin 4 Wheel Constant A	40	No Unit
RSSI Margin Constant Override Setting	Override False	
High Gain Mode Setting	RF Gain Mode 1 - Highest Gain Mode	
WAL Gain Mode Setting	RF Gain Mode 3	
Gain Mode Override Status	Override False	
Premium TPM Present	Yes	
Base TPM Present	No	
Run Flat Tire Present	No	
SRT Vehicle Present	No	
TPM Legislation	FMVSS-138 (Warning Enable Always)	
Current Gain Mode	RF Gain Mode 3	
BUX Deactivation Flag	Not Set	
TPM System Type	TPM Premium System	
4/5 Tire System	4 Tire System	

RFH CONFIGURATION

NAME	VALUE	UNITS
Hardware Configuration: Front Right Door Handle H/W	Serial AP	
Hardware Configuration: Rear Left Door Handle H/W	No AP	
Hardware Configuration: Remote Start Antenna	Present	
Hardware Configuration: Front Left Door Handle H/W	Serial AP	
Hardware Configuration: Rear Right Door Handle H/W	No AP	
Back Up Programmed ECUs: P/T Chassis Network	True	
Back Up ECU Configuration 10	True	
Back Up Vehicle Config 8	True	
Back Up ECU Configuration 4	True	
Back Up Programmed ECUs: EPT Network	True	
Back Up ECU Configuration 9	True	

Back Up ECU Configuration 7	True	
Back Up Vehicle Config 2	True	
Back Up Vehicle Config 7	True	
Back Up Vehicle Config 5	True	
Back Up ECU Configuration 17	True	
Back Up Vehicle Config 1	True	
Back Up ECU Configuration 16	True	
Back Up ECU Configuration 6	True	
Back Up Vehicle Config 4	True	
Back Up ECU Configuration 2	True	
Back Up ECU Configuration 14	True	
Back Up Vehicle Config 6	True	
Back Up Programmed ECUs: Cabin Network	True	
Back Up ECU Configuration 5	True	
Back Up Customer Settings Menu 2 (CSM2)	True	
Back Up ECU Configuration 15	True	
Back Up ECU Configuration 13	True	
Back Up ECU Configuration 8	True	
Back Up Vehicle Config 3	True	
Back Up ECU Configuration 12	True	
Back Up Customer Settings Menu 1 (CSM1)	True	
Back Up ECU Configuration 1	True	
Back Up ECU Configuration 3	True	
Back Up ECU Configuration 11	True	
Remote Start Present	True	
Secret Codes Programmed	True	
\$0214 Programmed by	Programmed by FCA manufacturing	
Keyless Go	True	
Ignition system type connected	KIN system	
Module Configuration counter	04	
RKE	True	
Auto Park Present	True	
Passive Entry	True	
e-shifter present	True	
Module Configuration Status	True	
Valid Key In Ignition	No	
Fob Location #8 Successfully Programmed	No	
Fob Location #2 Successfully Programmed	Yes	
VIN Successfully Programmed	Yes	
Secret Key Sent to Body Controller - Most recent attempt	Yes	
Fob Location #3 Successfully Programmed	No	
RFHub Locked	RFHUB Locked after IAC write	
Secret Key Sent to Body Controller - Original attempt	Yes	
Fob Location #4 Successfully Programmed	No	

Fob Location #5 Successfully Programmed	No	
Fob Location #7 Successfully Programmed	No	
PIN Successfully Programmed	Yes	
Fob Location #6 Successfully Programmed	No	
Fob Location #1 Successfully Programmed	Yes	

ABS CONFIGURATION

NAME	VALUE	UNITS
HSA	True	
FTR PIN	False	
PN-2011	True	
HBC	True	
3 Channel System	False	
Pro Active	True	
Conti	True	
CAN BLS	False	
HW BRK	False	
ACC	True	
ESC	True	
Long Accel	True	
Brake Pedal Sensor	True	
No Drive Test	True	
Evac and Fill	False	

DTCM CONFIGURATION

NAME	VALUE	UNITS
Rear Locker Present	—	
FAD Present	—	
Mode Switch Present	—	
Full-Time T-Case	—	
Front Locker Present	—	
SRT Present	—	
T-Case Type	—	
Left/Right Hand Drive	—	
Axle Ratio	—	

ORC CONFIGURATION

NAME	VALUE	UNITS
Right Curtain Squib 1	—	
Driver Seatbelt Retractor Pretensioner	—	
Passenger Seatbelt Anchor Pretensioner	—	
Driver Frontal Squib 2	—	
Left B-Pillar Impact Acceleration Sensor	—	
Right Side Door Pressure Sensor	—	

First Row Driver Seatbelt Buckle Switch	—	
First Row Passenger Seatbelt Buckle Switch	—	
Right B-Pillar Impact Acceleration Sensor	—	
Passenger Seatbelt Load Limiter	—	
Driver Frontal Squib 1	—	
Configuration Column Identifier	—	
Passenger Frontal Squib 3	—	
Second Row Left Seat Side Airbag	—	
Passenger Seat Track Position Sensor	—	
Right Up-Front Acceleration Sensor	—	
Second Row Center seat belt Switch	—	
Passenger Frontal Squib 2	—	
Passenger Frontal Squib 1	—	
EPPM	—	
Passenger Seatbelt Buckle Pretensioner	—	
Right Side Seat Squib 1	—	
Driver Seat Track Position Sensor	—	
Passenger Airbag Disable Indicator	—	
Driver Frontal Squib 4	—	
Left Curtain Squib 1	—	
Driver Seatbelt Anchor Pretensioner	—	
Passenger Seatbelt Retractor Pretensioner	—	
Second Row Right seat belt Switch	—	
Right C-Pillar Impact Acceleration Sensor	—	
Driver Frontal Squib 3	—	
Passenger Airbag Disable Switch	—	
Occupant Classification (OCM)	—	
Left Side Door Pressure Sensor	—	
Left D-Pillar Impact Acceleration Sensor	—	
Second Row Left seat belt Switch	—	
Driver Seatbelt Buckle Pretensioner	—	
Passenger Knee Bolster Squib	—	
Passenger Frontal Squib 4	—	
Right D-Pillar Impact Acceleration Sensor	—	
Left Up-Front Acceleration Sensor	—	
Driver Knee Bolster Squib	—	
Second Row Right Seat Side Airbag	—	
Rollover Sensing	—	
Passenger Occupant Detection Sensor	—	
Driver Seatbelt Load Limiter	—	
Left C-Pillar Impact Acceleration Sensor	—	
Left Side Seat Squib 1	—	

HVAC CONFIGURATION

NAME	VALUE	UNITS
DualZone ATC Control	True	
MTC Without EBL (3Knob)	False	
MTC heater only (3Knob)	False	
Single Zone MTC Control	False	
Dual Zone MTC Control	False	
DualZone ATC Control (Factory)	False	
MTC With EBL (3Knob)	False	

AMP CONFIGURATION

NAME	VALUE	UNITS
Premuim - 3	False	
Non -ANC	True	
No HALF Chimes	False	
Premuim - 2	True	
Premuim - 1	False	
No Rear Doors	True	
Door Module - Right Front	Not Present	
Door Module - Left Front	Not Present	
Surround Sound Activated	Not Set	
Current ANC Calibration ID - Service	—	
ANC Status	—	

IPC CONFIGURATION

NAME	VALUE	UNITS
Main Fuel Tank Gauge - 3/4 Datum Calibration	0.000	Volts
Main Fuel Tank Gauge - Empty Stop Calibration	0.000	Volts
Main Fuel Tank Gauge - Full Stop Calibration	0.000	Volts
Main Fuel Tank Gauge - 1/2 Datum Calibration	0.000	Volts
Main Fuel Tank Gauge - 1/4th Datum Calibration	0.000	Volts
Sub Fuel Tank Gauge - 1/2 Datum Calibration	0.000	Volts
Sub Fuel Tank Gauge - Full Stop Calibration	0.000	Volts
Sub Fuel Tank Gauge - 3/4 Datum Calibration	0.000	Volts
Sub Fuel Tank Gauge - 1/4 Datum Calibration	0.000	Volts
Sub Fuel Tank Gauge - Empty Stop Calibration	0.000	Volts
PHEV	False	
Rear Fog Lamp	False	
Low Line Cluster	False	
JT Vehicle	True	

PTS CONFIGURATION

NAME	VALUE	UNITS
Rear System with 6 Front Sensors	—	
Front System with 6 Rear Sensors	—	

SCCM CONFIGURATION

NAME	VALUE	UNITS
Rear Wiper	False	
Tilt Telescope	False	
Paddle Shifter	False	
Cruise Control / ACC	True	

BCM CONFIGURATION

NAME	VALUE	UNITS
Number of Reprogramming Attempts - Counter #0	0	
Last Programmed Status	Manufacturing	
Vehicle Configuration Programmed Status	True	
Vehicle Config CSM2	2	
ECU Configuration 1 (CBC Configurable Inputs and Outputs)	2	
Vehicle Configuration 3 - Write Counter	4	
Vehicle Configuration 6 - Write Counter	2	
ECU Configuration 5 (Memory)	2	
ECU Configuration 9A	2	
ECU Configuration 11	2	
Last Configuration Odometer	0	miles
ECU Configuration 2 (CBC Features)	2	
Vehicle Configuration 7 - Write Counter	2	
ECU Configuration 6 (Suspension)	2	
Programmed ECUs: Hybrid LAN Network	2	
Vehicle Configuration 4 - Write Counter	2	
ECU Configuration 6 (Safety)	2	
ECU Configuration 5 (Doors)	2	
Vehicle Configuration 1 - Write Counter	2	
ECU Configuration 6 (Powertrain)	2	
ECU Configuration 6 (Brake)	2	
ECU Configuration 13	2	
Programmed ECUs: Cabin Network	2	
ECU Configuration 15 (Suspension)	2	
Vehicle Configuration 2 - Write Counter	2	
Vehicle Configuration Auto Write Counter	1	
ECU Configuration 15 (CBC Features)	2	
Vehicle Configuration 5 - Write Counter	2	
ECU Configuration 5 (Wireless)	2	
ECU Configuration 4	2	
ECU Configuration 14	2	
Programmed ECUs: P/T Chassis Network	2	
Vehicle Config CSM1	2	
ECU Configuration 12	2	
ECU Configuration 10	2	

ECU Configuration 3	2	
ECU Configuration 8 (LIN and Miscellaneous)	2	
ECU Configuration 9 (ITM)	2	
ECU Configuration 7 (CBC Exterior Lighting Calibrations)	2	
Programmed Network Configuration - Audio / Telematics Network	0	
Shifter Type	5 Position Polystable Eshifter / Type PS5	
Body Style	4-Door Pickup	
Special Packages	Red	
Model Year	2021	
Left/Right Hand Drive	Left Hand Drive	
Vehicle Line	JT	
Country Code	USA	
Remote Start Present	Set	
Select Speed Control Feature Present	Set	
PTS Configuration	Rear / REAR	
Performance Pages Present	Not Present	
Drive Configuration	Selectable 4wd	
Hill Descent Feature Present	Not Set	
PTS Display Type and Location	Headliner or NO Display Programmed	
Maximum Vehicle Speed	94	MPH
Emode Present	Not Set	
Auto Highbeam	Not Set	
ECO Indicator present on vehicle	Not Set	
Special Packages	Jeep Rubicon	
Flipper Glass Present	Not Set	
SKIM System Present	Not Set	
Passenger Airbag Disable Switch Present	Not Set	
Max Load Inflation Pressure Front Tire	37.0	PSI
Configuration for performance & gear shift indication	Performance or gear shift indication not present / NONE	
Off Road Capable	Set	
Drive Mode Feature Configuration Present	Not Set	
Power Inverter Type	No Power Inverter	
Secure park feature present	Not Set	
Thatcham Present	Not Set	
Cruise Feature is Present	Set	
Max Load Inflation Pressure Rear Tire	37.0	PSI
Memory Drive Mode Sub-feature Configuration Present	Not Set	
ESC Drive Mode Sub-Feature Configuration Present	Not Set	
Rain Sensor Present	Not Set	
Full Size Spare	Set	
ECM drive mode sub-feature configuration	Not Set	
Air Conditioning Present	Set	
Paddle Shift Feature Present	Not Set	

Sport Mode Present	Not Set	
High Intensity Discharge Head Lamps	Not Set	
Police Lighting Feature	Not Set	
Fuel Capacity	22	gallons
Door Alert Feature Present	Not Set	
Two Fuel Sending Units Present	Not Set	
HVAC Configuration	Dual Zone ATC	
Collision Mitigation System present	Not Set	
Chassis Type	Type 11 (SDD + BR6 + DJF + DSE)	
Vehicle is an SRT	Not Set	
Wheel Base	Long wheel base (140" & 149" Ram Truck) / LONG	
T-Case Type	Transfer Case 241 / Transfer Case 241	
FOBIK Safe Enable	Set	
Auto Park Present	Set	
Display Compass Heading Present	Set	
Interior EC Mirror Present	Set	
ESCL system present	Not Set	
Power Right Sliding Door Present	Not Set	
RKE System Present	Set	
Base TPM system present	Not Set	
Power Lift Gate Present	Not Set	
Secondary Lock Present	Not Set	
Window Express Feature Configuration	Drivers window express only	
Keyless Go Present	Set	
Power Left Sliding Door Present	Not Set	
Disable Display of Radio Clock	Not Set	
Liftgate/Trunk Type	Trunk	
Display Outside Temperature Present	Set	
Adjustable Pedal Feature Present (non-Memory)	Not Set	
ELV Present	Not Set	
Vehicle Brand	Jeep	
Forward Collision Warning present	Not Set	
Passive Entry Present	Set	
Premium TPM system present	Set	
Sunshade Present	Not Set	
Auto Headlamp Feature Present	Set	
Transfer Case High Ratio	1.000	No Unit
Transfer Case Low Range Reduction Ratio	4.000	
Axle Ratio	4.100	
Semi-Automatic Parking System Present	Not Set	
Dual Rear Wheel (DRW) Vehicle Present	Not Set	
Seat belt reminder module is present	Not Set	
Ambient temperature sensor location	CBC	
Steering Ratio at zero	0.0	No Unit

Speed limiter is present	Not Set	
Ambient Lighting Feature Present	Set	
Off road pages present	Set	
Steering Ratio at Positive Angle 1	0.0	No Unit
Steering Ratio at Positive Angle 2	0.0	No Unit
Wait to start feature is present	Not Set	
Steering Ratio at Positive Angle 5	0.0	No Unit
Rear door lock switch present	Not Set	
Child Display Feature Present	Not Set	
Non-Regulated Tire Pressure Information System (TPIS) Present	Not Set	
Steering Ratio at Positive Angle 3	0.0	No Unit
Steering Ratio at Positive Angle 4	0.0	No Unit
Park With Stop Present	Not Set	
Steering Ratio at Negative Angle 3	0.0	No Unit
Steering Ratio at Negative Angle 1	0.0	No Unit
Air Quality System Present	Not Set	
Steering Ratio at Negative Angle 4	0.0	No Unit
Analog Door Sensor Configuration	All Doors have Analog Sensors	
Steering Ratio at Negative Angle 5	0.0	No Unit
Steering Ratio at Negative Angle 2	0.0	No Unit
Gated Park ZFII Output Present - Pin D-24	Set	
Ambient Light Dimmer Wheel Input Present Pin G9	Set	
Hood Ajar Switch Input Present - Pin A11	Set	
Power Mirror Feed Relay Control Present - Pin D12	Set	
Left Dedicated DRL Lamps Output Present - Pin D15	Set	
Rear Park Lamps Output Present - Pin E4 & F32	Set	
Rear Fog Lamps Output Present - Pin E39 & F5	Not Set	
Trailer Turn Stop Relay Control Left Output Present - Pin F36	Set	
UGDO Feed Output Present - Pin G15	Set	
IRCM Heater - Pin E10	Not Set	
Park Brake Input Present - Pin E11	Not Set	
Horn Switch Input Present - Pin F29	Set	
Rear Wiper Motor Park Present - Pin E29	Not Set	
VTA Warning LED Output Present - Pin G22	Set	
Low Beam Output Present - Pin A3, D2	Set	
Rear Turn Lamps Output Present - Pin E3 & F42	Not Set	
Diesel Cabin Heater #1 Output Present - Pin D11	Not Set	
Left Rear Door Ajar Input Present - Pin F23	Set	
Side Markers Output Present - Pin A10 & D5	Set	
Run-ACC Y Relay #2 Output Present - Pin E9	Set	
Diesel Cabin Heater #3 Output Present - Pin D10	Not Set	
Starter Relay Lowside Coil Drive - Pin D7	Set	
Inverter Enable Relay Output Present - Pin F35	Set	
Diesel Cabin Heater #2 Output Present - Pin D9	Not Set	

Ignition UNLOCK RUN START Present - Pin A24	Set	
Front Fog Lamps Output Present - Pin A1 & D13	Set	
Washer Fluid Level Sense Signal Input Present - Pin A8	Set	
Trailer Turn Stop Relay Control Right Output Present - Pin E22	Set	
Front Driver Analog Door Ajar Input Present - Pin F9	Set	
Foot Well Lamps Output Present - Pin G24	Set	
Washer Motor Control Right Rear Output Present - Pin A14	Set	
Trailer Tail Lamp Relay Control Output Present - Pin E24	Set	
Ambient Temperature Sensor Present - Pin D22	Set	
Trailer Backup Lamps Output Present - Pin E23	Set	
Right Dedicated DRL Lamp Output Present - Pin A22	Set	
Right Rear Door Ajar Present - Pin E5	Set	
Hard Top Sense Present - Pin E14	Set	
Side Mirror Repeaters used as side markers	Not Set	
Dual Start Relay System Present	Set	
Combined Rear Lighting Enable	Set	
Front Fog Lamp Dropout Enable	Set	
LED Front Fog Lamps Present	Set	
Fuel Door Release Enabled	Not Set	
LED Rear Turn Lamps Present	Set	
Reversible Washer Pump Enable	Set	
Hazard Lamp Configuration	Latching Switch	
Intermittent Wiper States	4 Intermittent Wiper position Switch	
DRL Dropout Enable	Set	
LED Front Park/Marker Lamps Present	Set	
Horn Chirp Allowed	Set	
Illuminated approach Enabled	Set	
LED Front Turn Lamps Present	Set	
Headlamp Washer Low Fluid Shut-Off Enable	Not Set	
Headlamp Wash Spray Duration (at 100 ms intervals)	2000ms	
Emergency Stop Signalling	Not Set	
LED Tail Lamps Present	Set	
LED Rear Fog Lamps Present	Set	
Headlamp Wash Interval	wash cycle#11	
Wiper Service Position Enabled	Not Set	
LED Dedicated DRL Present	Set	
LED Low Beam Lamps Present	Set	
LED Stop Lamps Present	Set	
LED License Lamps Present	Set	
DRL Lamp Location	Dedicated	
Bi Xenon Headlamps Enable	Not Set	
Side Repeaters Enable	Not Set	
Tip Start Enabled	Set	
DRL Configuration	Optional DRL	

Headlamp Wash Shot	Single	
Rear Wiper Park Enable	Not Set	
One Touch Lane Change	Set	
Park Lamp Loadshed Enable	Set	
Front Wiper Wipes After Wash	2 Wipes	
Front Wiper Park Enable	Set	
Quad Headlamps Enable	Set	
Military Vehicle Present	Not Set	
Trailer Tow Present	Set	
LED Reverse Lamps Present	Set	
LED High Beam Lamps Present	Set	
Tunnel Detection	Not Set	
Single Element Tail Lamp	Not Set	
LED CHMSL Lamp Present	Set	
Exterior Light Loadshed Enable	Set	
Power Inverter Present	Not Set	
Hybrid Electric Powertrain Present	Not Set	
Disable CD Eject	Not Set	
Splashscreen Type	Vehicle Brand	
Front Ventilated Seats Present	Not Set	
Power Door Locks Present	Set	
CTP Max AC Present	Not Set	
Hill Descent Control Present	Not Set	
DAB Present	Not Set	
Heated Steering Wheel Present	Set	
DRL customer setting enable/disable	Set	
External Port Type	AUX + USB + extra USB	
Cabin Equilization Curve Number	Premium Top On (Alpine 12ch)	
Haptic Speller Enabled	Not Set	
SDAR Travel Link Present	Set	
DTV Front Camera Present	Not Set	
Front Heated Seats Present	Set	
Microphone Tuning Parameter	Absent	
Destination	United States of America	
Rear Camera Present	Not Set	
VIN Check Digit Diable	Not Set	
CTP Passive Entry Present	Set	
Vehicle Theft Alarm Present	Not Set	
Memory CSO Present	Not Set	
Antenna Type	Passive Primary and no secondary antenna	
Auto Lock Disable	Not Set	
Tow Haul Present	Not Set	
Microphone Type	Peiker 300 mv	
Audio Steering Wheel Switch Configuration	Core Steering Wheel	

Front Park Assist Present	Not Set	
Microphone Configuration	2 Microphones	
Hill Start Assist Customer Setting Option Present	Set	
DTV Side Camera Present	Not Set	
Easy Entry Enable	Not Set	
Surround Sound Feature Present	Not Set	
Radio Apps Present	Not Set	
Radio Display On/Off Softkey Present	Not Set	
ERS Available	not available	
Service Interval	20000 km and 730 days	
Temperature Celsius for UK	Not Set	
AMB Dimmer	not available	
Split Shaft Present	not available	
Rear Wheel Dually	not available	
Gear Shift Indicator	Not Set	
PTO Present	not available	
Type of Gallons	U.K. Gallons	
Speedometer Range Max Scale	not available	
Heated Seat Present	not available	
Virtual Speedometer Units	not available	
Stop Start Menu Present	Set	
Manual Headlamp Leveling	not available	
Max Gear	Eighth gear	
Actual Gear For Display	01	
IC Config Feature	not available	
Airport Scenario Trunk Set	Not Set	
AP1 Left Front	Smart Switch	
Tip Start Present	Set	
AP4 Right Rear	Not Present	
AP3 Left Rear	Not Present	
AP2 Right Front	Smart Switch	
AP5 Trunk Lock	Not Present	
Driver Memory Mirrors Present	Not Set	
Frameless Window Present	Not Set	
Puddle Lamp Present	Not Set	
Mirror turn signals present	Not Set	
Electro-chromatic passenger mirror present	Not Set	
Passenger Window Lockout	Not Set	
Passenger Memory Mirror Present	Not Set	
Rear Door Pre Short Drop	Not Set	
Heated Mirrors Present	Set	
Blindspot Mirror Present	Not Set	
Sun Shade	Not Set	
Door Courtesy Lamps Present	Not Set	

Mirror Approach Lights Present	Not Set	
Door handle LED present (Ambient Lights)	Not Set	
Window Motor Type	Not Set	
Global Down	Not Set	
Door map pocket LED present (Ambient Lights)	Not Set	
Window Hall Sensors Present	Not Set	
Electro-chromatic driver mirror present	Not Set	
Auto Power Folding Mirrors Present	Not Set	
Tow Mirror Present	Not Set	
Global Up	Not Set	
Folding mirrors present	Not Set	
Tilt/Telescope Steering Present	Not Set	
Rear Heated Seats Present	Not Present	
Front Vented Seats Present	Not Present	
Front Heated Seat Present	Present	
Rear Vented Seats Present	Not Present	
Heated Steering Wheel Present	Present	
Memory Adjustable Pedals Present	Not Set	
Heated Seat Material Type	Default	
Memory Seat Present	Not Set	
Heated Wheel Material Type	Wood/Leather	
Brake System ECU Configuration B	Undefined	
Brake System ECU Configuration A	value 0	
Wheel 18 inch overall ESC Maserati	Not Set	
ECO Mode Configuration	Remember Previous State with Ignition Key Cycle	
Vehicle is equipped with Dosing Control Unit	Not Set	
Vehicle is equipped with Variable Geomeric Turbo Actuator	Not Set	
Dual Alternator Present	Not Set	
Bed Lamp Present - Pin F06	Set	
Inverter Status Indicator - Pin F34	Not Set	
Passenger Door Lock Switch - Pin F16	Set	
Rain Sensor Module #2 Present	Not Set	
Humidity Sensor Long Present	Not Set	
Inverter On/Off Switch - Pin G12	Not Set	
Front Fog Voltage	13.6	Volts
Driver Door Lock Switch - Pin F15	Set	
Fog Lamp Switch - Pin G2	Set	
Manual Door Locks Present	Not Set	
License Lamp Disabled	Not Set	
Rear Fog Voltage	12.0	Volts
Auto High Beam Module Location	None	
Baggage (Cargo) Lamp Output Disabled with vehicle speed	Not Set	
ERS Input Usage	Not Set	
Secondary Door Ajar Present - Pin E28	Set	

CHMSL Lamp Output Disable	Not Set	
Steering Smoothing Duration	3 periods	
Average Last Lateral Acceleration Values	Average 1	
Brake Smoothing Duration	10 periods	
Average Last Longitudinal Acceleration Values	Average 1	
Steering Smoothing Factor	Filter Off	
Excess Lateral Acceleration Factor	1.5	
Steering Smoothing Threshold	150 Degrees	
Nose Dive Threshold	480 degrees	
Maximum Lateral Change	2.6 degrees	
Nose Dive Factor	Filter Off	
Brake Smoothing Factor	Filter Off	
Excess Longitudinal Acceleration Factor	1.5	
Acceleration Factor	Filter Off	
Acceleration Threshold	1.5 m/s ²	
Maximum Longitudinal Change	2.0 degrees	
Brake Smoothing Threshold	375 Nm	
ASBM Battery Minimum Voltage	11.8 Volts	
ASBM Minimum Voltage Time	10 Seconds	
VTA Hood Ajar Monitoring	Not Set	
Pitch and Roll Present	Set	
Horn Chirp Duration	Short	
PE Auto-Relock Feature Enable	Set	
Interior Lighting Day Threshold	4.27498	Volt
Parking Light Enable	Not Set	
Interior Lighting Night Threshold	4.45147	Volt
RKE Auto-Relock Feature Enable	Not Set	
Glare Free Present	Not Set	
Transmission Equipped	Automatic transmission / AUTOMATIC	
ASCM Contains Suspension	Not Set	
Glovebox Control	Not Set	
Active Blind Spot Present	Not Set	
Motor on Caliper	MOC Not Present	
Red Key Feature Present	Not Set	
ASCM Contain Active Damping	Not Set	
Axle Locker Configuration	Front & Rear Locked	
Transmission Neutral Hold Feature Present	Not Set	
Full Speed Range forward collision warning plus system present	Not Set	
Vehicle Package Content	Increasing 0 KPH	
Temperature Display Resolution	Set	
Surround View Camera Present	Not Set	
Sunroof Present	Not Set	
Traffic Sign Information Feature Present	Not Set	
Type of adaptive cruise control (ACC) system present	ACC not present / NONE	

Paddles Lock-out Feature Present	Not Set	
LDW without Haptic Feedback feature	Not Set	
e-shifter present	Set	
TPMS Configuration	Logic 1 NHTSA Enable Warning	
Park Brake Type	Mechanical Park Brake - Hand or Foot	
Lane Departure Warning present	Not Set	
ECU Controlling PAD Lamp	Cluster	
AGS Feature Present	Not Set	
Suspension Type	None	
Hybrid Type	None	
ADR feature Present	Not Set	
Automatic transmission type	ZF 8Spd / ZF 8Spd	
Transmission drive mode feature	Set	
Brake Type	None	
Shift feature autostick / electronic range select status	Autostick present / AS	
PTC Present	Not Set	
Lane Centering / HAS feature Present	Not Set	
TSBM Module Present	Not Set	
Dynamic steering torque present	Not Set	
Capacity Unit Customer Settings Present	Not Set	
Illuminated approach customer settings menu	Set	
Adaptive Front Lighting System Customer Settings Present	Not Set	
Headlamps on with wiper customer settings menu	Set	
Auto entry exit mode customer settings menu	Not Set	
Forward Collision Mitigation Braking Customer Settings Present	Not Set	
Distance unit customer settings menu	Set	
Flash Lights with Remote Lower Lock Customer Settings Menu	Not Set	
Auto park customer settings menu	Not Set	
Rear camera customer settings menu	Not Set	
Compass calibration customer settings menu	Not Set	
Tire jack mode customer settings menu	Not Set	
Headlamp off delay customer settings menu	Set	
Auto on driver comfort customer settings menu	Feature 2 - 3 Option / Feature 2 - 3 Option	
Sound horn with remote start customer settings menu	Set	
Compass variance customer settings menu	Not Set	
Consumption unit customer settings menu	Set	
EPB service mode customer settings menu	Not Set	
Park assist rear volume customer settings menu	Set	
Sound horn with remote lower customer settings menu	Not Set	
Navigation Turn By Turn Customer Settings Menu	Set	
Blind spot alert customer settings menu	Set	
Rear view camera gridlines customer settings menu	Feature not present / Absent	
Park assist customer settings menu	Feature not present / Absent	

Sound horn with remote lock customer settings menu	Feature 2 - 3 Option / Feature 2 - 3 Option	
Power liftgate chime customer settings menu	Not Set	
CHMSL Line Menu Present	Not Set	
Daytime Running Lights Customer Settings Present	Set	
Lane departure torque customer settings menu	Not Set	
Headlamp drop customer settings menu	Not Set	
Ambient dimmer customer settings menu	Not Set	
Automatic aero mode customer settings menu	Not Set	
Auto Door Un-Lock Customer Settings Menu	Set	
Auxiliary switches customer settings menu	Feature not present / Absent	
Park assist front volume customer settings menu	Not Set	
Lane departure warning customer settings menu	Not Set	
Performance Shift RPM Customer Settings Present	Not Set	
Power unit customer settings menu	Not Set	
Unit set customer settings menu	Set	
Easy exit seat customer settings menu	Not Set	
Electric power steering customer settings menu	Not Set	
Passive entry customer settings menu	Set	
Air suspension warning customer settings menu	Not Set	
Police passive entry settings menu	Not Set	
Hill Start Assist Customer Settings Present	Set	
Auto door lock customer settings menu	Set	
Power accessory delay customer settings menu	Set	
Auto high beam customer settings menu	Not Set	
Performance shift enable customer settings menu	Not Set	
Flash lamps with lock customer settings menu	Set	
Clock display customer settings menu	Set	
Pressure unit customer settings menu	Set	
Power take off customer settings menu	Not Set	
Park assist brake customer settings menu	Not Set	
Forward collision warning customer settings menu	Feature not present / Absent	
Rain sensitive wipers customer settings menu	Not Set	
Wheel alignment customer settings menu	Not Set	
Sliding Door Alert	Not Set	
Active Blind Spot Enable/Disable customer settings menu	Not Set	
Hold and Go customer settings menu	Not Set	
Temperature Unit Customer Settings Menu	Set	
RKE linked to memory customer settings menu	Not Set	
Doors and Engine Off Power Delay Customer Settings Menu	Set	
Transport mode customer settings menu	Not Set	
Surround view camera gridlines customer settings menu	Not Set	
Active Blind Spot Strength customer settings menu	Not Set	
LDW On/Off Customer Settings Menu	Not Set	
Automatic Side Step Customer Settings Menu	Not Set	

RKE unlock customer settings menu	Set	
Hands Free Lift Gate Customer Settings Menu	Not Set	
Trailer type customer settings menu	Not Set	
EPB On/Off Customer Settings Menu	Not Set	
Rear view camera delay customer settings menu	Set	
Paddle Shifter Customer Settings Menu	Not Set	
Torque unit customer settings menu	Not Set	
Ready to Drive Customer Settings Menu	Not Set	
Lane Keep Assist Enable/Disable customer settings menu	Not Set	
Motorized Seatbelt Strength customer settings menu	Not Set	
Auto On Passenger Comfort Customer Settings Menu	Not Set	
FCW Switch Customer Settings Menu	Not Set	
Park Assist Type Customer Settings Menu	Not Set	
Auto Power Folding Mirrors CSM	Not Set	
Surround view camera delay customer settings menu	Not Set	
Active Blind Spot Sensitivity customer settings menu	Not Set	
Blind Spot With Trailer Customer Settings Menu	Not Set	
Trailer Name Customer Settings Present	Not Set	
Speed unit customer settings menu	Set	
Forward Collision Warning and Brake Customer Settings Menu	Not Set	
Tilt mirror in reverse customer settings menu	Not Set	
Sliding Door Chime Customer Settings Menu	Not Set	
Passenger Airbag On/Off Customer Settings Menu	Not Set	
Speed Warning Customer Settings Menu	Undefined	
US metric customer settings menu	Not Set	
Active Blind Spot Warning Mode customer settings menu	Not Set	
Fuel Saver Customer Settings Menu	Not Set	
Active Blind Spot Haptic customer settings menu	Not Set	
Blind Spot Warning Mode customer settings menu	Not Set	
Trailer selected customer settings menu	Not Set	
Hands free sliding door customer settings menu	Not Set	
Flash Lamps with Sliding Door Customer Settings Menu	Not Set	
Motorized Seatbelt Enable/Disable customer settings menu	Not Set	
Automatic Crash Notification Feature Present	Not Set	
Show Phone Information in Cluster	Set	
ANC Calibration Parameter Data Set	No ANC	
Tri-State Comfort Climate Softkey Function Present	Set	
Radio Speaker Open Circuit Disable (RR)	Not Set	
Drive Mode Version	Version 1	
DTV Present	Not Set	
Radio Speaker Open Circuit Disable (RF)	Not Set	
Surround View Camera On/Off Softkey Present	Not Set	
Auto Dimming Mirror Hard Button Present	Not Set	
Rear Defrost and Heated Mirrors Present	Both	

Glovebox Mode Softkey Functions Present	Not Set	
RVC Zoom Present	Not Set	
Clari-Fi Present	Not Set	
Radio Speaker Open Circuit Disable (LR)	Not Set	
Radio Speaker Open Circuit Disable (LF)	Not Set	
Trailer Hitch Camera Present	Set	
Park Assist Tuning Set	Rubicon	
Dual Filament Headlamp	Not Present	
Left Rear Corner Voltage	13.6 Volts	
Signature Light Present	Present	
Right Rear Corner Voltage	13.6 Volts	
Left Front Corner Voltage	13.4 Volts	
Left High Beam Voltage Regulation	13.4 Volts	
Right Low Beam Voltage Regulation	13.2 Volts	
Auto Headlamp On Threshold	3.31409	Volt
Left Low Beam Voltage Regulation	13.4 Volts	
Right Side DRL Voltage Target	11.0 Volts	
Right High Beam Voltage Regulation	13.2 Volts	
Left Side DRL Voltage Target	11.0 Volts	
Front Turn Lamp Diagnostics	Present	
Auto Headlamp Off Threshold	2.54930	Volt
Right Front Corner Voltage	13.4 Volts	
Siren	Not Set	
Tilt	Not Set	
Ultrasonics	Not Set	
Engine Displacement	3.6L Gas with ESS	
Heated Mirrors Present	Present	
Rear Defrost Presence	Present	
AMP	Not Set	
HVAC	Set	
PLGM	Not Set	
EDM	Not Set	
ICS	Set	
BCM (Interior Bus)	Set	
HVAC_R	Not Set	
TTM	Not Set	
AMP	Set	
DDM	Not Set	
Radio	Set	
HSM	Set	
PTCM	Not Set	
VSIM	Not Set	
TBM	Not Set	
PDM	Not Set	

ITM	Not Set	
Traffic Sign Information Enable/Disable CSM	Not Set	
Auto Launch Forward Facing Camera Off Road Plus CSM	Not Set	
Auto Launch Off Road Plus CSM	Set	
Power Side Step Enable/Disable CSM	Not Set	
Lane Keep Assist Strength CSM	Not Set	
Lane Keep Assist Warning Mode CSM	Not Set	
Lane Keep Assist Sensitivity CSM	Not Set	
Rear CVPM Camera Dynamic Gridlines Customer Settings Menu	Set	
Tire Fill Alert Enable/Disable CSM	Set	
Auto Stop Start Enable/Disable CSM	Not Set	
Forward Facing Camera Gridlines Customer Settings Menu	Set	
Rear CVPM Camera Static Customer Settings Menu	Set	
Trailer Length Blind Spot Enable/Disable CSM	Not Set	
ASCM	Not Set	
AHLM/AFLS	Not Set	
ABS	Set	
PTS	Set	
EPS	Set	
DPDM	Set	
ASBS	Set	
SGW	Set	
TCM	Set	
BCM (PT)	Set	
SCCM	Set	
ITBM	Not Set	
ANC	Not Set	
ELSD	Not Set	
EPB	Not Set	
IPC	Set	
DTCM	Set	
AFLS	Not Set	
TPM	Set	
PCM	Set	
OCM	Set	
ESM	Set	
HCP	Not Set	
ORC	Set	
RFH	Set	
Front Heated Seat Levels	3 Level (High / Med / Low / Off)	
Front Vented Seat Levels	Default	
Wheel Material Type Expansion	Type 2	
Seat Material Rear	Type 0	
Seat Material Front	Type 6	

Overtaking Ban Present	Not Set	
Offroad Mode Present	Set	
Increasing speed constant	Increasing 0 KPH	
Steering C Factor	Type 1	
ARC Present	Not Set	
Speedometer Tolerance	0 Percent Tolerance	
Tire Fill Alert Present	Not Set	
Selectable Tire Fill Alert Present	Set	
Tachometer Type	Tachometer Type 1 / Type 1	
AVAC Present	Not Set	
DBL Present	Not Set	
Offroad Camera Present	Set	
Vehicle Cornering Present	Not Present /Not Present	
Beam Shaping Present	Not Set	
Wheelbase Length	Length 1	
Power Outlet Type	No Inverter	
Right Rear Turn Lamp Diagnostics Present - Pin F31	Set	
Stop/Turn Lamp or Stop Lamp Present Pin E2 & F40	Stop/Turn Lamp	
Signature Lamps or Mirror Repeater Present - Pin A5 & Pin A7	Signature Lamp	
Brake Fluid Level Switch Signal Present - Pin D21	Not Set	
Left Front Lamp Diagnostics Present - Pin F25	Set	
Backup Reverse Lamp Right Present - Pin E1	Set	
Right High Beam Present - Pin A2	Set	
Right Front Lamp Diagnostics Present - Pin F28	Set	
Left Rear Turn Lamp Diagnostics Present - Pin F27	Set	
Left High Beam Present - Pin D1	Set	
Backup Reverse Lamp Left Present - Pin F41	Set	
Driver Kneebag Present	False	
Passive Ped Pro Present	False	
1st Row Seat Side Airbags Present	True	
Integrated EPP Present	False	
Passenger Kneebag Present	False	
BUX vehicle	False	
2nd Row Seat Airbags Present	False	
Curtain Airbags Present	False	
Tow Hooks Present	False	
ODS Present	True	
DC to DC Converter #2 Present	Not Set	
Illuminated Approach Headlamp Target Percentage	125 (62.5%)	
Humidity Sensor Present	Not Set	
ASBM Present	Not Set	
Inverter Module Present	Set	
DC to DC Converter Present	Not Set	
Twilight Sensor Tunnel Detect	Not Set	

Illuminated Approach Interior Lighting Ramp Up Time	130(2600ms)	
RCM Present	Not Set	
VTA System Present	VTA	
OHC Module Present	Set	
ECC AHBM Present	Not Set	
ASBMM Present	Set	
Compass Mounting Orientation	Upside Down	
IBS Present	Set	
Compass Mounting Angle	0	Degree
Auto Relock Time	60	seconds
Washer Fluid Level Voltage Threshold	4.46 volts	
Panic Enable	Set	
Illuminated Approach Taillamp Target Percentage	125 (62.5%)	
Manual Trans Present	Not Set	
Illuminated Approach Interior Lighting Target Percentage	100 (50%)	
CRVMM Present	Set	
EVIC Switch Module Present	Set	
EOM Present	Not Set	
Connected Services Presence	Not Set	
Ecall Button Config	Absent	
External LTE Diversity Antenna	Not Set	
Cell presence	Not Set	
USB Connection Presence	Not Set	
Assist Call Button Config	Absent	
ACN Hardwired	Not Set	
Geolocalization Menu Presence	Not Set	
Remote Headlights Feature	Not Set	
Wifi Presence	Not Set	
GPS Pesence	Set	
TBM Second Generation	Not Set	
TBM Audio Config	Type 1	
External Speaker Presence	Not Set	
Rear Heated Seat Levels	Default	
Rear Vented Seat Levels	Default	
Heated Wheel Levels	1 Level (On / Off)	

RADIO CONFIGURATION

NAME	VALUE	UNITS
Compass on the bus messaging Authorization	Allowed	
GPS on the Bus messaging Authorization	Allowed	
Satellite Subscription Suspend Day	—	
Satellite Subscription Reason Code	—	
Satellite Subscription Suspend Year	—	
Satellite Subscription Suspend Month	—	


Satellite Subscription Status	—	
Satellite Subscription ID	—	
Aux Jack	—	
USB Hubs Detected	—	No Unit
SD Card Readers Detected	—	No Unit
Enumerated USB Devices	—	No Unit
DTV Short Term Configuration	—	
911 Button	—	
SDARS	—	
Internal CD Player	—	
Application Framework	—	
Bluetooth	—	
Navigation Active	—	
FM Diversity	—	
Cellular	—	
Wi-Fi	—	
Splash Screen	—	
Anti-Theft Enable Status	—	
Automated Loudness	—	
Front Seat Video Playback	—	
Clock Defeat	—	
Cabin EQ Curve Number Currently Used by Radio	—	
12/24 Time Selection	—	

LBSS CONFIGURATION

NAME	VALUE	UNITS
Steering (LHD/RHD)	—	
Teen Key	—	
CFG FEATURE	—	

RBSS CONFIGURATION

NAME	VALUE	UNITS
Teen Key	—	
Steering (LHD/RHD)	—	



VEHICLE SCAN REPORT

Vehicle 2021 JEEP GLADIATOR 3.6L V6 24V VVT ENGINE UPG I W/ESS
VIN [REDACTED]

Odometer 2001.0 miles
Publication Date Oct 12, 2021, 12:11:42 PM

ECU SUMMARY INFO

ECU	NAME	BUS TYPE	FLASH PART #	CURRENT VIN	ORIGINAL VIN	PART #
TCM	Transmission Control Module	CAN-C	68485583AD	[REDACTED]	[REDACTED]	68485583AD
PCM	Powertrain Control Module	CAN-C	68484031AF	[REDACTED]	[REDACTED]	68484031AF
ASBS	Automatic Sway Bar System	CAN-C	68251036AC			68251036AC
ICS	Integrated Center Stack	CAN-I	7BU53DX9AA	[REDACTED]	[REDACTED]	7BU53DX9AA
TPM	Tire Pressure Monitor	CAN-C	68411061AE	[REDACTED]	[REDACTED]	68411061AE
RFH	Radio Frequency Hub	CAN-C	68488346AA		[REDACTED]	68488346AA
ABS	Anti Lock Brakes	CAN-C	68519476AA	[REDACTED]	[REDACTED]	68519476AA
ESM	Electronic Shifter	CAN-C	04670714AD		[REDACTED]	04670714AD
DTCM	Drive Train Control Module	CAN-C	68483374AB	[REDACTED]	[REDACTED]	68483374AB
ORC	Occupant Restraint	CAN-C	68477641AA	[REDACTED]	[REDACTED]	68477641AA
EPS	Electric Power Steering	CAN-C		—	—	—
HVAC	Heat, Ventilation and A/C	CAN-I	68474248AC	[REDACTED]	[REDACTED]	68474248AC
CSWM	Comfort Seat Wheel Module	CAN-I	68510873AA	[REDACTED]	[REDACTED]	68510873AA
AMP	Amplifier	CAN-I	68441766AB	[REDACTED]	[REDACTED]	68441766AB
IPC	Instrument Panel Cluster	CAN-C	68482358AD	[REDACTED]	[REDACTED]	68482358AD
PTS	Parktronics	CAN-C	04672768AE	[REDACTED]	[REDACTED]	04672768AE
SCCM	Steering Column Control Module	CAN-C	68491577AB	[REDACTED]	[REDACTED]	68491577AB
BCM	Body Controller	CAN-C	68496171AB	[REDACTED]	[REDACTED]	68496170AB
RADIO	Radio	CAN-I	68472596AJ	[REDACTED]	[REDACTED]	68472596AJ
OCM	Occupant Classification	CAN-C	68418205AA	[REDACTED]	[REDACTED]	68418205AA
LBSS	Left Blind Spot Sensor	CAN-I	68416989AC	[REDACTED]	[REDACTED]	68416989AC

RBSS	Right Blind Spot Sensor	CAN-I	68416989AC			68416989AC
CVPM	Central vision processing module	CAN-I	04672861AB			04672861AB
SGW	Security Gateway Module	CAN-C	68488416AB			68488416AB
DPDM	Driver Presence Detection Module	CAN-C	68418198AA			68418198AA

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	CVNS
TCM	USA / USA	63 35 FF	63 35 FF	4564	
PCM	USA	1B 47	17 01 01	4431	
ASBS	USA	10 01 00	11 21 00	4500	
ICS	USA	10 1E 00	13 29 01	4802	
TPM	USA	0E 23 00	13 09 05	4110	
RFH	USA / USA	10 31 00	13 21 00	4620	
ABS	USA	11 0E 61	14 0C 81	4600	
ESM	USA	13 0C 00	12 15 00	4322	
DTCM	USA	11 22 00	14 0C 01	4501	
ORC	USA	12 05 00	13 04 01	4501	
EPS	—	—	—	4005	
HVAC	USA	13 20 00	14 0A 01	4420	
CSWM	USA	10 2B 00	14 08 00	4202	
AMP	USA	18 2E 00	12 2F 00	4030	
IPC	USA	17 17 01	14 17 01	4805	
PTS	USA	10 32 01	13 27 01	4401	
SCCM	USA	13 28 00	13 29 00	4301	
BCM	USA	0D 11 00	14 05 B0	4655	
RADIO	USA	15 12 14	15 12 14	8205	
OCM	USA	11 31 01	11 07 04	4060	
LBSS	USA	11 23 01	12 25 00	4204	
RBSS	USA	11 23 01	12 25 00	4204	
CVPM	USA	11 27 01	14 21 01	4011	
SGW		5	955	4103	
DPDM	USA	11 31 01	11 0F 04	4510	

DTC SUMMARY

ECU	DTC CODE	DTC DESCRIPTION	STATUS
ICS	U0140-00	Lost Communication With Body Control Module-	Stored
TPM	U0100-00	Lost Communication With ECM/PCM "A"-	Stored
RFH	U0100-00	Lost Communication With ECM/PCM "A"-	Stored
RFH	U0102-00	Lost Communication With Transfer Case Control Module / AWD-	Stored
RFH	U115F-00	Lost Communication with Driver Presence Detection Module-	Stored
RFH	U0154-00	Lost Communication With Occupant Classification Module-	Stored

ABS	U0102-00	Lost Communication With Transfer Case Control Module / AWD-	Stored
ABS	C211B-92	Ignition Run/Start Input-Performance or Incorrect Operation	Stored
ABS	U0100-00	Lost Communication With ECM/PCM "A"-	Stored
ESM	U0100-00	Lost Communication With ECM/PCM "A"-	Stored
HVAC	U0422-00	Implausible Data Received From Body Control Module-	Stored
AMP	U0422-00	Implausible Data Received From Body Control Module-	Stored
IPC	U0131-00	Lost Communication With Power Steering Control Module "A"-	Active
IPC	U1159-00	Lost Communication With Automatic Sway Bar System-	Stored
IPC	U0159-00	Lost Communication With Parking Assist Control Module-	Stored
IPC	U0405-00	Invalid Data Received From Cruise Control Module-	Stored
IPC	U0100-00	Lost Communication With ECM/PCM "A"-	Stored
IPC	U0104-00	Lost Communication With Cruise Control Module-	Stored
IPC	U0102-00	Lost Communication With Transfer Case Control Module / AWD-	Stored
BCM	P1276-14	Starter Control 2-Circuit Short to Ground or Open	Stored
BCM	U0100-00	Lost Communication With ECM/PCM "A"-	Stored
BCM	U0159-00	Lost Communication With Parking Assist Control Module-	Stored
RADIO	U0100-00	Lost Communication With ECM/PCM "A"-	Stored

ENVIRONMENTAL DATA SUMMARY

ICS | U0140-00 | Stored | Lost Communication With Body Control Module-

NAME	VALUE	UNITS
DTC	C1 40 00	
Test Failed	False	
Test Failed This Operation Cycle	False	
Pending DTC	True	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	True	
Test Not Completed This Operation Cycle	True	
Warning Indicator Requested	False	
DTC Extended Data Record Number - All	01	
Occurrence flag	Error	
Original Odometer Value	1998	miles
Most Recent Odometer Value	1998	miles
Frequency Counter	1	
Ignition Cycle Counter	2	

TPM | U0100-00 | Stored | Lost Communication With ECM/PCM "A"-

NAME	VALUE	UNITS
Test Failed	False	
Test Failed This Operation Cycle	False	
Pending DTC	False	
Confirmed DTC	True	

Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	False	
Test Not Completed This Operation Cycle	False	
Warning Indicator Requested	False	
DTC Extended Data Record Number - All	01	
Occurrence flag	Occurrence	
Original Odometer Value	1998	miles
Most Recent Odometer Value	1998	miles
Frequency Counter	1	
Operation Cycle Counter	2	

RFH | U0100-00 | Stored | Lost Communication With ECM/PCM "A" -

NAME	VALUE	UNITS
Test Failed	False	
Test Failed This Operation Cycle	False	
Pending DTC	False	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	False	
Test Not Completed This Operation Cycle	True	
Warning Indicator Requested	False	
DTC Extended Data Record Number - All	01	
Occurrence flag	Error	
Original Odometer Value	1998	miles
Most Recent Odometer Value	1998	miles
Frequency Counter	1	
Ignition Cycle Counter	2	

RFH | U0102-00 | Stored | Lost Communication With Transfer Case Control Module / AWD-

NAME	VALUE	UNITS
Test Failed	False	
Test Failed This Operation Cycle	False	
Pending DTC	False	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	False	
Test Not Completed This Operation Cycle	True	
Warning Indicator Requested	False	
DTC Extended Data Record Number - All	01	
Occurrence flag	Error	
Original Odometer Value	1998	miles
Most Recent Odometer Value	1998	miles
Frequency Counter	1	
Ignition Cycle Counter	2	

RFH | U115F-00 | Stored | Lost Communication with Driver Presence Detection Module-

NAME	VALUE	UNITS
Test Failed	False	
Test Failed This Operation Cycle	False	
Pending DTC	False	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	False	
Test Not Completed This Operation Cycle	True	
Warning Indicator Requested	False	
DTC Extended Data Record Number - All	01	
Occurrence flag	Error	
Original Odometer Value	1998	miles
Most Recent Odometer Value	1998	miles
Frequency Counter	1	
Ignition Cycle Counter	2	

RFH | U0154-00 | Stored | Lost Communication With Occupant Classification Module-

NAME	VALUE	UNITS
Test Failed	False	
Test Failed This Operation Cycle	False	
Pending DTC	False	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	False	
Test Not Completed This Operation Cycle	True	
Warning Indicator Requested	False	
DTC Extended Data Record Number - All	01	
Occurrence flag	Error	
Original Odometer Value	1998	miles
Most Recent Odometer Value	1998	miles
Frequency Counter	1	
Ignition Cycle Counter	2	

ABS | U0102-00 | Stored | Lost Communication With Transfer Case Control Module / AWD-

NAME	VALUE	UNITS
DTC	C1 02 00	
Test Failed	False	
Test Failed This Operation Cycle	False	
Pending DTC	False	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	True	
Test Not Completed This Operation Cycle	True	

Warning Indicator Requested	False	
Occurrence flag	Occurrence	
Controller Event	No	
Mirror Memory	No	
Undervoltage Suspected	No	
Original Odometer Value	1998	miles
Most Recent Odometer Value	1998	miles
Frequency Counter	1	
Ignition Cycle Counter	1	
Fault Time	1492.00	S
Current System Mode	Ignition Run	
Previous System Mode	CAN active	
System Condition	OK	
Supply Voltage Valves	11.9	V
Supply voltage Pump	0.0	V
Uecu unfiltered	11.9	V
Wheel Speed Left Front	0.000	MPH
Rotation Direction Left Front	Forward	
Wheel Speed Right Front	0.000	MPH
Rotation Direction Right Front	Forward	
Wheel Speed Left Rear	0.000	MPH
Rotation Direction Left Rear	Forward	
Wheel Speed Right Rear	0.000	MPH
Rotation Direction Right Rear	Forward	
Steering Wheel Angle	6.40	°
Longitudinal Acceleration	-0.22	m/s ²
Lateral Acceleration	0.00	m/s ²
Yaw Rate	0.000	°/s
Primary Circuit Pressure	0.00	PSI
Accelerator Pedal Position	0.0	%
ABS control	Not Active	
ASR control	Not Active	
MSR control	Not Active	
EBV control	Not Active	
ESP Control	Not Active	
HSA control	Not Active	
HBA control	Not Active	
Hold	No	
Braking assistance system	No assistance system is braking	
Plant Mode	No	
BLS_High	No	
BLS_Low	No	
Park Brake	activated	
ESP-OFF mode	No	

Clutch	activated	
Stop Coordinator Active	No	
Actual Gear	P	
Transmission selector lever setting	P	
Supplier Internal Code	38147	

ABS | C211B-92 | Stored | Ignition Run/Start Input-Performance or Incorrect Operation

NAME	VALUE	UNITS
DTC	61 1B 92	
Test Failed	False	
Test Failed This Operation Cycle	False	
Pending DTC	False	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	True	
Test Not Completed This Operation Cycle	True	
Warning Indicator Requested	False	
Occurrence flag	Occurrence	
Controller Event	No	
Mirror Memory	No	
Undervoltage Suspected	No	
Original Odometer Value	1998	miles
Most Recent Odometer Value	1998	miles
Frequency Counter	1	
Ignition Cycle Counter	1	
Fault Time	1493.60	S
Current System Mode	Ignition Run	
Previous System Mode	CAN active	
System Condition	Limited Traction	
Supply Voltage Valves	11.9	V
Supply voltage Pump	0.0	V
Uecu unfiltered	11.9	V
Wheel Speed Left Front	0.000	MPH
Rotation Direction Left Front	Forward	
Wheel Speed Right Front	0.000	MPH
Rotation Direction Right Front	Forward	
Wheel Speed Left Rear	0.000	MPH
Rotation Direction Left Rear	Forward	
Wheel Speed Right Rear	0.000	MPH
Rotation Direction Right Rear	Forward	
Steering Wheel Angle	6.40	°
Longitudinal Acceleration	-0.22	m/s ²
Lateral Acceleration	0.00	m/s ²
Yaw Rate	0.000	°/s

Primary Circuit Pressure	0.00	PSI
Accelerator Pedal Position	102.0	%
ABS control	Not Active	
ASR control	Not Active	
MSR control	Not Active	
EBV control	Not Active	
ESP Control	Not Active	
HSA control	Not Active	
HBA control	Not Active	
Hold	No	
Braking assistance system	No assistance system is braking	
Plant Mode	No	
BLS_High	No	
BLS_Low	No	
Park Brake	activated	
ESP-OFF mode	No	
Clutch	activated	
Stop Coordinator Active	No	
Actual Gear	P	
Transmission selector lever setting	P	
Supplier Internal Code	19972	

ABS | U0100-00 | Stored | Lost Communication With ECM/PCM "A"-

NAME	VALUE	UNITS
DTC	C1 00 00	
Test Failed	False	
Test Failed This Operation Cycle	False	
Pending DTC	False	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	True	
Test Not Completed This Operation Cycle	True	
Warning Indicator Requested	False	
Occurrence flag	Occurrence	
Controller Event	No	
Mirror Memory	No	
Undervoltage Suspected	No	
Original Odometer Value	1998	miles
Most Recent Odometer Value	1998	miles
Frequency Counter	1	
Ignition Cycle Counter	1	
Fault Time	1492.60	S
Current System Mode	Ignition Run	
Previous System Mode	CAN active	

System Condition	Limited Traction	
Supply Voltage Valves	11.9	V
Supply voltage Pump	0.0	V
Uecu unfiltered	11.9	V
Wheel Speed Left Front	0.000	MPH
Rotation Direction Left Front	Forward	
Wheel Speed Right Front	0.000	MPH
Rotation Direction Right Front	Forward	
Wheel Speed Left Rear	0.000	MPH
Rotation Direction Left Rear	Forward	
Wheel Speed Right Rear	0.000	MPH
Rotation Direction Right Rear	Forward	
Steering Wheel Angle	6.40	°
Longitudinal Acceleration	-0.22	m/s^2
Lateral Acceleration	0.00	m/s^2
Yaw Rate	0.000	°/s
Primary Circuit Pressure	0.00	PSI
Accelerator Pedal Position	0.0	%
ABS control	Not Active	
ASR control	Not Active	
MSR control	Not Active	
EBV control	Not Active	
ESP Control	Not Active	
HSA control	Not Active	
HBA control	Not Active	
Hold	No	
Braking assistance system	No assistance system is braking	
Plant Mode	No	
BLS_High	No	
BLS_Low	No	
Park Brake	activated	
ESP-OFF mode	No	
Clutch	activated	
Stop Coordinator Active	No	
Actual Gear	P	
Transmission selector lever setting	P	
Supplier Internal Code	38407	

ESM | U0100-00 | Stored | Lost Communication With ECM/PCM "A"-

NAME	VALUE	UNITS
DTC	C1 00 00	
Test Failed	False	
Test Failed This Operation Cycle	False	
Pending DTC	False	

Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	True	
Test Not Completed This Operation Cycle	True	
Warning Indicator Requested	False	
Occurrence flag	Error	
Original Odometer Value	1998	miles
Most Recent Odometer Value	1998	miles
Frequency Counter	1	
Ignition Cycle Counter	2	

HVAC | U0422-00 | Stored | Implausible Data Received From Body Control Module-

NAME	VALUE	UNITS
Test Failed	False	
Test Failed This Operation Cycle	False	
Pending DTC	False	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	True	
Test Not Completed This Operation Cycle	True	
Warning Indicator Requested	False	
Occurrence flag	Error	
Original Odometer Value	1998	miles
Most Recent Odometer Value	1998	miles
Frequency Counter	1	
Ignition Cycle Counter	2	

AMP | U0422-00 | Stored | Implausible Data Received From Body Control Module-

NAME	VALUE	UNITS
DTC	C4 22 00	
Test Failed	False	
Test Failed This Operation Cycle	False	
Pending DTC	True	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	True	
Test Not Completed This Operation Cycle	False	
Warning Indicator Requested	False	
DTC Extended Data Record Number - All	FF	
Occurrence flag	Error	
Original Odometer Value	1998	miles
Most Recent Odometer Value	1998	miles
Frequency Counter	1	
Ignition Cycle Counter	2	

IPC | U0131-00 | Active | Lost Communication With Power Steering Control Module "A"-

NAME	VALUE	UNITS
Test Failed	True	
Test Failed This Operation Cycle	False	
Pending DTC	False	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	True	
Test Not Completed This Operation Cycle	True	
Warning Indicator Requested	False	
DTC Extended Data Record Number - All	01	
Occurrence flag	Error	
Original Odometer Value	1998	miles
Most Recent Odometer Value	1998	miles
Frequency Counter	6	
Ignition Cycle Counter	0	

IPC | U1159-00 | Stored | Lost Communication With Automatic Sway Bar System-

NAME	VALUE	UNITS
Test Failed	False	
Test Failed This Operation Cycle	False	
Pending DTC	False	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	True	
Test Not Completed This Operation Cycle	True	
Warning Indicator Requested	False	
DTC Extended Data Record Number - All	01	
Occurrence flag	Error	
Original Odometer Value	1998	miles
Most Recent Odometer Value	1998	miles
Frequency Counter	1	
Ignition Cycle Counter	2	

IPC | U0159-00 | Stored | Lost Communication With Parking Assist Control Module-

NAME	VALUE	UNITS
Test Failed	False	
Test Failed This Operation Cycle	False	
Pending DTC	False	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	True	
Test Not Completed This Operation Cycle	True	
Warning Indicator Requested	False	

DTC Extended Data Record Number - All	01	
Occurrence flag	Error	
Original Odometer Value	1998	miles
Most Recent Odometer Value	1998	miles
Frequency Counter	1	
Ignition Cycle Counter	2	

IPC | U0405-00 | Stored | Invalid Data Received From Cruise Control Module-

NAME	VALUE	UNITS
Test Failed	False	
Test Failed This Operation Cycle	False	
Pending DTC	False	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	True	
Test Not Completed This Operation Cycle	True	
Warning Indicator Requested	False	
DTC Extended Data Record Number - All	01	
Occurrence flag	Error	
Original Odometer Value	1998	miles
Most Recent Odometer Value	1998	miles
Frequency Counter	1	
Ignition Cycle Counter	2	

IPC | U0100-00 | Stored | Lost Communication With ECM/PCM "A"-

NAME	VALUE	UNITS
Test Failed	False	
Test Failed This Operation Cycle	False	
Pending DTC	False	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	True	
Test Not Completed This Operation Cycle	True	
Warning Indicator Requested	True	
DTC Extended Data Record Number - All	01	
Occurrence flag	Error	
Original Odometer Value	1998	miles
Most Recent Odometer Value	1998	miles
Frequency Counter	1	
Ignition Cycle Counter	2	

IPC | U0104-00 | Stored | Lost Communication With Cruise Control Module-

NAME	VALUE	UNITS
Test Failed	False	

Test Failed This Operation Cycle	False	
Pending DTC	False	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	True	
Test Not Completed This Operation Cycle	True	
Warning Indicator Requested	False	
DTC Extended Data Record Number - All	01	
Occurrence flag	Error	
Original Odometer Value	1998	miles
Most Recent Odometer Value	1998	miles
Frequency Counter	1	
Ignition Cycle Counter	2	

IPC | U0102-00 | Stored | Lost Communication With Transfer Case Control Module / AWD-

NAME	VALUE	UNITS
Test Failed	False	
Test Failed This Operation Cycle	False	
Pending DTC	False	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	True	
Test Not Completed This Operation Cycle	True	
Warning Indicator Requested	False	
DTC Extended Data Record Number - All	01	
Occurrence flag	Error	
Original Odometer Value	1998	miles
Most Recent Odometer Value	1998	miles
Frequency Counter	1	
Ignition Cycle Counter	2	

BCM | P1276-14 | Stored | Starter Control 2-Circuit Short to Ground or Open

NAME	VALUE	UNITS
Test Failed	False	
Test Failed This Operation Cycle	False	
Pending DTC	False	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	True	
Test Not Completed This Operation Cycle	True	
Warning Indicator Requested	False	
DTC Extended Data Record Number - All	01	
Occurrence flag	Error	
Original Odometer Value	1998	miles

Most Recent Odometer Value	1998	miles
Frequency Counter	1	
Ignition Cycle Counter	2	

BCM | U0100-00 | Stored | Lost Communication With ECM/PCM "A"-

NAME	VALUE	UNITS
Test Failed	False	
Test Failed This Operation Cycle	False	
Pending DTC	False	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	True	
Test Not Completed This Operation Cycle	True	
Warning Indicator Requested	False	
DTC Extended Data Record Number - All	01	
Occurrence flag	Error	
Original Odometer Value	1998	miles
Most Recent Odometer Value	1998	miles
Frequency Counter	1	
Ignition Cycle Counter	2	

BCM | U0159-00 | Stored | Lost Communication With Parking Assist Control Module-

NAME	VALUE	UNITS
Test Failed	False	
Test Failed This Operation Cycle	False	
Pending DTC	False	
Confirmed DTC	True	
Test Not Completed Since Last Clear	False	
Test Failed Since Last Clear	True	
Test Not Completed This Operation Cycle	True	
Warning Indicator Requested	False	
DTC Extended Data Record Number - All	01	
Occurrence flag	Error	
Original Odometer Value	1998	miles
Most Recent Odometer Value	1998	miles
Frequency Counter	1	
Ignition Cycle Counter	2	

RADIO | U0100-00 | Stored | Lost Communication With ECM/PCM "A"-

NAME	VALUE	UNITS
DTCTable	C1 00 00	
TestFailed	False	
TestFailedThisMonitoringCycle	False	
Pending DTC	True	

Confirmed DTC	True	
Test Not Completed This Monitoring Cycle	False	
Warning Indicator Requested	False	
DTCExtendedDataRecordNumber	FF	
Occurance Flag	Occurrence	
Reserved	Reserved	
Original Odometer Value	1998	miles
Most Recent Odometer Value	1998	miles
Frequency Counter	1	
Ignition Counter	1	
RDI \$6080	60 80	
Event Counter	63	

SNAPSHOT DATA SUMMARY

No Snapshot Data available for U0140-00

No Snapshot Data available for U0100-00

No Snapshot Data available for U0100-00

No Snapshot Data available for U0102-00

No Snapshot Data available for U115F-00

No Snapshot Data available for U0154-00

No Snapshot Data available for U0102-00

No Snapshot Data available for C211B-92

No Snapshot Data available for U0100-00

No Snapshot Data available for U0100-00

No Snapshot Data available for U0422-00

No Snapshot Data available for U0422-00

No Snapshot Data available for U0131-00

No Snapshot Data available for U1159-00

No Snapshot Data available for U0159-00

No Snapshot Data available for U0405-00

No Snapshot Data available for U0100-00

No Snapshot Data available for U0104-00

No Snapshot Data available for U0102-00

No Snapshot Data available for P1276-14

No Snapshot Data available for U0100-00

No Snapshot Data available for U0159-00

No Snapshot Data available for U0100-00