






























OAT COOLANT
MS-12106





18 CHRY PACIFICA H UK



STA
PICKUP DA

X

VIN: 118238



MFD BY **FCA US LLC**

DATE OF MFR(BUILT): 11-17

GUAR: 2858 KG 6300 LB

GAWR FRONT: 1452 KG 3200 LB WITH

235/60R18 TIRES

18X7.5 RIMS AT

250 KPA (36 PSI) COLD

GAWR REAR: 1452 KG 3200 LB WITH

235/60R18 TIRES

18X7.5 RIMS AT

250 KPA (36 PSI) COLD

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.A. FEDERAL MOTOR VEHICLE SAFETY
STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VEHICLE MADE IN CHINA
VIN: [REDACTED] E: [REDACTED] MPV MDH: 111718 302AA
TRIM: ALXP



















OAT COOLANT
MS-12105











MIN



68166699AA 21074 21

FCA US LLC

VEHICLE EMISSION CONTROL INFORMATION

GROUP [REDACTED]
NO ADJUSTMENTS NEEDED
HO2S / SFI / TWC

EVAP: JCRXR0125FEH

CONFORMS TO REGULATIONS: 2018 MY
ENGINE: 3.6L

U.S. EPA: T3 B30 LDT OBD: CA OBD II FUEL: GASOLINE/ELECTRICITY

68366 302AA

SULEV30 LDT OBD: CA OBD II FUEL: GASOLINE/ELECTRICITY





























































































REGULADA POR VALVULA
12V 65Ah @ 25°C
650 CCA @ -18°C (SAE/EN)
SC @ 25°C 100 MINS. 213 kg
Produzido por East Penn
Manufacturing Co. - EUA
Delta Rd. Lyon Station, PA
19306 Produzido nos EUA

56029 758 AB

SAC 0807012021
Normas AGNT NBR 15940,
15914 e 15745

SEALED AGM
BATTERY
DO NOT OPEN!
LIMIT CHARGE TO
14.4 VOLTS MAX

⚠ DANGER/POISON

SHIELD EYES
EXPLOSIVE GASES
NEVER OPEN BATTERY
IF LEAKING
NEVER ADD WATER
NEVER ADD ACID
NEVER SMOKING
NEVER USE OPEN FLAME
NEVER INHALE
NEVER DRINK

NEVER TEST IMMEDIATELY
WITH WATER
MEDICAL
HELP

NEVER TEST IMMEDIATELY
WITH WATER
MEDICAL
HELP

Pb



















MOPAR®

- POWER PRESENT ●
- READY TO CHARGE ●
- VEHICLE CONNECTED ●
- VEHICLE CHARGING ●
- TROUBLE ●

 **START**

 **STOP**



22929-025, REV. 01
11T Z 1720


LIMIT CUTTING
TO THIS ZONE

Model: EVSE - RSW32B25CXXW - 0028

Input/Output				
Voltage AC	Current Amps	Freq Hz	Number of Phases	Operating Temp °C
208-240	32	60	1	-30 to +50

Type 3 Enclosure, Raintight
Ventilation Not Required
For use with Electric Vehicles

3XZ8



C  US LISTED

EV CHARGING STATION

Made in Taiwan
25177-002 02

P/N

S/N



#24621-32-025*

#30981351789457*

25177-002 02

CAUTION

Do not use this product if there is any

cracking or damage to the EV connector

Do not use this product if there is any

cracking or damage to the EV connector

Do not use this product if there is any

cracking or damage to the EV connector

Do not use this product if there is any

cracking or damage to the EV connector

Do not use this product if there is any

cracking or damage to the EV connector

Do not use this product if there is any

cracking or damage to the EV connector

Do not use this product if there is any

cracking or damage to the EV connector

Do not use this product if there is any

cracking or damage to the EV connector

Do not use this product if there is any

cracking or damage to the EV connector

Do not use this product if there is any

cracking or damage to the EV connector

Do not use this product if there is any

cracking or damage to the EV connector

Do not use this product if there is any

cracking or damage to the EV connector

Do not use this product if there is any

cracking or damage to the EV connector

Do not use this product if there is any

cracking or damage to the EV connector

Do not use this product if there is any

cracking or damage to the EV connector

Do not use this product if there is any

cracking or damage to the EV connector

Do not use this product if there is any

cracking or damage to the EV connector

Do not use this product if there is any

cracking or damage to the EV connector

Do not use this product if there is any

cracking or damage to the EV connector

Do not use this product if there is any

cracking or damage to the EV connector

Do not use this product if there is any

cracking or damage to the EV connector

Do not use this product if there is any

cracking or damage to the EV connector

Do not use this product if there is any

cracking or damage to the EV connector



CE cUL J20E302125-113 1TT Z 1720
E330790 TYPE 3S 30A 240VAC



