

[illegible]

[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	CVNS
TCM	USA / USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
ICS	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED] / USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
ESM	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
DTCM	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
ORC	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
EPS	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
HVAC	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
CSWM	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
AMP	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
IPC	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
PTS	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
SCCM	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
BCM	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
RADIO	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
OCM	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
LBSS	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
RBSS	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
BPCM	Rest of world / ROW	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
HCP	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
CVPM	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
AHCP	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
ABSO	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]

SGW		5	955	4103	
DPDM	USA				
DASM	USA				
IDCM	USA				

CONFIGURATION

TCM CONFIGURATION

NAME	VALUE	UNITS
ERS/Autostick/Tip Non-paddle on Shifter in D position equipped		
4WD with switchable Lo Range equipped		
FWD Equipped		
Short Learn Enabled		
ERS/Autostick/Tip Non-paddle on Shifter in A or M position equipped		
ERS/Autostick/Tip Non-paddle on Steering Wheel equipped		
Shifter with Sport Mode Position Equipped		
Overdrive Off or Tow Haul Mode Switch or Virtual Switch (Non-Terrain) Equipped		
ECO/Optimizer Switch Equipped		
Engine Start/Stop equipped		
Sport Mode Switch or Virtual Switch (Non-Terrain) Equipped		
Shifter with Low Mode Position Equipped		
Autostick/ERS On/Off Switch Equipped		
Paddle-Shift Switches Equipped		
RWD Equipped		
Long Learn Enabled		
AWD Equipped		
Polystable E-shift (Cableless without return-to-center) equipped		

PCM CONFIGURATION

NAME	VALUE	UNITS
Secondary Mass Airflow Sensor Equipped		
Active Exhaust Pressure Sensor Equipped		
Active Exhaust Valve(s) Equipped		
Electronic Parking Brake Equipped		
High Side Port Tumble Valve Equipped		
Heater Temp Control Valve Equipped		
Aux Coolant Pump Heater Equipped		
Wastegate HBridge Equipped		
Mechanical Coolant Pump Equipped		
Remote Start Present		
Engine Oil Pressure Sensor Type		
Engine Idle Shutoff Equipped		
Supercharger Equipped		
Cooled EGR Equipped		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

HPT 6-Speed Trans Equipped		
PTO System Equipped		
Dual Fuel Tank Equipped		
Auxillary Coolant Pump Equipped		
CNG Large Gas Tank Equipped		
A/C Relay Powered from Engine Switched Battery		
Low Temp Radiator Coolant Pump Equipped		
Dual Alternator Gen1 Capable		
ZF 9-Speed Trans Equipped		
1.8 Liter W14 engine		
Wastegate H-Bridge Equipped		
AC Equipped Over Bus		
1.0 Liter I3 Engine		
Mechanical Coolant Pump Heater Equipped		
Air Shutoff Valve Bank 1 Control Solenoid 1 Equipped		
Port Flap Valve Equipped		
Active Exhaust Valve Equipped		
AC Equipped		
Transmission Software Included		
Operator Idle Speed Request Equipped		
Air Shutoff Valve Bank 1 Control Solenoid 2 Equipped		
1 Speed Fan Mechanical Relay System Equipped		
Unleaded Gasoline Fuel		
40TE / 41TE / 41TEA		
Throttle Inlet Temp Sensor Equipped		
Rear Heater Equipped		
Vehicle Speed Sensor #1 Calculated by ECU		
VLP Equipped Indicator		
Knock Sensor 1 Equipped		
Humidity, Temperature and Pressure Sensor (LIN) Equipped		
Continuous Variable Transmission Equipped		
Knock Sensor 2 Equipped		
Engine Stop Start Equipped		
Adaptive Cruise Control Equipped		
Wide Range O2 Sensor 1/1 Equipped		
Starter Relay 2 Equipped		
Linear EGR Equipped		
Hybrid Electric Vehicle Equipped		
66RFE / 68RFE		
Buffered Crank Output for ANC (Active Noise Cancellation) Equipped		
3.2 Liter V6 Engine		
Electronic Throttle Control Equipped		
O2 Sensor Bank 2 Sensor 1 Equipped		
3.0 Liter V6 Engine		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Brake Pedal Sensor Equipped			
Wide Range O2 Sensor 2/1 Equipped			
3.8 Liter V6 Engine			
O2 Sensor Bank 2 Sensor 2 Equipped			
MTV Solenoid Equipped			
Barometric Sensor Equipped			
62 FE			
Unleaded diesel fuel			
WI4 Intake Flow Control Valve Equipped			
CUSW PROX Write Programming Support Enabled			
ZF 9-Speed Transmission Equipped			
Secondary Air Equipped			
4.0 Liter I6 Engine			
Auxiliary Heater Electric Water Pump Equipped			
CUSW (11-Bit) Equipped			
Shift Indicator Lamp Equipped			
Sensorless FFV Enabled			
Battery Temp Sensor Equipped			
Dual Stage Oil Pump Equipped			
TIP Equipped			
Coolant On-Off Pump Equipped			
Vehicle Speed Sensor #1 Calculated from CAN			
Power Steering Switch Equipped			
Active Grille Shutter Equipped			
6.1 Liter V8 Engine			
Adaptive Cruise Control Hardware Equipped			
Powernet Equipped			
6.4 Liter V8 Engine			
O2 Sensor Bank 1 Sensor 3 Equipped			
EMAT (Getrag DCT transmission) Equipped			
3.7 Liter V6 Engine			
Dual Fuel Pressure Sensor Equipped			
Turbine Volute Valve Actuator Equipped			
Exhaust Cam 1 Equipped			
Secondary Fuel Pump Equipped			
ETC Cruise equipped			
4.7 Liter V8 Engine			
Engine Idle Shutoff Equipped			
Variable Speed Fuel Pump Equipped			
Brushless PWM Fan Equipped			
Variable Displacement AC Equipped			
Police Package Equipped			
2.0 Liter WI4 engine			
Dual Speed Fuel Pump Equipped			

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Coolant On-Off Valve Equipped		
Dual Fuel Tank Equipped		
Cummins Equipped		
Duty Cycle Purge Valve Equipped		
Active Exhaust Pressure Sensor Equipped		
O2 Sensor Bank 1 Sensor 1 Equipped		
Constant Heater Temperature Control Valve Equipped		
Clutch Interlock Switch Equipped		
Inrush Current Reduction Relay Equipped		
PTO System Equipped		
HPT 6-Speed Transmission Equipped		
Cooled EGR Equipped		
Low Temperature Radiator Coolant Pump Equipped		
42RLE		
O2 Sensor Bank 1 Sensor 2 Equipped		
6.2 Liter V8 Engine		
SRV Equipped		
MDS Equipped		
5.7 Liter V8 Engine		
Electric Thermostat Heater Equipped		
Intake Cam 1 Equipped		
VMM Equipped		
VLP Is Learnable Indicator		
Air Shutoff Valve Bank 2 Control Solenoid 2 Equipped		
Fan Wake Up Relay System Equipped		
CUSW (29-Bit) Equipped		
A/C Equipped		
Supercharger Equipped		
2 Speed Fan 3 Driver 3 Relay System Equipped		
Auxiliary Coolant Pump Heater Equipped		
DUAL_ALTERNATOR_GEN1_LEARNEDCOPY		
Fiat 940 Compact Equipped		
3.5 Liter V6 Engine		
Transmission Oil Heater Equipped		
Aisin 6-Speed RWD Transmission Equipped		
Turbocharger Equipped		
ERS Equipped Indicator		
3.3 Liter V6 Engine		
2 Speed Fan Mechanical Relay System Equipped		
Yaw Rate Sensor ESC Equipped		
Electric Coolant Valve Equipped		
MultiAir Equipped		
TOOLCONFIG_OIL_PRESS_ABS_EQUIPPED		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Linear PWM Fan Relay System Equipped		
Fixed displacement AC Equipped		
GPEC3 Equipped		
4 Speed Automatic Transmission Equipped		
Linear Purge Equipped		
Buffered Crank Output for PHEV Engine Pulse Calculation Equipped		
Throttle Skip Shift Equipped		
Electronic Vacuum Pump Equipped		
VFS Actuators Available Indicator		
Electronic Automatic Transmission (EATX) Equipped		
GPEC2A Equipped		
Active Engine Mount Equipped		
3.6 Liter V6 Engine		
45RFE / 545RFE / 65RFE		
CMCV H-Bridge Equipped		
Electronic Coolant Pump Equipped		
Direct Injection Equipped		
Tumble Generator Valve Equipped		
Auxiliary Coolant Pump Equipped		
WI4 Variable Valve Timing Equipped		
GPEC4 Equipped		
Next Gen Bus Equipped		
Fiat VIN Learning Strategy Equipped		
PWM Fan Motor System Equipped		
Primary Lin Alternator Equipped		
Compressed Natural Gas Equipped		
ESIM Equipped		
ICC Cruise Equipped		
Electric Water Pump Equipped		
GPEC2 Equipped		
Intake Cam 2 Equipped		
4 Button Integrated Cruise Control		
High Side Port Tumble Valve Equipped		
2.7 Liter V6 Engine		
Viscosity Sensor Equipped		
3 Speed Fan Mechanical Relay System Equipped		
2.4 Liter WI4 engine		
Exhaust Cam 2 Equipped		
Engine Oil Heater Cooler Equipped		
Engine Software In Package		
Oil Pressure Sensor Enabled		
Primary Lin Alternator Equipped		
Coolant On-Off Pump Equipped		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

2.0 Liter I4 Direct Injection Engine		
1.0 Liter I3 Engine		
Variable Valve Lift Equipped		
INTAKE O2 SENSOR EQUIPPED		
Throttle Inlet Temp Sensor Equipped		
Cylinder Pressure Sensor Equipped		
Oil Fuel Pressure Sensor Equipped		
SWAY HARDWIRED BRAKE SWITCH INPUTS		
Brake Pedal Sensor Equipped		
Make Up Air Sensor Equipped		
Power Steering Angle Sensor Mandatory		
5 Button Cruise (LIN) Equipped		
CUSW 4-Button Cruise Equipped		
Bi-Directional Crank Sensor Equipped		
Clutch Sensor Equipped		
Operator Idle Speed Request Equipped		
LIN Humidity, Temp, and Pressure Sensor Equipped		
Mass Airflow System Equipped		

ICS CONFIGURATION

NAME	VALUE	UNITS
Display Type (Base)		
Display Type (High)		
Display Type (Mid)		

TPM CONFIGURATION

NAME	VALUE	UNITS
RSSI Margin 4 Wheel Constant B		
RSSI Margin 4 Wheel Constant C		
RSSI Margin 4 Wheel Constant D		
RSSI Margin 4 Wheel Constant A		
RSSI Margin Constant Override Setting		
High Gain Mode Setting		
WAL Gain Mode Setting		
Gain Mode Override Status		
Premium TPM Present		
Base TPM Present		
Run Flat Tire Present		
SRT Vehicle Present		
TPM Legislation		
Current Gain Mode		
BUX Deactivation Flag		
TPM System Type		
4/5 Tire System		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

RFH CONFIGURATION

NAME	VALUE	UNITS
Back Up Vehicle Config 4		
Back Up ECU Configuration 6		
Back Up ECU Configuration 5		
Back Up ECU Configuration 8		
Back Up Vehicle Config 1		
Back Up ECU Configuration 4		
Back Up ECU Configuration 9		
Back Up Customer Settings Menu 2 (CSM2)		
Back Up Vehicle Config 7		
Back Up ECU Configuration 3		
Back Up Customer Settings Menu 1 (CSM1)		
Back Up ECU Configuration 13		
Back Up Programmed ECUs: P/T Chassis Network		
Back Up Vehicle Config 3		
Back Up ECU Configuration 1		
Back Up ECU Configuration 10		
Back Up ECU Configuration 15		
Back Up ECU Configuration 17		
Back Up ECU Configuration 7		
Back Up Programmed ECUs: Cabin Network		
Back Up Vehicle Config 6		
Back Up ECU Configuration 16		
Back Up Vehicle Config 5		
Back Up ECU Configuration 2		
Back Up ECU Configuration 14		
Back Up ECU Configuration 11		
Back Up Vehicle Config 2		
Back Up ECU Configuration 12		
Hardware Configuration: Remote Start Antenna		
Hardware Configuration: Front Right Door Handle H/W		
Hardware Configuration: Rear Right Door Handle H/W		
Hardware Configuration: Rear Left Door Handle H/W		
Hardware Configuration: Front Left Door Handle H/W		
Hardware Configuration: Trunk Door Handle H/W		
\$0214 Programmed by		
Module Configuration Status		
Auto Park Present		
Remote Start Present		
Secret Codes Programmed		
e-shifter present		
RKE		
Ignition system type connected		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Keyless Go	████	
Passive Entry	████	
RFHub Locked	████████████████████	
Fob Location #2 Successfully Programmed	████	
Fob Location #8 Successfully Programmed	████	
VIN Successfully Programmed	████	
Fob Location #7 Successfully Programmed	████	
Valid Key In Ignition	████	
Secret Key Sent to Body Controller - Most recent attempt	████	
Fob Location #1 Successfully Programmed	████	
Fob Location #5 Successfully Programmed	████	
Fob Location #6 Successfully Programmed	████	
PIN Successfully Programmed	████	
Secret Key Sent to Body Controller - Original attempt	████	
Fob Location #4 Successfully Programmed	████	
Fob Location #3 Successfully Programmed	████	

DTCM CONFIGURATION

NAME	VALUE	UNITS
Rear Locker Present	████	
FAD Present	████	
Mode Switch Present	████	
Full-Time T-Case	████	
Front Locker Present	████	
SRT Present	—	
T-Case Type	████████	
Left/Right Hand Drive	████████	
Axle Ratio	████	

ORC CONFIGURATION

NAME	VALUE	UNITS
Right Curtain Squib 1	████████	
Driver Seatbelt Retractor Pretensioner	████████	
Passenger Seatbelt Anchor Pretensioner	████████	
Driver Frontal Squib 2	████████	
Left B-Pillar Impact Acceleration Sensor	████████	
Right Side Door Pressure Sensor	████████	
First Row Driver Seatbelt Buckle Switch	████████	
First Row Passenger Seatbelt Buckle Switch	████████	
Right B-Pillar Impact Acceleration Sensor	████████	
Passenger Seatbelt Load Limiter	████████	
Driver Frontal Squib 1	████████	
Configuration Column Identifier	██	
Passenger Frontal Squib 3	████████	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Second Row Left Seat Side Airbag	[REDACTED]	
Passenger Seat Track Position Sensor	[REDACTED]	
Right Up-Front Acceleration Sensor	[REDACTED]	
Second Row Center seat belt Switch	[REDACTED]	
Passenger Frontal Squib 2	[REDACTED]	
Passenger Frontal Squib 1	[REDACTED]	
EPDM	[REDACTED]	
Passenger Seatbelt Buckle Pretensioner	[REDACTED]	
Right Side Seat Squib 1	[REDACTED]	
[REDACTED]	[REDACTED]	
Passenger Airbag Disable Indicator	[REDACTED]	
Driver Frontal Squib 4	[REDACTED]	
Left Curtain Squib 1	[REDACTED]	
Driver Seatbelt Anchor Pretensioner	[REDACTED]	
Passenger Seatbelt Retractor Pretensioner	[REDACTED]	
Second Row Right seat belt Switch	[REDACTED]	
Right C-Pillar Impact Acceleration Sensor	[REDACTED]	
Driver Frontal Squib 3	[REDACTED]	
Passenger Airbag Disable Switch	[REDACTED]	
Occupant Classification (OCM)	[REDACTED]	
Left Side Door Pressure Sensor	[REDACTED]	
Left D-Pillar Impact Acceleration Sensor	[REDACTED]	
Second Row Left seat belt Switch	[REDACTED]	
Driver Seatbelt Buckle Pretensioner	[REDACTED]	
Passenger Knee Bolster Squib	[REDACTED]	
Passenger Frontal Squib 4	[REDACTED]	
Right D-Pillar Impact Acceleration Sensor	[REDACTED]	
Left Up-Front Acceleration Sensor	[REDACTED]	
Driver Knee Bolster Squib	[REDACTED]	
Second Row Right Seat Side Airbag	[REDACTED]	
Rollover Sensing	[REDACTED]	
[REDACTED]	[REDACTED]	
Driver Seatbelt Load Limiter	[REDACTED]	
Left C-Pillar Impact Acceleration Sensor	[REDACTED]	
Left Side Seat Squib 1	[REDACTED]	

HVAC CONFIGURATION

NAME		
[REDACTED]	[REDACTED]	[REDACTED]
MTC Without EBL (3Knob)	[REDACTED]	
MTC heater only (3Knob)	[REDACTED]	
Single Zone MTC Control	[REDACTED]	
Dual Zone MTC Control	[REDACTED]	
DualZone ATC Control (Factory)	[REDACTED]	

INFORMATION

REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

ACT (FOIA), 5 U.S.C. 552 (B) (6)

MTC With EBL (3Knob)

AMP CONFIGURATION

NAME	VALUE	UNITS
Premuim - 3		
Non -ANC		
MP HALF Chimes		
Premuim - 2		
Premuim		
No Rear Doors		
Door Module - Right Front		
Door Module - Left Front		
ANC Calibration Date - Year		
ANC Calibration Date - Patch Level		
ANC Calibration Date - Week		
Surround Sound Activated		
Current ANC Calibration ID - Service		
ANC Status		

IPC CONFIGURATION

NAME	VALUE	UNITS
Main Fuel Tank Gauge - 3/4 Datum Calibration		Volts
Main Fuel Tank Gauge - 1/4th Datum Calibration		Volts
Main Fuel Tank Gauge - 1/2 Datum Calibration		Volts
Main Fuel Tank Gauge - Empty Stop Calibration		Volts
Main Fuel Tank Gauge - Full Stop Calibration		Volts
Sub Fuel Tank Gauge - 1/2 Datum Calibration		Volts
Sub Fuel Tank Gauge - 1/4 Datum Calibration		Volts
Sub Fuel Tank Gauge - 3/4 Datum Calibration		Volts
Sub Fuel Tank Gauge - Full Stop Calibration		Volts
Sub Fuel Tank Gauge - Empty Stop Calibration		Volts
PHEV		
Rear Fog Lamp		
JT Vehicle		
Low Line Cluster		

PTS CONFIGURATION

NAME	VALUE	UNITS
Rear System with 6 Front Sensors		
Front System with 6 Rear Sensors		

SCCM CONFIGURATION

NAME	VALUE	UNITS
Rear Wiper		

Paddle Shifter		
Cruise Control / ACC		
Tilt Telescope		

BCM CONFIGURATION

NAME	VALUE	UNITS
Number of Reprogramming Attempts - Counter #0	0	
Last Programmed Status		
Vehicle Configuration Programmed Status		
ECU Configuration 6 (Brake)		
Vehicle Configuration 4 - Write Counter		
Vehicle Configuration 6 - Write Counter		
ECU Configuration 3		
Vehicle Configuration 6 - Write Counter		
ECU Configuration 5 (Wireless)		
Programmed Network Configuration - Audio / Telematics Network		
ECU Configuration 7 (CBC Exterior Lighting Calibrations)		
ECU Configuration 10		
ECU Configuration 4		
ECU Configuration 2 (CBC Features)		
ECU Configuration 14		
ECU Configuration 15 (CBC Features)		
Last Configuration Odometer		miles
ECU Configuration 5 (Memory)		
ECU Configuration 9 (ITM)		
ECU Configuration 5 (Doors)		
Vehicle Configuration Auto Write Counter		
ECU Configuration 12		
Vehicle Configuration 2 - Write Counter		
Programmed ECUs: P/T Chassis Network		
ECU Configuration 15 (Suspension)		
ECU Configuration 6 (Safety)		
ECU Configuration 9A		
Vehicle Config CSM1		
ECU Configuration 11		
Programmed ECUs: Cabin Network		
Vehicle Configuration 1 - Write Counter		
ECU Configuration 1 (CBC Configurable Inputs and Outputs)		
Programmed ECUs: Hybrid LAN Network		
ECU Configuration 8 (LIN and Miscellaneous)		
ECU Configuration 6 (Powertrain)		
Vehicle Configuration 7 - Write Counter		
Vehicle Configuration 5 - Write Counter		
ECU Configuration 6 (Suspension)		

INFORMATION REJECTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

ECU Configuration 13		
Vehicle Config CSM2		
Remote Start Present		
Auto Highbeam		
PTS Configuration		
Vehicle Line		
Maximum Vehicle Speed		MPH
Select Speed Control Feature Present		
Emode Present		
Body Style		
Country Code		
Model Year		
Drive Configuration		
Hill Descent Feature Present		
Left/Right Hand Drive		
Special Packages		
Shifter Type		
Performance Pages Present		
Flipper Glass Present		
Special Packages		
Off Road Capable		
Thatcham Present		
Max Load Inflation Pressure Front Tire		PSI
Power Inverter Type		
Full Size Spare		
Rain Sensor Present		
Max Load Inflation Pressure Rear Tire		PSI
Light Load Inflation Pressure Rear Tire		PSI
Air Conditioning Present		
SKIM System Present		
Cruise Feature is Present		
Power Lift Gate Present		
T-Case Type		
Vehicle is an SRT		
HVAC Configuration		
Liftgate/Trunk Type		
Window Express Feature Configuration		
Keyless Go Present		
High Intensity Discharge Head Lamps		
Door Alert Feature Present		
Interior EC Mirror Present		
ELV Present		
Power Left Sliding Door Present		
Sunshade Present		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Premium TPM system present		
Base TPM system present		
Auto Headlamp Feature Present		
Disable Display of Radio Clock		
Two Fuel Sending Units Present		
Wheel Base		
Collision Mitigation System present		
Passive Entry Present		
Sport Mode Present		
ESCL system present		
Secondary Lock Present		
Auto Park Present		
Paddle Shift Feature Present		
Fuel Capacity		gallons
RKE System Present		
FOBIK Safe Enable		
Power Right Sliding Door Present		
Forward Collision Warning present		
Police Lighting Feature		
Display Compass Heading Present		
Chassis Type		
Vehicle Brand		
Display Outside Temperature Present		
Dynamic Tire Circumference (All or Rear)		inch
Transfer Case High Ratio		No Unit
Transfer Case Low Range Reduction Ratio		
Axle Ratio		
Dual Rear Wheel (DRW) Vehicle Present		
Steering Ratio at Positive Angle 2		No Unit
Steering Ratio at Positive Angle 4		No Unit
Steering Ratio at zero		No Unit
Steering Ratio at Positive Angle 1		No Unit
Steering Ratio at Positive Angle 3		No Unit
Steering Ratio at Positive Angle 5		No Unit
Non-Regulated Tire Pressure Information System (TPIS) Present		
Air Quality System Present		
Analog Door Sensor Configuration		
Steering Ratio at Negative Angle 1		No Unit
Steering Ratio at Negative Angle 4		No Unit
Steering Ratio at Negative Angle 5		No Unit
Steering Ratio at Negative Angle 3		No Unit
Steering Ratio at Negative Angle 2		No Unit
Rear Turn Lamps Output Present - Pin E3 & F42		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Hood Ajar Switch Input Present - Pin A11

Ambient Temperature Sensor Present - Pin D22

VTA Warning LED Output Present - Pin G22

Right Dedicated DRL Lamp Output Present - Pin A22

Diesel Cabin Heater #3 Output Present - Pin D10

Reserved - Pin E21

Reserved - Pin E15

Diesel Cabin Heater #1 Output Present - Pin D11

Inverter Enable Relay Output Present - Pin F35

Rear Fog Lamps Output Present - Pin E39 & F5

Side Markers Output Present - Pin A10 & D5

Reserved - Pin F4

Reserved - Pin G12

Park Brake Input Present - Pin E14

Ambient Light Dimmer Wheel Input Present Pin G9

Reserved - Pin E47

Left Rear Door Ajar Input Present - Pin F23

Front Driver Analog Door Ajar Input Present - Pin F9

Run-ACC Y Relay #2 Output Present - Pin E9

Foot Well Lamps Output Present - Pin G24

UGDO Feed Output Present - Pin G15

Diesel Cabin Heater #2 Output Present - Pin D9

Reserved - Pin D20

Reserved - Pin E35

Starter Relay Lowside Coil Drive - Pin D7

Passenger Door Ajar Signal Present - Pin G18

Low Beam Output Present - Pin A3, D2

Left Dedicated DRL Lamps Output Present - Pin D15

Reserved - E20

Gated Park ZFII Output Present - Pin D-24

Hard Top Sense Present - Pin E14

Rear Wiper Motor Park Present - Pin E29

Reserved - F21

Flipper Glass #2 Output Present

Front Fog Lamps Output Present - Pin A1 & D13

Rear Park Lamps Output Present - Pin E4 & F32

Horn Switch Input Present - Pin F29

Headlamp Washer Low Fluid Shut-Off Enable

DRL Lamp Location

LED License Lamps Present

Front Wiper Wipes After Wash

Front Fog Lamp Dropout Enable

Tip Start Enabled

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Headlamp Wash Shot		
Side Repeaters Enable		
Quad Headlamps Enable		
LED Front Fog Lamps Present		
Combined Rear Lighting Enable		
Door Lock Switch Signal FT LT Usage (F9)		
Hazard Lamp Configuration		
LED Rear Turn Lamps Present		
Headlamp Wash Interval		
LED Front Park Marker Lamps Present		
Military Vehicle Present		
LED High Beam Lamps Present		
Front Wiper Park Enable		
Tunnel Detection		
LED Dedicated DRL Present		
One Touch Lane Change		
LED Stop Lamps Present		
Horn Chirp Allowed		
Single Element Tail Lamp		
LED Front Turn Lamps Present		
Door Lock Switch Signal FT RT Usage (F23)		
Trailer Tow Present		
Exterior Light Loadshed Enable		
Park Lamp Loadshed Enable		
DRL Configuration		
LED Low Beam Lamps Present		
LED Rear Fog Lamps Present		
Rear Wiper Park Enable		
Intermittent Wiper States		
LED CHMSL Lamp Present		
Wiper Service Position Enabled		
LED Reverse Lamps Present		
LED Tail Lamps Present		
Dual Start Relay System Present		
DRL Dropout Enable		
Reversible Washer Pump Enable		
Bi Xenon Headlamps Enable		
CTP Max AC Present		
DTV Front Camera Present		
Microphone Type		
DAB Present		
VIN Check Digit Diabie		
Hill Descent Control Present		
Disable CD Eject		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Audio Steering Wheel Switch Configuration

Vehicle Theft Alarm Present

Front Park Assist Present

External Port Type

Destination

Cabin Equilization Curve Number

Radio Display On/Off Softkey Present

Front Heated Seats Present

Hill Start Assist Customer Setting Option Present

DTV Side Camera Present

Radio Apps Present

Surround Sound Features Present

Rear Camera Present

Tow Haul Present

Antenna Type

Hybrid Electric Powertrain Present

Power Door Locks Present

Microphone Tuning Parameter

CTP Auto Lock Disable

CTP Easy Entry Enable

Power Inverter Present

SDAR Travel Link Present

CTP Passive Entry Present

Microphone Configuration

Front Ventilated Seats Present

Splashscreen Type

Heated Steering Wheel Present

Gear Shift Indicator

Rear Wheel Dually

ERS Available

AMB Dimmer

Service Interval

Temperature Celsius for UK

Speedometer Range Max Scale

Split Shaft Present

Max Gear

PTO Present

IC Config Feature

Virtual Speedometer Units

Heated Seat Present

Manual Headlamp Leveling

Type of Gallons

Tip Start Present

AP1 Left Front

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

AP2 Right Front		
AP5 Trunk Lock		
Airport Scenario Trunk Set		
AP4 Right Rear		
Puddle Lamp Present		
Mirror turn signals present		
Window Hall Sensors Present		
Passenger Window Lockout		
Driver Memory Mirrors Present		
Auto Power Folding Mirrors Present		
Tow Mirror Present		
Rear Door Pre Short Drop		
Blindspot Mirror Present		
Electro-chromatic passenger mirror present		
Global Down		
Folding mirrors present		
Frameless Window Present		
Window Motor Type		
Passenger Memory Mirror Present		
Heated Mirrors Present		
Sun Shade		
Electro-chromatic driver mirror present		
Global Up		
Front Vented Seats Present		
Rear Heated Seats Present		
Memory Adjustable Pedals Present		
Front Heated Seat Present		
Memory Seat Present		
Rear Vented Seats Present		
Heated Wheel Material Type		
Tilt/Telescope Steering Present		
Heated Seat Material Type		
Heated Steering Wheel Present		
Brake System ECU Configuration B		
Wheel 18 inch overall ESC Maserati		
Brake System ECU Configuration A		
ECO Mode Configuration		
Dual Alternator Present		
CHMSL Lamp Output Disable		
Manual Door Locks Present		
Swing Gate Lock Present - Pin F30		
Secondary Door Ajar Present - Pin E28		
Auto High Beam Module Location		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Swing Gate Unlock Present - Pin F33

Rear Fog Voltage

Volts

Front Fog Voltage

Volts

Excess Longitudinal Acceleration Factor

Steering Smoothing Duration

Average Last Lateral Acceleration Values

Maximum Lateral Change

Brake Smoothing Duration

Acceleration Threshold

Acceleration Factor

Brake Smoothing Threshold

Nose Dive Threshold

Steering Smoothing Factor

Nose Dive Factor

Steering Smoothing Threshold

Excess Lateral Acceleration Factor

Maximum Longitudinal Change

Brake Smoothing Factor

Average Last Longitudinal Acceleration Values

RKE Auto-Relock Feature Enable

ASBM Minimum Voltage Time

Interior Lighting Night Threshold

Volt

PE Auto-Relock Feature Enable

ASBM Battery Minimum Voltage

Horn Chirp Duration

Parking Light Enable

Pitch and Roll Present

Interior Lighting Day Threshold

Volt

VTA Hood Ajar Monitoring

Suspension Type

AGS Feature Present

Axle Locker Configuration

PTC Present

Park Brake Type

Hybrid Type

Transmission Equipped

Glovebox Control

TPMS Configuration

Temperature Display Resolution

ADR feature Present

Glare Free Present

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Easy exit seat customer settings menu		
Blind spot alert customer settings menu		
Auto door lock customer settings menu		
Rear view camera gridlines customer settings menu		
Compass variance customer settings menu		
Power unit customer settings menu		
Rain sensitive wipers customer settings menu		
Illuminated approach customer settings menu		
Pressure unit customer settings menu		
Headlamp drop customer settings menu		
Auto on driver comfort customer settings menu		
Auto high beam customer settings menu		
Power liftgate chime customer settings menu		
Unit set customer settings menu		
Electric power steering customer settings menu		
Auto park customer settings menu		
Headlamp off delay customer settings menu		
Tire jack mode customer settings menu		
Power accessory delay customer settings menu		
Auxiliary switches customer settings menu		
Air suspension warning customer settings menu		
Clock display customer settings menu		
Passive entry customer settings menu		
Performance shift enable customer settings menu		
Distance unit customer settings menu		
Power take off customer settings menu		
Headlamps on with wiper customer settings menu		
Consumption unit customer settings menu		
Lane departure warning customer settings menu		
Park assist rear volume customer settings menu		
Rear camera customer settings menu		
Forward collision warning customer settings menu		
Park assist brake customer settings menu		
Auto entry exit mode customer settings menu		
Lane departure torque customer settings menu		
Ambient dimmer customer settings menu		
Compass calibration customer settings menu		
Automatic aero mode customer settings menu		
Park assist front volume customer settings menu		
Park assist customer settings menu		
EPB service mode customer settings menu		
Teen Key Fuel Pop-up Customer Settings Menu		
Teen Key Automatic High Beam Customer Settings Menu		
Rear view camera delay customer settings menu		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Passenger Airbag On/Off Customer Settings Menu	[REDACTED]	
RKE unlock customer settings menu	[REDACTED]	
Speed unit customer settings menu	[REDACTED]	
Doors and Engine Off Power Delay Customer Settings Menu	[REDACTED]	
Forward Collision Warning and Brake Customer Settings Menu	[REDACTED]	
Tilt mirror in reverse customer settings menu	[REDACTED]	
Torque unit customer settings menu	[REDACTED]	
Clarity Present	[REDACTED]	
Radio Speaker Open Circuit Disable (RF)	[REDACTED]	
Radio Speaker Open Circuit Disable (LF)	[REDACTED]	
DTV Present	[REDACTED]	
Surround View Camera On/Off Softkey Present	[REDACTED]	
Auto Dimming Mirror Hard Button Present	[REDACTED]	
Rear Defrost and Heated Mirrors Present	[REDACTED]	
Radio Speaker Open Circuit Disable (RR)	[REDACTED]	
Tri-State Comfort Climate Softkey Function Present	[REDACTED]	
Automatic Crash Notification Feature Present	[REDACTED]	
Show Phone Information in Cluster	[REDACTED]	
ANC Calibration Parameter Data Set	[REDACTED]	ms
Radio Speaker Open Circuit Disable (RR)	[REDACTED]	
Drive Mode Version	[REDACTED]	
Trailer Hitch Camera Present	[REDACTED]	
Park Assist Tuning Set	[REDACTED]	
Right Front Corner Voltage	[REDACTED]	
Left High Beam Voltage Regulation	[REDACTED]	
Left Rear Corner Voltage	[REDACTED]	
Left Front Corner Voltage	[REDACTED]	
Right Low Beam Voltage Regulation	[REDACTED]	
Signature Light Present	[REDACTED]	
Right Rear Corner Voltage	[REDACTED]	
Dual Filament Headlamp	[REDACTED]	
Auto Headlamp On Threshold	[REDACTED]	Volt
Front Turn Lamp Diagnostics	[REDACTED]	
Left Low Beam Voltage Regulation	[REDACTED]	
Auto Headlamp Off Threshold	[REDACTED]	Volt
Right High Beam Voltage Regulation	[REDACTED]	
Tilt	[REDACTED]	
Siren	[REDACTED]	
Ultrasonics	[REDACTED]	
Manual Trans Present	[REDACTED]	
Washer Fluid Level Voltage Threshold	[REDACTED]	
Illuminated Approach Taillamp Target Percentage	[REDACTED]	
Illuminated Approach Headlamp Target Percentage	[REDACTED]	
IBS Present	[REDACTED]	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

DC to DC Converter #2 Present		
EVIC Switch Module Present		
CRVMM Present		
Humidity Sensor Present		
Panic Enable		
Compass Mounting Orientation		
Auto Relock Time		seconds
DC to DC Converter Present		
Compass Mounting Angle		Degree
Illuminated Approach Interior Lighting Target Percentage		
Illuminated Approach Interior Lighting Ramp Up Time		
ASBM Present		
VTA System Present		
ASBMM Present		
Speedometer Tolerance		
Steering C Factor		
Increasing speed constant		
Tachometer Type		
Passenger Kneebag Present		
ODS Present		
Driver Kneebag Present		
BUX vehicle		
Integrated EPP Present		
2nd Row Seat Airbags Present		
Passive Ped Pro Present		
Curtain Airbags Present		
Tow Hooks Present		
Reserved		
Reserved		
ANC		
PCM		
OCM		
ASBS		
SGW		
ABS		
AFLS		
ORC		
AHLM/AFLS		
ESM		
DPDM		
ELSD		
IPC		
TPM		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

SCCM		
EPS		
ASCM		
DTCM		
PTS		
TCM		
BCM (PT)		
RFH		
Heated Mirrors Present		
Engine Displacement		
Rear Defrost Presence		
AMP		
TBM		
HVAC_R		
RBSM		
LBSM		
EDM		
Radio		
PTCM		
BCM (Interior Bus)		
HSM		
ITM		
HVAC		
Right High Beam Present - Pin A2		
Left Rear Turn Lamp Diagnostics Present - Pin F27		
Stop/Turn Lamp or Stop Lamp Present Pin E2 & F40		
Signature Lamps or Mirror Repeater Present - Pin A5 & Pin A7		
Brake Fluid Level Switch Signal Present - Pin D21		
Backup Reverse Lamp Left Present - Pin F41		
Left Front Lamp Diagnostics Present - Pin F25		
Right Front Lamp Diagnostics Present - Pin F28		
Left High Beam Present - Pin D1		
Right Rear Turn Lamp Diagnostics Present - Pin F31		
Backup Reverse Lamp Right Present - Pin E1		

RADIO CONFIGURATION

NAME	VALUE	UNITS
Compass on the bus messaging Authorization		
GPS on the Bus messaging Authorization		
Satellite Subscription Suspend Day		
Satellite Subscription Reason Code		
Satellite Subscription Suspend Year		
Satellite Subscription Suspend Month		
Satellite Subscription Status		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Satellite Subscription ID	[REDACTED]	
Aux Jack	[REDACTED]	
USB Hubs Detected	[REDACTED]	No Unit
SD Card Readers Detected	[REDACTED]	No Unit
Enumerated USB Devices	[REDACTED]	No Unit
DTV Short Term Configuration	—	
TV Button	[REDACTED]	
SDAP	[REDACTED]	
Internal CD Player	[REDACTED]	
Application Framework	[REDACTED]	
Bluetooth	[REDACTED]	
Navigation Active	[REDACTED]	
FM Diversity	[REDACTED]	
Cellular	[REDACTED]	
Wi-Fi	[REDACTED]	
Splash Screen	[REDACTED]	
Anti-Theft Enable Status	[REDACTED]	
Automated Loudness	[REDACTED]	
Front Seat Video Playback	[REDACTED]	
Clock Defeat	[REDACTED]	
Cabin EQ Curve Number Currently Used by Radio	[REDACTED]	
12/24 Time Selection	[REDACTED]	

LBSS CONFIGURATION

NAME	VALUE	UNITS
[REDACTED]	[REDACTED]	[REDACTED]
Teen Key	[REDACTED]	
CFG FEATURE	[REDACTED]	

RBSS CONFIGURATION

NAME	VALUE	UNITS
Teen Key	[REDACTED]	
Steering (LHD/RHD)	[REDACTED]	

ABSO CONFIGURATION

NAME	VALUE	UNITS
Trans Type	[REDACTED]	
Drive Configuration	[REDACTED]	
Displacement	[REDACTED]	No Unit
Hybrid Type	[REDACTED]	
Vehicle Line Identification	[REDACTED]	
Chassis Type	[REDACTED]	
Axle Ratio	[REDACTED]	No Unit
Tire Circumference	[REDACTED]	inch

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

DASM CONFIGURATION

NAME	VALUE	UNITS
Auto High Beam Present		
ACC STOP Present		
LDW Plus Present		
NCC Present		
ACC GO Present		
ACC Present		
FCW Present		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

ECU SUMMARY INFO

[illegible]

[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	CVNS
TCM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
PCM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
ICS	USA	[REDACTED]	[REDACTED]	[REDACTED]	
TPM	USA	[REDACTED]	[REDACTED]	[REDACTED]	
RFH	USA / USA	[REDACTED]	[REDACTED]	[REDACTED]	
ESM	USA	[REDACTED]	[REDACTED]	[REDACTED]	
DTCM	USA	[REDACTED]	[REDACTED]	[REDACTED]	
ORC	USA	[REDACTED]	[REDACTED]	[REDACTED]	
EPS	USA	[REDACTED]	[REDACTED]	[REDACTED]	
HVAC	USA	[REDACTED]	[REDACTED]	[REDACTED]	
CSWM	USA	[REDACTED]	[REDACTED]	[REDACTED]	
AMP	USA	[REDACTED]	[REDACTED]	[REDACTED]	
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	
SCCM	USA	[REDACTED]	[REDACTED]	[REDACTED]	
BCM	USA	[REDACTED]	[REDACTED]	[REDACTED]	
RADIO	USA	[REDACTED]	[REDACTED]	[REDACTED]	
OCM	USA	[REDACTED]	[REDACTED]	[REDACTED]	
LBSS	USA	[REDACTED]	[REDACTED]	[REDACTED]	
RBSS	USA	[REDACTED]	[REDACTED]	[REDACTED]	
BPCM	Rest of world / ROW	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	
CVPM	USA	[REDACTED]	[REDACTED]	[REDACTED]	
AHCP	USA	[REDACTED]	[REDACTED]	[REDACTED]	
ABSO	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]

SGW		5	955	4103	
DPDM	USA				
DASM	USA				
IDCM	USA				

SUMMARY

ECU	DTC CODE	DTC DESCRIPTION	STATUS
PCM			

ENVIRONMENTAL DATA SUMMARY

PCM

NAME	VALUE	UNITS
Number of DTC		
DTC		
DTC Readiness Flag		
DTC Storage State		
Warning Indicator Request State		
		miles
Accumulation Timer		minutes
Ignition Key Cycles		
Starts Since Set Counter		
Key Cycles Since DTC Last Set Counter		
Warm Up Cycles		
Good Trip Counter		

PCM

NAME	VALUE	UNITS
Number of DTC		
DTC		
DTC Readiness Flag		
DTC Storage State		
Warning Indicator Request State		
Odometer		miles
Accumulation Timer		minutes
Ignition Key Cycles		
Starts Since Set Counter		
Key Cycles Since DTC Last Set Counter		
Warm Up Cycles		
Good Trip Counter		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

DTCM |

NAME	VALUE	UNITS
DTC		
Test Failed		
Test Failed This Operation Cycle		
Pending DTC		
Confirmed DTC		
Test Not Completed Since Last Clear		
Test Failed Since Last Clear		
Test Not Completed This Operation Cycle		
Warning Indicator Requested		
DTC Extended Data Record Number - All		
Occurrence flag		
Original Odometer Value		miles
Most Recent Odometer Value		miles
Frequency Counter		
Ignition Cycle Counter		

HVAC |

NAME	VALUE	UNITS
Test Failed		
Test Failed This Operation Cycle		
Confirmed DTC		
Test Not Completed Since Last Clear		
Test Failed Since Last Clear		
Test Not Completed This Operation Cycle		
Warning Indicator Requested		
Occurrence flag		
Original Odometer Value		miles
Most Recent Odometer Value		miles
Frequency Counter		
Ignition Cycle Counter		

RADIO |

NAME	VALUE	UNITS
------	-------	-------

SNAPSHOT DATA SUMMARY

No Snapshot Data available for

No Snapshot Data available

No Snapshot Data available for

No Snapshot Data available for

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

No Snapshot Data available



INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

ECU SUMMARY INFO

[illegible]

[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	CVNS
TCM	USA / USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
PCM	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
ICS	USA	[REDACTED]	[REDACTED]	[REDACTED]	
TPM	USA	[REDACTED]	[REDACTED]	[REDACTED]	
RFH	USA / USA	[REDACTED]	[REDACTED]	[REDACTED]	
ESM	USA	[REDACTED]	[REDACTED]	[REDACTED]	
DTCM	USA	[REDACTED]	[REDACTED]	[REDACTED]	
ORC	USA	[REDACTED]	[REDACTED]	[REDACTED]	
EPS	USA	[REDACTED]	[REDACTED]	[REDACTED]	
HVAC	USA	[REDACTED]	[REDACTED]	[REDACTED]	
CSWM	USA	[REDACTED]	[REDACTED]	[REDACTED]	
AMP	USA	[REDACTED]	[REDACTED]	[REDACTED]	
IPC	USA	[REDACTED]	[REDACTED]	[REDACTED]	
PTS	USA	[REDACTED]	[REDACTED]	[REDACTED]	
SCCM	USA	[REDACTED]	[REDACTED]	[REDACTED]	
BCM	USA	[REDACTED]	[REDACTED]	[REDACTED]	
RADIO	USA	[REDACTED]	[REDACTED]	[REDACTED]	
OCM	USA	[REDACTED]	[REDACTED]	[REDACTED]	
LBSS	USA	[REDACTED]	[REDACTED]	[REDACTED]	
RBSS	USA	[REDACTED]	[REDACTED]	[REDACTED]	
BPCM	Rest of world / ROW	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
HCP	USA	[REDACTED]	[REDACTED]	[REDACTED]	
CVPM	USA	[REDACTED]	[REDACTED]	[REDACTED]	
AHCP	USA	[REDACTED]	[REDACTED]	[REDACTED]	
ABSO	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]

SGW					
DPDM	USA				
DASM	USA				
IDCM	USA				

DTC SUMMARY

ECU	DTC CODE	DTC DESCRIPTION	STATUS
PCM			
PCM			
DTCM			
HVAC			

ENVIRONMENTAL DATA SUMMARY

PCM |

NAME	VALUE	UNITS
Number of DTC		
DTC		
DTC Readiness Flag		
DTC Storage State		
Warning Indicator Request State		
		miles
Accumulation Timer		
Starts Since Set Counter		
Key Cycles Since DTC Last Set Counter		
Warm Up Cycles		
Good Trip Counter		

PCM |

NAME	VALUE	UNITS
Number of DTC		
DTC		
DTC Readiness Flag		
DTC Storage State		
Warning Indicator Request State		
Odometer		miles
Accumulation Timer		minutes
Ignition Key Cycles		
Starts Since Set Counter		
Key Cycles Since DTC Last Set Counter		
Warm Up Cycles		
Good Trip Counter		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

DTCM |

NAME	VALUE	UNITS
DTC		
Test Failed		
Test Failed This Operation Cycle		
Pending DTC		
Confirmed DTC		
Test Not Completed Since Last Clear		
Test Failed Since Last Clear		
Test Not Completed This Operation Cycle		
Warning Indicator Requested		
DTC Extended Data Record Number - All		
Occurrence flag		
Original Odometer Value		miles
Most Recent Odometer Value		miles
Frequency Counter		
Ignition Cycle Counter		

HVAC |

NAME	VALUE	UNITS
Test Failed		
Test Failed This Operation Cycle		
Pending DTC		
Confirmed DTC		
Test Not Completed Since Last Clear		
Test Failed Since Last Clear		
Test Not Completed This Operation Cycle		
Warning Indicator Requested		
Occurrence flag		
Original Odometer Value		miles
Most Recent Odometer Value		miles
Frequency Counter		
Ignition Cycle Counter		

RADIO |

NAME	VALUE	UNITS
------	-------	-------

SNAPSHOT DATA SUMMARY

No Snapshot Data available for

No Snapshot Data available for

No Snapshot Data available for

No Snapshot Data available for

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

No Snapshot Data available for [REDACTED]

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)