

ECU SUMMARY INFO

[illegible]

[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	CVNS
TCM	USA / USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
PCM	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
ICS	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
RFH	USA / USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
ESM	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
DTCM	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
ORC	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
EPS	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
HVAC	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
CSWM	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
AMP	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
IPC	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
PTS	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
SCCM	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
BCM	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
RADIO	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
OCM	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
LBSS	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
RBSS	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
BPCM	Rest of world / ROW	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
HCP	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
AHCP	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
ABSO	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
SGW		[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
DPDM	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
IDCM	USA	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]

CONFIGURATION

TCM CONFIGURATION

NAME	VALUE	UNITS
ERS/Autostick/Tip Non-paddle on Shifter in D position equipped		
4WD with switchable Lo Range equipped		
FWD Equipped		
Short Learn Enabled		
ERS/Autostick/Tip Non-paddle on Shifter in A or M position equipped		
ERS/Autostick/Tip Non-paddle on Steering Wheel equipped		
Shifter with Sport Mode Position Equipped		
Overdrive Off or Tow Haul Mode Switch or Virtual Switch (Non-Terrain) Equipped		
ECO/Optimizer Switch Equipped		
Engine Start/Stop equipped		
Sport Mode Switch or Virtual Switch (Non-Terrain) Equipped		
Shifter with Low Mode Position Equipped		
Autostick/ERS On/Off Switch Equipped		
Paddle-Shift Switches Equipped		
RWD Equipped		
Long Learn Enabled		
AWD Equipped		
Polystable E-shift (Cableless without return-to-center) equipped		

PCM CONFIGURATION

NAME	VALUE	UNITS
Active Exhaust Pressure Sensor Equipped		
Secondary Mass Airflow Sensor Equipped		
Electronic Parking Brake Equipped		
Active Exhaust Valve(s) Equipped		
Wastegate HBridge Equipped		
Heater Temp Control Valve Equipped		
Mechanical Coolant Pump Equipped		
High Side Port Tumble Valve Equipped		
Aux Coolant Pump Heater Equipped		
O2 Sensor Bank 2 Sensor 2 Equipped		
Tumble Generator Valve Equipped		
High Side Port Tumble Valve Equipped		
Battery Temp Sensor Equipped		
Next Gen Bus Equipped		
Secondary Air Equipped		
Mechanical Coolant Pump Heater Equipped		
2 Speed Fan 3 Driver 3 Relay System Equipped		
Buffered Crank Output for ANC (Active Noise Cancellation) Equipped		
Transmission Oil Heater Equipped		
Police Package Equipped		
Intake Cam 2 Equipped		

62TE		
Buffered Crank Output for PHEV Engine Pulse Calculation Equipped		
Electronic Coolant Pump Equipped		
GPEC4 Equipped		
Throttle Inlet Temp Sensor Equipped		
40TE / 41TE / 41TEA		
EMAT (Getrag DCT transmission) Equipped		
GPEC4A Equipped		
Electric Water Pump Equipped		
3 Speed Fan Mechanical Relay System Equipped		
Secondary Fuel Pump Equipped		
Constant Heater Temperature Control Valve Equipped		
Intake Cam 1 Equipped		
DUAL_ALTERNATOR_GEN1_LEARNEDCOPY		
Engine Idle Shutoff Equipped		
Vehicle Speed Sensor #1 Calculated by ECU		
4.0 Liter I6 Engine		
3.7 Liter V6 Engine		
O2 Sensor Bank 1 Sensor 1 Equipped		
Active Engine Mount Equipped		
MultiAir Equipped		
Exhaust Cam 1 Equipped		
Supercharger Equipped		
Dual Stage Oil Pump Equipped		
Linear PWM Fan Relay System Equipped		
Vehicle Speed Sensor #1 Calculated from CAN		
6.1 Liter V8 Engine		
5.7 Liter V8 Engine		
Fiat VIN Learning Strategy Equipped		
Variable Speed Fuel Pump Equipped		
VLP Equipped Indicator		
3.2 Liter V6 Engine		
Humidity, Temperature and Pressure Sensor (LIN) Equipped		
6.2 Liter V8 Engine		
Air Shutoff Valve Bank 1 Control Solenoid 1 Equipped		
CMCV H-Bridge Equipped		
Unleaded Gasoline Fuel		
Direct Injection Equipped		
Fixed displacement AC Equipped		
Electronic Automatic Transmission (EATX) Equipped		
ICC Cruise Equipped		
Turbine Volute Valve Actuator Equipped		
ETC Cruise equipped		
2.0 Liter W14 engine		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

2 Speed Fan PWM Relay System Equipped		
GPEC2 Equipped		
Exhaust Cam 2 Equipped		
Active Exhaust Valve Equipped		
2 Speed Fan Mechanical Relay System Equipped		
Wastegate H-Bridge Equipped		
Coolant On-Off Valve Equipped		
Clutch Interlock Switch Equipped		
MTV Solenoid Equipped		
Cooled EGR Equipped		
CUSW (11-Bit) Equipped		
Fiat 940 Compact Equipped		
CUSW PROXI Write Programming Support Enabled		
Electric Coolant Valve Equipped		
ESIM Equipped		
Auxiliary Coolant Pump Equipped		
Port Flap Valve Equipped		
Power Steering Switch Equipped		
Active Grille Shutter Equipped		
Starter Relay 2 Equipped		
3.6 Liter V6 Engine		
Engine Software In Package		
WI4 Intake Flow Control Valve Equipped		
AC Equipped Over Bus		
AC Equipped		
TIP Equipped		
WI4 Variable Valve Timing Equipped		
Compressed Natural Gas Equipped		
3.5 Liter V6 Engine		
Trans Reverse Lockout Equipped		
Viscosity Sensor Equipped		
Electric Thermostat Heater Equipped		
Air Shutoff Valve Bank 1 Control Solenoid 2 Equipped		
Coolant On-Off Pump Equipped		
O2 Sensor Bank 2 Sensor 1 Equipped		
4 Speed Automatic Transmission Equipped		
Linear EGR Equipped		
Barometric Sensor Equipped		
4 Button Integrated Cruise Control		
Transmission Software Included		
Adaptive Cruise Control Hardware Equipped		
Active Exhaust Pressure Sensor Equipped		
Trans Skip Shift Equipped		
Auxiliary Heater Electric Water Pump Equipped		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Brushless PWM Fan Equipped		
1.0 Liter I3 Engine		
A/C Equipped		
Electronic Vacuum Pump Equipped		
Adaptive Cruise Control Equipped		
VLP Is Learnable Indicator		
Primary Lin Alternator Equipped		
1.8 Liter WI4 engine		
Aisin 6-Speed RWD Transmission Equipped		
Auxiliary Coolant Pump Heater Equipped		
Turbocharger Equipped		
Variable Displacement IAC Equipped		
Operator Idle Speed Request Equipped		
Wide Range O2 Sensor 2/1 Equipped		
Inrush Current Reduction Relay Equipped		
Electronic Throttle Control Equipped		
Hybrid Electric Vehicle Equipped		
PWM Fan Motor System Equipped		
TOOLCONFIG_OIL_PRESS_ABS_EQUIPPED		
42RLE		
Dual Fuel Tank Equipped		
MDS Equipped		
CUSW (29-Bit) Equipped		
Powernet Equipped		
Shift Indicator Lamp Equipped		
Sensorless FFV Enabled		
Cummins Equipped		
Knock Sensor 1 Equipped		
Rear Heater Equipped		
Knock Sensor 2 Equipped		
Fan Wake Up Relay System Equipped		
O2 Sensor Bank 1 Sensor 3 Equipped		
VFS Actuators Available Indicator		
6.4 Liter V8 Engine		
Yaw Rate Sensor ESC Equipped		
Linear Purge Equipped		
SRV Equipped		
PTO System Equipped		
2.4 Liter WI4 engine		
Dual Fuel Pressure Sensor Equipped		
1 Speed Fan Mechanical Relay System Equipped		
Low Temperature Radiator Coolant Pump Equipped		
O2 Sensor Bank 1 Sensor 2 Equipped		
Wide Range O2 Sensor 1/1 Equipped		

ZF 9-Speed Transmission Equipped		
Brake Pedal Sensor Equipped		
Dual Speed Fuel Pump Equipped		
ERS Equipped Indicator		
Continuous Variable Transmission Equipped		
66RFE / 68RFE		
3.0 Liter V6 Engine		
Oil Pressure Sensor Enabled		
3.3 Liter V6 Engine		
4.7 Liter V8 Engine		
2.7 Liter V6 Engine		
HPT 6-Speed Transmission Equipped		
Unleaded diesel fuel		
Engine Stop Start Equipped		
Duty Cycle Purge Valve Equipped		
GPEC3 Equipped		
45RFE / 545RFE / 65RFE		
Air Shutoff Valve Bank 2 Control Solenoid 2 Equipped		
3.8 Liter V6 Engine		
Engine Oil Heater Cooler Equipped		
VMM Equipped		
Remote Start Present		
INTAKE O2 SENSOR EQUIPPED		
SWAP HARDWIRED BRAKE SWITCH INPUTS		
Bi-Directional Crank Sensor Equipped		
Mass Airflow System Equipped		
Throttle Inlet Temp Sensor Equipped		
Operator Idle Speed Request Equipped		
Make Up Air Sensor Equipped		
CUSW 4-Button Cruise Equipped		
Brake Pedal Sensor Equipped		
Clutch Sensor Equipped		
5 Button Cruise (LIN) Equipped		
Cylinder Pressure Sensor Equipped		
Power Steering Angle Sensor Mandatory		
LIN Humidity, Temp, and Pressure Sensor Equipped		
Dual Fuel Pressure Sensor Equipped		
Cooled EGR Equipped		
A/C Relay Powered from Engine Switched Battery		
Hybrid MEC Shifter Equipped		
Supercharger Equipped		
HPT 6-Speed Trans Equipped		
Auxillary Coolant Pump Equipped		
Engine Idle Shutoff Equipped		

ALL INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

PTO System Equipped		
Low Temp Radiator Coolant Pump Equipped		
Dual Fuel Tank Equipped		
Dual Alternator Gen1 Capable		
ZF 9-Speed Trans Equipped		
CNG Large Gas Tank Equipped		
2.0 Liter I4 Direct Injection Engine		
Coolant On-Off Pump Equipped		
Primary 19 Alternator Equipped		
1.0 Liter I3 Engine		
Variable Valve Lift Equipped		
Engine Oil Pressure Sensor Type		None

ICS CONFIGURATION

NAME	VALUE	UNITS
Display Type (Base)		
Display Type (Mid)		

RFH CONFIGURATION

NAME	VALUE	UNITS
Base TPM Present		
Full Size Matching Spare Tire Present		
Fob Location #3 Successfully Programmed		
Valid Key In Ignition		
Fob Location #4 Successfully Programmed		
Secret Key Sent to Body Controller - Most recent attempt		
Fob Location #7 Successfully Programmed		
Fob Location #8 Successfully Programmed		
Secret Key Sent to Body Controller - Original attempt		
Fob Location #1 Successfully Programmed		
RFHub Locked		
PIN Successfully Programmed		
Fob Location #6 Successfully Programmed		
Fob Location #2 Successfully Programmed		
VIN Successfully Programmed		
Fob Location #5 Successfully Programmed		
Passive Entry		
TPMS Configuration		
Tire Pressure System		
Auto Park Present		
Module Configuration Status		
Secret Codes Programmed		
\$0214 Programmed by		

e-shifter present		
Selectable Tire Fill Alert		
TPM Auto-Locate Enabled		
RKE		
Ignition system type connected		
Remote Start Present		
Keyless Go		
Back Up Customer Settings Menu 1 (CSM1)		
Back Up Customer Settings Menu 2 (CSM2)		
Back Up Vehicle Config 1		
Back Up ECU Configuration 13		
Back Up Vehicle Config 5		
Back Up ECU Configuration 2		
Back Up Vehicle Config 2		
Back Up ECU Configuration 10		
Back Up Vehicle Config 6		
Back Up Vehicle Config 7		
Back Up ECU Configuration 3		
Back Up ECU Configuration 4		
Back Up Vehicle Config 4		
Back Up ECU Configuration 14		
Back Up ECU Configuration 11		
Back Up ECU Configuration 6		
Back Up ECU Configuration 17		
Back Up Programmed ECUs: P/T Chassis Network		
Back Up ECU Configuration 1		
Back Up ECU Configuration 15		
Back Up ECU Configuration 8		
Back Up ECU Configuration 16		
Back Up ECU Configuration 12		
Back Up ECU Configuration 9		
Back Up Programmed ECUs: Cabin Network		
Back Up ECU Configuration 7		
Back Up Vehicle Config 3		
Back Up ECU Configuration 5		
Hardware Configuration: Remote Start Antenna		
Hardware Configuration: Front Left Door Handle H/W		
Hardware Configuration: Trunk Door Handle H/W		
Hardware Configuration: Rear Right Door Handle H/W		
Hardware Configuration: Front Right Door Handle H/W		
Hardware Configuration: Rear Left Door Handle H/W		
ECU Ship Status		

DTCM CONFIGURATION

NAME	VALUE	UNITS
Rear Locker Present	[REDACTED]	
FAD Present	[REDACTED]	
Mode Switch Present	[REDACTED]	
Full-Time T-Case	[REDACTED]	
Front Locker Present	[REDACTED]	
SRT Present	—	
T-Case Type	[REDACTED]	
Left/Right Hand Drive	[REDACTED]	
Axle Ratio	[REDACTED]	

ORC CONFIGURATION

NAME	VALUE	UNITS
Right Curtain Squib 1	[REDACTED]	
Driver Seatbelt Retractor Pretensioner	[REDACTED]	
Passenger Seatbelt Anchor Pretensioner	[REDACTED]	
Driver Frontal Squib 2	[REDACTED]	
Left B-Pillar Impact Acceleration Sensor	[REDACTED]	
Right Side Door Pressure Sensor	[REDACTED]	
First Row Driver Seatbelt Buckle Switch	[REDACTED]	
First Row Passenger Seatbelt Buckle Switch	[REDACTED]	
Right B-Pillar Impact Acceleration Sensor	[REDACTED]	
Passenger Seatbelt Load Limiter	[REDACTED]	
Driver Frontal Squib 1	[REDACTED]	
Configuration Column Identifier	[REDACTED]	
Passenger Frontal Squib 3	[REDACTED]	
Second Row Left Seat Side Airbag	[REDACTED]	
Passenger Seat Track Position Sensor	[REDACTED]	
Right Up-Front Acceleration Sensor	[REDACTED]	
Second Row Center seat belt Switch	[REDACTED]	
Passenger Frontal Squib 2	[REDACTED]	
Passenger Frontal Squib 1	[REDACTED]	
EPPM	[REDACTED]	
Passenger Seatbelt Buckle Pretensioner	[REDACTED]	
Right Side Seat Squib 1	[REDACTED]	
Driver Seat Track Position Sensor	[REDACTED]	
Passenger Airbag Disable Indicator	[REDACTED]	
Driver Frontal Squib 4	[REDACTED]	
Left Curtain Squib 1	[REDACTED]	
Driver Seatbelt Anchor Pretensioner	[REDACTED]	
Passenger Seatbelt Retractor Pretensioner	[REDACTED]	
Second Row Right seat belt Switch	[REDACTED]	
[REDACTED]	[REDACTED]	
Driver Frontal Squib 3	[REDACTED]	

Passenger Airbag Disable Switch		
Occupant Classification (OCM)		
Left Side Door Pressure Sensor		
Left D-Pillar Impact Acceleration Sensor		
Second Row Left seat belt Switch		
Driver Seatbelt Buckle Pretensioner		
Passenger Knee Bolster Squib		
Passenger Frontal Squib 4		
Right D-Pillar Impact Acceleration Sensor		
Left Up-Front Acceleration Sensor		
Driver Knee Bolster Squib		
Second Row Right Seat Side Airbag		
Rollover Sensing		
Passenger Occupant Detection Sensor		
Driver Seatbelt Load Limiter		
Left C-Pillar Impact Acceleration Sensor		
Left Side Seat Squib 1		

HVAC CONFIGURATION

NAME	VALUE	UNITS
DualZone ATC Control		
MTC Without EBL (3Knob)		
Single Zone MTC Control		
Dual Zone MTC Control		
DualZone ATC Control (Factory)		
MTC With EBL (3Knob)		

AMP CONFIGURATION

NAME	VALUE	UNITS
ANC Status		
ANC Calibration Date - Year		
ANC Calibration Date - Patch Level		
ANC Calibration Date - Week		
Surround Sound Activated		
Current ANC Calibration ID - Service		
Premuim - 3		
Premuim - 2		
No HALF Chimes		
Non -ANC		
No Rear Doors		
Premuim - 1		
Door Module - Right Front		
Door Module - Left Front		

IPC CONFIGURATION

NAME	VALUE	UNITS
Main Fuel Tank Gauge - 3/4 Datum Calibration		Volts
Main Fuel Tank Gauge - 1/4th Datum Calibration		Volts
Main Fuel Tank Gauge - 1/2 Datum Calibration		Volts
Main Fuel Tank Gauge - Empty Stop Calibration		Volts
Main Fuel Tank Gauge - Full Stop Calibration		Volts
Sub Fuel Tank Gauge - 1/2 Datum Calibration		Volts
Sub Fuel Tank Gauge - 1/4 Datum Calibration		Volts
Sub Fuel Tank Gauge - 3/4 Datum Calibration		Volts
Sub Fuel Tank Gauge - Full Stop Calibration		Volts
Sub Fuel Tank Gauge - Empty Stop Calibration		Volts
PHEV		
Rear Fog Lamp		
JT Vehicle		
Low Line Cluster		

PTS CONFIGURATION

NAME	VALUE	UNITS
Rear System with 6 Front Sensors		
Front System with 6 Rear Sensors		

SCCM CONFIGURATION

NAME	VALUE	UNITS
Rear Wiper		
Paddle Shifter		
Cruise Control / ACC		
Tilt Telescope		

BCM CONFIGURATION

NAME	VALUE	UNITS
Number of Reprogramming Attempts - Counter #0		
Last Programmed Status		
Vehicle Configuration Programmed Status		
ECU Configuration 6 (Brake)		
Vehicle Configuration 4 - Write Counter		
Vehicle Configuration 3 - Write Counter		
ECU Configuration 3		
Vehicle Configuration 6 - Write Counter		
ECU Configuration 5 (Wireless)		
Programmed Network Configuration - Audio / Telematics Network		
ECU Configuration 7 (CBC Exterior Lighting Calibrations)		
ECU Configuration 10		
ECU Configuration 4		

ECU Configuration 2 (CBC Features)		
ECU Configuration 14		
ECU Configuration 15 (CBC Features)		
Last Configuration Odometer		miles
ECU Configuration 5 (Memory)		
ECU Configuration 9 (ITM)		
ECU Configuration 5 (Doors)		
Vehicle Configuration Auto Write Counter		
ECU Configuration 12		
Vehicle Configuration 2 - Write Counter		
Programmed ECUs: P/T Chassis Network		
ECU Configuration 10 (Suspension)		
ECU Configuration 6 (Safety)		
ECU Configuration 9A		
Vehicle Config CSM1		
ECU Configuration 11		
Programmed ECUs: Cabin Network		
Vehicle Configuration 1 - Write Counter		
ECU Configuration 1 (CBC Configurable Inputs and Outputs)		
Programmed ECUs: Hybrid LAN Network		
ECU Configuration 8 (LIN and Miscellaneous)		
ECU Configuration 6 (Powertrain)		
Vehicle Configuration 7 - Write Counter		
Vehicle Configuration 5 - Write Counter		
ECU Configuration 6 (Suspension)		
ECU Configuration 13		
Vehicle Config CSM2		
Remote Start Present		
Auto Highbeam		
PTS Configuration		
Vehicle Line		
Maximum Vehicle Speed		MPH
Select Speed Control Feature Present		
Emode Present		
Body Style		
Country Code		
Model Year		
Drive Configuration		
Hill Descent Feature Present		
Left/Right Hand Drive		
Special Packages		
Shifter Type		
Performance Pages Present		
Flipper Glass Present		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Special Packages	[REDACTED]	
Off Road Capable	[REDACTED]	
Thatcham Present	[REDACTED]	
Max Load Inflation Pressure Front Tire	[REDACTED]	[REDACTED]
Power Inverter Type	[REDACTED]	
Full Size Spare	[REDACTED]	
Rain Sensor Present	[REDACTED]	
Max Load Inflation Pressure Rear Tire	[REDACTED]	[REDACTED]
Light Load Inflation Pressure Rear Tire	[REDACTED]	[REDACTED]
Air Conditioning Present	[REDACTED]	
SKIM System Present	[REDACTED]	
Cruise Feature is Present	[REDACTED]	
Power Lift Gate Present	[REDACTED]	
T-Case Type	[REDACTED]	
Vehicle is an SRT	[REDACTED]	
HVAC Configuration	[REDACTED]	
Liftgate/Trunk Type	[REDACTED]	
Window Express Feature Configuration	[REDACTED]	
Keyless Go Present	[REDACTED]	
High Intensity Discharge Head Lamps	[REDACTED]	
Door Alert Feature Present	[REDACTED]	
Interior EC Mirror Present	[REDACTED]	
ELV Present	[REDACTED]	
Power Left Sliding Door Present	[REDACTED]	
Sunshade Present	[REDACTED]	
Premium TPM system present	[REDACTED]	
Base TPM system present	[REDACTED]	
Auto Headlamp Feature Present	[REDACTED]	
Disable Display of Radio Clock	[REDACTED]	
Two Fuel Sending Units Present	[REDACTED]	
Wheel Base	[REDACTED]	
Collision Mitigation System present	[REDACTED]	
Passive Entry Present	[REDACTED]	
Sport Mode Present	[REDACTED]	
ESCL system present	[REDACTED]	
Secondary Lock Present	[REDACTED]	
Auto Park Present	[REDACTED]	
[REDACTED]	[REDACTED]	
Paddle Shift Feature Present	[REDACTED]	
Fuel Capacity	[REDACTED]	[REDACTED]
RKE System Present	[REDACTED]	
FOBIK Safe Enable	[REDACTED]	
Power Right Sliding Door Present	[REDACTED]	
Forward Collision Warning present	[REDACTED]	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (5 U.S.C. 552 (B) (6))

Police Lighting Feature		
Display Compass Heading Present		
Chassis Type		
Vehicle Brand		
Display Outside Temperature Present		
Dynamic Tire Circumference (All or Rear)		
Transfer Case High Ratio		
Transfer Case Low Range Reduction Ratio		
Axle Ratio		
Dual Rear Wheel (DRW) Vehicle Present		
Steering Ratio at Positive Angle 2		
Steering Ratio at Positive Angle 4		
Steering Ratio at zero		
Steering Ratio at Positive Angle 1		
Steering Ratio at Positive Angle 3		
Steering Ratio at Positive Angle 5		
Non-Regulated Tire Pressure Information System (TPIS) Present		
Air Quality System Present		
Analog Door Sensor Configuration		
Steering Ratio at Negative Angle 1		
Steering Ratio at Negative Angle 4		
Steering Ratio at Negative Angle 5		
Steering Ratio at Negative Angle 3		
Steering Ratio at Negative Angle 2		
Rear Turn Lamps Output Present - Pin E3 & F42		
Hood Ajar Switch Input Present - Pin A11		
Ambient Temperature Sensor Present - Pin D22		
VTA Warning LED Output Present - Pin G22		
Right Dedicated DRL Lamp Output Present - Pin A22		
Diesel Cabin Heater #3 Output Present - Pin D10		
Reserved - Pin E21		
Reserved - Pin E15		
Diesel Cabin Heater #1 Output Present - Pin D11		
Inverter Enable Relay Output Present - Pin F35		
Rear Fog Lamps Output Present - Pin E39 & F5		
Side Markers Output Present - Pin A10 & D5		
Trailer Backup Lamps Output Present - Pin E23		
Reserved - Pin F4		
Reserved - Pin G12		
Park Brake Input Present - Pin E11		
Ambient Light Dimmer Wheel Input Present Pin G9		
Reserved - Pin E47		
Left Rear Door Ajar Input Present - Pin F23		
Front Driver Analog Door Ajar Input Present - Pin F9		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Run-ACC Y Relay #2 Output Present - Pin E9		
Foot Well Lamps Output Present - Pin G24		
UGDO Feed Output Present - Pin G15		
Diesel Cabin Heater #2 Output Present - Pin D9		
Reserved - Pin D20		
Reserved - Pin E35		
Starter Relay Lowside Coil Drive - Pin D7		
Passenger Door Ajar Signal Present - Pin G18		
Low Beam Output Present - Pin A3, D2		
Left Dedicated DRL Lamps Output Present - Pin D15		
Reserved - E20		
Gated Park ZFII Output Present - Pin D-24		
Hard Top Sense Present - Pin E14		
Rear Wiper Motor Park Present - Pin E29		
Reserved - F21		
Flipper Glass #2 Output Present		
Front Fog Lamps Output Present - Pin A1 & D13		
Rear Park Lamps Output Present - Pin E4 & F34		
Horn Switch Input Present - Pin F29		
Headlamp Washer Low Fluid Shut-Off Enable		
DRL Lamp Location		
LED License Lamps Present		
Front Wiper Wipes After Wash		
Front Fog Lamp Dropout Enable		
Tip Start Enabled		
Headlamp Wash Shot		
Side Repeaters Enable		
Quad Headlamps Enable		
LED Front Fog Lamps Present		
Combined Rear Lighting Enable		
Door Lock Switch Signal FT LT Usage (F9)		
Hazard Lamp Configuration		
LED Rear Turn Lamps Present		
Headlamp Wash Interval		
LED Front Park/Marker Lamps Present		
Military Vehicle Present		
LED High Beam Lamps Present		
Front Wiper Park Enable		
Tunnel Detection		
LED Dedicated DRL Present		
One Touch Lane Change		
LED Stop Lamps Present		
Horn Chirp Allowed		
Single Element Tail Lamp		

ALL INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

LED Front Turn Lamps Present		
Door Lock Switch Signal FT RT Usage (F23)		
Trailer Tow Present		
Exterior Light Loadshed Enable		
Park Lamp Loadshed Enable		
DRL Configuration		
LED Low Beam Lamps Present		
LED Rear Fog Lamps Present		
Rear Wiper Park Enable		
Intermittent Wiper States		
LED CHMSL Lamp Present		
Wiper Service Position Enabled		
LED Reverse Lamps Present		
LED Tail Lamps Present		
Dual Start Relay System Present		
DRL Dropout Enable		
Reversible Washer Pump Enable		
Bi Xenon Headlamps Enable		
CTP Max AC Present		
DTV Front Camera Present		
Microphone Type		
DAB Present		
VIN Check Digit Diabie		
Hill Descent Control Present		
Disable CD Eject		
Audio Steering Wheel Switch Configuration		
Vehicle Theft Alarm Present		
Front Park Assist Present		
External Port Type		
Destination		
Cabin Equilization Curve Number		
Radio Display On/Off Softkey Present		
Front Heated Seats Present		
Hill Start Assist Customer Setting Option Present		
DTV Side Camera Present		
Radio Apps Present		
Surround Sound Feature Present		
Rear Camera Present		
Tow Haul Present		
Antenna Type		
Hybrid Electric Powertrain Present		
Power Door Locks Present		
Microphone Tuning Parameter		
CTP Auto Lock Disable		

ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED EXCEPT WHERE SHOWN OTHERWISE. INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (5 U.S.C. 552 (B) (6))

CTP Easy Entry Enable	[REDACTED]	
Power Inverter Present	[REDACTED]	
SDAR Travel Link Present	[REDACTED]	
CTP Passive Entry Present	[REDACTED]	
Microphone Configuration	[REDACTED]	
Front Ventilated Seats Present	[REDACTED]	
Splashscreen Type	[REDACTED]	
Heated Steering Wheel Present	[REDACTED]	
Gear Shift Indicator	[REDACTED]	
Rear Wheel Drivably	[REDACTED]	
ERS Available	[REDACTED]	
AMB Dimmer	[REDACTED]	
Service Interval	[REDACTED]	
Temperature Celsius for UK	[REDACTED]	
Speedometer Range Max Scale	[REDACTED]	
Split Shaft Present	[REDACTED]	
Max Gear	[REDACTED]	
PTO Present	[REDACTED]	
IC Config Feature	[REDACTED]	
Virtual Speedometer Units	[REDACTED]	
Heated Seat Present	[REDACTED]	
Manual Headlamp Leveling	[REDACTED]	
Type of Gallons	[REDACTED]	
Tip Start Present	[REDACTED]	
AP1 Left Front	[REDACTED]	
AP2 Right Front	[REDACTED]	
AP5 Trunk Lock	[REDACTED]	
Airport Scenario Trunk Set	[REDACTED]	
AP3 Left Rear	[REDACTED]	
AP4 Right Rear	[REDACTED]	
Puddle Lamp Present	[REDACTED]	
Mirror turn signals present	[REDACTED]	
Window Hall Sensors Present	[REDACTED]	
Passenger Window Lockout	[REDACTED]	
Driver Memory Mirrors Present	[REDACTED]	
Auto Power Folding Mirrors Present	[REDACTED]	
Tow Mirror Present	[REDACTED]	
Rear Door Pre Short Drop	[REDACTED]	
Blindspot Mirror Present	[REDACTED]	
Electro-chromatic passenger mirror present	[REDACTED]	
Global Down	[REDACTED]	
Folding mirrors present	[REDACTED]	
Frameless Window Present	[REDACTED]	
Window Motor Type	[REDACTED]	

ALL INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Passenger Memory Mirror Present	[REDACTED]	
Heated Mirrors Present	[REDACTED]	
Sun Shade	[REDACTED]	
Electro-chromatic driver mirror present	[REDACTED]	
Global Up	[REDACTED]	
Front Vented Seats Present	[REDACTED]	
Rear Heated Seats Present	[REDACTED]	
Memory Adjustable Pedals Present	[REDACTED]	
Front Heated Seat Present	[REDACTED]	
Memory Seat Present	[REDACTED]	
Rear Vented Seats Present	[REDACTED]	
[REDACTED]	[REDACTED]	
Tilt/Telescope Steering Present	[REDACTED]	
Heated Seat Material Type	[REDACTED]	
Heated Steering Wheel Present	[REDACTED]	
Brake System ECU Configuration B	[REDACTED]	
Wheel 18 inch overall ESC Maserati	[REDACTED]	
Brake System ECU Configuration A	[REDACTED]	
ECO Mode Configuration	[REDACTED]	
Dual Alternator Present	[REDACTED]	
CHMSL Lamp Output Disable	[REDACTED]	
Manual Door Locks Present	[REDACTED]	
Swing Gate Lock Present - Pin F30	[REDACTED]	
Secondary Door Ajar Present - Pin E28	[REDACTED]	
Auto High Beam Module Location	[REDACTED]	
Swing Gate Unlock Present - Pin F33	[REDACTED]	
Rain Sensor Module #2 Present	[REDACTED]	
Rear Fog Voltage	[REDACTED]	[REDACTED]
Front Fog Voltage	[REDACTED]	[REDACTED]
Excess Longitudinal Acceleration Factor	[REDACTED]	
[REDACTED]	[REDACTED]	
Average Last Lateral Acceleration Values	[REDACTED]	
Maximum Lateral Change	[REDACTED]	
Brake Smoothing Duration	[REDACTED]	
Acceleration Threshold	[REDACTED]	
Acceleration Factor	[REDACTED]	
Brake Smoothing Threshold	[REDACTED]	
Nose Dive Threshold	[REDACTED]	
Steering Smoothing Factor	[REDACTED]	
Nose Dive Factor	[REDACTED]	
Steering Smoothing Threshold	[REDACTED]	
Excess Lateral Acceleration Factor	[REDACTED]	
Maximum Longitudinal Change	[REDACTED]	
Brake Smoothing Factor	[REDACTED]	

INFORMATION EXTRACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Average Last Longitudinal Acceleration Values	[REDACTED]	
RKE Auto-Relock Feature Enable	[REDACTED]	
ASBM Minimum Voltage Time	[REDACTED]	
Interior Lighting Night Threshold	[REDACTED]	[REDACTED]
PE Auto-Relock Feature Enable	[REDACTED]	
ASBM Battery Minimum Voltage	[REDACTED]	
Horn Chirp Duration	[REDACTED]	
Parking Light Enable	[REDACTED]	
Pitch and Roll Present	[REDACTED]	
Interior Lighting Day Threshold	[REDACTED]	[REDACTED]
VTA Hood Ajar Monitoring	[REDACTED]	
[REDACTED]	[REDACTED]	
AGS Feature Present	[REDACTED]	
Axle Locker Configuration	[REDACTED]	
PTC Present	[REDACTED]	
Park Brake Type	[REDACTED]	
Hybrid Type	[REDACTED]	
Transmission Equipped	[REDACTED]	
Glovebox Control	[REDACTED]	
Brake Type	[REDACTED]	
TPMS Configuration	[REDACTED]	
Temperature Display Resolution	[REDACTED]	
TSBM Module Present	[REDACTED]	
ADR feature Present	[REDACTED]	
Glare Free Present	[REDACTED]	
Easy exit seat customer settings menu	[REDACTED]	
Blind spot alert customer settings menu	[REDACTED]	
Auto door lock customer settings menu	[REDACTED]	
Rear view camera gridlines customer settings menu	[REDACTED]	
Compass variance customer settings menu	[REDACTED]	
Power unit customer settings menu	[REDACTED]	
Rain sensitive wipers customer settings menu	[REDACTED]	
Illuminated approach customer settings menu	[REDACTED]	
Pressure unit customer settings menu	[REDACTED]	
Headlamp drop customer settings menu	[REDACTED]	
Auto on driver comfort customer settings menu	[REDACTED]	
Auto high beam customer settings menu	[REDACTED]	
Power liftgate chime customer settings menu	[REDACTED]	
Unit set customer settings menu	[REDACTED]	
Electric power steering customer settings menu	[REDACTED]	
Auto park customer settings menu	[REDACTED]	
Headlamp off delay customer settings menu	[REDACTED]	
Tire jack mode customer settings menu	[REDACTED]	
Power accessory delay customer settings menu	[REDACTED]	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Auxiliary switches customer settings menu		
Air suspension warning customer settings menu		
Clock display customer settings menu		
Passive entry customer settings menu		
Performance shift enable customer settings menu		
Distance unit customer settings menu		
Power take off customer settings menu		
Headlamps on with wiper customer settings menu		
Consumption unit customer settings menu		
Lane departure warning customer settings menu		
Park assist rear volume customer settings menu		
Rear camera customer settings menu		
Forward collision warning customer settings menu		
Park assist brake customer settings menu		
Auto entry exit mode customer settings menu		
Lane departure torque customer settings menu		
Ambient dimmer customer settings menu		
Compass calibration customer settings menu		
Automatic aero mode customer settings menu		
Park assist front volume customer settings menu		
Park assist customer settings menu		
EPB service mode customer settings menu		
Teen Key Fuel Pop-up Customer Settings Menu		
Teen Key Automatic High Beam Customer Settings Menu		
Rear view camera delay customer settings menu		
Passenger Airbag On/Off Customer Settings Menu		
RKE unlock customer settings menu		
Speed unit customer settings menu		
Doors and Engine Off Power Delay Customer Settings Menu		
Forward Collision Warning and Brake Customer Settings Menu		
Tilt mirror in reverse customer settings menu		
Torque unit customer settings menu		
Radio Speaker Open Circuit Disable (RF)		
Radio Speaker Open Circuit Disable (LF)		
DTV Present		
Surround View Camera On/Off Softkey Present		
Auto Dimming Mirror Hard Button Present		
Rear Defrost and Heated Mirrors Present		
Radio Speaker Open Circuit Disable (LR)		
Tri-State Comfort Climate Softkey Function Present		
Automatic Crash Notification Feature Present		
Show Phone Information in Cluster		
ANC Calibration Parameter Data Set		

ALL INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Radio Speaker Open Circuit Disable (RR)	[REDACTED]	
Drive Mode Version	[REDACTED]	
Trailer Hitch Camera Present	[REDACTED]	
Park Assist Tuning Set	[REDACTED]	
Right Front Corner Voltage	[REDACTED]	
Left High Beam Voltage Regulation	[REDACTED]	
Left Rear Corner Voltage	[REDACTED]	
Left Front Corner Voltage	[REDACTED]	
Right Low Beam Voltage Regulation	[REDACTED]	
Signature Light Present	[REDACTED]	
Right Rear Corner Voltage	[REDACTED]	
Dual Filament Headlamp	[REDACTED]	
Auto Headlamp On Threshold	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	
Left Low Beam Voltage Regulation	[REDACTED]	
Auto Headlamp Off Threshold	[REDACTED]	[REDACTED]
Right High Beam Voltage Regulation	[REDACTED]	
Tilt	[REDACTED]	
Siren	[REDACTED]	
Ultrasonics	[REDACTED]	
Manual Trans Present	[REDACTED]	
Washer Fluid Level Voltage Threshold	[REDACTED]	
Illuminated Approach Taillamp Target Percentage	[REDACTED]	
Illuminated Approach Headlamp Target Percentage	[REDACTED]	
IBS Present	[REDACTED]	
DC to DC Converter #2 Present	[REDACTED]	
EVIC Switch Module Present	[REDACTED]	
CRVMM Present	[REDACTED]	
Humidity Sensor Present	[REDACTED]	
Panic Enable	[REDACTED]	
Compass Mounting Orientation	[REDACTED]	
Auto Relock Time	[REDACTED]	[REDACTED]
DC to DC Converter Present	[REDACTED]	
Compass Mounting Angle	[REDACTED]	[REDACTED]
Illuminated Approach Interior Lighting Target Percentage	[REDACTED]	
[REDACTED]	[REDACTED]	
ASBM Present	[REDACTED]	
[REDACTED]	[REDACTED]	
ASBMM Present	[REDACTED]	
Speedometer Tolerance	[REDACTED]	
Steering C Factor	[REDACTED]	
Increasing speed constant	[REDACTED]	
[REDACTED]	[REDACTED]	
Passenger Kneeabg Present	[REDACTED]	

ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED EXCEPT WHERE SHOWN OTHERWISE. INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

ODS Present		
Driver Kneebag Present		
BUX vehicle		
Integrated EPP Present		
2nd Row Seat Airbags Present		
Passive Ped Pro Present		
Curtain Airbags Present		
Tow Hooks Present		
Reserved		
Reserved		
ANC		
PCM		
OCM		
ASBS		
SGW		
ITBM		
ABS		
AFLS		
ORC		
AHLM/AFLS		
ESM		
DPDM		
ELSD		
IPC		
TPM		
SCCM		
EPS		
ASCM		
DTCM		
PTS		
TCM		
BCM (PT)		
RFH		
Heated Mirrors Present		
Engine Displacement		
Rear Defrost Presence		
AMP		
TBM		
HVAC_R		
RBSM		
LBSM		
EDM		
Radio		
PTCM		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

BCM (Interior Bus)	████	
HSM	████	
ITM	████████	
HVAC	████	
Right High Beam Present - Pin A2	████	
Left Rear Turn Lamp Diagnostics Present - Pin F27	████	
Stop/Turn Lamp or Stop Lamp Present Pin E2 & F40	██████████	
Signature Lamps or Mirror Repeater Present - Pin A5 & Pin A7	██████████	
Brake Fluid Level Switch Signal Present - Pin D21	██████	
Backup Reverse Lamp Left Present - Pin F41	████	
Left Front Lamp Diagnostics Present - Pin F25	████	
Right Front Lamp Diagnostics Present - Pin F28	████	
Left High Beam Present - Pin D1	████	
Right Rear Turn Lamp Diagnostics Present - Pin F31	████	
Backup Reverse Lamp Right Present - Pin E1	████	

RADIO CONFIGURATION

NAME	VALUE	UNITS
Compass on the bus messaging Authorization	████	
GPS on the Bus messaging Authorization	████	
Satellite Subscription Suspend Day	██	
Satellite Subscription Reason Code	██	
Satellite Subscription Suspend Year	██	
Satellite Subscription Suspend Month	██	
Satellite Subscription Status	██████	
Satellite Subscription ID	██████	
Aux Jack	██████	
USB Hubs Detected	████	████
SD Card Readers Detected	██	████
Enumerated USB Devices	██	████
DTV Short Term Configuration	-	
911 Button	██	
SDARS	████	
Internal CD Player	████	
Application Framework	████	
Bluetooth	████	
Navigation Active	████	
FM Diversity	████	
Cellular	████	
Wi-Fi	████	
Splash Screen	████	
Anti-Theft Enable Status	██	
Automated Loudness	██	
Front Seat Video Playback	████	

Clock Defeat	
Cabin EQ Curve Number Currently Used by Radio	  
12/24 Time Selection	

LBSS CONFIGURATION

NAME	VALUE	UNITS
Steering (LHD/RHD)		
Teen Key		
CFG FEATURE		

RBSS CONFIGURATION

NAME	VALUE	UNITS
Teen Key	[REDACTED]	
Steering (LHD/RHD)	[REDACTED]	

ABSO CONFIGURATION

NAME	VALUE	UNITS
Trans Type		
Drive Configuration		
Displacement		
Hybrid Type		
Vehicle Line Identification		
Chassis Type		
Axle Ratio		
Tire Circumference		

FOIA OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

ECU SUMMARY INFO

[illegible]

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	CVNS
TCM	USA / USA				
PCM	USA				
ICS	USA				
RFH	USA / USA				
ESM	USA				
DTCM	USA				
ORC	USA				
EPS	USA				
HVAC	USA				
CSWM	USA				
AMP	USA				
IPC	USA				
PTS	USA				
SCCM	USA				
BCM	USA				
RADIO	USA				
OCM	USA				
LBSS	USA				
RBSS	USA				
BPCM	Rest of world / ROW				
HCP	USA				
AHCP	USA				
ABSO	USA				
SGW					
DPDM	USA				
IDCM	USA				

DTC SUMMARY

ECU	DTC CODE	DTC DESCRIPTION	STATUS
-----	----------	-----------------	--------

ENVIRONMENTAL DATA SUMMARY

SNAPSHOT DATA SUMMARY

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)