

ECU	NAME	BUS TYPE	FLASH PART #	CURRENT VIN	ORIGINAL VIN	PART #
1	ECU	CAN	93C46	123456789	123456789	123456789
2	ECU	CAN	93C46	123456789	123456789	123456789
3	ECU	CAN	93C46	123456789	123456789	123456789
4	ECU	CAN	93C46	123456789	123456789	123456789
5	ECU	CAN	93C46	123456789	123456789	123456789
6	ECU	CAN	93C46	123456789	123456789	123456789
7	ECU	CAN	93C46	123456789	123456789	123456789
8	ECU	CAN	93C46	123456789	123456789	123456789
9	ECU	CAN	93C46	123456789	123456789	123456789
10	ECU	CAN	93C46	123456789	123456789	123456789
11	ECU	CAN	93C46	123456789	123456789	123456789
12	ECU	CAN	93C46	123456789	123456789	123456789
13	ECU	CAN	93C46	123456789	123456789	123456789
14	ECU	CAN	93C46	123456789	123456789	123456789
15	ECU	CAN	93C46	123456789	123456789	123456789
16	ECU	CAN	93C46	123456789	123456789	123456789
17	ECU	CAN	93C46	123456789	123456789	123456789
18	ECU	CAN	93C46	123456789	123456789	123456789
19	ECU	CAN	93C46	123456789	123456789	123456789
20	ECU	CAN	93C46	123456789	123456789	123456789
21	ECU	CAN	93C46	123456789	123456789	123456789
22	ECU	CAN	93C46	123456789	123456789	123456789
23	ECU	CAN	93C46	123456789	123456789	123456789
24	ECU	CAN	93C46	123456789	123456789	123456789
25	ECU	CAN	93C46	123456789	123456789	123456789
26	ECU	CAN	93C46	123456789	123456789	123456789
27	ECU	CAN	93C46	123456789	123456789	123456789
28	ECU	CAN	93C46	123456789	123456789	123456789
29	ECU	CAN	93C46	123456789	123456789	123456789
30	ECU	CAN	93C46	123456789	123456789	123456789
31	ECU	CAN	93C46	123456789	123456789	123456789
32	ECU	CAN	93C46	123456789	123456789	123456789
33	ECU	CAN	93C46	123456789	123456789	123456789
34	ECU	CAN	93C46	123456789	123456789	123456789
35	ECU	CAN	93C46	123456789	123456789	123456789
36	ECU	CAN	93C46	123456789	123456789	123456789
37	ECU	CAN	93C46	123456789	123456789	123456789
38	ECU	CAN	93C46	123456789	123456789	123456789
39	ECU	CAN	93C46	123456789	123456789	123456789
40	ECU	CAN	93C46	123456789	123456789	123456789
41	ECU	CAN	93C46	123456789	123456789	123456789
42	ECU	CAN	93C46	123456789	123456789	123456789
43	ECU	CAN	93C46	123456789	123456789	123456789
44	ECU	CAN	93C46	123456789	123456789	123456789
45	ECU	CAN	93C46	123456789	123456789	123456789
46	ECU	CAN	93C46	123456789	123456789	123456789
47	ECU	CAN	93C46	123456789	123456789	1

[illegible]

DPDM Driver Presence
Detection Module

CAN-C

SUMMARY INFO (CONT...)

	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	NT	SERIAL NUMBER	S
	USA / USA					
	USA					
ICS	USA					
RFH	USA / USA					
ESM	USA					
DTCM	USA					
ORC	USA					
EPS	USA					
AMP	USA					
IPC	USA					
SCCM	USA					
BCM	USA					
RADIO	USA					
BPCM	Rest of world / ROW					
AHCP	USA					
ABSO	USA					
SGW						
IDCM	USA					

CONFIGURATION

TCM CONFIGURATION

NAME	VALUE	UNITS
Autostick/ERS On/Off Switch Equipped		
Paddle-Shift Switches Equipped		
Shifter with Sport Mode Position Equipped		
Shifter with Low Mode Position Equipped		
Sport Mode Switch or Virtual Switch (Non-Terrain) Equipped		
Overdrive Off or Tow Haul Mode Switch or Virtual Switch (Non-Terrain) Equipped		
ECO/Optimizer Switch Equipped		
ERS/Autostick/Tip Non-paddle on Steering Wheel equipped		
ERS/Autostick/Tip Non-paddle on Shifter in D position equipped		
ERS/Autostick/Tip Non-paddle on Shifter in A or M position equipped		

FWD Equipped
RWD Equipped
AWD Equipped
4WD with switchable Lo Range equipped
Engine Start/Stop equipped
Polystable E-shift (Cableless without return-to-center) equipped
Long Learn Enabled
Short Learn Enabled

PCM CONFIGURATION

NAME	VALUE	UNITS
AC Equipped		
AC Equipped Over Bus		
Power Steering Switch Equipped		
4 Button Integrated Cruise Control		
EMAT (Getrag DCT transmission) Equipped		
Vehicle Speed Sensor #1 Calculated from CAN		
Police Package Equipped		
Unleaded Gasoline Fuel		
Unleaded diesel fuel		
6.4 Liter V8 Engine		
4 Speed Automatic Transmission Equipped		
Electronic Automatic Transmission (EATX) Equipped		
Vehicle Speed Sensor #1 Calculated by ECU		
4.7 Liter V8 Engine		
5.7 Liter V8 Engine		
6.1 Liter V8 Engine		
Sensorless FFV Enabled		
Electronic Throttle Control Equipped		
3.6 Liter V6 Engine		
4.0 Liter I6 Engine		
3.8 Liter V6 Engine		
3.7 Liter V6 Engine		
3.5 Liter V6 Engine		
3.3 Liter V6 Engine		
3.2 Liter V6 Engine		
2.7 Liter V6 Engine		
MTV Solenoid Equipped		
MDS Equipped		
Turbocharger Equipped		
SRV Equipped		
Secondary Air Equipped		
Shift Indicator Lamp Equipped		
Barometric Sensor Equipped		

TIP Equipped
Battery Temp Sensor Equipped
Knock Sensor 1 Equipped
Knock Sensor 2 Equipped
WI4 Variable Valve Timing Equipped
Clutch Interlock Switch Equipped
ESM Equipped
Linear Purge Equipped
Linear EGR Equipped
Continuous Variable Transmission Equipped
Direct Injection Equipped
Secondary Fuel Pump Equipped
Electronic Coolant Pump Equipped
O2 Sensor Bank 1 Sensor 1 Equipped
O2 Sensor Bank 1 Sensor 2 Equipped
O2 Sensor Bank 1 Sensor 3 Equipped
O2 Sensor Bank 2 Sensor 1 Equipped
O2 Sensor Bank 2 Sensor 2 Equipped
Variable Displacement AC Equipped
Fixed displacement AC Equipped
WI4 Intake Flow Control Valve Equipped
Electric Coolant Valve Equipped
Engine Oil Heater Cooler Equipped
Transmission Oil Heater Equipped
Electric Water Pump Equipped
Rear Heater Equipped
Starter Relay 2 Equipped
Inrush Current Reduction Relay Equipped
Active Grille Shutter Equipped
Electronic Vacuum Pump Equipped
Wide Range O2 Sensor 1/1 Equipped
Wide Range O2 Sensor 2/1 Equipped
MultiAir Equipped
Engine Stop Start Equipped
Viscosity Sensor Equipped
Duty Cycle Purge Valve Equipped
Electric Thermostat Heater Equipped
Exhaust Cam 1 Equipped
Intake Cam 1 Equipped
1.8 Liter WI4 engine
2.0 Liter WI4 engine
2.4 Liter WI4 engine
3.0 Liter V6 Engine
Tumble Generator Valve Equipped

Hybrid Electric Vehicle Equipped
Auxiliary Heater Electric Water Pump Equipped
Dual Speed Fuel Pump Equipped
Exhaust Cam 2 Equipped
Intake Cam 2 Equipped
1 Speed Fan Mechanical Relay System Equipped
2 Speed Fan Mechanical Relay System Equipped
2 Speed Fan PWM Relay System Equipped
Linear PWM Fan Relay System Equipped
PWM Fan Motor System Equipped
3 Speed Fan Mechanical Relay System Equipped
Fan Wake Up Relay System Equipped
2 Speed Fan 3 Driver 3 Relay System Equipped
40TE / 41TE / 41TEA
42RLE
45RFE / 545RFE / 65RFE
62TE
66RFE / 68RFE
VLP Is Learnable Indicator
VLP Equipped Indicator
VFS Actuators Available Indicator
ERS Equipped Indicator
Engine Software In Package
Transmission Software Included
ICC Cruise Equipped
ETC Cruise equipped
Adaptive Cruise Control Equipped
A/C Equipped
Adaptive Cruise Control Hardware Equipped
DUAL_ALTERNATOR_GEN1_LEARNEDCOPY
TOOLCONFIG_OIL_PRESS_ABS_EQUIPPED
GPEC2 Equipped
GPEC2A Equipped
GPEC3 Equipped
Cummins Equipped
GPEC4 Equipped
VMM Equipped
Powernet Equipped
CUSW (29-Bit) Equipped
CUSW (11-Bit) Equipped
Fiat 940 Compact Equipped
Next Gen Bus Equipped
Constant Heater Temperature Control Valve Equipped
High Side Port Tumble Valve Equipped

CMCV H-Bridge Equipped
Turbine Volute Valve Actuator Equipped
Wastegate H-Bridge Equipped
Active Exhaust Valve Equipped
Active Exhaust Pressure Sensor Equipped
Engine Idle Shutoff Equipped
Aisin 6-Speed RWD Transmission Equipped
Cooler EGR Equipped
Supercharger Equipped
Low Temperature Radiator Coolant Pump Equipped
Mechanical Coolant Pump Heater Equipped
Auxiliary Coolant Pump Heater Equipped
Compressed Natural Gas Equipped
CUSW PROXI Write Programming Support Enabled
Active Engine Mount Equipped
ZF 9-Speed Transmission Equipped
HPT 6-Speed Transmission Equipped
Variable Speed Fuel Pump Equipped
Operator Idle Speed Request Equipped
PTO System Equipped
Air Shutoff Valve Bank 1 Control Solenoid 1 Equipped
Air Shutoff Valve Bank 1 Control Solenoid 2 Equipped
Air Shutoff Valve Bank 2 Control Solenoid 2 Equipped
Dual Stage Oil Pump Equipped
Auxiliary Coolant Pump Equipped
Trans Skip Shift Equipped
Trans Reverse Lockout Equipped
Port Flap Valve Equipped
Brushless PWM Fan Equipped
6.2 Liter V8 Engine
Primary Lin Alternator Equipped
Coolant On-Off Pump Equipped
Oil Pressure Sensor Enabled
Fiat VIN Learning Strategy Equipped
Dual Fuel Tank Equipped
Yaw Rate Sensor ESC Equipped
1.0 Liter I3 Engine
Coolant On-Off Valve Equipped
Buffered Crank Output for ANC (Active Noise Cancellation) Equipped
Buffered Crank Output for PHEV Engine Pulse Calculation Equipped
Throttle Inlet Temp Sensor Equipped
Humidity, Temperature and Pressure Sensor (LIN) Equipped
Dual Fuel Pressure Sensor Equipped
Brake Pedal Sensor Equipped

Dual Fuel Tank Equipped
PTO System Equipped
Low Temp Radiator Coolant Pump Equipped
Engine Idle Shutoff Equipped
A/C Relay Powered from Engine Switched Battery
CNG Large Gas Tank Equipped
Cooled EGR Equipped
Supercharger Equipped
Hybrid MFC Shifter Equipped
Dual Alternator Gen1 Capable
Auxillary Coolant Pump Equipped
ZF 9-Speed Trans Equipped
HPT 6-Speed Trans Equipped
CUSW 4-Button Cruise Equipped
Power Steering Angle Sensor Mandatory
Throttle Inlet Temp Sensor Equipped
LIN Humidity, Temp, and Pressure Sensor Equipped
Dual Fuel Pressure Sensor Equipped
Brake Pedal Sensor Equipped
Clutch Sensor Equipped
SWAP HARDWIRED BRAKE SWITCH INPUTS
Mass Airflow System Equipped
Bi-Directional Crank Sensor Equipped
5 Button Cruise (LIN) Equipped
Operator Idle Speed Request Equipped
INTAKE O2 SENSOR EQUIPPED
Cylinder Pressure Sensor Equipped
Make Up Air Sensor Equipped
Active Exhaust Pressure Sensor Equipped
Secondary Mass Airflow Sensor Equipped
1.0 Liter I3 Engine
2.0 Liter I4 Direct Injection Engine
Variable Valve Lift Equipped
Coolant On-Off Pump Equipped
Primary Lin Alternator Equipped
Electronic Parking Brake Equipped
Active Exhaust Valve(s) Equipped
Mechanical Coolant Pump Equipped
Aux Coolant Pump Heater Equipped
Heater Temp Control Valve Equipped
High Side Port Tumble Valve Equipped
Wastegate HBridge Equipped
Remote Start Present
Engine Oil Pressure Sensor Type

None

ICS CONFIGURATION

NAME	VALUE	UNITS
Display Type (Base)		
Display Type (Mid)		
Display Type (High)		

RFID CONFIGURATION

NAME	VALUE	UNITS
PIN Successfully Programmed		
VIN Successfully Programmed		
Valid Key In Ignition		
Keyless Go		
Ignition system type connected		
e-shifter present		
Auto Park Present		
Secret Codes Programmed		
Passive Entry		
RKE		
Module Configuration Status		
Remote Start Present		
\$0214 Programmed by		
Hardware Configuration: Remote Start Antenna		
Hardware Configuration: Front Left Door Handle H/W		
Hardware Configuration: Front Right Door Handle H/W		
Hardware Configuration: Rear Left Door Handle H/W		
Hardware Configuration: Rear Right Door Handle H/W		
Hardware Configuration: Trunk Door Handle H/W		
RFHub Locked		
Fob Location #1 Successfully Programmed		
Fob Location #2 Successfully Programmed		
Fob Location #3 Successfully Programmed		
Fob Location #4 Successfully Programmed		
Fob Location #5 Successfully Programmed		
Fob Location #6 Successfully Programmed		
Fob Location #7 Successfully Programmed		
Fob Location #8 Successfully Programmed		
Back Up Vehicle Config 1		
Back Up Vehicle Config 2		
Back Up Vehicle Config 3		
Back Up Vehicle Config 4		
Back Up Vehicle Config 5		
Back Up Vehicle Config 6		
Back Up Vehicle Config 7		
Back Up ECU Configuration 1		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Back Up ECU Configuration 2
Back Up ECU Configuration 3
Back Up ECU Configuration 4
Back Up ECU Configuration 5
Back Up ECU Configuration 6
Back Up ECU Configuration 7
Back Up ECU Configuration 8
Back Up ECU Configuration 9
Back Up ECU Configuration 10
Back Up ECU Configuration 11
Back Up ECU Configuration 12
Back Up ECU Configuration 13
Back Up ECU Configuration 14
Back Up ECU Configuration 15
Back Up ECU Configuration 16
Back Up ECU Configuration 17
Back Up Customer Settings Menu 1 (CSM1)
Back Up Customer Settings Menu 2 (CSM2)
Back Up Programmed ECUs: Cabin Network
Back Up Programmed ECUs: P/T Chassis Network
Secret Key Sent to Body Controller - Most recent attempt
Secret Key Sent to Body Controller - Original attempt
Base TPM Present
Full Size Matching Spare Tire Present
ECU Ship Status
Tire Pressure System
Selectable Tire Fill Alert
TPM Auto-Locate Enabled
TPMS Configuration

DTCM CONFIGURATION

NAME	VALUE	UNITS
Full-Time T-Case		
Front Locker Present		
Rear Locker Present		
FAD Present		
Mode Switch Present		
Left/Right Hand Drive		
Axle Ratio		
T-Case Type		
SRT Present		

ORC CONFIGURATION

NAME	VALUE	UNITS
------	-------	-------

Rollover Sensing

EPPM

Occupant Classification (OCM)

First Row Driver Seatbelt Buckle Switch

First Row Passenger Seatbelt Buckle Switch

Second Row Left seat belt Switch

Second Row Center seat belt Switch

Second Row Right seat belt Switch

Driver Seat Track Position Sensor

Passenger Seat Track Position Sensor

Passenger Occupant Detection Sensor

Passenger Airbag Disable Switch

Passenger Airbag Disable Indicator

Driver Frontal Squib 1

Driver Frontal Squib 2

Driver Frontal Squib 3

Passenger Frontal Squib 1

Passenger Frontal Squib 2

Passenger Frontal Squib 3

Driver Knee Bolster Squib

Passenger Knee Bolster Squib

Driver Seatbelt Retractor Pretensioner

Passenger Seatbelt Retractor Pretensioner

Driver Seatbelt Load Limiter

Passenger Seatbelt Load Limiter

Driver Seatbelt Anchor Pretensioner

Passenger Seatbelt Anchor Pretensioner

Driver Seatbelt Buckle Pretensioner

Passenger Seatbelt Buckle Pretensioner

Left Curtain Squib 1

Right Curtain Squib 1

Left Side Seat Squib 1

Right Side Seat Squib 1

Second Row Left Seat Side Airbag

Second Row Right Seat Side Airbag

Driver Frontal Squib 4

Passenger Frontal Squib 4

Left Up-Front Acceleration Sensor

Right Up-Front Acceleration Sensor

Right B-Pillar Impact Acceleration Sensor

Left B-Pillar Impact Acceleration Sensor

Left C-Pillar Impact Acceleration Sensor

Right C-Pillar Impact Acceleration Sensor

Right D-Pillar Impact Acceleration Sensor

Left D-Pillar Impact Acceleration Sensor
Left Side Door Pressure Sensor
Right Side Door Pressure Sensor
Configuration Column Identifier



HVAC CONFIGURATION

NAME	VALUE	UNITS
DualZone ATC Control (Factory)		
DualZone ATC Control		
Dual Zone MTC Control		
Single Zone MTC Control		
MTC With EBL (3Knob)		
MTC Without EBL (3Knob)		
MTC heater only (3Knob)		

AMP CONFIGURATION

NAME	VALUE	UNITS
ANC Calibration Date - Year		
ANC Calibration Date - Week		
ANC Calibration Date - Patch Level		
Current ANC Calibration ID - Service		
ANC Status		
Surround Sound Activated		
Door Module - Left Front		
Door Module - Right Front		
Premuim - 1		
Premuim - 2		
Premuim - 3		
Non -ANC		
No Rear Doors		
No HALF Chimes		

IPC CONFIGURATION

NAME	VALUE	UNITS
Main Fuel Tank Gauge - Empty Stop Calibration	0.000	Volts
Main Fuel Tank Gauge - 1/4th Datum Calibration	0.000	Volts
Main Fuel Tank Gauge - 1/2 Datum Calibration	0.000	Volts
Main Fuel Tank Gauge - 3/4 Datum Calibration	0.000	Volts
Main Fuel Tank Gauge - Full Stop Calibration	0.000	Volts
Sub Fuel Tank Gauge - Empty Stop Calibration	0.000	Volts
Sub Fuel Tank Gauge - 1/4 Datum Calibration	0.000	Volts
Sub Fuel Tank Gauge - 1/2 Datum Calibration	0.000	Volts
Sub Fuel Tank Gauge - 3/4 Datum Calibration	0.000	Volts
Sub Fuel Tank Gauge - Full Stop Calibration	0.000	Volts

SCCM CONFIGURATION

NAME	VALUE	UNITS
Rear Wiper		
Tilt Telescope		
Paddle Shifter		
Cruise Control / ACC		

BCM CONFIGURATION

NAME	VALUE	UNITS
RBSM		
LBSM		
BCM (Interior Bus)		
HSM		
HVAC		
PTCM		
Radio		
ITM		
AMP		
EDM		
HVAC_R		
TBM		
AHLM/AFLS		
ASCM		
BCM (PT)		
DTCM		
PCM		
EPS		
ESM		
ABS		
RFH		
IPC		
ORC		
PTS		
SCCM		
ELSD		
TCM		
TPM		
AFLS		
ITBM		
OCM		
DPDM		
SGW		
ASBS		
ANC		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Number of Reprogramming Attempts - Counter #0	0
Vehicle Configuration Programmed Status	
Last Programmed Status	
Last Configuration Odometer	miles
Vehicle Configuration Auto Write Counter	
Vehicle Configuration 1 - Write Counter	
Vehicle Configuration 2 - Write Counter	
Vehicle Configuration 3 - Write Counter	
Vehicle Configuration 4 - Write Counter	
Vehicle Configuration 5 - Write Counter	
Vehicle Configuration 6 - Write Counter	
Programmed ECUs: Cabin Network	
Programmed ECUs: P/T Chassis Network	
Programmed Network Configuration - Audio / Telematics Network	
Programmed ECUs: Hybrid LAN Network	
ECU Configuration 1 (CBC Configurable Inputs and Outputs)	
ECU Configuration 2 (CBC Features)	
ECU Configuration 3	
ECU Configuration 4	
ECU Configuration 5 (Wireless)	
ECU Configuration 5 (Doors)	
ECU Configuration 5 (Memory)	
ECU Configuration 6 (Brake)	
ECU Configuration 6 (Suspension)	
ECU Configuration 6 (Powertrain)	
ECU Configuration 6 (Safety)	
ECU Configuration 7 (CBC Exterior Lighting Calibrations)	
ECU Configuration 8 (LIN and Miscellaneous)	
ECU Configuration 9A	
ECU Configuration 9 (ITM)	
ECU Configuration 10	
ECU Configuration 11	
ECU Configuration 12	
ECU Configuration 13	
ECU Configuration 14	
ECU Configuration 15 (CBC Features)	
ECU Configuration 15 (Suspension)	
Vehicle Configuration 7 - Write Counter	
Vehicle Config CSM1	
Vehicle Config CSM2	
Model Year	
Vehicle Line	
Country Code	
Left/Right Hand Drive	

Remote Start Present

Drive Configuration

Emode Present

Auto Highbeam

Body Style

Maximum Vehicle Speed

MPH

Buffer Type

Performance Pages Present

Special Packages

PTS Configuration

Hill Descent Feature Present

Select Speed Control Feature Present

Power Inverter Type

Thatcham Present

Rain Sensor Present

SKIM System Present

Air Conditioning Present

Cruise Feature is Present

Flipper Glass Present

Full Size Spare

Off Road Capable

Special Packages

Max Load Inflation Pressure Rear Tire

PSI

Max Load Inflation Pressure Front Tire

PSI

Light Load Inflation Pressure Rear Tire

PSI

Police Lighting Feature

Power Lift Gate Present

Power Right Sliding Door Present

Power Left Sliding Door Present

RKE System Present

Sunshade Present

T-Case Type

Wheel Base

FOBIK Safe Enable

ELV Present

Fuel Capacity

gallons

Window Express Feature Configuration

Adjustable Pedal Feature Present (non-Memory)

Auto Headlamp Feature Present

Door Alert Feature Present

Two Fuel Sending Units Present

Vehicle is an SRT

Disable Display of Radio Clock

Chassis Type

Display Outside Temperature Present

HVAC Configuration

Vehicle Brand

Display Compass Heading Present

Interior EC Mirror Present

ESCL system present

High Intensity Discharge Head Lamps

Secondary Lock Present

Liftgate/Trunk Type

Collision Mitigation System present

Forward Collision Warning present

Base TPM system present

Premium TPM system present

Paddle Shift Feature Present

Sport Mode Present

Auto Park Present

Passive Entry Present

Keyless Go Present

Transfer Case High Ratio

No Unit

Axle Ratio

Transfer Case Low Range Reduction Ratio

Dynamic Tire Circumference (All or Rear)

inch

Dual Rear Wheel (DRW) Vehicle Present

Non-Regulated Tire Pressure Information System (TPIS) Present

Steering Ratio at zero

No Unit

Steering Ratio at Positive Angle 1

No Unit

Steering Ratio at Positive Angle 2

No Unit

Steering Ratio at Positive Angle 3

No Unit

Steering Ratio at Positive Angle 4

No Unit

Steering Ratio at Positive Angle 5

No Unit

Analog Door Sensor Configuration

Air Quality System Present

Steering Ratio at Negative Angle 1

No Unit

Steering Ratio at Negative Angle 2

No Unit

Steering Ratio at Negative Angle 3

No Unit

Steering Ratio at Negative Angle 4

No Unit

Steering Ratio at Negative Angle 5

No Unit

Ambient Light Dimmer Wheel Input Present Pin G9

Low Beam Output Present - Pin A3, D2

Rear Wiper Motor Park Present - Pin E29

Left Rear Door Ajar Input Present - Pin F23

Front Driver Analog Door Ajar Input Present - Pin F9

Reserved - Pin G12

Horn Switch Input Present - Pin F29

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Reserved - Pin E15
Hood Ajar Switch Input Present - Pin A11
Hard Top Sense Present - Pin E14
Reserved - F21
Reserved - Pin D20
Passenger Door Ajar Signal Present - Pin G18
Reserved - Pin E47
Reserved - Pin E35
Starter Relay Lowside Coil Drive - Pin D7
Diesel Cabin Heater #2 Output Present - Pin D9
Diesel Cabin Heater #3 Output Present - Pin D10
Diesel Cabin Heater #1 Output Present - Pin D11
Right Dedicated DRL Lamp Output Present - Pin A22
Left Dedicated DRL Lamps Output Present - Pin D15
Flipper Glass #2 Output Present
Foot Well Lamps Output Present - Pin G24
Front Fog Lamps Output Present - Pin A17 & D13
Inverter Enable Relay Output Present - Pin F35
Reserved - E20
Gated Park ZFII Output Present - Pin D-24
Reserved - Pin E21
Rear Fog Lamps Output Present - Pin E39 & F5
Rear Park Lamps Output Present - Pin E4 & F32
Rear Turn Lamps Output Present - Pin E3 & F42
Run-ACC Y Relay #2 Output Present - Pin E9
Side Markers Output Present - Pin A10 & D5
Trailer Backup Lamps Output Present - Pin E23
Reserved - Pin F4
UGDO Feed Output Present - Pin G15
VTA Warning LED Output Present - Pin G22
Park Brake Input Present - Pin E11
Ambient Temperature Sensor Present - Pin D22
Tip Start Enabled
Dual Start Relay System Present
Wiper Service Position Enabled
Trailer Tow Present
Quad Headlamps Enable
Horn Chirp Allowed
Bi Xenon Headlamps Enable
Hazard Lamp Configuration
Park Lamp Loadshed Enable
Front Fog Lamp Dropout Enable
Combined Rear Lighting Enable
Side Repeaters Enable

One Touch Lane Change
Exterior Light Loadshed Enable
Front Wiper Park Enable
Rear Wiper Park Enable
Reversible Washer Pump Enable
Single Element Tail Lamp
DRL Configuration
DRL Lamp Location
DRL Dropout Enable
Tunnel Detection
Military Vehicle Present
LED Reverse Lamps Present
LED Stop Lamps Present
LED Rear Turn Lamps Present
LED Tail Lamps Present
LED Rear Fog Lamps Present
LED License Lamps Present
LED Front Turn Lamps Present
LED Front Fog Lamps Present
LED Dedicated DRL Present
LED Low Beam Lamps Present
LED High Beam Lamps Present
LED Front Park/Marker Lamps Present
Door Lock Switch Signal FT LT Usage (F9)
Door Lock Switch Signal FT RT Usage (F23)
Headlamp Wash Interval
Headlamp Wash Shot
Front Wiper Wipes After Wash
Headlamp Washer Low Fluid Shut-Off Enable
Intermittent Wiper States
LED CHMSL Lamp Present
Rear Camera Present
Power Inverter Present
Front Park Assist Present
Front Heated Seats Present
Front Ventilated Seats Present
Destination
Cabin Equilization Curve Number
Hill Start Assist Customer Setting Option Present
Radio Apps Present
CTP Easy Entry Enable
CTP Passive Entry Present
CTP Auto Lock Disable
SDAR Travel Link Present

DAB Present

Vehicle Theft Alarm Present

Heated Steering Wheel Present

VIN Check Digit Diable

Surround Sound Feature Present

Power Door Locks Present

Antenna Type

CTP Max AC Present

Hybrid Electric Powertrain Present

Disable CD Effect

DTV Front Camera Present

DTV Side Camera Present

Tow Haul Present

Hill Descent Control Present

Audio Steering Wheel Switch Configuration

Radio Display On/Off Softkey Present

Microphone Tuning Parameter

Microphone Configuration

Microphone Type

External Port Type

Splashscreen Type

ERS Available

Rear Wheel Dually

Max Gear

Virtual Speedometer Units

Speedometer Range Max Scale

IC Config Feature

PTO Present

AMB Dimmer

Heated Seat Present

Split Shaft Present

Manual Headlamp Leveling

Gear Shift Indicator

Service Interval

Temperature Celsius for UK

Type of Gallons

Tip Start Present

AP5 Trunk Lock

Airport Scenario Trunk Set

AP1 Left Front

AP2 Right Front

AP3 Left Rear

AP4 Right Rear

Global Up

Global Down

Sun Shade

Puddle Lamp Present

Rear Door Pre Short Drop

Passenger Window Lockout

Auto Power Folding Mirrors Present

Folding mirrors present

Heated Mirrors Present

Mirror turn signals present

Driver Memory Mirrors Present

Passenger Memory Mirror Present

Electro-chromatic driver mirror present

Electro-chromatic passenger mirror present

Tow Mirror Present

Blindspot Mirror Present

Window Motor Type

Window Hall Sensors Present

Frameless Window Present

Memory Adjustable Pedals Present

Tilt/Telescope Steering Present

Memory Seat Present

Rear Heated Seats Present

Front Vented Seats Present

Heated Steering Wheel Present

Heated Seat Material Type

Heated Wheel Material Type

Rear Vented Seats Present

Front Heated Seat Present

Brake System ECU Configuration A

Wheel 18 inch overall ESC Maserati

Brake System ECU Configuration B

ECO Mode Configuration

Dual Alternator Present

ODS Present

Driver Kneebag Present

Passenger Kneebag Present

Curtain Airbags Present

Tow Hooks Present

Passive Ped Pro Present

2nd Row Seat Airbags Present

Reserved

Reserved

Integrated EPP Present


BUX vehicle

Signature Light Present	
Dual Filament Headlamp	
Front Turn Lamp Diagnostics	
Auto Headlamp On Threshold	Volt
Auto Headlamp Off Threshold	Volt
Left Low Beam Voltage Regulation	
Left High Beam Voltage Regulation	
Right Low Beam Voltage Regulation	
Right High Beam Voltage Regulation	
Left Front Corner Voltage	
Right Front Corner Voltage	
Left Rear Corner Voltage	
Right Rear Corner Voltage	
Panic Enable	
Compass Mounting Orientation	
Washer Fluid Level Voltage Threshold	
IBS Present	
ASBMM Present	
Humidity Sensor Present	
Manual Trans Present	
DC to DC Converter Present	
ASBM Present	
Auto Relock Time	seconds
VTA System Present	
DC to DC Converter #2 Present	
Illuminated Approach Interior Lighting Target Percentage	
Illuminated Approach Headlamp Target Percentage	
Illuminated Approach Taillamp Target Percentage	
Illuminated Approach Interior Lighting Ramp Up Time	
CRVMM Present	
EVIC Switch Module Present	
Compass Mounting Angle	Degree
Backup Reverse Lamp Left Present - Pin F41	
Backup Reverse Lamp Right Present - Pin E1	
Stop/Turn Lamp or Stop Lamp Present Pin E2 & F40	
Left High Beam Present - Pin D1	
Right High Beam Present - Pin A2	
Left Front Lamp Diagnostics Present - Pin F25	
Right Front Lamp Diagnostics Present - Pin F28	
Left Rear Turn Lamp Diagnostics Present - Pin F27	
Right Rear Turn Lamp Diagnostics Present - Pin F31	
Brake Fluid Level Switch Signal Present - Pin D21	
Siren	
Ultrasonics	

Tilt	
Swing Gate Lock Present - Pin F30	
Swing Gate Unlock Present - Pin F33	
Front Fog Voltage	Volts
Rear Fog Voltage	Volts
CHMSL Lamp Output Disable	
Secondary Door Ajar Present - Pin E28	
Manual Door Locks Present	
Rain Sensor Module #2 Present	
Auto High Beam Module Location	
Average Last Longitudinal Acceleration Values	
Average Last Lateral Acceleration Values	
Excess Longitudinal Acceleration Factor	
Excess Lateral Acceleration Factor	
Brake Smoothing Duration	
Brake Smoothing Factor	
Steering Smoothing Duration	
Steering Smoothing Factor	
Steering Smoothing Threshold	
Brake Smoothing Threshold	
Maximum Longitudinal Change	
Maximum Lateral Change	
Acceleration Threshold	
Acceleration Factor	
Nose Dive Threshold	
Nose Dive Factor	
RKE Auto-Relock Feature Enable	
PE Auto-Relock Feature Enable	
VTA Hood Ajar Monitoring	
Horn Chirp Duration	
Pitch and Roll Present	
Parking Light Enable	
ASBM Minimum Voltage Time	
ASBM Battery Minimum Voltage	
Interior Lighting Night Threshold	Volt
Interior Lighting Day Threshold	Volt
Axle Locker Configuration	
Transmission Equipped	
Park Brake Type	
TPMS Configuration	
Hybrid Type	
TSBM Module Present	
ADR feature Present	
AGS Feature Present	

Temperature Display Resolution
PTC Present
Glovebox Control
Glare Free Present
Brake Type
Suspension Type
Park assist customer settings menu
Park assist brake customer settings menu
Park assist front volume customer settings menu
Park assist rear volume customer settings menu
Electric power steering customer settings menu
Forward collision warning customer settings menu
Auto on driver comfort customer settings menu
Auxiliary switches customer settings menu
Rear view camera gridlines customer settings menu
Unit set customer settings menu
Power accessory delay customer settings menu
Ambient dimmer customer settings menu
Tire jack mode customer settings menu
Air suspension warning customer settings menu
Automatic aero mode customer settings menu
Auto high beam customer settings menu
Auto park customer settings menu
Blind spot alert customer settings menu
Clock display customer settings menu
Compass calibration customer settings menu
Compass variance customer settings menu
Consumption unit customer settings menu
Distance unit customer settings menu
Auto door lock customer settings menu
Easy exit seat customer settings menu
Auto entry exit mode customer settings menu
EPB service mode customer settings menu
Headlamp drop customer settings menu
Headlamp off delay customer settings menu
Headlamps on with wiper customer settings menu
Passive entry customer settings menu
Illuminated approach customer settings menu
Lane departure torque customer settings menu
Lane departure warning customer settings menu
Rear camera customer settings menu
Rain sensitive wipers customer settings menu
Power take off customer settings menu
Pressure unit customer settings menu

Power unit customer settings menu
Power liftgate chime customer settings menu
Performance shift enable customer settings menu
Rear view camera delay customer settings menu
RKE unlock customer settings menu
Speed unit customer settings menu
Side mirror in reverse customer settings menu
Torque unit customer settings menu
Teen Key Fuel Pop-up Customer Settings Menu
Teen Key Automatic High Beam Customer Settings Menu
Passenger Airbag On/Off Customer Settings Menu
Forward Collision Warning and Brake Customer Settings Menu
Doors and Engine Off Power Delay Customer Settings Menu
Radio Speaker Open Circuit Disable (LF)
Radio Speaker Open Circuit Disable (RF)
Radio Speaker Open Circuit Disable (LL)
Radio Speaker Open Circuit Disable (RR)
ANC Calibration Parameter Data Set
Surround View Camera On/Off Softkey Present
Drive Mode Version
Rear Defrost and Heated Mirrors Present
Show Phone Information in Cluster
Auto Dimming Mirror Hard Button Present
Clari-Fi Present
Automatic Crash Notification Feature Present
Trailer Hitch Camera Present
Park Assist Tuning Set
Rear Defrost Presence
Heated Mirrors Present
Engine Displacement
Steering C Factor
Speedometer Tolerance
Increasing speed constant
Tachometer Type
DTV Present
Tri-State Comfort Climate Softkey Function Present



ms

RADIO CONFIGURATION

NAME	VALUE	UNITS
Satellite Subscription ID		
Satellite Subscription Status		
Satellite Subscription Reason Code		
Satellite Subscription Suspend Day		
Satellite Subscription Suspend Month		

Satellite Subscription Suspend Year

911 Button

SDARS

Navigation Active

Cellular

Internal CD Player

WiFi

Bluetooth

Application Framework

FM Diversity

Clock Defeat

Automated Loudness

Anti-Theft Enable Status

12/24 Time Selection

Front Seat Video Playback

Cabin EQ Curve Number Currently Used by Radio

Splash Screen

Compass on the bus messaging Authorization

GPS on the Bus messaging Authorization

USB Hubs Detected

No Unit

SD Card Readers Detected

No Unit

Enumerated USB Devices

No Unit

Aux Jack

DTV Short Term Configuration

—

ABSO CONFIGURATION

NAME	VALUE	UNITS
Vehicle Line Identification		
Displacement		No Unit
Hybrid Type		
Trans Type		
Drive Configuration		
Chassis Type		
Axle Ratio		No Unit
Tire Circumference		inch

[illegible]

DPDM Driver Presence
Detection Module

CAN-C

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	SERIAL NUMBER	CVNS
TCM	USA / USA	[REDACTED]				
PCM	USA					
ICS	USA					
RFH	USA / USA					
ESM	USA					
DTCM	USA					
ORC	USA					
EPS	USA					
HVAC	USA					
AMP	USA					
IPC	USA					
SCCM	USA					
BCM	USA					
RADIO	USA					
OCM	USA					
BPCM	Rest of world / ROW					
HCP	USA					
AHCP	USA					
ABSO	USA					
SGW						
DPDM	USA					
IDCM	USA					

DTC SUMMARY

ECU	DTC CODE	DTC DESCRIPTION	STATUS
TCM	[REDACTED]	[REDACTED]	Stored

[REDACTED]

[REDACTED]

NAME	VALUE	UNITS
DTC	[REDACTED]	
Test Failed		
Test Failed This Operation Cycle		
Pending DTC		
Confirmed DTC		
Test Not Completed Since Last Clear		

SessionID # [REDACTED]

Test Failed Since Last Clear

Test Not Completed This Operation Cycle

Warning Indicator Requested

DTC Extended Data Record Number - All

Occurrence flag

Original Odometer Value

miles

Most Recent Odometer Value

miles

Frequency Counter

Ignition Cycle Counter

SNAPSHOT DATA SUMMARY

No Snapshot Data available for [REDACTED]

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)