

Vehicle

ECU SUMMARY INFO

[illegible]

SGW	Security Gateway Module					

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	SERIAL NUMBER	CVNS
TCM	USA / USA					
ASBS	USA					
ICS	USA					
RFH	USA / USA					
ESM	USA					
DTCM	USA					
ORC	USA					
EPS	USA					
HVAC	USA					
AMP	USA					
IPC	USA					
SCCM	USA					
BCM	USA					
RADIO	USA					
OCM	USA					
BPCM	Rest of world / ROW					
HCP	USA					
AHCP	USA					
ABSO	USA					
SGW						
DPDM	USA					
IDCM	USA					

CONFIGURATION

TCM CONFIGURATION

NAME	VALUE	UNITS
Autostick/ERS On/Off Switch Equipped		
Paddle-Shift Switches Equipped		
Shifter with Sport Mode Position Equipped		
Shifter with Low Mode Position Equipped		
Sport Mode Switch or Virtual Switch (Non-Terrain) Equipped		
Overdrive Off or Tow Haul Mode Switch or Virtual Switch (Non-Terrain) Equipped		
ECO/Optimizer Switch Equipped		
ERS/Autostick/Tip Non-paddle on Steering Wheel equipped		

ERS/Autostick/Tip Non-paddle on Shifter in D position equipped

ERS/Autostick/Tip Non-paddle on Shifter in A or M position equipped

FWD Equipped

RWD Equipped

AWD Equipped

4WD with switchable Lo Range equipped

Engine Start/Stop equipped

Poly Stable E-shift (Cableless without return-to-center) equipped

Long Learn Enabled

Short Learn Enabled

PCM CONFIGURATION

NAME	VALUE	UNITS
AC Equipped		
AC Equipped Over Bus		
Power Steering Switch Equipped		
4 Button Integrated Cruise Control		
EMAT (Getrag DCT transmission) Equipped		
Vehicle Speed Sensor #1 Calculated from CAN		
Police Package Equipped		
Unleaded Gasoline Fuel		
Unleaded diesel fuel		
6.4 Liter V8 Engine		
4 Speed Automatic Transmission Equipped		
Electronic Automatic Transmission (EATX) Equipped		
Vehicle Speed Sensor #1 Calculated by ECU		
4.7 Liter V8 Engine		
5.7 Liter V8 Engine		
6.1 Liter V8 Engine		
Sensorless FFV Enabled		
Electronic Throttle Control Equipped		
3.6 Liter V6 Engine		
4.0 Liter I6 Engine		
3.8 Liter V6 Engine		
3.7 Liter V6 Engine		
3.5 Liter V6 Engine		
3.3 Liter V6 Engine		
3.2 Liter V6 Engine		
2.7 Liter V6 Engine		
MTV Solenoid Equipped		
MDS Equipped		
Turbocharger Equipped		
SRV Equipped		
Secondary Air Equipped		

Shift Indicator Lamp Equipped
Barometric Sensor Equipped
TIP Equipped
Battery Temp Sensor Equipped
Knock Sensor 1 Equipped
Knock Sensor 2 Equipped
V4 Variable Valve Timing Equipped
Clutch Interlock Switch Equipped
ESIM Equipped
Linear Purge Equipped
Linear EGR Equipped
Continuous Variable Transmission Equipped
Direct Injection Equipped
Secondary Fuel Pump Equipped
Electronic Coolant Pump Equipped
O2 Sensor Bank 1 Sensor 1 Equipped
O2 Sensor Bank 1 Sensor 2 Equipped
O2 Sensor Bank 1 Sensor 3 Equipped
O2 Sensor Bank 2 Sensor 1 Equipped
O2 Sensor Bank 2 Sensor 2 Equipped
Variable Displacement AC Equipped
Fixed displacement AC Equipped
WI4 Intake Flow Control Valve Equipped
Electric Coolant Valve Equipped
Engine Oil Heater Cooler Equipped
Transmission Oil Heater Equipped
Electric Water Pump Equipped
Rear Heater Equipped
Starter Relay 2 Equipped
Inrush Current Reduction Relay Equipped
Active Grille Shutter Equipped
Electronic Vacuum Pump Equipped
Wide Range O2 Sensor 1/1 Equipped
Wide Range O2 Sensor 2/1 Equipped
MultiAir Equipped
Engine Stop Start Equipped
Viscosity Sensor Equipped
Duty Cycle Purge Valve Equipped
Electric Thermostat Heater Equipped
Exhaust Cam 1 Equipped
Intake Cam 1 Equipped
1.8 Liter WI4 engine
2.0 Liter WI4 engine
2.4 Liter WI4 engine

3.0 Liter V6 Engine
Tumble Generator Valve Equipped
Hybrid Electric Vehicle Equipped
Auxiliary Heater Electric Water Pump Equipped
Dual Speed Fuel Pump Equipped
Exhaust Cam 2 Equipped
Intake Cam 2 Equipped
1 Speed Fan Mechanical Relay System Equipped
2 Speed Fan Mechanical Relay System Equipped
2 Speed Fan PWM Relay System Equipped
Linear PWM Fan Relay System Equipped
PWM Fan Motor System Equipped
3 Speed Fan Mechanical Relay System Equipped
Fan Wake Up Relay System Equipped
2 Speed Fan 3 Driver 3 Relay System Equipped
40TE / 41TE / 41TEA
42RLE
45RFE / 545RFE / 65RFE
62TE
66RFE / 68RFE
[REDACTED]
VLP Equipped Indicator
VFS Actuators Available Indicator
ERS Equipped Indicator
Engine Software In Package
[REDACTED]
ICC Cruise Equipped
ETC Cruise equipped
Adaptive Cruise Control Equipped
A/C Equipped
Adaptive Cruise Control Hardware Equipped
DUAL_ALTERNATOR_GEN1_LEARNEDCOPY
TOOLCONFIG_OIL_PRESS_ABS_EQUIPPED
GPEC2 Equipped
GPEC2A Equipped
GPEC3 Equipped
Cummins Equipped
GPEC4 Equipped
VMM Equipped
Powernet Equipped
CUSW (29-Bit) Equipped
CUSW (11-Bit) Equipped
Fiat 940 Compact Equipped
Next Gen Bus Equipped

Constant Heater Temperature Control Valve Equipped

High Side Port Tumble Valve Equipped

CMCV H-Bridge Equipped

Turbine Volute Valve Actuator Equipped

Wastegate H-Bridge Equipped

Active Exhaust Valve Equipped

Active Exhaust Pressure Sensor Equipped

Engine Idle Shutoff Equipped

Aisin 6-Speed RWD Transmission Equipped

Cooled EGR Equipped

Supercharger Equipped

Mechanical Coolant Pump Heater Equipped

Auxiliary Coolant Pump Heater Equipped

Compressed Natural Gas Equipped

CUSW PROXI Write Programming Support Enabled

Active Engine Mount Equipped

ZF 9-Speed Transmission Equipped

Variable Speed Fuel Pump Equipped

Operator Idle Speed Request Equipped

PTO System Equipped

Air Shutoff Valve Bank 1 Control Solenoid 1 Equipped

Air Shutoff Valve Bank 1 Control Solenoid 2 Equipped

Air Shutoff Valve Bank 2 Control Solenoid 2 Equipped

Dual Stage Oil Pump Equipped

Auxiliary Coolant Pump Equipped

Trans Skip Shift Equipped

Trans Reverse Lockout Equipped

Port Flap Valve Equipped

Brushless PWM Fan Equipped

6.2 Liter V8 Engine

Primary Lin Alternator Equipped

Coolant On-Off Pump Equipped

Oil Pressure Sensor Enabled

Fiat VIN Learning Strategy Equipped

Dual Fuel Tank Equipped

Yaw Rate Sensor ESC Equipped

Coolant On-Off Valve Equipped

Buffered Crank Output for ANC (Active Noise Cancellation) Equipped

Buffered Crank Output for PHEV Engine Pulse Calculation Equipped

Throttle Inlet Temp Sensor Equipped

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Remote Start Present

Present

Engine Oil Pressure Sensor Type

None

ICS CONFIGURATION

NAME	VALUE	UNITS
Display Type (Base)		
Display Type (Mid)		
Display Type (High)		

RFH CONFIGURATION

NAME	VALUE	UNITS
PIN Successfully Programmed		
VIN Successfully Programmed		
Valid Key In Ignition		
Keyless Go		
Ignition system type connected		
e-shifter present		
Auto Park Present		
Secret Codes Programmed		
Passive Entry		
RKE		
Module Configuration Status		
Remote Start Present		
\$0214 Programmed by		
Hardware Configuration: Remote Start Antenna		
Hardware Configuration: Front Left Door Handle H/W		
Hardware Configuration: Front Right Door Handle H/W		
Hardware Configuration: Rear Left Door Handle H/W		
Hardware Configuration: Rear Right Door Handle H/W		
Hardware Configuration: Trunk Door Handle H/W		
RFHub Locked		
Fob Location #1 Successfully Programmed		
Fob Location #2 Successfully Programmed		
Fob Location #3 Successfully Programmed		
Fob Location #4 Successfully Programmed		
Fob Location #5 Successfully Programmed		
Fob Location #6 Successfully Programmed		
Fob Location #8 Successfully Programmed		
Back Up Vehicle Config 2		
Back Up Vehicle Config 3		
Back Up Vehicle Config 4		
Back Up Vehicle Config 5		

SessionID #

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Back Up Vehicle Config 6

Back Up Vehicle Config 7

Back Up ECU Configuration 1

Back Up ECU Configuration 2

Back Up ECU Configuration 3

Back Up ECU Configuration 4

Back Up ECU Configuration 5

Back Up ECU Configuration 6

Back Up ECU Configuration 7

Back Up ECU Configuration 8

Back Up ECU Configuration 9

Back Up ECU Configuration 11

Back Up ECU Configuration 12

Back Up ECU Configuration 13

Back Up ECU Configuration 14

Back Up ECU Configuration 15

Back Up ECU Configuration 16

Back Up ECU Configuration 17

Back Up Customer Settings Menu 1 (CSM1)

Back Up Customer Settings Menu 2 (CSM2)

Back Up Programmed ECUs: Cabin Network

Back Up Programmed ECUs: P/T Chassis Network

Secret Key Sent to Body Controller - Most recent attempt

Secret Key Sent to Body Controller - Original attempt

Base TPM Present

Full Size Matching Spare Tire Present

ECU Ship Status

Tire Pressure System

Selectable Tire Fill Alert

TPM Auto-Locate Enabled

TPMS Configuration

DTCM CONFIGURATION

NAME	VALUE	UNITS
Full-Time T-Case		
Front Locker Present		
Rear Locker Present		
FAD Present		
Mode Switch Present		
Left/Right Hand Drive		
Axle Ratio		
T-Case Type		
SRT Present	—	

ORC CONFIGURATION

NAME	VALUE	UNITS
Rollover Sensing		
EPPM		
Occupant Classification (OCM)		
First Row Driver Seatbelt Buckle Switch		
First Row Passenger Seatbelt Buckle Switch		
Second Row Left seat belt Switch		
Second Row Center seat belt Switch		
Second Row Right seat belt Switch		
Driver Seat Track Position Sensor		
Passenger Seat Track Position Sensor		
Passenger Occupant Detection Sensor		
Passenger Airbag Disable Switch		
Passenger Airbag Disable Indicator		
Driver Frontal Squib 1		
Driver Frontal Squib 2		
Driver Frontal Squib 3		
Passenger Frontal Squib 1		
Passenger Frontal Squib 2		
Passenger Frontal Squib 3		
Driver Knee Bolster Squib		
Passenger Knee Bolster Squib		
Driver Seatbelt Retractor Pretensioner		
Passenger Seatbelt Retractor Pretensioner		
Driver Seatbelt Load Limiter		
Passenger Seatbelt Load Limiter		
Driver Seatbelt Anchor Pretensioner		
Passenger Seatbelt Anchor Pretensioner		
Driver Seatbelt Buckle Pretensioner		
Passenger Seatbelt Buckle Pretensioner		
Left Curtain Squib 1		
Right Curtain Squib 1		
Left Side Seat Squib 1		
Right Side Seat Squib 1		
Second Row Left Seat Side Airbag		
Second Row Right Seat Side Airbag		
Passenger Frontal Squib 4		
Left Up-Front Acceleration Sensor		
Right Up-Front Acceleration Sensor		
Right B-Pillar Impact Acceleration Sensor		
Left B-Pillar Impact Acceleration Sensor		
Left C-Pillar Impact Acceleration Sensor		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Right C-Pillar Impact Acceleration Sensor
 Right D-Pillar Impact Acceleration Sensor
 Left D-Pillar Impact Acceleration Sensor
 Left Side Door Pressure Sensor
 Right Side Door Pressure Sensor
 Configuration Column Identifier

[REDACTED]
 [REDACTED]
 [REDACTED]
 [REDACTED]
 [REDACTED]
 [REDACTED]

HVAC CONFIGURATION

NAME	VALUE	UNITS
DualZone ATC Control (Factory)	[REDACTED]	
DualZone ATC Control	[REDACTED]	
Dual Zone MTC Control	[REDACTED]	
Single Zone MTC Control	[REDACTED]	
MTC With EBL (3Knob)	[REDACTED]	
MTC Without EBL (3Knob)	[REDACTED]	
[REDACTED]	[REDACTED]	

AMP CONFIGURATION

NAME	VALUE	UNITS
ANC Calibration Date - Year	[REDACTED]	
ANC Calibration Date - Week	[REDACTED]	
ANC Calibration Date - Patch Level	0	
Current ANC Calibration ID - Service	[REDACTED]	
ANC Status	[REDACTED]	
Surround Sound Activated	[REDACTED]	
Door Module - Left Front	[REDACTED]	
[REDACTED]	[REDACTED]	
Premuim - 1	[REDACTED]	
Premuim - 2	[REDACTED]	
Premuim - 3	[REDACTED]	
Non -ANC	[REDACTED]	
No Rear Doors	[REDACTED]	
[REDACTED]	[REDACTED]	

IPC CONFIGURATION

NAME	VALUE	UNITS
Main Fuel Tank Gauge - Empty Stop Calibration	0.000	Volts
Main Fuel Tank Gauge - 1/4th Datum Calibration	0.000	Volts
Main Fuel Tank Gauge - 1/2 Datum Calibration	0.000	Volts
Main Fuel Tank Gauge - 3/4 Datum Calibration	0.000	Volts
Main Fuel Tank Gauge - Full Stop Calibration	0.000	Volts
Sub Fuel Tank Gauge - Empty Stop Calibration	0.000	Volts
Sub Fuel Tank Gauge - 1/4 Datum Calibration	0.000	Volts
Sub Fuel Tank Gauge - 1/2 Datum Calibration	0.000	Volts

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Sub Fuel Tank Gauge - 3/4 Datum Calibration

0.000

Volts

Sub Fuel Tank Gauge - Full Stop Calibration

0.000

Volts

SCCM CONFIGURATION

NAME	VALUE	UNITS
Rear Wiper		
TP Telescope		
Paddle Shifter		
Cruise Control / ACC		

BCM CONFIGURATION

NAME	VALUE	UNITS
RBSM		
LBSM		
BCM (Interior Bus)		
HSM		
HVAC		
PTCM		
Radio		
ITM		
AMP		
EDM		
HVAC_R		
TBM		
AHLM/AFLS		
ASCM		
BCM (PT)		
DTCM		
PCM		
EPS		
ESM		
ABS		
RFH		
IPC		
ORC		
PTS		
SCCM		
ELSD		
TCM		
TPM		
AFLS		
ITBM		
OCM		
DPDM		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

SGW	
ASBS	
ANC	
Number of Reprogramming Attempts - Counter #0	0
Vehicle Configuration Programmed Status	
Last Programmed Status	
Last Configuration Odometer	0 miles
Vehicle Configuration Auto Write Counter	
Vehicle Configuration 1 - Write Counter	
Vehicle Configuration 2 - Write Counter	
Vehicle Configuration 3 - Write Counter	
Vehicle Configuration 4 - Write Counter	
Vehicle Configuration 5 - Write Counter	
Vehicle Configuration 6 - Write Counter	
Programmed ECUs: Cabin Network	
Programmed ECUs: P/T Chassis Network	
Programmed Network Configuration - Audio / Telematics Network	
Programmed ECUs: Hybrid LAN Network	
ECU Configuration 1 (CBC Configurable Inputs and Outputs)	
ECU Configuration 2 (CBC Features)	
ECU Configuration 3	
ECU Configuration 4	
ECU Configuration 5 (Wireless)	
ECU Configuration 5 (Doors)	
ECU Configuration 5 (Memory)	
ECU Configuration 6 (Brake)	
ECU Configuration 6 (Suspension)	
ECU Configuration 6 (Powertrain)	
ECU Configuration 6 (Safety)	
ECU Configuration 7 (CBC Exterior Lighting Calibrations)	
ECU Configuration 8 (LIN and Miscellaneous)	
ECU Configuration 9A	
ECU Configuration 9 (ITM)	
ECU Configuration 10	
ECU Configuration 11	
ECU Configuration 13	
ECU Configuration 14	
ECU Configuration 15 (CBC Features)	
ECU Configuration 15 (Suspension)	
Vehicle Configuration 7 - Write Counter	
Vehicle Config CSM1	
Vehicle Config CSM2	
Model Year	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Vehicle Line		
Country Code		
Left/Right Hand Drive		
Remote Start Present		
Drive Configuration		
Emode Present		
Auto Highbeam		
Maximum Vehicle Speed		MPH
Shifter Type		
Performance Pages Present		
Special Packages		
PTS Configuration		
Hill Descent Feature Present		
Select Speed Control Feature Present		
Power Inverter Type		
Thatcham Present		
Rain Sensor Present		
SKIM System Present		
Air Conditioning Present		
Cruise Feature is Present		
Flipper Glass Present		
Full Size Spare		
Off Road Capable		
Special Packages		
Max Load Inflation Pressure Rear Tire		PSI
Max Load Inflation Pressure Front Tire		PSI
Light Load Inflation Pressure Rear Tire	0.0	PSI
Police Lighting Feature		
Power Lift Gate Present		
Power Right Sliding Door Present		
Power Left Sliding Door Present		
RKE System Present		
Sunshade Present		
T-Case Type		
Wheel Base		
Enable		
ELV Present		
Fuel Capacity		gallons
Window Express Feature Configuration		
Adjustable Pedal Feature Present (non-Memory)		
Auto Headlamp Feature Present		
Two Fuel Sending Units Present		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Vehicle is an SRT		
Disable Display of Radio Clock		
Display Outside Temperature Present		
HVAC Configuration		
Vehicle Brand		
Display Compass Heading Present		
Interior EC Mirror Present		
ESCL system present		
Secondary Lock Present		
Liftgate/Trunk Type		
Collision Mitigation System present		
Forward Collision Warning present		
Base TPM system present		
Premium TPM system present		
Paddle Shift Feature Present		
Sport Mode Present		
Auto Park Present		
Passive Entry Present		
Keyless Go Present		
Transfer Case High Ratio		No Unit
Axle Ratio		
Dynamic Tire Circumference (All or Rear)		inch
Dual Rear Wheel (DRW) Vehicle Present		
Non-Regulated Tire Pressure Information System (TPIS) Present		
Steering Ratio at zero	0.0	No Unit
Steering Ratio at Positive Angle 1	0.0	No Unit
Steering Ratio at Positive Angle 2	0.0	No Unit
Steering Ratio at Positive Angle 3	0.0	No Unit
Steering Ratio at Positive Angle 4	0.0	No Unit
Steering Ratio at Positive Angle 5	0.0	No Unit
Analog Door Sensor Configuration		
Air Quality System Present		
Steering Ratio at Negative Angle 1	0.0	No Unit
Steering Ratio at Negative Angle 2	0.0	No Unit
Steering Ratio at Negative Angle 3	0.0	No Unit
Steering Ratio at Negative Angle 4	0.0	No Unit
Steering Ratio at Negative Angle 5	0.0	No Unit
Ambient Light Dimmer Wheel Input Present Pin G9		
Low Beam Output Present - Pin A3, D2		
Rear Wiper Motor Park Present - Pin E29		
Left Rear Door Ajar Input Present - Pin F23		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Front Driver Analog Door Ajar Input Present - Pin F9

Reserved - Pin G12

Horn Switch Input Present - Pin F29

Reserved - Pin E15

Hood Ajar Switch Input Present - Pin A11

Hard Top Sense Present - Pin E14

Reserved - F21

Reserved - Pin D20

Passenger Door Ajar Signal Present - Pin G18

Reserved - Pin F47

Reserved - Pin E45

Diesel Cabin Heater #2 Output Present - Pin D9

Diesel Cabin Heater #3 Output Present - Pin D10

Diesel Cabin Heater #1 Output Present - Pin D11

Right Dedicated DRL Lamp Output Present - Pin A22

Left Dedicated DRL Lamps Output Present - Pin D15

Flipper Glass #2 Output Present

Foot Well Lamps Output Present - Pin G24

Front Fog Lamps Output Present - Pin A1 & D13

Inverter Enable Relay Output Present - Pin F35

Reserved - E20

Gated Park ZFII Output Present - Pin D-24

Reserved - Pin E21

Rear Fog Lamps Output Present - Pin E39 & F5

Rear Park Lamps Output Present - Pin E4 & F32

Rear Turn Lamps Output Present - Pin E3 & F42

Run-ACC Y Relay #2 Output Present - Pin E9

Side Markers Output Present - Pin A10 & D5

Trailer Backup Lamps Output Present - Pin E23

Reserved - Pin F4

UGDO Feed Output Present - Pin G15

VTA Warning LED Output Present - Pin G22

Park Brake Input Present - Pin E11

Ambient Temperature Sensor Present - Pin D22

Tip Start Enabled

Dual Start Relay System Present

Wiper Service Position Enabled

Trailer Tow Present

Quad Headlamps Enable

Horn Chirp Allowed

Bi Xenon Headlamps Enable

Hazard Lamp Configuration

Park Lamp Loadshed Enable

Front Fog Lamp Dropout Enable
Combined Rear Lighting Enable
Side Repeaters Enable
One Touch Lane Change
Exterior Light Loadshed Enable
Front Wiper Park Enable
Rear Wiper Park Enable
Reversible Washer Pump Enable
Single Element Tail Lamp
DRL Configuration
DRL Lamp Location
DRL Dropout Enable
Tunnel Detection
Military Vehicle Present
LED Reverse Lamps Present
LED Stop Lamps Present
LED Rear Turn Lamps Present
LED Tail Lamps Present
LED Rear Fog Lamps Present
LED License Lamps Present
LED Front Turn Lamps Present
LED Front Fog Lamps Present
LED Dedicated DRL Present
LED Low Beam Lamps Present
LED High Beam Lamps Present
LED Front Park/Marker Lamps Present
Door Lock Switch Signal FT LT Usage (F9)
Door Lock Switch Signal FT RT Usage (F23)
Headlamp Wash Interval
Headlamp Wash Shot
Front Wiper Wipes After Wash
Headlamp Washer Low Fluid Shut-Off Enable
Intermittent Wiper States
LED CHMSL Lamp Present
Rear Camera Present
Power Inverter Present
Front Park Assist Present
Front Heated Seats Present
Front Ventilated Seats Present
Destination
Cabin Equilization Curve Number
Hill Start Assist Customer Setting Option Present
Radio Apps Present
CTP Easy Entry Enable

CTP Passive Entry Present

CTP Auto Lock Disable

SDAR Travel Link Present

DAB Present

Vehicle Theft Alarm Present

Heated Steering Wheel Present

MIL Check Digit Diable

Surround Sound Feature Present

Power Door Locks Present

Antenna Type

CTP Max AC Present

Hybrid Electric Powertrain Present

Disable CD Eject

DTV Front Camera Present

DTV Side Camera Present

Tow Haul Present

Hill Descent Control Present

Audio Steering Wheel Switch Configuration

Radio Display On/Off Softkey Present

Microphone Tuning Parameter

Microphone Configuration

Microphone Type

External Port Type

Splashscreen Type

ERS Available

Rear Wheel Dually

Max Gear

Virtual Speedometer Units

Speedometer Range Max Scale

IC Config Feature

PTO Present

AMB Dimmer

Heated Seat Present

Split Shaft Present

Manual Headlamp Leveling

Gear Shift Indicator

Service Interval

Temperature Celsius for UK

Type of Gallons

Tip Start Present

AP5 Trunk Lock

Airport Scenario Trunk Set

AP1 Left Front

AP2 Right Front

AP3 Left Rear

AP4 Right Rear

Global Up

Global Down

Sun Shade

Puddle Lamp Present

Rear Door Pre Short Drop

Passenger Window Lockout

Auto Power Folding Mirrors Present

Folding mirrors present

Heated Mirrors Present

Mirror turn signals present

Driver Memory Mirrors Present

Passenger Memory Mirror Present

Electro-chromatic driver mirror present

Electro-chromatic passenger mirror present

Tow Mirror Present

Blindspot Mirror Present

Window Motor Type

Window Hall Sensors Present

Frameless Window Present

Memory Adjustable Pedals Present

Tilt/Telescope Steering Present

Memory Seat Present

Rear Heated Seats Present

Front Vented Seats Present

Heated Steering Wheel Present

Heated Seat Material Type

Heated Wheel Material Type

Rear Vented Seats Present

Front Heated Seat Present

Brake System ECU Configuration A

Wheel 18 inch overall ESC Maserati

Brake System ECU Configuration B

ECO Mode Configuration

Dual Alternator Present

ODS Present

Driver Kneebag Present

Passenger Kneebag Present

Curtain Airbags Present

Tow Hooks Present

Passive Ped Pro Present

2nd Row Seat Airbags Present

Reserved

Reserved

Integrated EPP Present

BUX vehicle

Signature Light Present

Dual Filament Headlamp

Front Turn Lamp Diagnostics

Auto Headlamp On Threshold

Volt

Auto Headlamp Off Threshold

Volt

Left Low Beam Voltage Regulation

Left High Beam Voltage Regulation

Right Low Beam Voltage Regulation

Right High Beam Voltage Regulation

Left Front Corner Voltage

Right Front Corner Voltage

Left Rear Corner Voltage

Right Rear Corner Voltage

Panic Enable

Compass Mounting Orientation

Washer Fluid Level Voltage Threshold

IBS Present

ASBMM Present

Humidity Sensor Present

Manual Trans Present

DC to DC Converter Present

ASBM Present

Auto Relock Time

seconds

VTA System Present

DC to DC Converter #2 Present

Illuminated Approach Interior Lighting Target Percentage

Illuminated Approach Headlamp Target Percentage

Illuminated Approach Taillamp Target Percentage

Illuminated Approach Interior Lighting Ramp Up Time

CRVMM Present

EVIC Switch Module Present

Compass Mounting Angle

Degree

Backup Reverse Lamp Left Present - Pin F41

Backup Reverse Lamp Right Present - Pin E1

Stop/Turn Lamp or Stop Lamp Present Pin E2 & F40

Left High Beam Present - Pin D1

Right High Beam Present - Pin A2

Left Front Lamp Diagnostics Present - Pin F25

Right Front Lamp Diagnostics Present - Pin F28

Left Rear Turn Lamp Diagnostics Present - Pin F27

Right Rear Turn Lamp Diagnostics Present - Pin F31

Brake Fluid Level Switch Signal Present - Pin D21

Siren

Ultrasonics

Tilt

Swing Gate Lock Present - Pin F30

Swing Gate Unlock Present - Pin F33

Front Fog Voltage

Volts

Rear Fog Voltage

Volts

CHMSL Lamp Output Disable

Secondary Door Ajar Present - Pin E28

Manual Door Locks Present

Rain Sensor Module V2 Present

Auto High Beam Module Location

Average Last Longitudinal Acceleration Values

Average Last Lateral Acceleration Values

Excess Longitudinal Acceleration Factor

Excess Lateral Acceleration Factor

Brake Smoothing Duration

Brake Smoothing Factor

Steering Smoothing Duration

Steering Smoothing Factor

Steering Smoothing Threshold

Brake Smoothing Threshold

Maximum Longitudinal Change

Maximum Lateral Change

Acceleration Threshold

Acceleration Factor

Nose Dive Threshold

Nose Dive Factor

RKE Auto-Relock Feature Enable

PE Auto-Relock Feature Enable

VTA Hood Ajar Monitoring

Horn Chirp Duration

Pitch and Roll Present

Parking Light Enable

ASBM Minimum Voltage Time

ASBM Battery Minimum Voltage

Interior Lighting Night Threshold

Volt

Interior Lighting Day Threshold

Volt

Axle Locker Configuration

Transmission Equipped

Park Brake Type

TPMS Configuration

Hybrid Type

TSBM Module Present

ADR feature Present

AGS Feature Present

Temperature Display Resolution

PTC Present

Glovebox Control

Blare Free Present

Brake Type

Suspension Type

Park assist customer settings menu

Park assist brake customer settings menu

Park assist front volume customer settings menu

Park assist rear volume customer settings menu

Electric power steering customer settings menu

Forward collision warning customer settings menu

Auto on driver comfort customer settings menu

Auxiliary switches customer settings menu

Rear view camera gridlines customer settings menu

Unit set customer settings menu

Power accessory delay customer settings menu

Ambient dimmer customer settings menu

Tire jack mode customer settings menu

Air suspension warning customer settings menu

Automatic aero mode customer settings menu

Auto high beam customer settings menu

Auto park customer settings menu

Blind spot alert customer settings menu

Clock display customer settings menu

Compass calibration customer settings menu

Compass variance customer settings menu

Consumption unit customer settings menu

Distance unit customer settings menu

Auto door lock customer settings menu

Easy exit seat customer settings menu

Auto entry exit mode customer settings menu

EPB service mode customer settings menu

Headlamp drop customer settings menu

Headlamp off delay customer settings menu

Headlamps on with wiper customer settings menu

Passive entry customer settings menu

Illuminated approach customer settings menu

Lane departure torque customer settings menu

Lane departure warning customer settings menu

Rear camera customer settings menu

- Rain sensitive wipers customer settings menu
- Power take off customer settings menu
- Pressure unit customer settings menu
- Power unit customer settings menu
- Power liftgate chime customer settings menu
- Performance shift enable customer settings menu
- Rear view camera delay customer settings menu
- RKE unlock customer settings menu
- Speed unit customer settings menu
- Tilt mirror in reverse customer settings menu
- Torque unit customer settings menu
- Teen Key Fuel Pop-up Customer Settings Menu
- Teen Key Automatic High Beam Customer Settings Menu
- Passenger Airbag On/Off Customer Settings Menu
- Forward Collision Warning and Brake Customer Settings Menu
- Doors and Engine Off Power Delay Customer Settings Menu
- Radio Speaker Open Circuit Disable (LF)
- Radio Speaker Open Circuit Disable (RF)
- Radio Speaker Open Circuit Disable (LR)
- Radio Speaker Open Circuit Disable (RR)
- ANC Calibration Parameter Data Set
- Surround View Camera On/Off Softkey Present
- Drive Mode Version
- Rear Defrost and Heated Mirrors Present
- Show Phone Information in Cluster
- Auto Dimming Mirror Hard Button Present
- Clari-Fi Present
- Automatic Crash Notification Feature Present
- Trailer Hitch Camera Present
- Park Assist Tuning Set
- Rear Defrost Presence
- Heated Mirrors Present
- Engine Displacement
- Steering C Factor
- Speedometer Tolerance
- Increasing speed constant
- Tachometer Type
- DTV Present
- Tri-State Comfort Climate Softkey Function Present



ms

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

RADIO CONFIGURATION


NAME	VALUE	UNITS
Satellite Subscription ID	—	
Satellite Subscription Status	—	

Satellite Subscription Reason Code	—	
Satellite Subscription Suspend Day	—	
Satellite Subscription Suspend Month	—	
Satellite Subscription Suspend Year	—	
911 Button	—	
SDARS	—	
Navigation Active	—	
Cellular	—	
Internal CD Player	—	
Wi-Fi	—	
Bluetooth	—	
Application Framework	—	
FM Diversity	—	
Clock Defeat	—	
Automated Loudness	—	
Anti-Theft Enable Status	—	
12/24 Time Selection	—	
Front Seat Video Playback	—	
Cabin EQ Curve Number Currently Used by Radio	—	
Splash Screen	—	
Compass on the bus messaging Authorization	—	
GPS on the Bus messaging Authorization	—	
USB Hubs Detected	—	No Unit
SD Card Readers Detected	—	No Unit
Enumerated USB Devices	—	No Unit
Aux Jack	—	
DTV Short Term Configuration	—	

ABSO CONFIGURATION

NAME	VALUE	UNITS
Vehicle Line Identification	■	
Displacement	■	No Unit
Hybrid Type	■	
Trans Type	■	
Drive Configuration	■	
Chassis Type	■	
Axle Ratio	■	No Unit
Tire Circumference	■	inch

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)



VEHICLE SCAN REPORT

Vehicle

ECU SUMMARY INFO

ECU	NAME	BUS TYPE	FLASH PART #	CURRENT VIN	ORIGINAL VIN	PART #
TCM	Transmission Control Module					
PCM	Powertrain Control Module					
ASBS	Automatic Sway Bar System					
ICS	Integrated Center Stack					
RFH	Radio Frequency Hub					
ESM	Electronic Shifter					
DTCM	Drive Train Control Module					
ORC	Occupant Restraint					
EPS	Electric Power Steering					
HVAC	Heat, Ventilation and A/C					
AMP	Amplifier					
IPC	Instrument Panel Cluster					
SCCM	Steering Column Control Module					
BCM	Body Controller					
RADIO	Radio					
OCM	Occupant Classification					
BPCM	Battery Pack Control Module					
HCP	Hybrid Control Processor					
AHCP	Auxiliary Hybrid Control Processor					
ABSO	Anti Lock Brakes OBD					

SessionID #

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

SGW	Security Gateway Module					
DPDM	Driver Presence Detection Module					
IDCM	Integrated Dual Charge Module					

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	SERIAL NUMBER	CVNS
TCM	USA / USA					
PCM	USA					
ASBS	USA					
ICS	USA					
RFH	USA / USA					
ESM	USA					
DTCM	USA					
ORC	USA					
EPS	USA					
HVAC	USA					
AMP	USA					
IPC	USA					
SCCM	USA					
BCM	USA					
RADIO	USA					
OCM	USA					
BPCM	Rest of world / ROW					
HCP	USA					
AHCP	USA					
ABSO	USA					
SGW						
DPDM	USA					

DTC SUMMARY

ECU	DTC CODE	DTC DESCRIPTION	STATUS
RADIO			

ENVIRONMENTAL DATA SUMMARY

RADIO |

NAME	VALUE	UNITS
DTCTable		
TestFailedThisMonitoringCycle		

Pending DTC		
Confirmed DTC		
Test Not Completed This Monitoring Cycle		
Warning Indicator Requested		
DTCExtendedDataRecordNumber		
Occurance Flag		
Reserved		
Original Odometer Value		miles
Most Recent Odometer Value		miles
Frequency Counter		
Ignition Counter	0	
RDI \$6080		
	64	

SNAPSHOT DATA SUMMARY

No Snapshot Data available for