

[illegible][illegible]

[illegible]

TCM CONFIGURATION

NAME	VALUE	UNITS
Autostick/ERS On/Off Switch Equipped	1	
Paddle-Shift Switches Equipped	1	
Shifter with Sport Mode Position Equipped	1	
	1	
Sport Mode Switch or Virtual Switch (Non-Terrain) Equipped	1	
Overdrive Off or Tow Haul Mode Switch or Virtual Switch (Non-Terrain) Equipped	1	
ECO/Optimizer Switch Equipped	1	
ERS/Autostick/Tip Non-paddle on Steering Wheel equipped	1	

ERS/Autostick/Tip Non-paddle on Shifter in D position equipped

ERS/Autostick/Tip Non-paddle on Shifter in A or M position equipped

██████████

RWD Equipped

AWD Equipped

4WD with switchable Lo Range equipped

Engine Start/Stop equipped

Polyvalve E-shift (Cableless without return-to-center) equipped

Long Learn Enabled

Short Learn Enabled

██████████

██████████

██████████

██████████

██████████

██████████

██████████

██████████

██████████

██████████

PCM CONFIGURATION

NAME	VALUE	UNITS
AC Equipped	██████████	
AC Equipped Over Bus	██████████	
Power Steering Switch Equipped	██████████	
4 Button Integrated Cruise Control	██████████	
EMAT (Getrag DCT transmission) Equipped	██████████	
Vehicle Speed Sensor #1 Calculated from CAN	██████████	
Police Package Equipped	██████████	
Unleaded Gasoline Fuel	██████████	
Unleaded diesel fuel	██████████	
6.4 Liter V8 Engine	██████████	
4 Speed Automatic Transmission Equipped	██████████	
Electronic Automatic Transmission (EATX) Equipped	██████████	
Vehicle Speed Sensor #1 Calculated by ECU	██████████	
4.7 Liter V8 Engine	██████████	
5.7 Liter V8 Engine	██████████	
6.1 Liter V8 Engine	██████████	
Sensorless FFV Enabled	██████████	
Electronic Throttle Control Equipped	██████████	
3.6 Liter V6 Engine	██████████	
██████████	██████████	
3.8 Liter V6 Engine	██████████	
3.7 Liter V6 Engine	██████████	
██████████	██████████	
3.3 Liter V6 Engine	██████████	
3.2 Liter V6 Engine	██████████	
2.7 Liter V6 Engine	██████████	
MTV Solenoid Equipped	██████████	
MDS Equipped	██████████	
Turbocharger Equipped	██████████	
SRV Equipped	██████████	
Secondary Air Equipped	██████████	

Shift Indicator Lamp Equipped

Barometric Sensor Equipped

TIP Equipped

Knock Sensor 1 Equipped

Knock Sensor 2 Equipped

VVT Variable Valve Timing Equipped

Clutch Interlock Switch Equipped

ESIM Equipped

Linear EGR Equipped

Direct Injection Equipped

Secondary Fuel Pump Equipped

Electronic Coolant Pump Equipped

O2 Sensor Bank 1 Sensor 1 Equipped

O2 Sensor Bank 1 Sensor 2 Equipped

O2 Sensor Bank 1 Sensor 3 Equipped

O2 Sensor Bank 2 Sensor 1 Equipped

O2 Sensor Bank 2 Sensor 2 Equipped

Variable Displacement AC Equipped

Fixed displacement AC Equipped

WI4 Intake Flow Control Valve Equipped

Electric Coolant Valve Equipped

Engine Oil Heater Cooler Equipped

Transmission Oil Heater Equipped

Electric Water Pump Equipped

Rear Heater Equipped

Inrush Current Reduction Relay Equipped

Active Grille Shutter Equipped

Electronic Vacuum Pump Equipped

Wide Range O2 Sensor 1/1 Equipped

Wide Range O2 Sensor 2/1 Equipped

MultiAir Equipped

Engine Stop Start Equipped

Viscosity Sensor Equipped

Duty Cycle Purge Valve Equipped

Electric Thermostat Heater Equipped

Exhaust Cam 1 Equipped

Intake Cam 1 Equipped

1.8 Liter WI4 engine

2.0 Liter WI4 engine

2.4 Liter WI4 engine

3.0 Liter V6 Engine		
Tumble Generator Valve Equipped		
Hybrid Electric Vehicle Equipped		
Auxiliary Heater Electric Water Pump Equipped		
Exhaust Cam 2 Equipped		
Intake Cam 2 Equipped		
1 Speed Fan Mechanical Relay System Equipped		
2 Speed Fan Mechanical Relay System Equipped		
2 Speed Fan PWM Relay System Equipped		
Linear PWM Fan Relay System Equipped		
PWM Fan Motor System Equipped		
3 Speed Fan Mechanical Relay System Equipped		
Fan Wake Up Relay System Equipped		
2 Speed Fan 3 Driver 3 Relay System Equipped		
40TE / 41TE / 41TEA		
42RLE		
45RFE / 545RFE / 65RFE		
66RFE / 68RFE		
VLP Is Learnable Indicator		
VLP Equipped Indicator		
VFS Actuators Available Indicator		
ERS Equipped Indicator		
Engine Software In Package		
Transmission Software Included		
ICC Cruise Equipped		
ETC Cruise equipped		
Adaptive Cruise Control Equipped		
A/C Equipped		
Adaptive Cruise Control Hardware Equipped		
DUAL_ALTERNATOR_GEN1_LEARNEDCOPY		
TOOLCONFIG_OIL_PRESS_ABS_EQUIPPED		
GPEC2 Equipped		
GPEC2A Equipped		
GPEC3 Equipped		
Cummins Equipped		
GPEC4 Equipped		
VMM Equipped		
Powernet Equipped		
CUSW (29-Bit) Equipped		
CUSW (11-Bit) Equipped		
Fiat 940 Compact Equipped		
Next Gen Bus Equipped		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Constant Heater Temperature Control Valve Equipped

High Side Port Tumble Valve Equipped

CMCV H-Bridge Equipped

Turbine Volute Valve Actuator Equipped

Wastegate H-Bridge Equipped

Active Exhaust Valve Equipped

Active Exhaust Pressure Sensor Equipped

Engine Idle Shutoff Equipped

Aisin 6-Speed RWD Transmission Equipped

Cooled EGR Equipped

Supercharger Equipped

Low Temperature Radiator Coolant Pump Equipped

Mechanical Coolant Pump Heater Equipped

Auxiliary Coolant Pump Heater Equipped

Compressed Natural Gas Equipped

CUSW PROXI Write Programming Support Enabled

Active Engine Mount Equipped

ZF 9-Speed Transmission Equipped

HPT 6-Speed Transmission Equipped

Variable Speed Fuel Pump Equipped

Operator Idle Speed Request Equipped

PTO System Equipped

Air Shutoff Valve Bank 1 Control Solenoid 1 Equipped

Air Shutoff Valve Bank 1 Control Solenoid 2 Equipped

Air Shutoff Valve Bank 2 Control Solenoid 2 Equipped

Dual Stage Oil Pump Equipped

Auxiliary Coolant Pump Equipped

Trans Skip Shift Equipped

Trans Reverse Lockout Equipped

Port Flap Valve Equipped

Brushless PWM Fan Equipped

6.2 Liter V8 Engine

Primary Lin Alternator Equipped

Coolant On-Off Pump Equipped

Oil Pressure Sensor Enabled

Fiat VIN Learning Strategy Equipped

Dual Fuel Tank Equipped

Yaw Rate Sensor ESC Equipped

1.0 Liter I3 Engine

Buffered Crank Output for ANC (Active Noise Cancellation) Equipped

Buffered Crank Output for PHEV Engine Pulse Calculation Equipped

Throttle Inlet Temp Sensor Equipped

Humidity, Temperature and Pressure Sensor (LIN) Equipped

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Dual Fuel Pressure Sensor Equipped

Brake Pedal Sensor Equipped

PTO System Equipped

Low Temp Radiator Coolant Pump Equipped

Engine Idle Shutoff Equipped

AP Relay Powered from Engine Switched Battery

CNG Large Gas Tank Equipped

Cooled EGR Equipped

Supercharger Equipped

Hybrid MEC Shifter Equipped

Dual Alternator Gen 11 Capable

Auxillary Coolant Pump Equipped

ZF 9-Speed Trans Equipped

HPT 6-Speed Trans Equipped

CUSW 4-Button Cruise Equipped

Power Steering Angle Sensor Mandatory

Throttle Inlet Temp Sensor Equipped

LIN Humidity, Temp, and Pressure Sensor Equipped

Dual Fuel Pressure Sensor Equipped

Brake Pedal Sensor Equipped

Clutch Sensor Equipped

SWAP HARDWIRED BRAKE SWITCH INPUTS

Mass Airflow System Equipped

Bi-Directional Crank Sensor Equipped

5 Button Cruise (LIN) Equipped

Operator Idle Speed Request Equipped

INTAKE O2 SENSOR EQUIPPED

Cylinder Pressure Sensor Equipped

Make Up Air Sensor Equipped

Active Exhaust Pressure Sensor Equipped

Secondary Mass Airflow Sensor Equipped

1.0 Liter I3 Engine

2.0 Liter I4 Direct Injection Engine

Variable Valve Lift Equipped

Coolant On-Off Pump Equipped

Primary Lin Alternator Equipped

Electronic Parking Brake Equipped

Active Exhaust Valve(s) Equipped

Mechanical Coolant Pump Equipped

Aux Coolant Pump Heater Equipped

Heater Temp Control Valve Equipped

High Side Port Tumble Valve Equipped

Wastegate HBridge Equipped

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Remote Start Present	Present	
Engine Oil Pressure Sensor Type		None

ICS CONFIGURATION

NAME	VALUE	UNITS
Display Type (Base)		
Display Type (Mid)		
Display Type (High)		

RFH CONFIGURATION

NAME	VALUE	UNITS
PIN Successfully Programmed		
VIN Successfully Programmed		
Valid Key In Ignition		
Keyless Go		
Ignition system type connected		
e-shifter present		
Auto Park Present		
Secret Codes Programmed		
Passive Entry		
RKE		
Module Configuration Status		
Remote Start Present		
\$0214 Programmed by		
Hardware Configuration: Remote Start Antenna		
Hardware Configuration: Front Left Door Handle H/W		
Hardware Configuration: Front Right Door Handle H/W		
Hardware Configuration: Rear Left Door Handle H/W		
Hardware Configuration: Rear Right Door Handle H/W		
Hardware Configuration: Trunk Door Handle H/W		
RFHub Locked		
Fob Location #1 Successfully Programmed		
Fob Location #2 Successfully Programmed		
Fob Location #3 Successfully Programmed		
Fob Location #4 Successfully Programmed		
Fob Location #5 Successfully Programmed		
Fob Location #6 Successfully Programmed		
Fob Location #7 Successfully Programmed		
Fob Location #8 Successfully Programmed		
Back Up Vehicle Config 1		
Back Up Vehicle Config 2		
Back Up Vehicle Config 3		
Back Up Vehicle Config 4		
Back Up Vehicle Config 5		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Back Up Vehicle Config 6		
Back Up Vehicle Config 7		
Back Up ECU Configuration 1		
Back Up ECU Configuration 2		
Back Up ECU Configuration 3		
Back Up ECU Configuration 4		
Back Up ECU Configuration 5		
Back Up ECU Configuration 6		
Back Up ECU Configuration 7		
Back Up ECU Configuration 8		
Back Up ECU Configuration 9		
Back Up ECU Configuration 10		
Back Up ECU Configuration 11		
Back Up ECU Configuration 12		
Back Up ECU Configuration 13		
Back Up ECU Configuration 14		
Back Up ECU Configuration 15		
Back Up ECU Configuration 16		
Back Up ECU Configuration 17		
Back Up Customer Settings Menu 1 (CSM1)		
Back Up Customer Settings Menu 2 (CSM2)		
Back Up Programmed ECUs: Cabin Network		
Back Up Programmed ECUs: P/T Chassis Network		
Secret Key Sent to Body Controller - Most recent attempt		
Secret Key Sent to Body Controller - Original attempt		
Base TPM Present		
ECU Ship Status		
Tire Pressure System		
Selectable Tire Fill Alert		
TPM Auto-Locate Enabled		
TPMS Configuration		

DTCM CONFIGURATION

NAME	VALUE	UNITS
Full-Time T-Case		
Front Locker Present		
Rear Locker Present		
FAD Present		
Mode Switch Present		
Left/Right Hand Drive		
Axle Ratio		
T-Case Type		
SRT Present		

ORC CONFIGURATION

NAME	VALUE	UNITS
Rollover Sensing	[REDACTED]	
EPPM	[REDACTED]	
Occupant Classification (OCM)	[REDACTED]	
First Row Driver Seatbelt Buckle Switch	[REDACTED]	
First Row Passenger Seatbelt Buckle Switch	[REDACTED]	
Second Row Left seat belt Switch	[REDACTED]	
Second Row Center seat belt Switch	[REDACTED]	
Second Row Right seat belt Switch	[REDACTED]	
Driver Seat Track Position Sensor	[REDACTED]	
Passenger Seat Track Position Sensor	[REDACTED]	
Passenger Occupant Detection Sensor	[REDACTED]	
Passenger Airbag Disable Switch	[REDACTED]	
Passenger Airbag Disable Indicator	[REDACTED]	
Driver Frontal Squib 1	[REDACTED]	
Driver Frontal Squib 2	[REDACTED]	
Driver Frontal Squib 3	[REDACTED]	
Passenger Frontal Squib 1	[REDACTED]	
Passenger Frontal Squib 2	[REDACTED]	
Passenger Frontal Squib 3	[REDACTED]	
Driver Knee Bolster Squib	[REDACTED]	
Passenger Knee Bolster Squib	[REDACTED]	
Driver Seatbelt Retractor Pretensioner	[REDACTED]	
Passenger Seatbelt Retractor Pretensioner	[REDACTED]	
Driver Seatbelt Load Limiter	[REDACTED]	
Passenger Seatbelt Load Limiter	[REDACTED]	
Driver Seatbelt Anchor Pretensioner	[REDACTED]	
Passenger Seatbelt Anchor Pretensioner	[REDACTED]	
Driver Seatbelt Buckle Pretensioner	[REDACTED]	
Passenger Seatbelt Buckle Pretensioner	[REDACTED]	
Left Curtain Squib 1	[REDACTED]	
Right Curtain Squib 1	[REDACTED]	
Left Side Seat Squib 1	[REDACTED]	
Right Side Seat Squib 1	[REDACTED]	
Second Row Left Seat Side Airbag	[REDACTED]	
Second Row Right Seat Side Airbag	[REDACTED]	
Driver Frontal Squib 4	[REDACTED]	
Passenger Frontal Squib 4	[REDACTED]	
Left Up-Front Acceleration Sensor	[REDACTED]	
Right Up-Front Acceleration Sensor	[REDACTED]	
Right B-Pillar Impact Acceleration Sensor	[REDACTED]	
Left B-Pillar Impact Acceleration Sensor	[REDACTED]	
Left C-Pillar Impact Acceleration Sensor	[REDACTED]	

Right C-Pillar Impact Acceleration Sensor

Right D-Pillar Impact Acceleration Sensor

Left D-Pillar Impact Acceleration Sensor

Left Side Door Pressure Sensor

Right Side Door Pressure Sensor

Configuration Column Identifier

HVAC CONFIGURATION

NAME	VALUE	UNITS
DualZone ATC Control (Factory)		
DualZone ATC Control		
Dual Zone MTC Control		
Single Zone MTC Control		
MTC With EBL (3Knob)		
MTC Without EBL (3Knob)		
MTC heater only (3Knob)		

AMP CONFIGURATION

NAME	VALUE	UNITS
ANC Calibration Date - Year		
ANC Calibration Date - Week		
ANC Calibration Date - Patch Level		
Current ANC Calibration ID - Service		
ANC Status		
Surround Sound Activated		
Door Module - Left Front		
Door Module - Right Front		
Premuim - 1		
Premuim - 2		
Premuim - 3		
Non -ANC		
No Rear Doors		
No HALF Chimes		

IPC CONFIGURATION

NAME	VALUE	UNITS
Main Fuel Tank Gauge - Empty Stop Calibration		Volts
Main Fuel Tank Gauge - 1/4th Datum Calibration		Volts
Main Fuel Tank Gauge - 1/2 Datum Calibration		Volts
Main Fuel Tank Gauge - 3/4 Datum Calibration		Volts
Main Fuel Tank Gauge - Full Stop Calibration		Volts
Sub Fuel Tank Gauge - Empty Stop Calibration		Volts
Sub Fuel Tank Gauge - 1/4 Datum Calibration		Volts
Sub Fuel Tank Gauge - 1/2 Datum Calibration		Volts

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Sub Fuel Tank Gauge - 3/4 Datum Calibration

Volts

Sub Fuel Tank Gauge - Full Stop Calibration

Volts

SCCM CONFIGURATION

NAME	VALUE	UNITS
Rear Wiper		
TV Telescope		
Paddle Shifter		
Cruise Control / ACC		

BCM CONFIGURATION

NAME	VALUE	UNITS
RBSM		
LBSM		
BCM (Interior Bus)		
HSM		
HVAC		
PTCM		
Radio		
ITM		
AMP		
EDM		
HVAC_R		
TBM		
AHLM/AFLS		
ASCM		
BCM (PT)		
DTCM		
PCM		
EPS		
ESM		
ABS		
RFH		
IPC		
ORC		
PTS		
SCCM		
ELSD		
TCM		
TPM		
AFLS		
ITBM		
OCM		
DPDM		

SGW		
ASBS		
ANC		
Number of Reprogramming Attempts - Counter #0		
Vehicle Configuration Programmed Status		
Last Programmed Status		
Vehicle Configuration Odometer		miles
Vehicle Configuration Auto Write Counter		
Vehicle Configuration 1 - Write Counter		
Vehicle Configuration 2 - Write Counter		
Vehicle Configuration 3 - Write Counter		
Vehicle Configuration 4 - Write Counter		
Vehicle Configuration 5 - Write Counter		
Vehicle Configuration 6 - Write Counter		
Programmed ECUs: Cabin Network		
Programmed ECUs: P/T Chassis Network		
Programmed Network Configuration - Audio / Telematics Network		
Programmed ECUs: Hybrid LAN Network		
ECU Configuration 1 (CBC Configurable Inputs and Outputs)		
ECU Configuration 2 (CBC Features)		
ECU Configuration 3		
ECU Configuration 4		
ECU Configuration 5 (Wireless)		
ECU Configuration 5 (Doors)		
ECU Configuration 5 (Memory)		
ECU Configuration 6 (Brake)		
ECU Configuration 6 (Suspension)		
ECU Configuration 6 (Powertrain)		
ECU Configuration 6 (Safety)		
ECU Configuration 7 (CBC Exterior Lighting Calibrations)		
ECU Configuration 8 (LIN and Miscellaneous)		
ECU Configuration 9A		
ECU Configuration 9 (ITM)		
ECU Configuration 10		
ECU Configuration 11		
ECU Configuration 12		
ECU Configuration 13		
ECU Configuration 14		
ECU Configuration 15 (CBC Features)		
ECU Configuration 15 (Suspension)		
Vehicle Configuration 7 - Write Counter		
Vehicle Config CSM1		
Vehicle Config CSM2		
Model Year		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Vehicle Line		
Country Code		
Left/Right Hand Drive		
Remote Start Present		
Drive Configuration		
Emode Present		
Adaptive Highbeam		
Body Style		
Maximum Vehicle Speed		MPH
Shifter Type		
Performance Pages Present		
Special Packages		
PTS Configuration		
Hill Descent Feature Present		
Select Speed Control Feature Present		
Power Inverter Type		
Thatcham Present		
Rain Sensor Present		
SKIM System Present		
Air Conditioning Present		
Cruise Feature is Present		
Flipper Glass Present		
Full Size Spare		
Off Road Capable		
Special Packages		
Max Load Inflation Pressure Rear Tire		PSI
Max Load Inflation Pressure Front Tire		PSI
Light Load Inflation Pressure Rear Tire		PSI
Police Lighting Feature		
Power Lift Gate Present		
Power Right Sliding Door Present		
Power Left Sliding Door Present		
RKE System Present		
Sunshade Present		
T-Case Type		
Wheel Base		
FOBIK Safe Enable		
ELV Present		
Fuel Capacity		gallons
Window Express Feature Configuration		
Adjustable Pedal Feature Present (non-Memory)		
Auto Headlamp Feature Present		
Door Alert Feature Present		
Two Fuel Sending Units Present		

Vehicle is an SRT		
Disable Display of Radio Clock		
Display Outside Temperature Present		
HVAC Configuration		
Vehicle Brand		
Display Compass Heading Present		
Interior EC Mirror Present		
ESCL system present		
High Intensity Discharge Head Lamps		
Secondary Lock Present		
Liftgate/Trunk Type		
Collision Mitigation System present		
Forward Collision Warning present		
Base TPM system present		
Premium TPM system present		
Paddle Shift Feature Present		
Sport Mode Present		
Auto Park Present		
Passive Entry Present		
Keyless Go Present		
Transfer Case High Ratio		No Unit
Axle Ratio		
Transfer Case Low Range Reduction Ratio		
Dynamic Tire Circumference (All or Rear)		inch
Dual Rear Wheel (DRW) Vehicle Present		
Non-Regulated Tire Pressure Information System (TPIS) Present		
Steering Ratio at zero		No Unit
Steering Ratio at Positive Angle 1		No Unit
Steering Ratio at Positive Angle 2		
		No Unit
Steering Ratio at Positive Angle 4		No Unit
Steering Ratio at Positive Angle 5		No Unit
Analog Door Sensor Configuration		
Air Quality System Present		
Steering Ratio at Negative Angle 1		No Unit
Steering Ratio at Negative Angle 2		No Unit
Steering Ratio at Negative Angle 3		No Unit
Steering Ratio at Negative Angle 4		No Unit
Steering Ratio at Negative Angle 5		No Unit
Ambient Light Dimmer Wheel Input Present Pin G9		
Low Beam Output Present - Pin A3, D2		
Rear Wiper Motor Park Present - Pin E29		
Left Rear Door Ajar Input Present - Pin F23		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Front Driver Analog Door Ajar Input Present - Pin F9

Reserved - Pin G12

Horn Switch Input Present - Pin F29

Reserved - Pin E15

Hood Ajar Switch Input Present - Pin A11

Hard Top Sense Present - Pin E14

Reserved - F21

Reserved - Pin D20

Passenger Door Ajar Signal Present - Pin G18

Reserved - Pin E47

Reserved - Pin E35

Starter Relay Lowside Coil Drive - Pin D7

Diesel Cabin Heater #2 Output Present - Pin D9

Diesel Cabin Heater #3 Output Present - Pin D10

Diesel Cabin Heater #1 Output Present - Pin D11

Right Dedicated DRL Lamp Output Present - Pin A22

Left Dedicated DRL Lamps Output Present - Pin D15

Flipper Glass #2 Output Present

Foot Well Lamps Output Present - Pin G24

Front Fog Lamps Output Present - Pin A1 & D13

Inverter Enable Relay Output Present - Pin F35

Gated Park ZFII Output Present - Pin D-24

Reserved - Pin E21

Rear Fog Lamps Output Present - Pin E39 & F5

Rear Park Lamps Output Present - Pin E4 & F32

Rear Turn Lamps Output Present - Pin E3 & F42

Run-ACC Y Relay #2 Output Present - Pin E9

Side Markers Output Present - Pin A10 & D5

Trailer Backup Lamps Output Present - Pin E23

Reserved - Pin F4

UGDO Feed Output Present - Pin G15

VTA Warning LED Output Present - Pin G22

Park Brake Input Present - Pin E11

Ambient Temperature Sensor Present - Pin D22

Tip Start Enabled

Dual Start Relay System Present

Wiper Service Position Enabled

Trailer Tow Present

Quad Headlamps Enable

Horn Chirp Allowed

Bi Xenon Headlamps Enable

Hazard Lamp Configuration

Park Lamp Loadshed Enable

Front Fog Lamp Dropout Enable

Combined Rear Lighting Enable

Side Repeaters Enable

One Touch Lane Change

Exterior Light Loadshed Enable

Front Wiper Park Enable

Rear Wiper Park Enable

Reversible Washer Pump Enable

Single Element Tail Lamp

DRL Configuration

DRL Lamp Location

DRL Dropout Enable

Tunnel Detection

[REDACTED]

LED Reverse Lamps Present

LED Stop Lamps Present

LED Rear Turn Lamps Present

LED Tail Lamps Present

LED Rear Fog Lamps Present

LED License Lamps Present

LED Front Turn Lamps Present

LED Front Fog Lamps Present

LED Dedicated DRL Present

LED Low Beam Lamps Present

LED High Beam Lamps Present

LED Front Park/Marker Lamps Present

[REDACTED]

Door Lock Switch Signal FT RT Usage (F23)

Headlamp Wash Interval

Headlamp Wash Shot

[REDACTED]

Headlamp Washer Low Fluid Shut-Off Enable

Intermittent Wiper States

LED CHMSL Lamp Present

Rear Camera Present

Power Inverter Present

Front Park Assist Present

Front Heated Seats Present

Front Ventilated Seats Present

Destination

Cabin Equilization Curve Number

Hill Start Assist Customer Setting Option Present

Radio Apps Present

CTP Easy Entry Enable

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

CTP Passive Entry Present

CTP Auto Lock Disable

SDAR Travel Link Present

Vehicle Theft Alarm Present

Heated Steering Wheel Present

MP Check Digit Diable

Surround Sound Feature Present

Power Door Locks Present

Antenna Type

CTP Max AC Present

Hybrid Electric Powertrain Present

Disable CD Eject

DTV Front Camera Present

DTV Side Camera Present

Tow Haul Present

Hill Descent Control Present

Audio Steering Wheel Switch Configuration

Radio Display On/Off Softkey Present

Microphone Tuning Parameter

Microphone Configuration

Microphone Type

External Port Type

Splashscreen Type

ERS Available

Rear Wheel Dually

Virtual Speedometer Units

Speedometer Range Max Scale

IC Config Feature

PTO Present

AMB Dimmer

Heated Seat Present

Manual Headlamp Leveling

Gear Shift Indicator

Service Interval

Temperature Celsius for UK

Type of Gallons

Present

AP5 Trunk Lock

Airport Scenario Trunk Set

AP2 Right Front

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

AP3 Left Rear		
AP4 Right Rear		
Global Up		
Global Down		
Sun Shade		
Puddle Lamp Present		
Rear Door Pre Short Drop		
Passenger Window Lockout		
Auto Power Folding Mirrors Present		
Folding mirrors present		
Heated Mirrors Present		
Mirror turn signals present		
Driver Memory Mirrors Present		
Passenger Memory Mirror Present		
Electro-chromatic driver mirror present		
Electro-chromatic passenger mirror present		
Tow Mirror Present		
Blindspot Mirror Present		
Window Motor Type		
Window Hall Sensors Present		
Frameless Window Present		
Memory Adjustable Pedals Present		
Tilt/Telescope Steering Present		
Memory Seat Present		
Rear Heated Seats Present		
Front Vented Seats Present		
Heated Steering Wheel Present		
Heated Seat Material Type		
Heated Wheel Material Type		
Rear Vented Seats Present		
Front Heated Seat Present		
Brake System ECU Configuration A		
Brake System ECU Configuration B		
ECO Mode Configuration		
Dual Alternator Present		
ODS Present		
Driver Kneebag Present		
Passenger Kneebag Present		
Curtain Airbags Present		
Tow Hooks Present		
Passive Ped Pro Present		
2nd Row Seat Airbags Present		
Reserved		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Reserved		
Integrated EPP Present		
BUX vehicle		
Signature Light Present		
Dual Filament Headlamp		
Front Turn Lamp Diagnostics		
Auto Headlamp On Threshold		Volt
Auto Headlamp Off Threshold		Volt
Left Low Beam Voltage Regulation		
Left High Beam Voltage Regulation		
Right Low Beam Voltage Regulation		
Right High Beam Voltage Regulation		
Left Front Corner Voltage		
Right Front Corner Voltage		
Left Rear Corner Voltage		
Right Rear Corner Voltage		
Compass Mounting Orientation		
Washer Fluid Level Voltage Threshold		
IBS Present		
ASBMM Present		
Humidity Sensor Present		
Manual Trans Present		
DC to DC Converter Present		
ASBM Present		
Auto Relock Time		seconds
VTA System Present		
DC to DC Converter #2 Present		
Illuminated Approach Interior Lighting Target Percentage		
Illuminated Approach Headlamp Target Percentage		
Illuminated Approach Taillamp Target Percentage		
Illuminated Approach Interior Lighting Ramp Up Time		
CRVMM Present		
EVIC Switch Module Present		
Compass Mounting Angle		Degree
Backup Reverse Lamp Left Present - Pin F41		
Backup Reverse Lamp Right Present - Pin E1		
Stop/Turn Lamp or Stop Lamp Present Pin E2 & F40		
Left High Beam Present - Pin D1		
Right High Beam Present - Pin A2		
Left Front Lamp Diagnostics Present - Pin F25		
Right Front Lamp Diagnostics Present - Pin F28		
Left Rear Turn Lamp Diagnostics Present - Pin F27		
Right Rear Turn Lamp Diagnostics Present - Pin F31		

Brake Fluid Level Switch Signal Present - Pin D21

Siren

Ultrasonics

Tilt

Swing Gate Lock Present - Pin F30

Swing Gate Unlock Present - Pin F33

Front Fog Voltage

Volts

Rear Fog Voltage

Volts

CHMSL Lamp Output Disable

Secondary Door Ajar Present - Pin E28

Manual Door Locks Present

Rain Sensor Module #2 Present

Average Last Longitudinal Acceleration Values

Average Last Lateral Acceleration Values

Excess Longitudinal Acceleration Factor

Excess Lateral Acceleration Factor

Brake Smoothing Duration

Brake Smoothing Factor

Steering Smoothing Duration

Steering Smoothing Factor

Steering Smoothing Threshold

Brake Smoothing Threshold

Maximum Longitudinal Change

Maximum Lateral Change

Acceleration Threshold

Acceleration Factor

Nose Dive Factor

RKE Auto-Relock Feature Enable

PE Auto-Relock Feature Enable

VTA Hood Ajar Monitoring

Horn Chirp Duration

Pitch and Roll Present

Parking Light Enable

ASBM Minimum Voltage Time

ASBM Battery Minimum Voltage

Interior Lighting Night Threshold

Volts

Interior Lighting Day Threshold

Volts

Axle Locker Configuration

Transmission Equipped

Park Brake Type

TPMS Configuration

Hybrid Type

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

TSBM Module Present

ADR feature Present

AGS Feature Present

Temperature Display Resolution

PTC Present

Glovebox Control

Glove Free Present

Brake type

Suspension Type

Park assist customer settings menu

Park assist brake customer settings menu

Park assist front volume customer settings menu

Park assist rear volume customer settings menu

Electric power steering customer settings menu

Forward collision warning customer settings menu

Auto on driver comfort customer settings menu

Auxiliary switches customer settings menu

Rear view camera gridlines customer settings menu

Unit set customer settings menu

Power accessory delay customer settings menu

Ambient dimmer customer settings menu

Tire jack mode customer settings menu

Air suspension warning customer settings menu

Automatic aero mode customer settings menu

Auto high beam customer settings menu

Auto park customer settings menu

Blind spot alert customer settings menu

Clock display customer settings menu

Compass calibration customer settings menu

Compass variance customer settings menu

Consumption unit customer settings menu

Distance unit customer settings menu

Auto door lock customer settings menu

Easy exit seat customer settings menu

Auto entry exit mode customer settings menu

EPB service mode customer settings menu

Headlamp drop customer settings menu

Headlamp off delay customer settings menu

Headlamps on with wiper customer settings menu

Passive entry customer settings menu

Illuminated approach customer settings menu

Lane departure torque customer settings menu

Lane departure warning customer settings menu

Rear camera customer settings menu

Rain sensitive wipers customer settings menu	[REDACTED]	
Power take off customer settings menu	[REDACTED]	
Pressure unit customer settings menu	[REDACTED]	
Power unit customer settings menu	[REDACTED]	
Power liftgate chime customer settings menu	[REDACTED]	
Performance shift enable customer settings menu	[REDACTED]	
Rear view camera delay customer settings menu	[REDACTED]	
RKE unlock customer settings menu	[REDACTED]	
Speed unit customer settings menu	[REDACTED]	
Tilt mirror in reverse customer settings menu	[REDACTED]	
Torque unit customer settings menu	[REDACTED]	
Teen Key Fuel Pop-up Customer Settings Menu	[REDACTED]	
Teen Key Automatic High Beam Customer Settings Menu	[REDACTED]	
Passenger Airbag On/Off Customer Settings Menu	[REDACTED]	
Forward Collision Warning and Brake Customer Settings Menu	[REDACTED]	
Doors and Engine Off Power Delay Customer Settings Menu	[REDACTED]	
[REDACTED]	[REDACTED]	
Radio Speaker Open Circuit Disable (RF)	[REDACTED]	
Radio Speaker Open Circuit Disable (LR)	[REDACTED]	
Radio Speaker Open Circuit Disable (RR)	[REDACTED]	
ANC Calibration Parameter Data Set	[REDACTED]	ms
Surround View Camera On/Off Softkey Present	[REDACTED]	
[REDACTED]	[REDACTED]	
Rear Defrost and Heated Mirrors Present	[REDACTED]	
Show Phone Information in Cluster	[REDACTED]	
Auto Dimming Mirror Hard Button Present	[REDACTED]	
Clari-Fi Present	[REDACTED]	
Automatic Crash Notification Feature Present	[REDACTED]	
Trailer Hitch Camera Present	[REDACTED]	
Park Assist Tuning Set	[REDACTED]	
Rear Defrost Presence	[REDACTED]	
Heated Mirrors Present	[REDACTED]	
Engine Displacement	[REDACTED]	
Steering C Factor	[REDACTED]	
Speedometer Tolerance	[REDACTED]	
Increasing speed constant	[REDACTED]	
Tachometer Type	[REDACTED]	
DTV Present	[REDACTED]	
Tri-State Comfort Climate Softkey Function Present	[REDACTED]	

RADIO CONFIGURATION

NAME	VALUE	UNITS
Satellite Subscription ID	[REDACTED]	
Satellite Subscription Status	[REDACTED]	

Satellite Subscription Reason Code		
Satellite Subscription Suspend Day		
Satellite Subscription Suspend Month		
Satellite Subscription Suspend Year		
911 Button		
SDARS		
Navigation Active		
Cellular		
Internal CD Player		
Wi-Fi		
Bluetooth		
Application Framework		
FM Diversity		
Clock Defeat		
Automated Loudness		
Anti-Theft Enable Status		
12/24 Time Selection		
Front Seat Video Playback		
Cabin EQ Curve Number Currently Used by Radio		
Splash Screen		
Compass on the bus messaging Authorization		
GPS on the Bus messaging Authorization		
USB Hubs Detected		No Unit
SD Card Readers Detected		No Unit
Enumerated USB Devices		No Unit
Aux Jack		
DTV Short Term Configuration		

ABSO CONFIGURATION

NAME	VALUE	UNITS
Vehicle Line Identification		
Displacement		No Unit
Hybrid Type		
Trans Type		
Drive Configuration		
Axle Ratio		No Unit
Tire Circumference		inch

ECU SUMMARY INFO

[illegible]

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	SERIAL NUMBER	CVNS
TCM						
PCM						
ICS						
ESM						
DTCM						
ORC						
EPS						
HVAC						
CSWM						
AMP						
IPC						
SCCM						
BCM						
OCM						
BPCM						
HCP						
AHCP						
ABSO						
SGW						
DPDM						
IDCM						

ECU DETAILS

TCM DETAILS

NAME	VALUE
Active Diagnostic Variant	
Active Diagnostic Version	
ECU Part Number	
HW - Year	
HW - Week	
HW - Patch Level	
VIN Original	
VIN Current	

Hardware Part Number [REDACTED]

PCM DETAILS

NAME	VALUE
ECU Part Number	[REDACTED]
VIN - Original	[REDACTED]
VIN - Current	[REDACTED]
Software Version (Major/Middle/Minor)	[REDACTED]
Hardware Version (Major/Minor)	[REDACTED]
Serial Number	[REDACTED]
Supplier ID	[REDACTED]
Diagnostic Version	[REDACTED]
Variant ID	[REDACTED]
Odometer When Original VIN First Written	[REDACTED]

ICS DETAILS

NAME	VALUE
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
ECU Part Number	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
Country Code	[REDACTED]
ECU Serial Number	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]
HW - Year	[REDACTED]
HW - Week	[REDACTED]
HW - Patch Level	[REDACTED]
SW - year	[REDACTED]
SW - week	[REDACTED]
SW - Patch Level	[REDACTED]
Hardware Supplier Identification	[REDACTED]
Software Supplier Identification	[REDACTED]

RFH DETAILS

NAME	VALUE
VIN Original	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
ECU Software Mode	[REDACTED]

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

ECU Part Number	[REDACTED]
Hardware Part Number	[REDACTED]
Body Style	[REDACTED]
Country Code	[REDACTED]
IAC Data	[REDACTED]
ECU Serial Number	[REDACTED]
Hardware Supplier	[REDACTED]
Software Supplier	[REDACTED]
Hardware Version - Year	[REDACTED]
Hardware Version - Week	[REDACTED]
Hardware Version - Patch Level	[REDACTED]
Software Version - Year	[REDACTED]
Software Version - Week	[REDACTED]
Software Version - Patch Level	[REDACTED]
Active Diagnostic Session	[REDACTED]
Software Logical Block #0 Part Number	[REDACTED]

ESM DETAILS

NAME	VALUE
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]

DTCM DETAILS

NAME	VALUE
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
ECU Part Number	[REDACTED]
ECU Serial Number	[REDACTED]
[REDACTED]	[REDACTED]
Hardware Part Number	[REDACTED]
HW - Year	[REDACTED]
HW - Week	[REDACTED]
HW - Patch Level	[REDACTED]
Hardware Supplier Identification	[REDACTED]
Hardware Variant	[REDACTED]
Software Part Number	[REDACTED]
SW - year	[REDACTED]
SW - week	[REDACTED]
SW - Patch Level	[REDACTED]
Software Supplier Identification	[REDACTED]
[REDACTED]	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
Country Code	[REDACTED]

VIN Current

ORC DETAILS

NAME	VALUE
Model Year	
Vehicle Line	
Body Style	
Country Code	
ECU Serial Number	
Active Diagnostic Variant	
Active Diagnostic Version	

EPS DETAILS

NAME	VALUE
Active Diagnostic Variant	
Active Diagnostic Version	
ECU Part Number	
HW - Year	
HW - Week	
HW - Patch Level	
SW - year	
SW - week	
SW - Patch Level	
Hardware Supplier Identification	
ECU Serial Number	
Model Year	
Vehicle Line	
Body Style	
Country Code	
Boot SW - Year	
Boot SW - Week	
Boot SW - Patch Level	
Software Logical Block Supplier Identification	

HVAC DETAILS

NAME	VALUE
VIN Original	
VIN Current	
Model Year	
Country Code	
Active Diagnostic Variant	
Active Diagnostic Version	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

ECU Part Number

CSWM DETAILS

NAME	VALUE
ECU Software Mode	
Active Diagnostic Variant	
Active Diagnostic Version	
ECU Part Number	
VIN Original	
VIN Current	

AMP DETAILS

NAME	VALUE
Active Diagnostic Variant	
Active Diagnostic Version	
ECU Origin	
ECU Part Number	
ECU Serial Number	
Hardware Part Number	
HW - Year	
HW - Week	
HW - Patch Level	
Hardware Supplier Identification	
Software Part Number	
SW - year	
SW - week	
SW - Patch Level	
Software Supplier Identification	
Model Year	
Vehicle Line	
Body Style	
Country Code	
VIN Original	
VIN Current	

IPC DETAILS

NAME	VALUE
Active Diagnostic Variant	
Active Diagnostic Version	
ECU Part Number	
ECU Serial Number	
Hardware Part Number	
HW - Year	
HW - Week	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

HW - Patch Level	[REDACTED]
Hardware Supplier Identification	[REDACTED]
Software Logical Block #1 Part Number	[REDACTED]
SW - year - Block 1	[REDACTED]
SW - week - Block 1	[REDACTED]
SW - patch level - Block 1	[REDACTED]
Software Supplier Identification	[REDACTED]
Model Year	[REDACTED]
Body Style	[REDACTED]
Vehicle Line	[REDACTED]
Country Code	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]

SCCM DETAILS

NAME	VALUE
ECU Software Mode	[REDACTED]
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
ECU Part Number	[REDACTED]
ECU Serial Number	[REDACTED]
Hardware Supplier Identification	[REDACTED]
Hardware Part Number	[REDACTED]
HW - Year	[REDACTED]
HW - Week	[REDACTED]
HW - Patch Level	[REDACTED]
Software Logical Block Supplier Identification	[REDACTED]
Software Logical Block #0 Part Number	[REDACTED]
SW - year	[REDACTED]
SW - week	[REDACTED]
SW - Patch Level	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
Country Code	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]

BCM DETAILS

NAME	VALUE
Hardware Part Number	[REDACTED]
Software Logical Block #0 Part Number	[REDACTED]
ECU Part Number	[REDACTED]
Active Diagnostic Variant	[REDACTED]

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B)(6)

Active Diagnostic Version

Hardware Supplier Identification

Software Logical Block Supplier Identification

Model Year

Vehicle Line

Body Style

Country Code

ECU Serial Number

VIN Current

VIN Original

RADIO DETAILS

NAME	VALUE
Sales Code	
Active Diagnostic Variant	
Active Diagnostic Version	
ECU Part Number	
ECU Serial Number	
Software Part Number	
SW - year	
SW - week	
SW - Patch Level	
Software Supplier Identification	
ECU Software Number	
ECU Software Version Number	
Hardware Part Number	
HW - Year	
HW - Week	
HW - Patch Level	
Hardware Supplier Identification	
ECU Hardware Version Number	
Market Selection Configuration	
Model Year	
Vehicle Line	
Body Style	
Country Code	
VIN Original	
VIN Current	

OCM DETAILS

NAME	VALUE
Active Diagnostic Variant	
Active Diagnostic Version	
Hardware Part Number	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Software Logical Block #0 Part Number	[REDACTED]
ECU Part Number	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
Country Code	[REDACTED]
[REDACTED]	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]

BPCM DETAILS

NAME	VALUE
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
ECU Part Number	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]
SW - year	[REDACTED]
SW - week	[REDACTED]
SW - Patch Level	[REDACTED]
ECU Serial Number	[REDACTED]

HCP DETAILS

NAME	VALUE
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
ECU Part Number	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]

AHCP DETAILS

NAME	VALUE
AHCP SW Version	[REDACTED]
MCPA SW Version	[REDACTED]
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
Hardware Part Number	[REDACTED]
ECU Part Number	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	4-Door Hatchback

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

VIN Original	[REDACTED]
VIN Current	[REDACTED]

ABSO DETAILS

NAME	VALUE
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
[REDACTED]	[REDACTED]
Software Part Number	[REDACTED]
ECU Part Number	[REDACTED]
[REDACTED]	[REDACTED]
VIN Current	[REDACTED]

SGW DETAILS

NAME	VALUE
VIN Original	[REDACTED]
Diagnostic Variant ID	[REDACTED]
Diagnostic Version	[REDACTED]
Supplier ID	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
System Supplier ECU Hardware Version Number	[REDACTED]
System Supplier ECU Software Number	[REDACTED]
System Supplier ECU Software Version Number	[REDACTED]
ECU Serial Number	[REDACTED]
Active Diagnostic Session Data Identifier	[REDACTED]

DPDM DETAILS

NAME	VALUE
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
Hardware Part Number	[REDACTED]
Software Logical Block #0 Part Number	[REDACTED]
ECU Part Number	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
Country Code	[REDACTED]
ECU Serial Number	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]

IDCM DETAILS

NAME	VALUE
------	-------

Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
ECU Part Number	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
RP Original	[REDACTED]
VIN Current	[REDACTED]

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

ECU SUMMARY INFO

[illegible]

SGW	Security Gateway					

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	SERIAL NUMBER	CVNS
TCM	USA / USA					
PCM	USA					
ICS	USA					
RFH	USA / USA					
ESM	USA					
DTCM	USA					
ORC	USA					
EPS	USA					
HVAC	USA					
CSWM	USA					
AMP	USA					
IPC	USA					
SCCM	USA					
BCM	USA					
RADIO	USA					
OCM	USA					
BPCM	Rest of world / ROW					
HCP	USA					
AHCP	USA					
ABSO	USA					
SGW						
DPDM	USA					
IDCM	USA					

DTC SUMMARY

ECU	DTC CODE	DTC DESCRIPTION	STATUS
-----	----------	-----------------	--------

ENVIRONMENTAL DATA SUMMARY

No Environmental Data available

SNAPSHOT DATA SUMMARY

No Snapshot Data available