



CONFIGURATION REPORT

ECU SUMMARY INFO

[illegible]

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	SERIAL NUMBER	CVNS
TCM	USA / USA					
PCM	USA					
ICS	USA					
TPM						
RFH	USA / USA					
ESM	USA					
DTCM	USA					
ORC	USA					
EPS	USA					
HVAC	USA					
CSWM	USA					
AMP	USA					
IPC	USA					
SCCM	USA					
BCM	USA					
RADIO	USA					
OCM	USA					
HCP	USA					
AHCP	USA					
ABSO	USA					
SGW						
DPDM	USA					
IDCM	USA					

CONFIGURATION

TCM CONFIGURATION

NAME	VALUE	
Paddle-Shift Switches Equipped		
Shifter with Sport Mode Position Equipped		
Shifter with Low Mode Position Equipped		
Sport Mode Switch or Virtual Switch (Non-Terrain) Equipped		

Overdrive Off or Tow Haul Mode Switch or Virtual Switch (Non-Terrain) Equipped		
ECO/Optimizer Switch Equipped		
ERS/Autostick/Tip Non-paddle on Shifter in D position equipped		
ERS/Autostick/Tip Non-paddle on Shifter in A or M position equipped		
FWD Equipped		
RWD Equipped		
AWD Equipped		
4WD with Switchable Lo Range equipped		
Engine Start/Stop equipped		
Polystable E-shift (Paddleless without return-to-center) equipped		
Long Learn Enabled		
Short Learn Enabled		

PCM CONFIGURATION

NAME	VALUE	UNITS
AC Equipped		
AC Equipped Over Bus		
Power Steering Switch Equipped		
4 Button Integrated Cruise Control		
EMAT (Getrag DCT transmission) Equipped		
Vehicle Speed Sensor #1 Calculated from CAN		
Police Package Equipped		
Unleaded Gasoline Fuel		
Unleaded diesel fuel		
6.4 Liter V8 Engine		
4 Speed Automatic Transmission Equipped		
Electronic Automatic Transmission (EATX) Equipped		
Vehicle Speed Sensor #1 Calculated by ECU		
4.7 Liter V8 Engine		
5.7 Liter V8 Engine		
6.1 Liter V8 Engine		
Sensorless FFV Enabled		
Electronic Throttle Control Equipped		
3.6 Liter V6 Engine		
4.0 Liter I6 Engine		
3.8 Liter V6 Engine		
3.7 Liter V6 Engine		
3.5 Liter V6 Engine		
3.3 Liter V6 Engine		
3.2 Liter V6 Engine		
2.7 Liter V6 Engine		
MTV Solenoid Equipped		
MDS Equipped		

Turbocharger Equipped

SRV Equipped

Secondary Air Equipped

Shift Indicator Lamp Equipped

Barometric Sensor Equipped

TIP Equipped

Battery Temp Sensor Equipped

[REDACTED]

Knock Sensor 2 Equipped

W14 Variable Valve Timing Equipped

Clutch Interlock Switch Equipped

ESIM Equipped

Linear Purge Equipped

Linear EGR Equipped

Continuous Variable Transmission Equipped

Direct Injection Equipped

Secondary Fuel Pump Equipped

Electronic Coolant Pump Equipped

O2 Sensor Bank 1 Sensor 1 Equipped

O2 Sensor Bank 1 Sensor 2 Equipped

O2 Sensor Bank 1 Sensor 3 Equipped

O2 Sensor Bank 2 Sensor 1 Equipped

O2 Sensor Bank 2 Sensor 2 Equipped

Variable Displacement AC Equipped

Fixed displacement AC Equipped

W14 Intake Flow Control Valve Equipped

Electric Coolant Valve Equipped

Engine Oil Heater Cooler Equipped

Transmission Oil Heater Equipped

Electric Water Pump Equipped

Rear Heater Equipped

Starter Relay 2 Equipped

Inrush Current Reduction Relay Equipped

Active Grille Shutter Equipped

Electronic Vacuum Pump Equipped

Wide Range O2 Sensor 1/1 Equipped

Wide Range O2 Sensor 2/1 Equipped

MultiAir Equipped

Engine Stop Start Equipped

Viscosity Sensor Equipped

Duty Cycle Purge Valve Equipped

Electric Thermostat Heater Equipped

Exhaust Cam 1 Equipped

Intake Cam 1 Equipped

1.8 Liter W14 engine			
2.0 Liter W14 engine			
2.4 Liter W14 engine			
3.0 Liter V6 Engine			
Tumble Generator Valve Equipped			
Hybrid Electric Vehicle Equipped			
Auxiliary Heater Electric Water Pump Equipped			
Dual Speed Fuel Pump Equipped			
Exhaust Cam 2 Equipped			
Intake Cam 2 Equipped			
1 Speed Fan Mechanical Relay System Equipped			
2 Speed Fan Mechanical Relay System Equipped			
2 Speed Fan PWM Relay System Equipped			
Linear PWM Fan Relay System Equipped			
PWM Fan Motor System Equipped			
3 Speed Fan Mechanical Relay System Equipped			
Fan Wake Up Relay System Equipped			
2 Speed Fan 3 Driver 3 Relay System Equipped			
40TE / 41TE / 41TEA			
42RLE			
45RFE / 545RFE / 65RFE			
62TE			
66RFE / 68RFE			
VLP Is Learnable Indicator			
VLP Equipped Indicator			
VFS Actuators Available Indicator			
ERS Equipped Indicator			
Engine Software In Package			
Transmission Software Included			
ICC Cruise Equipped			
ETC Cruise equipped			
Adaptive Cruise Control Equipped			
A/C Equipped			
Adaptive Cruise Control Hardware Equipped			
DUAL_ALTERNATOR_GEN1_LEARNEDCOPY			
TOOLCONFIG_OIL_PRESS_ABS_EQUIPPED			
GPEC2 Equipped			
GPEC2A Equipped			
GPEC3 Equipped			
Cummins Equipped			
GPEC4 Equipped			
VMM Equipped			
Powernet Equipped			
CUSW (29-Bit) Equipped			

CUSW (11-Bit) Equipped		
Fiat 940 Compact Equipped		
Next Gen Bus Equipped		
Constant Heater Temperature Control Valve Equipped		
High Side Port Tumble Valve Equipped		
CMCV H-Bridge Equipped		
Turbine Volute Valve Actuator Equipped		
Wastegate H-Bridge Equipped		
Active Exhaust Valve Equipped		
Active Exhaust Pressure Sensor Equipped		
Engine Idle Shutoff Equipped		
Aisin 6-Speed RWD Transmission Equipped		
Cooled EGR Equipped		
Supercharger Equipped		
Low Temperature Radiator Coolant Pump Equipped		
Mechanical Coolant Pump Heater Equipped		
Auxiliary Coolant Pump Heater Equipped		
Compressed Natural Gas Equipped		
CUSW PROXI Write Programming Support Enabled		
Active Engine Mount Equipped		
ZF 9-Speed Transmission Equipped		
HPT 6-Speed Transmission Equipped		
Variable Speed Fuel Pump Equipped		
Operator Idle Speed Request Equipped		
PTO System Equipped		
Air Shutoff Valve Bank 1 Control Solenoid 1 Equipped		
Air Shutoff Valve Bank 1 Control Solenoid 2 Equipped		
Air Shutoff Valve Bank 2 Control Solenoid 2 Equipped		
Dual Stage Oil Pump Equipped		
Auxiliary Coolant Pump Equipped		
Trans Skip Shift Equipped		
Trans Reverse Lockout Equipped		
Port Flap Valve Equipped		
Brushless PWM Fan Equipped		
6.2 Liter V8 Engine		
Primary Lin Alternator Equipped		
Coolant On-Off Pump Equipped		
Oil Pressure Sensor Enabled		
Fiat VIN Learning Strategy Equipped		
Dual Fuel Tank Equipped		
Yaw Rate Sensor ESC Equipped		
1.0 Liter I3 Engine		
Coolant On-Off Valve Equipped		
Buffered Crank Output for ANC (Active Noise Cancellation) Equipped		

Buffered Crank Output for PHEV Engine Pulse Calculation Equipped

Throttle Inlet Temp Sensor Equipped

Humidity, Temperature and Pressure Sensor (LIN) Equipped

Dual Fuel Pressure Sensor Equipped

Brake Pedal Sensor Equipped

Dual Fuel Tank Equipped

PTO System Equipped

Low Temp Radiator Coolant Pump Equipped

Engine Idle Shutoff Equipped

A/C Relay Powered from Engine Switched Battery

CNG Large Gas Tank Equipped

Cooled EGR Equipped

Supercharger Equipped

Hybrid MEC Shifter Equipped

Dual Alternator Gen1 Capable

Auxillary Coolant Pump Equipped

ZF 9-Speed Trans Equipped

HPT 6-Speed Trans Equipped

CUSW 4-Button Cruise Equipped

Power Steering Angle Sensor Mandatory

Throttle Inlet Temp Sensor Equipped

LIN Humidity, Temp, and Pressure Sensor Equipped

Dual Fuel Pressure Sensor Equipped

Brake Pedal Sensor Equipped

Clutch Sensor Equipped

SWAP HARDWIRED BRAKE SWITCH INPUTS

Mass Airflow System Equipped

Bi-Directional Crank Sensor Equipped

5 Button Cruise (LIN) Equipped

Operator Idle Speed Request Equipped

INTAKE O2 SENSOR EQUIPPED

Cylinder Pressure Sensor Equipped

Make Up Air Sensor Equipped

Active Exhaust Pressure Sensor Equipped

Secondary Mass Airflow Sensor Equipped

1.0 Liter I3 Engine

2.0 Liter I4 Direct Injection Engine

Variable Valve Lift Equipped

Coolant On-Off Pump Equipped

Primary Lin Alternator Equipped

Electronic Parking Brake Equipped

Active Exhaust Valve(s) Equipped

Mechanical Coolant Pump Equipped

Aux Coolant Pump Heater Equipped

Heater Temp Control Valve Equipped

High Side Port Tumble Valve Equipped

Remote Start Present

Engine Oil Pressure Sensor Type

ICS CONFIGURATION

NAME	VALUE	
Display Type (Mid)		
Display Type (High)		

RFH CONFIGURATION

NAME	VALUE	UNITS
PIN Successfully Programmed		
VIN Successfully Programmed		
Valid Key In Ignition		
Keyless Go		
Ignition system type connected		
e-shifter present		
Auto Park Present		
Secret Codes Programmed		
Passive Entry		
RKE		
Module Configuration Status		
Remote Start Present	F	
\$0214 Programmed by		
Hardware Configuration: Remote Start Antenna		
Hardware Configuration: Front Left Door Handle H/W		
Hardware Configuration: Front Right Door Handle H/W		
Hardware Configuration: Rear Left Door Handle H/W		
Hardware Configuration: Rear Right Door Handle H/W		
Hardware Configuration: Trunk Door Handle H/W		
RFHub Locked		
Fob Location #1 Successfully Programmed		
Fob Location #2 Successfully Programmed		
Fob Location #3 Successfully Programmed		
Fob Location #4 Successfully Programmed		
Fob Location #5 Successfully Programmed		
Fob Location #6 Successfully Programmed		
Fob Location #7 Successfully Programmed		
Fob Location #8 Successfully Programmed		
Back Up Vehicle Config 1		
Back Up Vehicle Config 2		

Back Up Vehicle Config 3

Back Up Vehicle Config 4

Back Up Vehicle Config 5

Back Up Vehicle Config 6

Back Up Vehicle Config 7

Back Up ECU Configuration 1

Back Up ECU Configuration 2

Back Up ECU Configuration 3

Back Up ECU Configuration 4

Back Up ECU Configuration 5

Back Up ECU Configuration 6

Back Up ECU Configuration 7

Back Up ECU Configuration 8

Back Up ECU Configuration 9

Back Up ECU Configuration 10

Back Up ECU Configuration 11

Back Up ECU Configuration 12

Back Up ECU Configuration 13

Back Up ECU Configuration 14

Back Up ECU Configuration 15

Back Up ECU Configuration 16

Back Up ECU Configuration 17

Back Up Customer Settings Menu 1 (CSM1)

Back Up Customer Settings Menu 2 (CSM2)

Back Up Programmed ECUs: Cabin Network

Back Up Programmed ECUs: P/T Chassis Network

Secret Key Sent to Body Controller - Most recent attempt

Secret Key Sent to Body Controller - Original attempt

Base TPM Present

Full Size Matching Spare Tire Present

ECU Ship Status

Tire Pressure System

Selectable Tire Fill Alert

TPM Auto-Locate Enabled

TPMS Configuration

DTCM CONFIGURATION

NAME	VALUE	UNITS
Full-Time T-Case		
Front Locker Present		
Rear Locker Present		
FAD Present		
Mode Switch Present		
Left/Right Hand Drive		

Axle Ratio

T-Case Type

SRT Present

[REDACTED]

[REDACTED]

—

ORC CONFIGURATION

NAME	VALUE	UNITS
Roll-over Sensing	[REDACTED]	
EPPM	[REDACTED]	
Occupant Classification (OCM)	[REDACTED]	
First Row Driver Seatbelt Buckle Switch	[REDACTED]	
First Row Passenger Seatbelt Buckle Switch	[REDACTED]	
Second Row Left seat belt Switch	[REDACTED]	
Second Row Center seat belt Switch	[REDACTED]	
Second Row Right seat belt Switch	[REDACTED]	
Driver Seat Track Position Sensor	[REDACTED]	
Passenger Seat Track Position Sensor	[REDACTED]	
Passenger Occupant Detection Sensor	[REDACTED]	
Passenger Airbag Disable Switch	[REDACTED]	
Passenger Airbag Disable Indicator	[REDACTED]	
Driver Frontal Squib 1	[REDACTED]	
Driver Frontal Squib 2	[REDACTED]	
Driver Frontal Squib 3	[REDACTED]	
Passenger Frontal Squib 1	[REDACTED]	
Passenger Frontal Squib 2	[REDACTED]	
Passenger Frontal Squib 3	[REDACTED]	
Driver Knee Bolster Squib	[REDACTED]	
Passenger Knee Bolster Squib	[REDACTED]	
Driver Seatbelt Retractor Pretensioner	[REDACTED]	
Passenger Seatbelt Retractor Pretensioner	[REDACTED]	
Driver Seatbelt Load Limiter	[REDACTED]	
Passenger Seatbelt Load Limiter	[REDACTED]	
Driver Seatbelt Anchor Pretensioner	[REDACTED]	
Passenger Seatbelt Anchor Pretensioner	[REDACTED]	
[REDACTED]	[REDACTED]	
Passenger Seatbelt Buckle Pretensioner	[REDACTED]	
Left Curtain Squib 1	[REDACTED]	
Right Curtain Squib 1	[REDACTED]	
Left Side Seat Squib 1	[REDACTED]	
Right Side Seat Squib 1	[REDACTED]	
Second Row Left Seat Side Airbag	[REDACTED]	
Second Row Right Seat Side Airbag	[REDACTED]	
Driver Frontal Squib 4	[REDACTED]	
Passenger Frontal Squib 4	[REDACTED]	
Left Up-Front Acceleration Sensor	[REDACTED]	

Right Up-Front Acceleration Sensor

Right B-Pillar Impact Acceleration Sensor

Left B-Pillar Impact Acceleration Sensor

Left C-Pillar Impact Acceleration Sensor

Right C-Pillar Impact Acceleration Sensor

Right D-Pillar Impact Acceleration Sensor

Left D-Pillar Impact Acceleration Sensor

Left Side Door Pressure Sensor

Right Side Door Pressure Sensor

Configuration Column Identifier

HVAC CONFIGURATION

NAME	VALUE	
DualZone ATC Control		
Single Zone MTC Control		
MTC With EBL (3Knob)		
MTC Without EBL (3Knob)		
MTC heater only (3Knob)		

AMP CONFIGURATION

NAME	VALUE	UNITS
ANC Calibration Date - Year		
ANC Calibration Date - Week		
ANC Calibration Date - Patch Level		
Current ANC Calibration ID - Service		
ANC Status		
Surround Sound Activated		
Door Module - Left Front		
Premuim - 1		
Premuim - 2		
Premuim - 3		
Non -ANC		
No Rear Doors		
No HALF Chimes		

IPC CONFIGURATION

NAME	VALUE	UNITS
Main Fuel Tank Gauge - Empty Stop Calibration		Volts
Main Fuel Tank Gauge - 1/4th Datum Calibration		Volts
Main Fuel Tank Gauge - 1/2 Datum Calibration		Volts
Main Fuel Tank Gauge - 3/4 Datum Calibration		Volts

Main Fuel Tank Gauge - Full Stop Calibration		Volts
Sub Fuel Tank Gauge - Empty Stop Calibration		Volts
Sub Fuel Tank Gauge - 1/4 Datum Calibration		Volts
Sub Fuel Tank Gauge - 1/2 Datum Calibration		Volts
Sub Fuel Tank Gauge - 3/4 Datum Calibration		Volts
Sub Fuel Tank Gauge - Full Stop Calibration		Volts

SCCM CONFIGURATION

NAME	VALUE	UNITS
Rear Wiper		
Paddle Shifter		
Cruise Control / ACC		

BCM CONFIGURATION

NAME	VALUE	UNITS
RBSM		
LBSM		
BCM (Interior Bus)		
HSM		
HVAC		
PTCM		
Radio		
ITM		
AMP		
EDM		
HVAC_R		
TBM		
AHLM/AFLS		
ASCM		
BCM (PT)		
DTCM	Set	
	Set	
EPS	t	
ESM		
RFH		
IPC		
ORC		
PTS		
SCCM		
ELSD		
TCM		
TPM		

AFLS		
ITBM		
OCM		
DPDM		
SGW		
ASBS		
ANC		
Number of Reprogramming Attempts - Counter #0		
Vehicle Configuration Programmed Status		
Last Programmed Status		
Last Configuration Odometer		miles
Vehicle Configuration Auto Write Counter		
Vehicle Configuration 1 - Write Counter		
Vehicle Configuration 2 - Write Counter		
Vehicle Configuration 3 - Write Counter		
Vehicle Configuration 4 - Write Counter		
Vehicle Configuration 5 - Write Counter		
Vehicle Configuration 6 - Write Counter		
Programmed ECUs: Cabin Network		
Programmed ECUs: P/T Chassis Network		
Programmed Network Configuration - Audio / Telematics Network		
Programmed ECUs: Hybrid LAN Network		
ECU Configuration 1 (CBC Configurable Inputs and Outputs)		
ECU Configuration 2 (CBC Features)		
ECU Configuration 3		
ECU Configuration 4		
ECU Configuration 5 (Wireless)		
ECU Configuration 5 (Doors)		
ECU Configuration 5 (Memory)		
ECU Configuration 6 (Brake)		
ECU Configuration 6 (Suspension)		
ECU Configuration 6 (Powertrain)		
ECU Configuration 6 (Safety)		
ECU Configuration 7 (CBC Exterior Lighting Calibrations)		
ECU Configuration 8 (LIN and Miscellaneous)		
ECU Configuration 9A		
ECU Configuration 9 (ITM)		
ECU Configuration 10		
ECU Configuration 11		
ECU Configuration 12		
ECU Configuration 13		
ECU Configuration 14		
ECU Configuration 15 (CBC Features)		
ECU Configuration 15 (Suspension)		

Vehicle Configuration 7 - Write Counter

Vehicle Config CSM1

Vehicle Config CSM2

Model Year

Vehicle Line

Country Code

Left/Right Hand Drive

Remote Start Present

Drive Configuration

Emode Present

Auto Highbeam

Body Style

Maximum Vehicle Speed

MPH

Shifter Type

Performance Pages Present

Special Packages

PTS Configuration

Hill Descent Feature Present

Select Speed Control Feature Present

Power Inverter Type

Thatcham Present

Rain Sensor Present

SKIM System Present

Air Conditioning Present

Cruise Feature is Present

Flipper Glass Present

Full Size Spare

Off Road Capable

Special Packages

Max Load Inflation Pressure Rear Tire

PSI

Max Load Inflation Pressure Front Tire

PSI

Light Load Inflation Pressure Rear Tire

PSI

Police Lighting Feature

Power Lift Gate Present

Power Right Sliding Door Present

Power Left Sliding Door Present

RKE System Present

Sunshade Present

T-Case Type

Wheel Base

FOBIK Safe Enable

ELV Present

Fuel Capacity

gallons

Window Express Feature Configuration

Adjustable Pedal Feature Present (non-Memory)		
Auto Headlamp Feature Present		
Door Alert Feature Present		
Two Fuel Sending Units Present		
Vehicle is an SRT		
Disable Display of Radio Clock		
Chassis Type		
Display Outside Temperature Present		
HVAC Configuration		
Vehicle Brand		
Display Compass Heading Present		
Interior EC Mirror Present		
ESCL system present		
High Intensity Discharge Head Lamps		
Secondary Lock Present		
Liftgate/Trunk Type		
Collision Mitigation System present		
Forward Collision Warning present		
Base TPM system present		
Premium TPM system present		
Paddle Shift Feature Present		
Sport Mode Present		
Auto Park Present		
Passive Entry Present		
Keyless Go Present		
Transfer Case High Ratio		No Unit
Axle Ratio		
Transfer Case Low Range Reduction Ratio		
Dynamic Tire Circumference (All or Rear)		inch
Dual Rear Wheel (DRW) Vehicle Present		
Non-Regulated Tire Pressure Information System (TPIS) Present		
Steering Ratio at zero		No Unit
Steering Ratio at Positive Angle 1		No Unit
Steering Ratio at Positive Angle 2		No Unit
Steering Ratio at Positive Angle 3		No Unit
Steering Ratio at Positive Angle 4		No Unit
Steering Ratio at Positive Angle 5		No Unit
Analog Door Sensor Configuration		
Air Quality System Present		
Steering Ratio at Negative Angle 1		No Unit
Steering Ratio at Negative Angle 2		No Unit
Steering Ratio at Negative Angle 3		No Unit
Steering Ratio at Negative Angle 4		No Unit
Steering Ratio at Negative Angle 5		No Unit

Ambient Light Dimmer Wheel Input Present Pin G9

Low Beam Output Present - Pin A3, D2

Rear Wiper Motor Park Present - Pin E29

Left Rear Door Ajar Input Present - Pin F23

Front Driver Analog Door Ajar Input Present - Pin F9

Reserved - Pin G12

Horn Switch Input Present - Pin F29

Reserved - Pin E15

Hood Ajar Switch Input Present - Pin A11

Hard Top Sense Present - Pin E14

Reserved - F21

Reserved - Pin D20

Passenger Door Ajar Signal Present - Pin G18

Reserved - Pin E47

Reserved - Pin E35

Starter Relay Lowside Coil Drive - Pin D7

Diesel Cabin Heater #2 Output Present - Pin D9

Diesel Cabin Heater #3 Output Present - Pin D10

Diesel Cabin Heater #1 Output Present - Pin D11

Right Dedicated DRL Lamp Output Present - Pin A22

Left Dedicated DRL Lamps Output Present - Pin D15

Flipper Glass #2 Output Present

Foot Well Lamps Output Present - Pin G24

Front Fog Lamps Output Present - Pin A1 & D13

Inverter Enable Relay Output Present - Pin F35

Reserved - E20

Gated Park ZFII Output Present - Pin D-24

Reserved - Pin E21

Rear Fog Lamps Output Present - Pin E39 & F5

Rear Park Lamps Output Present - Pin E4 & F32

Rear Turn Lamps Output Present - Pin E3 & F42

Run-ACC Y Relay #2 Output Present - Pin E9

Side Markers Output Present - Pin A10 & D5

Trailer Backup Lamps Output Present - Pin E23

Reserved - Pin F4

UGDO Feed Output Present - Pin G15

VTA Warning LED Output Present - Pin G22

Park Brake Input Present - Pin E11

Ambient Temperature Sensor Present - Pin D22

Tip Start Enabled

Dual Start Relay System Present

Wiper Service Position Enabled

Trailer Tow Present

Quad Headlamps Enable

Bi Xenon Headlamps Enable

Hazard Lamp Configuration

Park Lamp Loadshed Enable

Front Fog Lamp Dropout Enable

Combined Rear Lighting Enable

Side Repeaters Enable

One Touch Lane Change

Exterior Light Loadshed Enable

Front Wiper Park Enable

Rear Wiper Park Enable

Reversible Washer Pump Enable

Single Element Tail Lamp

DRL Lamp Location

DRL Dropout Enable

Tunnel Detection

Military Vehicle Present

LED Reverse Lamps Present

LED Stop Lamps Present

LED Rear Turn Lamps Present

LED Tail Lamps Present

LED Rear Fog Lamps Present

LED License Lamps Present

LED Front Turn Lamps Present

LED Front Fog Lamps Present

LED Dedicated DRL Present

LED Low Beam Lamps Present

LED High Beam Lamps Present

LED Front Park/Marker Lamps Present

Door Lock Switch Signal FT LT Usage (F9)

Door Lock Switch Signal FT RT Usage (F23)

Headlamp Wash Interval

Headlamp Wash Shot

Front Wiper Wipes After Wash

Headlamp Washer Low Fluid Shut-Off Enable

Intermittent Wiper States

LED CHMSL Lamp Present

Rear Camera Present

Power Inverter Present

Front Park Assist Present

Front Heated Seats Present

Front Ventilated Seats Present

Destination

INFORMATION REDACTED PURSUANT TO THE FREEDOM

INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Cabin Equilization Curve Number		
Hill Start Assist Customer Setting Option Present		
Radio Apps Present		
CTP Easy Entry Enable		
CTP Passive Entry Present		
CTP Auto Lock Disable		
SPAR Travel Link Present		
DAB Present		
Vehicle Theft Alarm Present		
Heated Steering Wheel Present		
VIN Check Digit Disable		
Surround Sound Feature Present		
Power Door Locks Present		
Antenna Type		
CTP Max AC Present		
Hybrid Electric Powertrain Present		
Disable CD Eject		
DTV Front Camera Present		
DTV Side Camera Present		
Tow Haul Present		
Hill Descent Control Present		
Audio Steering Wheel Switch Configuration		
Radio Display On/Off Softkey Present		
Microphone Tuning Parameter		
Microphone Configuration		
Microphone Type		
External Port Type		
Splashscreen Type		
ERS Available		
Rear Wheel Dually		
Max Gear		
Virtual Speedometer Units		
Speedometer Range Max Scale		
IC Config Feature		
PTO Present		
AMB Dimmer		
Heated Seat Present		
Split Shaft Present		
Manual Headlamp Leveling		
Gear Shift Indicator		
Service Interval		
Temperature Celsius for UK		
Type of Gallons		
Tip Start Present		

AP5 Trunk Lock

Airport Scenario Trunk Set

AP1 Left Front

AP2 Right Front

AP3 Left Rear

AP4 Right Rear

Global Up

Global Down

Sun Shade

Puddle Lamp Present

Rear Door Pre Shock Drop

Passenger Window Lockout

Auto Power Folding Mirrors Present

Folding mirrors present

Heated Mirrors Present

Mirror turn signals present

Driver Memory Mirrors Present

Passenger Memory Mirror Present

Electro-chromatic driver mirror present

Electro-chromatic passenger mirror present

Tow Mirror Present

Blindspot Mirror Present

Window Motor Type

Window Hall Sensors Present

Frameless Window Present

Memory Adjustable Pedals Present

Tilt/Telescope Steering Present

Memory Seat Present

Rear Heated Seats Present

Front Vented Seats Present

Heated Steering Wheel Present

Heated Seat Material Type

Heated Wheel Material Type

Rear Vented Seats Present

Front Heated Seat Present

Brake System ECU Configuration A

Wheel 18 inch overall ESC Maserati

Brake System ECU Configuration B

ECO Mode Configuration

Dual Alternator Present

ODS Present

Driver Kneebag Present

Passenger Kneebag Present

Curtain Airbags Present

Tow Hooks Present		
Passive Ped Pro Present		
2nd Row Seat Airbags Present		
Reserved		
Reserved		
Integrated EPP Present		
Box vehicle		
Signature Light Present		
Dual Filament Headlamp		
Front Turn Lamp Diagnostics		
Auto Headlamp On Threshold		Volt
Auto Headlamp Off Threshold		Volt
Left Low Beam Voltage Regulation		
Left High Beam Voltage Regulation		
Right Low Beam Voltage Regulation		
Right High Beam Voltage Regulation		
Left Front Corner Voltage		
Right Front Corner Voltage		
Left Rear Corner Voltage		
Right Rear Corner Voltage		
Panic Enable		
Compass Mounting Orientation		
Washer Fluid Level Voltage Threshold		
IBS Present		
ASBMM Present		
Humidity Sensor Present		
Manual Trans Present		
DC to DC Converter Present		
ASBM Present		
Auto Relock Time		seconds
VTA System Present		
DC to DC Converter #2 Present		
Illuminated Approach Interior Lighting Target Percentage		
Illuminated Approach Headlamp Target Percentage		
Illuminated Approach Taillamp Target Percentage		
Illuminated Approach Interior Lighting Ramp Up Time		
CRVMM Present		
EVIC Switch Module Present		
Compass Mounting Angle		
Backup Reverse Lamp Right Present - Pin E1		
Stop/Turn Lamp or Stop Lamp Present Pin E2 & F40		
Left High Beam Present - Pin D1		
Right High Beam Present - Pin A2		

Left Front Lamp Diagnostics Present - Pin F25		
Right Front Lamp Diagnostics Present - Pin F28		
Left Rear Turn Lamp Diagnostics Present - Pin F27		
Right Rear Turn Lamp Diagnostics Present - Pin F31		
Brake Fluid Level Switch Signal Present - Pin D21		
Siren		
Tilt		
Swing Gate Lock Present - Pin F30		
Swing Gate Unlock Present - Pin F33		
Front Fog Voltage		Volts
Rear Fog Voltage		Volts
CHMSL Lamp Output Disable		
Secondary Door Ajar Present - Pin E28		
Manual Door Locks Present		
Rain Sensor Module #2 Present		
Auto High Beam Module Location		
Average Last Longitudinal Acceleration Values		
Average Last Lateral Acceleration Values		
Excess Longitudinal Acceleration Factor		
Excess Lateral Acceleration Factor		
Brake Smoothing Duration		
Brake Smoothing Factor		
Steering Smoothing Duration		
Steering Smoothing Factor		
Steering Smoothing Threshold		
Brake Smoothing Threshold		
Maximum Longitudinal Change		
Maximum Lateral Change		
Acceleration Threshold		
Acceleration Factor		
Nose Dive Threshold		
Nose Dive Factor		
RKE Auto-Relock Feature Enable		
PE Auto-Relock Feature Enable		
VTA Hood Ajar Monitoring		
Horn Chirp Duration		
Pitch and Roll Present		
Parking Light Enable		
ASBM Minimum Voltage Time		
ASBM Battery Minimum Voltage		
Interior Lighting Night Threshold		Volt
Interior Lighting Day Threshold		Volt
Axle Locker Configuration		

Transmission Equipped		
Park Brake Type		
Hybrid Type		
TSBM Module Present		
ADR feature Present		
ABS Feature Present		
Temperature Display Resolution		
PTC Present		
Glovebox Control		
Glare Free Present		
Brake Type		
Suspension Type		
Park assist customer settings menu		
Park assist front volume customer settings menu		
Park assist rear volume customer settings menu		
Electric power steering customer settings menu		
Forward collision warning customer settings menu		
Auto on driver comfort customer settings menu		
Auxiliary switches customer settings menu		
Rear view camera gridlines customer settings menu		
Unit set customer settings menu		
Power accessory delay customer settings menu		
Ambient dimmer customer settings menu		
Tire jack mode customer settings menu		
Air suspension warning customer settings menu		
Automatic aero mode customer settings menu		
Auto high beam customer settings menu		
Auto park customer settings menu		
Blind spot alert customer settings menu		
Clock display customer settings menu		
Compass calibration customer settings menu		
Compass variance customer settings menu		
Consumption unit customer settings menu		
Distance unit customer settings menu		
Auto door lock customer settings menu		
Easy exit seat customer settings menu		
Auto entry exit mode customer settings menu		
EPB service mode customer settings menu		
Headlamp drop customer settings menu		
Headlamp off delay customer settings menu		
Headlamps on with wiper customer settings menu		
Passive entry customer settings menu		

Illuminated approach customer settings menu		
Lane departure torque customer settings menu		
Lane departure warning customer settings menu		
Rear camera customer settings menu		
Rain sensitive wipers customer settings menu		
Power take off customer settings menu		
Pressure unit customer settings menu		
Power unit customer settings menu		
Power liftgate chime customer settings menu		
Performance shift enable customer settings menu		
Rear view camera delay customer settings menu		
RKE unlock customer settings menu		
Speed unit customer settings menu		
Tilt mirror in reverse customer settings menu		
Torque unit customer settings menu		
Teen Key Fuel Pop-up Customer Settings Menu		
Teen Key Automatic High Beam Customer Settings Menu		
Passenger Airbag On/Off Customer Settings Menu		
Forward Collision Warning and Brake Customer Settings Menu		
Doors and Engine Off Power Delay Customer Settings Menu		
Radio Speaker Open Circuit Disable (LF)		
Radio Speaker Open Circuit Disable (RF)		
Radio Speaker Open Circuit Disable (LR)		
Radio Speaker Open Circuit Disable (RR)		
ANC Calibration Parameter Data Set		ms
Surround View Camera On/Off Softkey Present		
Drive Mode Version		
Rear Defrost and Heated Mirrors Present		
Show Phone Information in Cluster		
Auto Dimming Mirror Hard Button Present		
Clari-Fi Present		
Automatic Crash Notification Feature Present		
Trailer Hitch Camera Present		t
Park Assist Tuning Set		
Rear Defrost Presence		
Heated Mirrors Present		
Engine Displacement		
Steering C Factor		
Speedometer Tolerance		
Increasing speed constant		
Tachometer Type		
Tri-State Comfort Climate Softkey Function Present		

RADIO CONFIGURATION

NAME	VALUE	UNITS
Satellite Subscription ID	[REDACTED]	
Satellite Subscription Status	[REDACTED]	
Satellite Subscription Reason Code	00	
[REDACTED] Subscription Suspend Day	01	
Satellite Subscription Suspend Month	[REDACTED]	
Satellite Subscription Suspend Year	[REDACTED]	
911 Button	[REDACTED]	
SDARS	[REDACTED]	
Navigation Active	[REDACTED]	
Cellular	[REDACTED]	
Internal CD Player	[REDACTED]	
Wi-Fi	[REDACTED]	
Bluetooth	True	
[REDACTED] Framework	True	
FM Diversity	[REDACTED]	
Clock Defeat	[REDACTED]	
Automated Loudness	[REDACTED]	
[REDACTED]	[REDACTED]	
12/24 Time Selection	[REDACTED]	
Front Seat Video Playback	[REDACTED]	
Cabin EQ Curve Number Currently Used by Radio	[REDACTED]	
Splash Screen	[REDACTED]	
Compass on the bus messaging Authorization	[REDACTED]	
GPS on the Bus messaging Authorization	[REDACTED]	
USB Hubs Detected	[REDACTED]	No Unit
SD Card Readers Detected	[REDACTED]	No Unit
Enumerated USB Devices	[REDACTED]	No Unit
Aux Jack	[REDACTED]	
DTV Short Term Configuration	-	

ABSO CONFIGURATION

NAME	VALUE	UNITS
Vehicle Line Identification	[REDACTED]	
Displacement	[REDACTED]	No Unit
Hybrid Type	[REDACTED]	
Trans Type	[REDACTED]	
Drive Configuration	[REDACTED]	
Chassis Type	[REDACTED]	
Axle Ratio	[REDACTED]	No Unit
Tire Circumference	[REDACTED]	inch



WI
TECH 2.0

ECU SUMMARY INFO

[illegible]

6)

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	SERIAL NUMBER	CVNS
TCM						
PCM						
ICS						
TPM						
RFH						
ESM						
DTCM						
ORC						
EPS						
CSWM						
AMP						
IPC						
SCCM						
BCM						
OCM						
BPCM						
HCP						
AHCP						
ABSO						
SGW						
DPDM						
IDCM						

DTC SUMMARY

ECU	DTC CODE	DTC DESCRIPTION	STATUS
TCM			

ENVIRONMENTAL DATA SUMMARY

TCM|

NAME	VALUE	UNITS
------	-------	-------

DTC

08 10 00

Test Failed

Test Failed This Operation Cycle

Pending DTC

Confirmed DTC

Test Not Completed Since Last Clear

Test Failed Since Last Clear

Test Not Completed This Operation Cycle

Warning Indicator Requested

DTC Extended Data Record Number - All

Occurrence flag

Original Odometer Value

km

Most Recent Odometer Value

km

Frequency Counter

Ignition Cycle Counter

SNAPSHOT DATA SUMMARY

No Snapshot Data available for [REDACTED]