

ECU SUMMARY INFO

[illegible]

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	SERIAL NUMBER	CVNS
TCM	USA / USA					
PCM	USA					
ICS	USA					
RFH	USA / USA					
ESM	USA					
DTCM	USA					
ORC	USA					
EPS	USA					
HVAC	USA					
CSWM	USA					
PTCM	USA					
AMP	USA					
IPC	USA					
SCCM	USA					
BCM	USA					
RADIO	USA					
OCM	USA					
BPCM	Rest of world / ROW					
HCP	USA					
AHCP	USA					
ABSO	USA					
SGW						
DPDM	USA					
IDCM	USA					

CONFIGURATION

TCM CONFIGURATION

NAME	VALUE	UNITS
Autostick/ERS On/Off Switch Equipped		
Paddle-Shift Switches Equipped		
Shifter with Sport Mode Position Equipped		

Shifter with Low Mode Position Equipped		
Sport Mode Switch or Virtual Switch (Non-Terrain) Equipped		
Overdrive Off or Tow Haul Mode Switch or Virtual Switch (Non-Terrain) Equipped		
ECO/Optimizer Switch Equipped		
ERS/Autostick/Tip Non-paddle on Steering Wheel equipped		
ERS/Autostick/Tip Non-paddle on Shifter in D position equipped		
ERS/Autostick/Tip Non-paddle on Shifter in A or M position equipped		
FWD Equipped		
RWD Equipped		
AWD Equipped		
4WD with switchable Lo Range equipped		
Engine Start/Stop equipped		
Polystable E-shift (Cableless without return-to-center) equipped		
Long Learn Enabled		
Short Learn Enabled		

PCM CONFIGURATION

NAME	VALUE	UNITS
AC Equipped		
AC Equipped Over Bus		
Power Steering Switch Equipped		
4 Button Integrated Cruise Control		
EMAT (Getrag DCT transmission) Equipped		
Vehicle Speed Sensor #1 Calculated from CAN		
Police Package Equipped		
Unleaded Gasoline Fuel		
Unleaded diesel fuel		
6.4 Liter V8 Engine		
4 Speed Automatic Transmission Equipped		
Electronic Automatic Transmission (EATX) Equipped		
Vehicle Speed Sensor #1 Calculated by ECU		
4.7 Liter V8 Engine		
5.7 Liter V8 Engine		
6.1 Liter V8 Engine		
Sensorless FFV Enabled		
Electronic Throttle Control Equipped		
3.6 Liter V6 Engine		
4.0 Liter I6 Engine		
3.8 Liter V6 Engine		
3.7 Liter V6 Engine		
3.5 Liter V6 Engine		
3.3 Liter V6 Engine		
3.2 Liter V6 Engine		
2.7 Liter V6 Engine		

MTV Solenoid Equipped

MDS Equipped

Turbocharger Equipped

SRV Equipped

Secondary Air Equipped

Shift Indicator Lamp Equipped

Barometric Sensor Equipped

TIP Equipped

Battery Temp Sensor Equipped

Knock Sensor 1 Equipped

Knock Sensor 2 Equipped

W14 Variable Valve Timing Equipped

Clutch Interlock Switch Equipped

ESIM Equipped

Linear Purge Equipped

Linear EGR Equipped

Continuous Variable Transmission Equipped

Direct Injection Equipped

Secondary Fuel Pump Equipped

Electronic Coolant Pump Equipped

O2 Sensor Bank 1 Sensor 1 Equipped

O2 Sensor Bank 1 Sensor 2 Equipped

O2 Sensor Bank 1 Sensor 3 Equipped

O2 Sensor Bank 2 Sensor 1 Equipped

O2 Sensor Bank 2 Sensor 2 Equipped

Variable Displacement AC Equipped

Fixed displacement AC Equipped

W14 Intake Flow Control Valve Equipped

Electric Coolant Valve Equipped

Engine Oil Heater Cooler Equipped

Transmission Oil Heater Equipped

Electric Water Pump Equipped

[REDACTED]

Starter Relay 2 Equipped

Inrush Current Reduction Relay Equipped

Active Grille Shutter Equipped

Electronic Vacuum Pump Equipped

Wide Range O2 Sensor 1/1 Equipped

Wide Range O2 Sensor 2/1 Equipped

MultiAir Equipped

Engine Stop Start Equipped

Viscosity Sensor Equipped

Duty Cycle Purge Valve Equipped

Electric Thermostat Heater Equipped

Exhaust Cam 1 Equipped

Intake Cam 1 Equipped

1.8 Liter W14 engine

2.0 Liter W14 engine

2.4 Liter W14 engine

3.0 Liter V6 Engine

Variable Generator Valve Equipped

Hybrid Electric Vehicle Equipped

Auxiliary Heater Electric Water Pump Equipped

Dual Speed Fuel Pump Equipped

Exhaust Cam 2 Equipped

Intake Cam 2 Equipped

1 Speed Fan Mechanical Relay System Equipped

2 Speed Fan Mechanical Relay System Equipped

2 Speed Fan PWM Relay System Equipped

Linear PWM Fan Relay System Equipped

PWM Fan Motor System Equipped

3 Speed Fan Mechanical Relay System Equipped

Fan Wake Up Relay System Equipped

2 Speed Fan 3 Driver 3 Relay System Equipped

42RLE

45RFE / 545RFE / 65RFE

62TE

66RFE / 68RFE

VLP Is Learnable Indicator

VLP Equipped Indicator

VFS Actuators Available Indicator

ERS Equipped Indicator

Engine Software In Package

Transmission Software Included

ICC Cruise Equipped

ETC Cruise equipped

Adaptive Cruise Control Equipped

A/C Equipped

Adaptive Cruise Control Hardware Equipped

DUAL_ALTERNATOR_GEN1_LEARNEDCOPY

TOOLCONFIG_OIL_PRESS_ABS_EQUIPPED

GPEC2 Equipped

GPEC2A Equipped

GPEC3 Equipped

Cummins Equipped

GPEC4 Equipped

VMM Equipped

Powernet Equipped			
CUSW (29-Bit) Equipped			
CUSW (11-Bit) Equipped			
Fiat 940 Compact Equipped			
Next Gen Bus Equipped			
Constant Heater Temperature Control Valve Equipped			
High Side Port Tumble Valve Equipped			
CMC H-Bridge Equipped			
Turbine Volume Valve Actuator Equipped			
Wastegate H-Bridge Equipped			
Active Exhaust Valve Equipped			
Active Exhaust Pressure Sensor Equipped			
Engine Idle Shutoff Equipped			
Aisin 6-Speed RWD Transmission Equipped			
Cooled EGR Equipped			
Supercharger Equipped			
Low Temperature Radiator Coolant Pump Equipped			
Mechanical Coolant Pump Heater Equipped			
Auxiliary Coolant Pump Heater Equipped			
Compressed Natural Gas Equipped			
CUSW PROXI Write Programming Support Enabled			
Active Engine Mount Equipped			
ZF 9-Speed Transmission Equipped			
HPT 6-Speed Transmission Equipped			
Variable Speed Fuel Pump Equipped			
Operator Idle Speed Request Equipped			
PTO System Equipped			
Air Shutoff Valve Bank 1 Control Solenoid 1 Equipped			
Air Shutoff Valve Bank 1 Control Solenoid 2 Equipped			
Air Shutoff Valve Bank 2 Control Solenoid 2 Equipped			
Dual Stage Oil Pump Equipped			
Auxiliary Coolant Pump Equipped			
Trans Skip Shift Equipped			
Trans Reverse Lockout Equipped			
Port Flap Valve Equipped			
Brushless PWM Fan Equipped			
6.2 Liter V8 Engine			
Primary Lin Alternator Equipped			
Coolant On-Off Pump Equipped			
Oil Pressure Sensor Enabled			
Dual Fuel Tank Equipped			
Yaw Rate Sensor ESC Equipped			
1.0 Liter I3 Engine			

Coolant On-Off Valve Equipped		
Buffered Crank Output for ANC (Active Noise Cancellation) Equipped		
Buffered Crank Output for PHEV Engine Pulse Calculation Equipped		
Throttle Inlet Temp Sensor Equipped		
Humidity, Temperature and Pressure Sensor (LIN) Equipped		
Dual Fuel Pressure Sensor Equipped		
Brake Pedal Sensor Equipped		
Dual Fuel Tank Equipped		
PTO System Equipped		
Low Temp Radiator Coolant Pump Equipped		
Engine Idle Shutoff Equipped		
A/C Relay Powered from Engine Switched Battery		
CNG Large Gas Tank Equipped		
Cooled EGR Equipped		
Supercharger Equipped		
Hybrid MEC Shifter Equipped		
Dual Alternator Gen1 Capable		
Auxillary Coolant Pump Equipped		
ZF 9-Speed Trans Equipped		
HPT 6-Speed Trans Equipped		
CUSW 4-Button Cruise Equipped		
Power Steering Angle Sensor Mandatory		
Throttle Inlet Temp Sensor Equipped		
LIN Humidity, Temp, and Pressure Sensor Equipped		
Dual Fuel Pressure Sensor Equipped		
Brake Pedal Sensor Equipped		
Clutch Sensor Equipped		
SWAP HARDWIRED BRAKE SWITCH INPUTS		
Mass Airflow System Equipped		
Bi-Directional Crank Sensor Equipped		
5 Button Cruise (LIN) Equipped		
Operator Idle Speed Request Equipped		
INTAKE O2 SENSOR EQUIPPED		
Cylinder Pressure Sensor Equipped		
Make Up Air Sensor Equipped		
Active Exhaust Pressure Sensor Equipped		
Secondary Mass Airflow Sensor Equipped		
1.0 Liter I3 Engine		
2.0 Liter I4 Direct Injection Engine		
Variable Valve Lift Equipped		
Coolant On-Off Pump Equipped		
Primary Lin Alternator Equipped		
Electronic Parking Brake Equipped		
Active Exhaust Valve(s) Equipped		

ICS CONFIGURATION

RFH CONFIGURATION

SessionID # [REDACTED]

Back Up Vehicle Config 1

Back Up Vehicle Config 2

Back Up Vehicle Config 3

Back Up Vehicle Config 4

Back Up Vehicle Config 5

Back Up Vehicle Config 6

Back Up Vehicle Config 7

Back Up ECU Configuration 1

Back Up ECU Configuration 2

Back Up ECU Configuration 3

Back Up ECU Configuration 4

Back Up ECU Configuration 5

Back Up ECU Configuration 6

Back Up ECU Configuration 7

Back Up ECU Configuration 8

Back Up ECU Configuration 9

Back Up ECU Configuration 10

Back Up ECU Configuration 11

Back Up ECU Configuration 12

Back Up ECU Configuration 13

Back Up ECU Configuration 14

Back Up ECU Configuration 15

Back Up ECU Configuration 16

Back Up ECU Configuration 17

Back Up Customer Settings Menu 1 (CSM1)

Back Up Customer Settings Menu 2 (CSM2)

Back Up Programmed ECUs: Cabin Network

Back Up Programmed ECUs: P/T Chassis Network

Secret Key Sent to Body Controller - Most recent attempt

Secret Key Sent to Body Controller - Original attempt

Base TPM Present

Full Size Matching Spare Tire Present

ECU Ship Status

Tire Pressure System

Selectable Tire Fill Alert

TPM Auto-Locate Enabled

TPMS Configuration

DTCM CONFIGURATION

NAME	VALUE	UNITS
Full-Time T-Case		
Front Locker Present		
Rear Locker Present		
FAD Present		

SessionID #

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOI) U.S.C. 552 (B)(6)

Mode Switch Present

Left/Right Hand Drive

Axle Ratio

T-Case Type

SRT Present

ORP CONFIGURATION

NAME	VALUE	UNITS
Rollover Sensing		
EPPM		
Occupant Classification (OCM)		
First Row Driver Seatbelt Buckle Switch		
First Row Passenger Seatbelt Buckle Switch		
Second Row Left seat belt Switch		
Second Row Center seat belt Switch		
Second Row Right seat belt Switch		
Driver Seat Track Position Sensor		
Passenger Seat Track Position Sensor		
Passenger Occupant Detection Sensor		
Passenger Airbag Disable Switch		
Passenger Airbag Disable Indicator		
Driver Frontal Squib 1		
Driver Frontal Squib 2		
Driver Frontal Squib 3		
Passenger Frontal Squib 1		
Passenger Frontal Squib 2		
Passenger Frontal Squib 3		
Driver Knee Bolster Squib		
Passenger Knee Bolster Squib		
Driver Seatbelt Retractor Pretensioner		
Passenger Seatbelt Retractor Pretensioner		
Driver Seatbelt Load Limiter		
Passenger Seatbelt Load Limiter		
Driver Seatbelt Anchor Pretensioner		
Passenger Seatbelt Anchor Pretensioner		
Driver Seatbelt Buckle Pretensioner		
Passenger Seatbelt Buckle Pretensioner		
Left Curtain Squib 1		
Right Curtain Squib 1		
Left Side Seat Squib 1		
Right Side Seat Squib 1		
Second Row Left Seat Side Airbag		
Second Row Right Seat Side Airbag		
Driver Frontal Squib 4		

Passenger Frontal Squib 4

Left Up-Front Acceleration Sensor

Right Up-Front Acceleration Sensor

Right B-Pillar Impact Acceleration Sensor

Left B-Pillar Impact Acceleration Sensor

Left C-Pillar Impact Acceleration Sensor

Right C-Pillar Impact Acceleration Sensor

Right D-Pillar Impact Acceleration Sensor

Left D-Pillar Impact Acceleration Sensor

Left Side Door Pressure Sensor

Right Side Door Pressure Sensor

Configuration Column Identifier

HVAC CONFIGURATION

NAME	VALUE	UNITS
DualZone ATC Control (Factory)		
DualZone ATC Control		
Dual Zone MTC Control		
Single Zone MTC Control		
MTC With EBL (3Knob)		
MTC Without EBL (3Knob)		
MTC heater only (3Knob)		

AMP CONFIGURATION

NAME	VALUE	UNITS
ANC Calibration Date - Year		
ANC Calibration Date - Week		
ANC Calibration Date - Patch Level		
Current ANC Calibration ID - Service		
ANC Status		
Surround Sound Activated		
Door Module - Left Front		
Door Module - Right Front		
Premuim - 1		
Premuim - 2		
Premuim - 3		
Non -ANC		
No Rear Doors		
No HALF Chimes		

IPC CONFIGURATION

NAME	VALUE	UNITS
Main Fuel Tank Gauge - Empty Stop Calibration		Volts
Main Fuel Tank Gauge -1/4th Datum Calibration		Volts

Main Fuel Tank Gauge - 1/2 Datum Calibration		Volts
Main Fuel Tank Gauge - 3/4 Datum Calibration		Volts
Main Fuel Tank Gauge - Full Stop Calibration		Volts
Sub Fuel Tank Gauge - Empty Stop Calibration		Volts
Sub Fuel Tank Gauge - 1/4 Datum Calibration		Volts
Sub Fuel Tank Gauge - 1/2 Datum Calibration		Volts
Sub Fuel Tank Gauge - 3/4 Datum Calibration		Volts
Sub Fuel Tank Gauge - Full Stop Calibration		Volts

SCCM CONFIGURATION

NAME	VALUE	UNITS
Rear Wiper		
Tilt Telescope		
Paddle Shifter		
Cruise Control / ACC		

BCM CONFIGURATION

NAME	VALUE	UNITS
RBSM		
LBSM		
BCM (Interior Bus)		
HSM		
HVAC		
PTCM		
Radio		
ITM		
AMP		
EDM		
HVAC_R		
TBM		
AHLM/AFLS		
ASCM		
BCM (PT)		
DTCM		
PCM		
EPS		
ESM		
ABS		
RFH		
IPC		
ORC		
PTS		
SCCM		
ELSD		

TCM		
TPM		
AFLS		
ITBM		
OCM		
DPDM		
80W		
ASBS		
ANC		
Number of Reprogramming Attempts - Counter #0		
Vehicle Configuration Programmed Status		
Last Programmed Status		
Last Configuration Odometer		
Vehicle Configuration Auto Write Counter		
Vehicle Configuration 1 - Write Counter		
Vehicle Configuration 2 - Write Counter		
Vehicle Configuration 3 - Write Counter		
Vehicle Configuration 4 - Write Counter		
Vehicle Configuration 5 - Write Counter		
Vehicle Configuration 6 - Write Counter		
Programmed ECUs: Cabin Network		
Programmed ECUs: P/T Chassis Network		
Programmed Network Configuration - Audio / Telematics Network		
Programmed ECUs: Hybrid LAN Network		
ECU Configuration 1 (CBC Configurable Inputs and Outputs)		
ECU Configuration 2 (CBC Features)		
ECU Configuration 3		
ECU Configuration 4		
ECU Configuration 5 (Wireless)		
ECU Configuration 5 (Doors)		
ECU Configuration 5 (Memory)		
ECU Configuration 6 (Brake)		
ECU Configuration 6 (Suspension)		
ECU Configuration 6 (Powertrain)		
ECU Configuration 6 (Safety)		
ECU Configuration 7 (CBC Exterior Lighting Calibrations)		
ECU Configuration 8 (LIN and Miscellaneous)		
ECU Configuration 9A		
ECU Configuration 9 (ITM)		
ECU Configuration 10		
ECU Configuration 11		
ECU Configuration 12		
ECU Configuration 13		
ECU Configuration 14		

ECU Configuration 15 (CBC Features)

ECU Configuration 15 (Suspension)

Vehicle Configuration 7 - Write Counter

Vehicle Config CSM1

Vehicle Config CSM2

Model Year

Vehicle Line

Country Code

Left/Right Hand Drive

Remote Start Present

Drive Configuration

Emode Present

Auto Highbeam

Body Style

Maximum Vehicle Speed

Shifter Type

Performance Pages Present

Special Packages

PTS Configuration

Hill Descent Feature Present

Select Speed Control Feature Present

Power Inverter Type

Thatcham Present

Rain Sensor Present

SKIM System Present

Air Conditioning Present

Cruise Feature is Present

Flipper Glass Present

Full Size Spare

Off Road Capable

Special Packages

Max Load Inflation Pressure Rear Tire

Max Load Inflation Pressure Front Tire

Light Load Inflation Pressure Rear Tire

Police Lighting Feature

Power Lift Gate Present

Power Right Sliding Door Present

Power Left Sliding Door Present

RKE System Present

Sunshade Present

T-Case Type

Wheel Base

FOBIK Safe Enable

ELV Present

Fuel Capacity	17	gallons
Window Express Feature Configuration	[REDACTED]	
Adjustable Pedal Feature Present (non-Memory)	[REDACTED]	
Auto Headlamp Feature Present	[REDACTED]	
Door Alert Feature Present	[REDACTED]	
Two Fuel Sending Units Present	[REDACTED]	
Vehicle is an SRT	[REDACTED]	
Display of Radio Clock	[REDACTED]	
Chassis Type	[REDACTED]	
Display Outside Temperature Present	[REDACTED]	
HVAC Configuration	[REDACTED]	
Vehicle Brand	[REDACTED]	
Display Compass Heading Present	[REDACTED]	
Interior EC Mirror Present	[REDACTED]	
ESCL system present	[REDACTED]	
High Intensity Discharge Head Lamp	[REDACTED]	
Secondary Lock Present	[REDACTED]	
Liftgate/Trunk Type	[REDACTED]	
Collision Mitigation System present	[REDACTED]	
Forward Collision Warning present	[REDACTED]	
Base TPM system present	[REDACTED]	
Premium TPM system present	[REDACTED]	
Paddle Shift Feature Present	[REDACTED]	
Sport Mode Present	[REDACTED]	
Auto Park Present	[REDACTED]	
Passive Entry Present	[REDACTED]	
Keyless Go Present	[REDACTED]	
Transfer Case High Ratio	[REDACTED]	[REDACTED]
Axle Ratio	[REDACTED]	
Transfer Case Low Range Reduction Ratio	[REDACTED]	
Dynamic Tire Circumference (All or Rear)	[REDACTED]	[REDACTED]
Dual Rear Wheel (DRW) Vehicle Present	[REDACTED]	
Non-Regulated Tire Pressure Information System (TPIS) Present	[REDACTED]	
Steering Ratio at zero	[REDACTED]	[REDACTED]
Steering Ratio at Positive Angle 1	[REDACTED]	[REDACTED]
Steering Ratio at Positive Angle 2	[REDACTED]	[REDACTED]
Steering Ratio at Positive Angle 3	[REDACTED]	[REDACTED]
Steering Ratio at Positive Angle 4	[REDACTED]	[REDACTED]
Steering Ratio at Positive Angle 5	[REDACTED]	[REDACTED]
Analog Door Sensor Configuration	[REDACTED]	
Air Quality System Present	[REDACTED]	
Steering Ratio at Negative Angle 1	[REDACTED]	[REDACTED]
Steering Ratio at Negative Angle 2	[REDACTED]	[REDACTED]
Steering Ratio at Negative Angle 3	[REDACTED]	[REDACTED]

Steering Ratio at Negative Angle 4

Steering Ratio at Negative Angle 5

Ambient Light Dimmer Wheel Input Present Pin G9

Low Beam Output Present - Pin A3, D2

Rear Wiper Motor Park Present - Pin E29

Left Rear Door Ajar Input Present - Pin F23

Front Driver Analog Door Ajar Input Present - Pin F9

Reserved - Pin G12

Horn Switch Input Present - Pin F29

Reserved - Pin E15

Hood Ajar Switch Input Present - Pin A11

Hard Top Sense Present - Pin E14

Reserved - F21

Reserved - Pin D20

Passenger Door Ajar Signal Present - Pin G18

Reserved - Pin E47

Reserved - Pin E35

Starter Relay Lowside Coil Drive - Pin D7

Diesel Cabin Heater #2 Output Present - Pin D9

Diesel Cabin Heater #3 Output Present - Pin D10

Diesel Cabin Heater #1 Output Present - Pin D11

Right Dedicated DRL Lamp Output Present - Pin A22

Left Dedicated DRL Lamps Output Present - Pin D15

Flipper Glass #2 Output Present

Foot Well Lamps Output Present - Pin G24

Front Fog Lamps Output Present - Pin A1 & D13

Inverter Enable Relay Output Present - Pin F35

Reserved - E20

Gated Park ZFII Output Present - Pin D-24

Reserved - Pin E21

Rear Fog Lamps Output Present - Pin E39 & F5

Rear Park Lamps Output Present - Pin E4 & F32

Rear Turn Lamps Output Present - Pin E3 & F42

Run-ACC Y Relay #2 Output Present - Pin E9

Side Markers Output Present - Pin A10 & D5

Trailer Backup Lamps Output Present - Pin E23

Reserved - Pin F4

UGDO Feed Output Present - Pin G15

VTA Warning LED Output Present - Pin G22

Park Brake Input Present - Pin E11

Ambient Temperature Sensor Present - Pin D22

Tip Start Enabled

Dual Start Relay System Present

Wiper Service Position Enabled

Trailer Tow Present		
Quad Headlamps Enable		
Horn Chirp Allowed		
Bi Xenon Headlamps Enable		
Hazard Lamp Configuration		
Park Lamp Loadshed Enable		
Front Fog Lamp Dropout Enable		
Combined Rear Lighting Enable		
Side Repeaters Enable		
One Touch Lane Change		
Exterior Light Loadshed Enable		
Front Wiper Park Enable		
Rear Wiper Park Enable		
Reversible Washer Pump Enable		
Single Element Tail Lamp		
DRL Configuration		
DRL Lamp Location		
DRL Dropout Enable		
Tunnel Detection		
Military Vehicle Present		
LED Reverse Lamps Present		
LED Stop Lamps Present		
LED Rear Turn Lamps Present		
LED Tail Lamps Present		
LED Rear Fog Lamps Present		
LED License Lamps Present		
LED Front Turn Lamps Present		
LED Front Fog Lamps Present		
LED Dedicated DRL Present		
LED Low Beam Lamps Present		
LED High Beam Lamps Present		
LED Front Park/Marker Lamps Present		
Door Lock Switch Signal FT LT Usage (F9)		
Door Lock Switch Signal FT RT Usage (F23)		
Headlamp Wash Interval		
Headlamp Wash Shot		
Front Wiper Wipes After Wash		
Headlamp Washer Low Fluid Shut-Off Enable		
Intermittent Wiper States		
LED CHMSL Lamp Present		
Rear Camera Present		
Power Inverter Present		
Front Park Assist Present		
Front Heated Seats Present		

Front Ventilated Seats Present

Destination

Cabin Equilization Curve Number

Hill Start Assist Customer Setting Option Present

Radio Apps Present

CTP Easy Entry Enable

CTP Passive Entry Present

CTP Auto Lock Disable

SDAR Trend Link Present

DAB Present

Vehicle Theft Alarm Present

Heated Steering Wheel Present

Surround Sound Feature Present

Power Door Locks Present

Antenna Type

CTP Max AC Present

Hybrid Electric Powertrain Present

Disable CD Eject

DTV Front Camera Present

DTV Side Camera Present

Tow Haul Present

Hill Descent Control Present

Audio Steering Wheel Switch Configuration

Radio Display On/Off Softkey Present

Microphone Tuning Parameter

Microphone Configuration

Microphone Type

External Port Type

Splashscreen Type

ERS Available

Rear Wheel Dually

Max Gear

Virtual Speedometer Units

Speedometer Range Max Scale

IC Config Feature

PTO Present

AMB Dimmer

Heated Seat Present

Split Shaft Present

Manual Headlamp Leveling

Gear Shift Indicator

Service Interval

Temperature Celsius for UK

Type of Gallons

Tip Start Present

AP5 Trunk Lock

Airport Scenario Trunk Set

AP1 Left Front

AP2 Right Front

AP3 Left Rear

AP4 Right Rear

Global Down

Sun Shade

Puddle Lamp Present

Rear Door Pre Short Drop

Passenger Window Lockout

Auto Power Folding Mirrors Present

Folding mirrors present

Heated Mirrors Present

Mirror turn signals present

Driver Memory Mirrors Present

Passenger Memory Mirror Present

Electro-chromatic driver mirror present

Electro-chromatic passenger mirror present

Tow Mirror Present

Blindspot Mirror Present

Window Motor Type

Window Hall Sensors Present

Frameless Window Present

Memory Adjustable Pedals Present

Tilt/Telescope Steering Present

Memory Seat Present

Rear Heated Seats Present

Front Vented Seats Present

Heated Steering Wheel Present

Heated Seat Material Type

Heated Wheel Material Type

Rear Vented Seats Present

Front Heated Seat Present

Brake System ECU Configuration A

Wheel 18 inch overall ESC Maserati

Brake System ECU Configuration B

ECO Mode Configuration

Dual Alternator Present

ODS Present

Driver Kneebag Present

Passenger Kneeabag Present		
Curtain Airbags Present		
Tow Hooks Present		
Passive Ped Pro Present		
2nd Row Seat Airbags Present		
Reserved		
Reserved		
Integrated EPP Present		
BUX vehicle		
Signature Light Present		
Dual Filament Headlamp		
Front Turn Lamp Diagnostics		
Auto Headlamp On Threshold		
Auto Headlamp Off Threshold		
Left Low Beam Voltage Regulation		
Left High Beam Voltage Regulation		
Right Low Beam Voltage Regulation		
Right High Beam Voltage Regulation		
Left Front Corner Voltage		
Right Front Corner Voltage		
Left Rear Corner Voltage		
Right Rear Corner Voltage		
Panic Enable		
Compass Mounting Orientation		
Washer Fluid Level Voltage Threshold		
IBS Present		
ASBMM Present		
Humidity Sensor Present		
Manual Trans Present		
DC to DC Converter Present		
ASBM Present		
Auto Relock Time		
VTA System Present		
DC to DC Converter #2 Present		
Illuminated Approach Interior Lighting Target Percentage		
Illuminated Approach Headlamp Target Percentage		
Illuminated Approach Taillamp Target Percentage		
Illuminated Approach Interior Lighting Ramp Up Time		
CRVMM Present		
EVIC Switch Module Present		
Compass Mounting Angle		
Signature Lamps or Mirror Repeater Present - Pin A5 & Pin A7		
Backup Reverse Lamp Left Present - Pin F41		
Backup Reverse Lamp Right Present - Pin E1		

Stop/Turn Lamp or Stop Lamp Present Pin E2 & F40

Left High Beam Present - Pin D1

Right High Beam Present - Pin A2

Left Front Lamp Diagnostics Present - Pin F25

Right Front Lamp Diagnostics Present - Pin F28

Left Rear Turn Lamp Diagnostics Present - Pin F27

Right Rear Turn Lamp Diagnostics Present - Pin F31

Brake Fluid Level Switch Signal Present - Pin D21

Siren

Ultrasonics

Tilt

Swing Gate Lock Present - Pin F30

Swing Gate Unlock Present - Pin F33

Front Fog Voltage

Rear Fog Voltage

CHMSL Lamp Output Disable

Secondary Door Ajar Present - Pin E28

Manual Door Locks Present

Rain Sensor Module #2 Present

Auto High Beam Module Location

Average Last Longitudinal Acceleration Values

Average Last Lateral Acceleration Values

Excess Longitudinal Acceleration Factor

Excess Lateral Acceleration Factor

Brake Smoothing Duration

Brake Smoothing Factor

Steering Smoothing Duration

Steering Smoothing Factor

Steering Smoothing Threshold

Brake Smoothing Threshold

Maximum Longitudinal Change

Maximum Lateral Change

Acceleration Threshold

Acceleration Factor

Nose Dive Threshold

Nose Dive Factor

RKE Auto-Relock Feature Enable

PE Auto-Relock Feature Enable

VTA Hood Ajar Monitoring

Horn Chirp Duration

Pitch and Roll Present

Parking Light Enable

ASBM Minimum Voltage Time

ASBM Battery Minimum Voltage

Interior Lighting Night Threshold

Interior Lighting Day Threshold

Transmission Equipped

Park Brake Type

TPMS Configuration

Hybrid Type

TSBIM Module Present

ADR feature Present

AGS Feature Present

Temperature Display Resolution

PTC Present

Glovebox Control

Glare Free Present

Brake Type

Suspension Type

Park assist customer settings menu

Park assist brake customer settings menu

Park assist front volume customer settings menu

Park assist rear volume customer settings menu

Electric power steering customer settings menu

Forward collision warning customer settings menu

Auto on driver comfort customer settings menu

Auxiliary switches customer settings menu

Rear view camera gridlines customer settings menu

Unit set customer settings menu

Power accessory delay customer settings menu

Ambient dimmer customer settings menu

Tire jack mode customer settings menu

Air suspension warning customer settings menu

Automatic aero mode customer settings menu

Auto high beam customer settings menu

Auto park customer settings menu

Blind spot alert customer settings menu

Clock display customer settings menu

Compass calibration customer settings menu

Compass variance customer settings menu

Consumption unit customer settings menu

Distance unit customer settings menu

Auto door lock customer settings menu

Easy exit seat customer settings menu

Auto entry exit mode customer settings menu

EPB service mode customer settings menu

Headlamp drop customer settings menu

Headlamp off delay customer settings menu

Headlamps on with wiper customer settings menu

Passive entry customer settings menu

Illuminated approach customer settings menu

Lane departure torque customer settings menu

Lane departure warning customer settings menu

Rear camera customer settings menu

Rain sensitive wipers customer settings menu

Power take off customer settings menu

Pressure unit customer settings menu

Power unit customer settings menu

Power liftgate chime customer settings menu

Performance shift enable customer settings menu

Rear view camera delay customer settings menu

RKE unlock customer settings menu

Speed unit customer settings menu

Tilt mirror in reverse customer settings menu

Torque unit customer settings menu

Teen Key Fuel Pop-up Customer Settings Menu

Teen Key Automatic High Beam Customer Settings Menu

Passenger Airbag On/Off Customer Settings Menu

Forward Collision Warning and Brake Customer Settings Menu

Doors and Engine Off Power Delay Customer Settings Menu

Radio Speaker Open Circuit Disable (LF)

Radio Speaker Open Circuit Disable (RF)

Radio Speaker Open Circuit Disable (LR)

Radio Speaker Open Circuit Disable (RR)

ANC Calibration Parameter Data Set

Surround View Camera On/Off Softkey Present

Drive Mode Version

Rear Defrost and Heated Mirrors Present

Show Phone Information in Cluster

Auto Dimming Mirror Hard Button Present

Clari-Fi Present

Automatic Crash Notification Feature Present

Trailer Hitch Camera Present

Park Assist Tuning Set

Rear Defrost Presence

Heated Mirrors Present

Engine Displacement

Steering C Factor

Speedometer Tolerance

Increasing speed constant

Tachometer Type

[REDACTED]

Tri-State Comfort Climate Softkey Function Present [REDACTED]

RADIO CONFIGURATION

NAME	VALUE	UNITS
Satellite Subscription ID	[REDACTED]	
Satellite Subscription Status	[REDACTED]	
Satellite Subscription Reason Code	[REDACTED]	
Satellite Subscription Suspend Day	[REDACTED]	
Satellite Subscription Suspend Month	[REDACTED]	
Satellite Subscription Suspend Year	[REDACTED]	
911 Button	[REDACTED]	
SDARS	[REDACTED]	
Navigation Active	[REDACTED]	
Cellular	[REDACTED]	
Internal CD Player	[REDACTED]	
Wi-Fi	[REDACTED]	
Bluetooth	[REDACTED]	
Application Framework	[REDACTED]	
FM Diversity	[REDACTED]	
Clock Defeat	[REDACTED]	
Automated Loudness	[REDACTED]	
Anti-Theft Enable Status	[REDACTED]	
12/24 Time Selection	[REDACTED]	
Front Seat Video Playback	[REDACTED]	
Cabin EQ Curve Number Currently Used by Radio	[REDACTED]	
Splash Screen	[REDACTED]	
Compass on the bus messaging Authorization	[REDACTED]	
GPS on the Bus messaging Authorization	[REDACTED]	
USB Hubs Detected	[REDACTED]	[REDACTED]
SD Card Readers Detected	[REDACTED]	[REDACTED]
Enumerated USB Devices	[REDACTED]	[REDACTED]
Aux Jack	[REDACTED]	
DTV Short Term Configuration	[REDACTED]	

ABSO CONFIGURATION

NAME	VALUE	UNITS
Vehicle Line Identification	[REDACTED]	
Displacement	[REDACTED]	[REDACTED]
Hybrid Type	[REDACTED]	
Trans Type	[REDACTED]	
Drive Configuration	[REDACTED]	
Chassis Type	[REDACTED]	
Axle Ratio	[REDACTED]	[REDACTED]

U.S.C. 552 (B) (6)

Tire Circumference



INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOI) U.S.C. 552 (B) (6)



ECU SUMMARY INFO

[illegible]

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	SERIAL NUMBER	CVNS
TCM	USA / USA					
PCM	USA					
ICS	USA					
RFH	USA / USA					
ESM	USA					
DTCM	USA					
ORC	USA					
EPS	USA					
HVAC	USA					
CSWM	USA					
PTCM	USA					
AMP	USA					
IPC	USA					
SCCM	USA					
BCM	USA					
RADIO	USA					
OCM	USA					
BPCM	Rest of world / ROW					
HCP	USA					
AHCP	USA					
ABSO	USA					
SGW						
DPDM	USA					
IDCM	USA	15				

ECU DETAILS

TCM DETAILS

NAME	VALUE
Active Diagnostic Variant	
Active Diagnostic Version	
ECU Part Number	

HW - Year	[REDACTED]
HW - Week	[REDACTED]
HW - Patch Level	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]
Hardware Part Number	[REDACTED]

PCM DETAILS

NAME	VALUE
ECU Part Number	[REDACTED]
VIN - Original	[REDACTED]
VIN Current	[REDACTED]
Software Version (Major/Middle/Minor)	[REDACTED]
Hardware Version (Major/Minor)	[REDACTED]
Serial Number	[REDACTED]
Supplier ID	[REDACTED]
Diagnostic Version	[REDACTED]
Variant ID	[REDACTED]
Odometer When Original VIN First Written	[REDACTED]

ICS DETAILS

NAME	VALUE
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
ECU Part Number	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
Country Code	[REDACTED]
ECU Serial Number	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]
HW - Year	[REDACTED]
HW - Week	[REDACTED]
HW - Patch Level	[REDACTED]
SW - year	[REDACTED]
SW - week	[REDACTED]
SW - Patch Level	[REDACTED]
Hardware Supplier Identification	[REDACTED]
Software Supplier Identification	[REDACTED]

RFH DETAILS

NAME	VALUE
VIN Original	[REDACTED]

Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
ECU Software Mode	[REDACTED]
ECU Part Number	[REDACTED]
Hardware Part Number	[REDACTED]
Body Style	[REDACTED]
Country Code	[REDACTED]
IAC Data	[REDACTED]
ECU Serial Number	[REDACTED]
Hardware Supplier	[REDACTED]
Software Supplier	[REDACTED]
Hardware Version - Year	[REDACTED]
Hardware Version - Week	[REDACTED]
Hardware Version - Patch Level	[REDACTED]
Software Version - Year	[REDACTED]
Software Version - Week	[REDACTED]
Software Version - Patch Level	[REDACTED]
Active Diagnostic Session	[REDACTED]
Software Logical Block #0 Part Number	[REDACTED]

ESM DETAILS

NAME	VALUE
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]

DTCM DETAILS

NAME	VALUE
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
ECU Part Number	[REDACTED]
ECU Serial Number	[REDACTED]
ECU Software Mode	[REDACTED]
[REDACTED]	[REDACTED]
HW - Year	[REDACTED]
HW - Week	[REDACTED]
HW - Patch Level	[REDACTED]
Hardware Supplier Identification	[REDACTED]
Hardware Variant	[REDACTED]
Software Part Number	[REDACTED]
SW - year	[REDACTED]
SW - week	[REDACTED]
SW - Patch Level	[REDACTED]

Software Supplier Identification	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
Country Code	[REDACTED]
VIN Current	[REDACTED]

ORC DETAILS

NAME	VALUE
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
Country Code	[REDACTED]
ECU Serial Number	[REDACTED]
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]

EPS DETAILS

NAME	VALUE
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
ECU Part Number	[REDACTED]
HW - Year	[REDACTED]
HW - Week	[REDACTED]
HW - Patch Level	[REDACTED]
SW - year	[REDACTED]
SW - week	[REDACTED]
SW - Patch Level	[REDACTED]
Hardware Supplier Identification	[REDACTED]
ECU Serial Number	[REDACTED]
VIN Current	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
Country Code	[REDACTED]
Boot SW - Year	[REDACTED]
Boot SW - Week	[REDACTED]
Boot SW - Patch Level	[REDACTED]
Software Logical Block Supplier Identification	[REDACTED]

HVAC DETAILS

NAME	VALUE
VIN Original	[REDACTED]
VIN Current	[REDACTED]

Model Year

Body Style

Country Code

Active Diagnostic Variant

Active Diagnostic Version

ECU Part Number

CSWM DETAILS

NAME	VALUE
ECU Software Mode	
Active Diagnostic Variant	
Active Diagnostic Version	
ECU Part Number	
VIN Original	
VIN Current	

PTCM DETAILS

NAME	VALUE
ECU Software Mode	
Active Diagnostic Variant	
Active Diagnostic Version	
ECU Part Number	
VIN Original	
VIN Current	

AMP DETAILS

NAME	VALUE
Active Diagnostic Variant	
Active Diagnostic Version	
ECU Origin	
ECU Part Number	
ECU Serial Number	
Hardware Part Number	
HW - Year	
HW - Week	
HW - Patch Level	
Hardware Supplier Identification	
Software Part Number	
SW - year	
SW - week	
SW - Patch Level	
Software Supplier Identification	
Model Year	
Vehicle Line	

Body Style	[REDACTED]
Country Code	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]

IPC DETAILS

NAME	VALUE
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
ECU Part Number	[REDACTED]
ECU Serial Number	[REDACTED]
Hardware Part Number	[REDACTED]
HW - Year	[REDACTED]
HW - Week	[REDACTED]
HW - Patch Level	[REDACTED]
Hardware Supplier Identification	[REDACTED]
Software Logical Block #1 Part Number	[REDACTED]
SW - year - Block 1	[REDACTED]
SW - week - Block 1	[REDACTED]
SW - patch level - Block 1	[REDACTED]
Software Supplier Identification	[REDACTED]
Model Year	[REDACTED]
[REDACTED]	[REDACTED]
Vehicle Line	[REDACTED]
Country Code	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]

SCCM DETAILS

NAME	VALUE
ECU Software Mode	[REDACTED]
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
ECU Part Number	[REDACTED]
ECU Serial Number	[REDACTED]
Hardware Supplier Identification	[REDACTED]
Hardware Part Number	[REDACTED]
HW - Year	[REDACTED]
HW - Week	[REDACTED]
HW - Patch Level	[REDACTED]
Software Logical Block Supplier Identification	[REDACTED]
Software Logical Block #0 Part Number	[REDACTED]
SW - year	[REDACTED]
SW - week	[REDACTED]

SW - Patch Level	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
Country Code	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]

BCM DETAILS

NAME	VALUE
Hardware Part Number	[REDACTED]
Software Logical Block #0 Part Number	[REDACTED]
ECU Part Number	[REDACTED]
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
Hardware Supplier Identification	[REDACTED]
Software Logical Block Supplier Identification	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
Country Code	[REDACTED]
ECU Serial Number	[REDACTED]
VIN Current	[REDACTED]
VIN Original	[REDACTED]

RADIO DETAILS

NAME	VALUE
Sales Code	[REDACTED]
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
ECU Part Number	[REDACTED]
ECU Serial Number	[REDACTED]
Software Part Number	[REDACTED]
SW - year	[REDACTED]
SW - week	[REDACTED]
SW - Patch Level	[REDACTED]
Software Supplier Identification	[REDACTED]
ECU Software Number	[REDACTED]
ECU Software Version Number	[REDACTED]
Hardware Part Number	[REDACTED]
HW - Year	[REDACTED]
HW - Week	[REDACTED]
HW - Patch Level	[REDACTED]
Hardware Supplier Identification	[REDACTED]

ECU Hardware Version Number	
Market Selection Configuration	
Model Year	
Vehicle Line	
Body Style	
Country Code	
VIN Original	
VIN Current	

OCM DETAILS

NAME	VALUE
Active Diagnostic Variant	
Active Diagnostic Version	
Hardware Part Number	
Software Logical Block #0 Part Number	
ECU Part Number	
Model Year	
Vehicle Line	
Body Style	
Country Code	
ECU Serial Number	
VIN Original	
VIN Current	

BPCM DETAILS

NAME	VALUE
Active Diagnostic Variant	
Active Diagnostic Version	
ECU Part Number	
VIN Original	
SW - year	
SW - week	
SW - Patch Level	
ECU Serial Number	

HCP DETAILS

NAME	VALUE
Active Diagnostic Variant	
Active Diagnostic Version	
ECU Part Number	
Model Year	
Vehicle Line	
Body Style	

VIN Original

VIN Current

AHCP DETAILS

NAME	VALUE
AHCP SW Version	
MEPA SW Version	
Active Diagnostic Variant	
Active Diagnostic Version	
Hardware Part Number	
ECU Part Number	
Model Year	
Vehicle Line	
Body Style	
VIN Original	
VIN Current	

ABSO DETAILS

NAME	VALUE
Active Diagnostic Variant	
Active Diagnostic Version	
Hardware Part Number	
Software Part Number	
ECU Part Number	
VIN Original	
VIN Current	

SGW DETAILS

NAME	VALUE
VIN Original	
Diagnostic Variant ID	
Diagnostic Version	
Supplier ID	
ECU Part Number	
System Supplier ECU Hardware Number	
System Supplier ECU Hardware Version Number	
System Supplier ECU Software Number	
System Supplier ECU Software Version Number	
ECU Serial Number	
Active Diagnostic Session Data Identifier	

DPDM DETAILS

NAME	VALUE
Active Diagnostic Variant	

SessionID #

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOI) U.S.C. 552 (B) (6)

Active Diagnostic Version	[REDACTED]
Hardware Part Number	[REDACTED]
Software Logical Block #0 Part Number	[REDACTED]
ECU Part Number	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
Country Code	[REDACTED]
ECU Serial Number	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]

IDCM DETAILS

NAME	VALUE
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
ECU Part Number	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]

ECU SUMMARY INFO

[illegible]

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	SERIAL NUMBER	CVNS
TCM	USA / USA					
PCM	USA					
ICS	USA					
RFH	USA / USA					
ESM	USA					
DTCM	USA					
ORC	USA					
EPS	USA					
HVAC	USA					
CSWM	USA					
PTCM	USA					
AMP	USA					
IPC	USA					
SCCM	USA					
BCM	USA					
RADIO	USA					
OCM	USA					
BPCM	Rest of world / ROW					
HCP	USA					
AHCP	USA					
	USA					
SGW						
DPDM	USA					
IDCM	USA					

DTC SUMMARY

ECU	DTC CODE	DTC DESCRIPTION	STATUS
RADIO			

ENVIRONMENTAL DATA SUMMARY

RADIO |

NAME	VALUE	UNITS
DTCTable		
TestFailed		
TestFailedThisMonitoringCycle		
Pending DTC		
Confirmed DTC		
Test Not Completed This Monitoring Cycle		
Warning Indicator Requested		
DTCExtendedDataRecordNumber		
Occurance Flag		
Reserved		
Original Odometer Value		
Most Recent Odometer Value		
Frequency Counter		
Ignition Counter		
RDI \$6080		
Event Counter		

RADIO |

NAME	VALUE	UNITS
DTCTable		
TestFailed		
TestFailedThisMonitoringCycle		
Pending DTC		
Confirmed DTC		
Test Not Completed This Monitoring Cycle		
Warning Indicator Requested		
DTCExtendedDataRecordNumber		
Occurance Flag		
Reserved		
Original Odometer Value		
Most Recent Odometer Value		
Frequency Counter		
Ignition Counter		
RDI \$6080		
Event Counter		

SNAPSHOT DATA SUMMARY

No Snapshot Data available for

No Snapshot Data available for