



WI
TECH 2.0

CONFIGURATION REPORT

ECU SUMMARY INFO

[illegible]

[illegible]

TCM CONFIGURATION

NAME	VALUE	UNITS
Autostick/ERS On/Off Switch Equipped		
Paddle-Shift Switches Equipped		
Shifter with Sport Mode Position Equipped		
Shifter with Low Mode Position Equipped		
Sport Mode Switch or Virtual Switch (Non-Terrain) Equipped		

Overdrive Off or Tow Haul Mode Switch or Virtual Switch (Non-Terrain) Equipped	■	
ECO/Optimizer Switch Equipped	■	
ERS/Autostick/Tip Non-paddle on Steering Wheel equipped	■	
ERS/Autostick/Tip Non-paddle on Shifter in D position equipped	■	
ERS/Autostick/Tip Non-paddle on Shifter in A or M position equipped	■	
FWD Equipped	■	
RWD Equipped	■	
AWD Equipped	■	
4WD with Switchable Lo Range equipped	■	
Engine Start/Stop equipped	■	
Polystable E-shift (cableless without return-to-center) equipped	■	
Long Learn Enabled	■	
Short Learn Enabled	■	

PCM CONFIGURATION

NAME	VALUE	UNITS
AC Equipped	■	
AC Equipped Over Bus	■	
Power Steering Switch Equipped	■	
4 Button Integrated Cruise Control	■	
EMAT (Getrag DCT transmission) Equipped	■	
Vehicle Speed Sensor #1 Calculated from CAN	■	
Police Package Equipped	■	
Unleaded Gasoline Fuel	■	
Unleaded diesel fuel	■	
6.4 Liter V8 Engine	■	
4 Speed Automatic Transmission Equipped	■	
Electronic Automatic Transmission (EATX) Equipped	■	
Vehicle Speed Sensor #1 Calculated by ECU	■	
4.7 Liter V8 Engine	■	
5.7 Liter V8 Engine	■	
6.1 Liter V8 Engine	■	
Sensorless FFV Enabled	■	
Electronic Throttle Control Equipped	■	
3.6 Liter V6 Engine	■	
4.0 Liter I6 Engine	■	
3.8 Liter V6 Engine	■	
3.7 Liter V6 Engine	■	
3.5 Liter V6 Engine	■	
3.3 Liter V6 Engine	■	
3.2 Liter V6 Engine	■	
2.7 Liter V6 Engine	■	
MTV Solenoid Equipped	■	
MDS Equipped	■	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Turbocharger Equipped

SRV Equipped

Secondary Air Equipped

Shift Indicator Lamp Equipped

Barometric Sensor Equipped

TIP Equipped

Battery Temp Sensor Equipped

Knock Sensor 1 Equipped

Knock Sensor 2 Equipped

W14 Variable Valve Timing Equipped

Clutch Interlock Switch Equipped

ESIM Equipped

Linear Purge Equipped

Linear EGR Equipped

Continuous Variable Transmission Equipped

Direct Injection Equipped

Secondary Fuel Pump Equipped

Electronic Coolant Pump Equipped

O2 Sensor Bank 1 Sensor 1 Equipped

O2 Sensor Bank 1 Sensor 2 Equipped

O2 Sensor Bank 1 Sensor 3 Equipped

O2 Sensor Bank 2 Sensor 1 Equipped

O2 Sensor Bank 2 Sensor 2 Equipped

Variable Displacement AC Equipped

Fixed displacement AC Equipped

W14 Intake Flow Control Valve Equipped

Electric Coolant Valve Equipped

Engine Oil Heater Cooler Equipped

Transmission Oil Heater Equipped

Electric Water Pump Equipped

Rear Heater Equipped

Starter Relay 2 Equipped

Inrush Current Reduction Relay Equipped

Active Grille Shutter Equipped

Electronic Vacuum Pump Equipped

Wide Range O2 Sensor 1/1 Equipped

Wide Range O2 Sensor 2/1 Equipped

MultiAir Equipped

Engine Stop Start Equipped

Viscosity Sensor Equipped

Duty Cycle Purge Valve Equipped

Electric Thermostat Heater Equipped

Exhaust Cam 1 Equipped

Intake Cam 1 Equipped

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

1.8 Liter W14 engine			
2.0 Liter W14 engine			
2.4 Liter W14 engine			
3.0 Liter V6 Engine			
Tumble Generator Valve Equipped			
Hybrid Electric Vehicle Equipped			
Auxiliary Heater Electric Water Pump Equipped			
Dual Speed Fuel Pump Equipped			
Exhaust Cam 2 Equipped			
Intake Cam 2 Equipped			
1 Speed Fan Mechanical Relay System Equipped			
2 Speed Fan Mechanical Relay System Equipped			
2 Speed Fan PWM Relay System Equipped			
Linear PWM Fan Relay System Equipped			
PWM Fan Motor System Equipped			
3 Speed Fan Mechanical Relay System Equipped			
Fan Wake Up Relay System Equipped			
2 Speed Fan 3 Driver 3 Relay System Equipped			
40TE / 41TE / 41TEA			
42RLE			
45RFE / 545RFE / 65RFE			
62TE			
66RFE / 68RFE			
VLP Is Learnable Indicator			
VLP Equipped Indicator			
VFS Actuators Available Indicator			
ERS Equipped Indicator			
Engine Software In Package			
Transmission Software Included			
ICC Cruise Equipped			
ETC Cruise equipped			
Adaptive Cruise Control Equipped			
A/C Equipped			
Adaptive Cruise Control Hardware Equipped			
DUAL_ALTERNATOR_GEN1_LEARNEDCOPY			
TOOLCONFIG_OIL_PRESS_ABS_EQUIPPED			
GPEC2 Equipped			
GPEC2A Equipped			
GPEC3 Equipped			
Cummins Equipped			
GPEC4 Equipped			
VMM Equipped			
Powernet Equipped			
CUSW (29-Bit) Equipped			

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

CUSW (11-Bit) Equipped		
Fiat 940 Compact Equipped		
Next Gen Bus Equipped		
Constant Heater Temperature Control Valve Equipped		
High Side Port Tumble Valve Equipped		
CMCV H-Bridge Equipped		
Turbine Volute Valve Actuator Equipped		
Wastegate H-Bridge Equipped		
Active Exhaust Valve Equipped		
Active Exhaust Pressure Sensor Equipped		
Engine Idle Shutoff Equipped		
Aisin 6-Speed RWD Transmission Equipped		
Cooled EGR Equipped		
Supercharger Equipped		
Low Temperature Radiator Coolant Pump Equipped		
Mechanical Coolant Pump Heater Equipped		
Auxiliary Coolant Pump Heater Equipped		
Compressed Natural Gas Equipped		
CUSW PROXI Write Programming Support Enabled		
Active Engine Mount Equipped		
ZF 9-Speed Transmission Equipped		
HPT 6-Speed Transmission Equipped		
Variable Speed Fuel Pump Equipped		
Operator Idle Speed Request Equipped		
PTO System Equipped		
Air Shutoff Valve Bank 1 Control Solenoid 1 Equipped		
Air Shutoff Valve Bank 1 Control Solenoid 2 Equipped		
Air Shutoff Valve Bank 2 Control Solenoid 2 Equipped		
Dual Stage Oil Pump Equipped		
Auxiliary Coolant Pump Equipped		
Trans Skip Shift Equipped		
Trans Reverse Lockout Equipped		
Port Flap Valve Equipped		
Brushless PWM Fan Equipped		
6.2 Liter V8 Engine		
Primary Lin Alternator Equipped		
Coolant On-Off Pump Equipped		
Oil Pressure Sensor Enabled		
Fiat VIN Learning Strategy Equipped		
Dual Fuel Tank Equipped		
Yaw Rate Sensor ESC Equipped		
1.0 Liter I3 Engine		
Coolant On-Off Valve Equipped		
Buffered Crank Output for ANC (Active Noise Cancellation) Equipped		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA) 5 U.S.C. 552 (B) (6)

Buffered Crank Output for PHEV Engine Pulse Calculation Equipped

Throttle Inlet Temp Sensor Equipped

Humidity, Temperature and Pressure Sensor (LIN) Equipped

Dual Fuel Pressure Sensor Equipped

Brake Pedal Sensor Equipped

Dual Fuel Tank Equipped

PTO System Equipped

Low Temp Radiator Coolant Pump Equipped

Engine Idle Shutoff Equipped

A/C Relay Powered from Engine Switched Battery

CNG Large Gas Tank Equipped

Cooled EGR Equipped

Supercharger Equipped

Hybrid MEC Shifter Equipped

Dual Alternator Gen1 Capable

Auxillary Coolant Pump Equipped

ZF 9-Speed Trans Equipped

HPT 6-Speed Trans Equipped

CUSW 4-Button Cruise Equipped

Power Steering Angle Sensor Mandatory

Throttle Inlet Temp Sensor Equipped

LIN Humidity, Temp, and Pressure Sensor Equipped

Dual Fuel Pressure Sensor Equipped

Brake Pedal Sensor Equipped

Clutch Sensor Equipped

SWAP HARDWIRED BRAKE SWITCH INPUTS

Mass Airflow System Equipped

Bi-Directional Crank Sensor Equipped

5 Button Cruise (LIN) Equipped

Operator Idle Speed Request Equipped

INTAKE O2 SENSOR EQUIPPED

Cylinder Pressure Sensor Equipped

Make Up Air Sensor Equipped

Active Exhaust Pressure Sensor Equipped

Secondary Mass Airflow Sensor Equipped

1.0 Liter I3 Engine

2.0 Liter I4 Direct Injection Engine

Variable Valve Lift Equipped

Coolant On-Off Pump Equipped

Primary Lin Alternator Equipped

Electronic Parking Brake Equipped

Active Exhaust Valve(s) Equipped

Mechanical Coolant Pump Equipped

Aux Coolant Pump Heater Equipped

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Heater Temp Control Valve Equipped		
High Side Port Tumble Valve Equipped		
Wastegate HBridge Equipped		
Remote Start Present		
Engine Oil Pressure Sensor Type		None

ICS CONFIGURATION

NAME	VALUE	UNITS
Display Type (Base)		
Display Type (Mid)		
Display Type (High)		

RFH CONFIGURATION

NAME	VALUE	UNITS
PIN Successfully Programmed		
VIN Successfully Programmed		
Valid Key In Ignition		
Keyless Go		
Ignition system type connected		
e-shifter present		
Auto Park Present		
Secret Codes Programmed		
Passive Entry		
RKE		
Module Configuration Status		
Remote Start Present		
\$0214 Programmed by		
Hardware Configuration: Remote Start Antenna		
Hardware Configuration: Front Left Door Handle H/W		
Hardware Configuration: Front Right Door Handle H/W		
Hardware Configuration: Rear Left Door Handle H/W		
Hardware Configuration: Rear Right Door Handle H/W		
Hardware Configuration: Trunk Door Handle H/W		
RFHub Locked		
Fob Location #1 Successfully Programmed		
Fob Location #2 Successfully Programmed		
Fob Location #3 Successfully Programmed		
Fob Location #4 Successfully Programmed		
Fob Location #5 Successfully Programmed		
Fob Location #6 Successfully Programmed		
Fob Location #7 Successfully Programmed		
Fob Location #8 Successfully Programmed		
Back Up Vehicle Config 1		
Back Up Vehicle Config 2		

Back Up Vehicle Config 3

Back Up Vehicle Config 4

Back Up Vehicle Config 5

Back Up Vehicle Config 6

Back Up Vehicle Config 7

Back Up ECU Configuration 1

Back Up ECU Configuration 2

Back Up ECU Configuration 3

Back Up ECU Configuration 4

Back Up ECU Configuration 5

Back Up ECU Configuration 6

Back Up ECU Configuration 7

Back Up ECU Configuration 8

Back Up ECU Configuration 9

Back Up ECU Configuration 10

Back Up ECU Configuration 11

Back Up ECU Configuration 12

Back Up ECU Configuration 13

Back Up ECU Configuration 14

Back Up ECU Configuration 15

Back Up ECU Configuration 16

Back Up ECU Configuration 17

Back Up Customer Settings Menu 1 (CSM1)

Back Up Customer Settings Menu 2 (CSM2)

Back Up Programmed ECUs: Cabin Network

Back Up Programmed ECUs: P/T Chassis Network

Secret Key Sent to Body Controller - Most recent attempt

Secret Key Sent to Body Controller - Original attempt

Base TPM Present

Full Size Matching Spare Tire Present

ECU Ship Status

Tire Pressure System

Selectable Tire Fill Alert

TPM Auto-Locate Enabled

TPMS Configuration

DTCM CONFIGURATION

NAME	VALUE	UNITS
Full-Time T-Case		
Front Locker Present		
Rear Locker Present		
FAD Present		
Mode Switch Present		
Left/Right Hand Drive		

Axle Ratio 4.100

T-Case Type

SRT Present

—

ORC CONFIGURATION

NAME	VALUE	UNITS
Rollover Sensing		
EPPM		
Occupant Classification (OCM)		
First Row Driver Seatbelt Buckle Switch		
First Row Passenger Seatbelt Buckle Switch		
Second Row Left seat belt Switch		
Second Row Center seat belt Switch		
Second Row Right seat belt Switch		
Driver Seat Track Position Sensor		
Passenger Seat Track Position Sensor		
Passenger Occupant Detection Sensor		
Passenger Airbag Disable Switch		
Passenger Airbag Disable Indicator		
Driver Frontal Squib 1		
Driver Frontal Squib 2		
Driver Frontal Squib 3		
Passenger Frontal Squib 1		
Passenger Frontal Squib 2		
Passenger Frontal Squib 3		
Driver Knee Bolster Squib		
Passenger Knee Bolster Squib		
Driver Seatbelt Retractor Pretensioner		
Passenger Seatbelt Retractor Pretensioner		
Driver Seatbelt Load Limiter		
Passenger Seatbelt Load Limiter		
Driver Seatbelt Anchor Pretensioner		
Passenger Seatbelt Anchor Pretensioner		
Driver Seatbelt Buckle Pretensioner		
Passenger Seatbelt Buckle Pretensioner		
Left Curtain Squib 1		
Right Curtain Squib 1		
Left Side Seat Squib 1		
Right Side Seat Squib 1		
Second Row Left Seat Side Airbag		
Second Row Right Seat Side Airbag		
Driver Frontal Squib 4		
Passenger Frontal Squib 4		
Left Up-Front Acceleration Sensor		

Right Up-Front Acceleration Sensor	[REDACTED]	
Right B-Pillar Impact Acceleration Sensor	[REDACTED]	
Left B-Pillar Impact Acceleration Sensor	[REDACTED]	
Left C-Pillar Impact Acceleration Sensor	[REDACTED]	
Right C-Pillar Impact Acceleration Sensor	[REDACTED]	
Right D-Pillar Impact Acceleration Sensor	[REDACTED]	
Left D-Pillar Impact Acceleration Sensor	[REDACTED]	
Left Side Door Pressure Sensor	[REDACTED]	
Right Side Door Pressure Sensor	[REDACTED]	
Configuration Column Identifier	[REDACTED]	

HVAC CONFIGURATION

NAME	VALUE	UNITS
DualZone ATC Control (Factory)	[REDACTED]	
DualZone ATC Control	[REDACTED]	
Dual Zone MTC Control	[REDACTED]	
Single Zone MTC Control	[REDACTED]	
MTC With EBL (3Knob)	[REDACTED]	
MTC Without EBL (3Knob)	[REDACTED]	
MTC heater only (3Knob)	[REDACTED]	

AMP CONFIGURATION

NAME	VALUE	UNITS
ANC Calibration Date - Year	[REDACTED]	
ANC Calibration Date - Week	[REDACTED]	
ANC Calibration Date - Patch Level	[REDACTED]	
Current ANC Calibration ID - Service	[REDACTED]	
ANC Status	[REDACTED]	
Surround Sound Activated	[REDACTED]	
Door Module - Left Front	[REDACTED]	
Door Module - Right Front	[REDACTED]	
Premuim - 1	[REDACTED]	
Premuim - 2	[REDACTED]	
Premuim - 3	[REDACTED]	
Non -ANC	[REDACTED]	
No Rear Doors	[REDACTED]	
No HALF Chimes	[REDACTED]	

IPC CONFIGURATION

NAME	VALUE	UNITS
Main Fuel Tank Gauge - Empty Stop Calibration	[REDACTED]	[REDACTED]
Main Fuel Tank Gauge - 1/4th Datum Calibration	[REDACTED]	[REDACTED]
Main Fuel Tank Gauge - 1/2 Datum Calibration	[REDACTED]	[REDACTED]
Main Fuel Tank Gauge - 3/4 Datum Calibration	[REDACTED]	[REDACTED]

Main Fuel Tank Gauge - Full Stop Calibration

Sub Fuel Tank Gauge - Empty Stop Calibration

Sub Fuel Tank Gauge - 1/4 Datum Calibration

Sub Fuel Tank Gauge - 1/2 Datum Calibration

Sub Fuel Tank Gauge - 3/4 Datum Calibration

Sub Fuel Tank Gauge - Full Stop Calibration

█

█

█

█

█

█

SCCM CONFIGURATION

NAME	VALUE	UNITS
Rear Wiper	█	
Tilt Telescope	█	
Paddle Shifter	█	
Cruise Control / ACC	█	

BCM CONFIGURATION

NAME	VALUE	UNITS
RBSM	█	
LBSM	█	
BCM (Interior Bus)	█	
HSM	█	
HVAC	█	
PTCM	█	
Radio	█	
ITM	█	
AMP	█	
EDM	█	
HVAC_R	█	
TBM	█	
AHLM/AFLS	█	
ASCM	█	
BCM (PT)	█	
DTCM	█	
PCM	█	
EPS	█	
ESM	█	
ABS	█	
RFH	█	
IPC	█	
ORC	█	
PTS	█	
SCCM	█	
ELSD	█	
TCM	█	
TPM	█	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

AFLS		
ITBM		
OCM		
DPDM		
SGW		
ASBS		
ANC		
Number of Reprogramming Attempts - Counter #0		
Vehicle Configuration Programmed Status		
Last Programmed Status		
Last Configuration Odometer		miles
Vehicle Configuration Auto Write Counter		
Vehicle Configuration 1 - Write Counter		
Vehicle Configuration 2 - Write Counter		
Vehicle Configuration 3 - Write Counter		
Vehicle Configuration 4 - Write Counter		
Vehicle Configuration 5 - Write Counter		
Vehicle Configuration 6 - Write Counter		
Programmed ECUs: Cabin Network		
Programmed ECUs: P/T Chassis Network		
Programmed Network Configuration - Audio / Telematics Network		
Programmed ECUs: Hybrid LAN Network		
ECU Configuration 1 (CBC Configurable Inputs and Outputs)		
ECU Configuration 2 (CBC Features)		
ECU Configuration 3		
ECU Configuration 4		
ECU Configuration 5 (Wireless)		
ECU Configuration 5 (Doors)		
ECU Configuration 5 (Memory)		
ECU Configuration 6 (Brake)		
ECU Configuration 6 (Suspension)		
ECU Configuration 6 (Powertrain)		
ECU Configuration 6 (Safety)		
ECU Configuration 7 (CBC Exterior Lighting Calibrations)		
ECU Configuration 8 (LIN and Miscellaneous)		
ECU Configuration 9A		
ECU Configuration 9 (ITM)		
ECU Configuration 10		
ECU Configuration 11		
ECU Configuration 12		
ECU Configuration 13		
ECU Configuration 14		
ECU Configuration 15 (CBC Features)		
ECU Configuration 15 (Suspension)		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Vehicle Configuration 7 - Write Counter		
Vehicle Config CSM1		
Vehicle Config CSM2		
Model Year	2021	
Vehicle Line	JL	
Country Code	USA	
Left/Right Hand Drive		
Remote Start Present		
Drive Configuration		
Emode Present		
Auto Highbeam		
Body Style	4-Door Hatchback	
Maximum Vehicle Speed	94	MPH
Shifter Type		
Performance Pages Present		
Special Packages		
PTS Configuration		
Hill Descent Feature Present		
Select Speed Control Feature Present		
Power Inverter Type		
Thatcham Present		
Rain Sensor Present		
SKIM System Present		
Air Conditioning Present		
Cruise Feature is Present		
Flipper Glass Present		
Full Size Spare		
Off Road Capable		
Special Packages		
Max Load Inflation Pressure Rear Tire		
Max Load Inflation Pressure Front Tire		
Light Load Inflation Pressure Rear Tire		
Police Lighting Feature		
Power Lift Gate Present		
Power Right Sliding Door Present		
Power Left Sliding Door Present		
RKE System Present		
Sunshade Present		
T-Case Type		
Wheel Base		
FOBIK Safe Enable		
ELV Present		
Fuel Capacity		
Window Express Feature Configuration		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Adjustable Pedal Feature Present (non-Memory)

Auto Headlamp Feature Present

Door Alert Feature Present

Two Fuel Sending Units Present

Vehicle is an SRT

Disable Display of Radio Clock

Chassis Type

Display Outside Temperature Present

HVAC Configuration

Vehicle Brand

Display Compass Heading Present

Interior EC Mirror Present

ESCL system present

High Intensity Discharge Head Lamps

Secondary Lock Present

Liftgate/Trunk Type

Collision Mitigation System present

Forward Collision Warning present

Base TPM system present

Premium TPM system present

Paddle Shift Feature Present

Sport Mode Present

Auto Park Present

Passive Entry Present

Keyless Go Present

Transfer Case High Ratio

Axle Ratio

Transfer Case Low Range Reduction Ratio

Dynamic Tire Circumference (All or Rear)

Dual Rear Wheel (DRW) Vehicle Present

Non-Regulated Tire Pressure Information System (TPIS) Present

Steering Ratio at zero

Steering Ratio at Positive Angle 1

Steering Ratio at Positive Angle 2

Steering Ratio at Positive Angle 3

Steering Ratio at Positive Angle 4

Steering Ratio at Positive Angle 5

Analog Door Sensor Configuration

Air Quality System Present

Steering Ratio at Negative Angle 1

Steering Ratio at Negative Angle 2

Steering Ratio at Negative Angle 3

Steering Ratio at Negative Angle 4

Steering Ratio at Negative Angle 5

Ambient Light Dimmer Wheel Input Present Pin G9

Low Beam Output Present - Pin A3, D2

Rear Wiper Motor Park Present - Pin E29

Left Rear Door Ajar Input Present - Pin F23

Front Driver Analog Door Ajar Input Present - Pin F9

Reserved - Pin G12

Horn Switch Input Present - Pin F29

Reserved - Pin E15

Hood Ajar Switch Input Present - Pin A11

Hard Top Sense Present - Pin E14

Reserved - F21

Reserved - Pin D20

Passenger Door Ajar Signal Present - Pin G18

Reserved - Pin E47

Reserved - Pin E35

Starter Relay Lowside Coil Drive - Pin D7

Diesel Cabin Heater #2 Output Present - Pin D9

Diesel Cabin Heater #3 Output Present - Pin D10

Diesel Cabin Heater #1 Output Present - Pin D11

Right Dedicated DRL Lamp Output Present - Pin A22

Left Dedicated DRL Lamps Output Present - Pin D15

Flipper Glass #2 Output Present

Foot Well Lamps Output Present - Pin G24

Front Fog Lamps Output Present - Pin A1 & D13

Inverter Enable Relay Output Present - Pin F35

Reserved - E20

Gated Park ZFII Output Present - Pin D-24

Reserved - Pin E21

Rear Fog Lamps Output Present - Pin E39 & F5

Rear Park Lamps Output Present - Pin E4 & F32

Rear Turn Lamps Output Present - Pin E3 & F42

Run-ACC Y Relay #2 Output Present - Pin E9

Side Markers Output Present - Pin A10 & D5

Trailer Backup Lamps Output Present - Pin E23

Reserved - Pin F4

UGDO Feed Output Present - Pin G15

VTA Warning LED Output Present - Pin G22

Park Brake Input Present - Pin E11

Ambient Temperature Sensor Present - Pin D22

Tip Start Enabled

Dual Start Relay System Present

Wiper Service Position Enabled

Trailer Tow Present

Quad Headlamps Enable

Horn Chirp Allowed		
Bi Xenon Headlamps Enable		
Hazard Lamp Configuration		
Park Lamp Loadshed Enable		
Front Fog Lamp Dropout Enable		
Combined Rear Lighting Enable		
Side Repeaters Enable		
One Touch Lane Change		
Exterior Light Loadshed Enable		
Front Wiper Park Enable		
Rear Wiper Park Enable		
Reversible Washer Pump Enable		
Single Element Tail Lamp		
DRL Configuration		
DRL Lamp Location		
DRL Dropout Enable		
Tunnel Detection		
Military Vehicle Present		
LED Reverse Lamps Present		
LED Stop Lamps Present		
LED Rear Turn Lamps Present		
LED Tail Lamps Present		
LED Rear Fog Lamps Present		
LED License Lamps Present		
LED Front Turn Lamps Present		
LED Front Fog Lamps Present		
LED Dedicated DRL Present		
LED Low Beam Lamps Present		
LED High Beam Lamps Present		
LED Front Park/Marker Lamps Present		
Door Lock Switch Signal FT LT Usage (F9)		
Door Lock Switch Signal FT RT Usage (F23)		
Headlamp Wash Interval		
Headlamp Wash Shot		
Front Wiper Wipes After Wash		
Headlamp Washer Low Fluid Shut-Off Enable		
Intermittent Wiper States		
LED CHMSL Lamp Present		
Rear Camera Present		
Power Inverter Present		
Front Park Assist Present		
Front Heated Seats Present		
Front Ventilated Seats Present		
Destination		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Cabin Equilization Curve Number	[REDACTED]	
Hill Start Assist Customer Setting Option Present	[REDACTED]	
Radio Apps Present	[REDACTED]	
CTP Easy Entry Enable	[REDACTED]	
CTP Passive Entry Present	[REDACTED]	
CTP Auto Lock Disable	[REDACTED]	
SPAR Travel Link Present	[REDACTED]	
DAB Present	[REDACTED]	
Vehicle Theft Alarm Present	[REDACTED]	
Heated Steering Wheel Present	[REDACTED]	
VIN Check Digit Disable	[REDACTED]	
Surround Sound Feature Present	[REDACTED]	
Power Door Locks Present	[REDACTED]	
Antenna Type	[REDACTED]	
CTP Max AC Present	[REDACTED]	
Hybrid Electric Powertrain Present	[REDACTED]	
Disable CD Eject	[REDACTED]	
DTV Front Camera Present	[REDACTED]	
DTV Side Camera Present	[REDACTED]	
Tow Haul Present	[REDACTED]	
Hill Descent Control Present	[REDACTED]	
Audio Steering Wheel Switch Configuration	[REDACTED]	
Radio Display On/Off Softkey Present	[REDACTED]	
Microphone Tuning Parameter	[REDACTED]	
Microphone Configuration	[REDACTED]	
Microphone Type	[REDACTED]	
External Port Type	[REDACTED]	
Splashscreen Type	[REDACTED]	
ERS Available	[REDACTED]	
Rear Wheel Dually	[REDACTED]	
Max Gear	[REDACTED]	
Virtual Speedometer Units	[REDACTED]	
Speedometer Range Max Scale	[REDACTED]	
IC Config Feature	[REDACTED]	
PTO Present	[REDACTED]	
AMB Dimmer	[REDACTED]	
Heated Seat Present	[REDACTED]	
Split Shaft Present	[REDACTED]	
Manual Headlamp Leveling	[REDACTED]	
Gear Shift Indicator	[REDACTED]	
Service Interval	[REDACTED]	
Temperature Celsius for UK	[REDACTED]	
Type of Gallons	[REDACTED]	
Tip Start Present	[REDACTED]	

AP5 Trunk Lock		
Airport Scenario Trunk Set		
AP1 Left Front		
AP2 Right Front		
AP3 Left Rear		
AP4 Right Rear		
Global Up		
Global Down		
Sun Shade		
Puddle Lamp Present		
Rear Door Pre Shock Drop		
Passenger Window Lockout		
Auto Power Folding Mirrors Present		
Folding mirrors present		
Heated Mirrors Present		
Mirror turn signals present		
Driver Memory Mirrors Present		
Passenger Memory Mirror Present		
Electro-chromatic driver mirror present		
Electro-chromatic passenger mirror present		
Tow Mirror Present		
Blindspot Mirror Present		
Window Motor Type		
Window Hall Sensors Present		
Frameless Window Present		
Memory Adjustable Pedals Present		
Tilt/Telescope Steering Present		
Memory Seat Present		
Rear Heated Seats Present		
Front Vented Seats Present		
Heated Steering Wheel Present		
Heated Seat Material Type		
Heated Wheel Material Type		
Rear Vented Seats Present		
Front Heated Seat Present		
Brake System ECU Configuration A		
Wheel 18 inch overall ESC Maserati		
Brake System ECU Configuration B		
ECO Mode Configuration		
Dual Alternator Present		
ODS Present		
Driver Kneebag Present		
Passenger Kneebag Present		
Curtain Airbags Present		

Tow Hooks Present		
Passive Ped Pro Present		
2nd Row Seat Airbags Present		
Reserved		
Reserved		
Integrated EPP Present		
Box vehicle		
Signature Light Present		
Dual Filament Headlamp		
Front Turn Lamp Diagnostics		
Auto Headlamp On Threshold		
Auto Headlamp Off Threshold		
Left Low Beam Voltage Regulation		
Left High Beam Voltage Regulation		
Right Low Beam Voltage Regulation		
Right High Beam Voltage Regulation		
Left Front Corner Voltage		
Right Front Corner Voltage		
Left Rear Corner Voltage		
Right Rear Corner Voltage		
Panic Enable		
Compass Mounting Orientation		
Washer Fluid Level Voltage Threshold		
IBS Present		
ASBMM Present		
Humidity Sensor Present		
Manual Trans Present		
DC to DC Converter Present		
ASBM Present		
Auto Relock Time		
VTA System Present		
DC to DC Converter #2 Present		
Illuminated Approach Interior Lighting Target Percentage		
Illuminated Approach Headlamp Target Percentage		
Illuminated Approach Taillamp Target Percentage		
Illuminated Approach Interior Lighting Ramp Up Time		
CRVMM Present		
EVIC Switch Module Present		
Compass Mounting Angle		
Signature Lamps or Mirror Repeater Present - Pin A5 & Pin A7		
Backup Reverse Lamp Left Present - Pin F41		
Backup Reverse Lamp Right Present - Pin E1		
Stop/Turn Lamp or Stop Lamp Present Pin E2 & F40		
Left High Beam Present - Pin D1		

Right High Beam Present - Pin A2

Left Front Lamp Diagnostics Present - Pin F25

Right Front Lamp Diagnostics Present - Pin F28

Left Rear Turn Lamp Diagnostics Present - Pin F27

Right Rear Turn Lamp Diagnostics Present - Pin F31

Brake Fluid Level Switch Signal Present - Pin D21

Siren

Ultrasonics

Tilt

Swing Gate Lock Present - Pin F30

Swing Gate Unlock Present - Pin F33

Front Fog Voltage

Rear Fog Voltage

CHMSL Lamp Output Disable

Secondary Door Ajar Present - Pin F28

Manual Door Locks Present

Rain Sensor Module #2 Present

Auto High Beam Module Location

Average Last Longitudinal Acceleration Values

Average Last Lateral Acceleration Values

Excess Longitudinal Acceleration Factor

Excess Lateral Acceleration Factor

Brake Smoothing Duration

Brake Smoothing Factor

Steering Smoothing Duration

Steering Smoothing Factor

Steering Smoothing Threshold

Brake Smoothing Threshold

Maximum Longitudinal Change

Maximum Lateral Change

Acceleration Threshold

Acceleration Factor

Nose Dive Threshold

Nose Dive Factor

RKE Auto-Relock Feature Enable

PE Auto-Relock Feature Enable

VTA Hood Ajar Monitoring

Horn Chirp Duration

Pitch and Roll Present

Parking Light Enable

ASBM Minimum Voltage Time

ASBM Battery Minimum Voltage

Interior Lighting Night Threshold

Interior Lighting Day Threshold

Axle Locker Configuration		
Transmission Equipped		
Park Brake Type		
TPMS Configuration		
Hybrid Type		
TSBM Module Present		
ADB feature Present		
AGS feature Present		
Temperature Display Resolution		
PTC Present		
Glovebox Control		
Glare Free Present		
Brake Type		
Suspension Type		
Park assist customer settings menu		
Park assist brake customer settings menu		
Park assist front volume customer settings menu		
Park assist rear volume customer settings menu		
Electric power steering customer settings menu		
Forward collision warning customer settings menu		
Auto on driver comfort customer settings menu		
Auxiliary switches customer settings menu		
Rear view camera gridlines customer settings menu		
Unit set customer settings menu		
Power accessory delay customer settings menu		
Ambient dimmer customer settings menu		
Tire jack mode customer settings menu		
Air suspension warning customer settings menu		
Automatic aero mode customer settings menu		
Auto high beam customer settings menu		
Auto park customer settings menu		
Blind spot alert customer settings menu		
Clock display customer settings menu		
Compass calibration customer settings menu		
Compass variance customer settings menu		
Consumption unit customer settings menu		
Distance unit customer settings menu		
Auto door lock customer settings menu		
Easy exit seat customer settings menu		
Auto entry exit mode customer settings menu		
EPB service mode customer settings menu		
Headlamp drop customer settings menu		
Headlamp off delay customer settings menu		
Headlamps on with wiper customer settings menu		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Passive entry customer settings menu		
Illuminated approach customer settings menu		
Lane departure torque customer settings menu		
Lane departure warning customer settings menu		
Rear camera customer settings menu		
Rain sensitive wipers customer settings menu		
Power take off customer settings menu		
Pressure unit customer settings menu		
Power unit customer settings menu		
Power liftgate chime customer settings menu		
Performance shift enable customer settings menu		
Rear view camera delay customer settings menu		
RKE unlock customer settings menu		
Speed unit customer settings menu		
Tilt mirror in reverse customer settings menu		
Torque unit customer settings menu		
Teen Key Fuel Pop-up Customer Settings Menu		
Teen Key Automatic High Beam Customer Settings Menu		
Passenger Airbag On/Off Customer Settings Menu		
Forward Collision Warning and Brake Customer Settings Menu		
Doors and Engine Off Power Delay Customer Settings Menu		
Radio Speaker Open Circuit Disable (LF)		
Radio Speaker Open Circuit Disable (RF)		
Radio Speaker Open Circuit Disable (LR)		
Radio Speaker Open Circuit Disable (RR)		
ANC Calibration Parameter Data Set		
Surround View Camera On/Off Softkey Present		
Drive Mode Version		
Rear Defrost and Heated Mirrors Present		
Show Phone Information in Cluster		
Auto Dimming Mirror Hard Button Present		
Clari-Fi Present		
Automatic Crash Notification Feature Present		
Trailer Hitch Camera Present		
Park Assist Tuning Set		
Rear Defrost Presence		
Heated Mirrors Present		
Engine Displacement		
Steering C Factor		
Speedometer Tolerance		
Increasing speed constant		
Tachometer Type		
DTV Present		
Tri-State Comfort Climate Softkey Function Present		

RADIO CONFIGURATION

NAME	VALUE	UNITS
Satellite Subscription ID	[REDACTED]	
Satellite Subscription Status	[REDACTED]	
Satellite Subscription Reason Code	[REDACTED]	
Satellite Subscription Suspend Day	[REDACTED]	
Satellite Subscription Suspend Month	[REDACTED]	
Satellite Subscription Suspend Year	[REDACTED]	
911 Button	[REDACTED]	
SDARS	[REDACTED]	
Navigation Active	[REDACTED]	
Cellular	[REDACTED]	
Internal CD Player	[REDACTED]	
Wi-Fi	[REDACTED]	
Bluetooth	[REDACTED]	
Application Framework	[REDACTED]	
FM Diversity	[REDACTED]	
Clock Defeat	[REDACTED]	
Automated Loudness	[REDACTED]	
Anti-Theft Enable Status	[REDACTED]	
12/24 Time Selection	[REDACTED]	
Front Seat Video Playback	[REDACTED]	
Cabin EQ Curve Number Currently Used by Radio	[REDACTED]	
Splash Screen	[REDACTED]	
Compass on the bus messaging Authorization	[REDACTED]	
GPS on the Bus messaging Authorization	[REDACTED]	
USB Hubs Detected	[REDACTED]	[REDACTED]
SD Card Readers Detected	[REDACTED]	[REDACTED]
Enumerated USB Devices	[REDACTED]	[REDACTED]
Aux Jack	[REDACTED]	
DTV Short Term Configuration	-	

ABSO CONFIGURATION

NAME	VALUE	UNITS
Vehicle Line Identification	[REDACTED]	
Displacement	[REDACTED]	[REDACTED]
Hybrid Type	[REDACTED]	
Trans Type	[REDACTED]	
Drive Configuration	[REDACTED]	
Chassis Type	[REDACTED]	
Axle Ratio	[REDACTED]	[REDACTED]
Tire Circumference	[REDACTED]	[REDACTED]



WI
TECH 2.0

[illegible]

████████████████████

[illegible][illegible]

(b) (6)

ECU DETAILS

NAME	VALUE
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]

[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]

IM [REDACTED] DETAILS

NAME	VALUE
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]

ASBS DETAILS

NAME	VALUE
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]

ICS DETAILS

NAME	VALUE
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]

[illegible]

NAME	VALUE

[illegible][illegible][illegible]

[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]

HVAC DETAILS

NAME	VALUE
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]

AMP DETAILS

NAME	VALUE
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]

[illegible][illegible]

[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]

BCM DETAILS

NAME	VALUE
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]

RADIO DETAILS

NAME	VALUE
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]

[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]

OCM DETAILS

NAME	VALUE
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]

BPCM DETAILS

NAME	VALUE
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]

HCP DETAILS

NAME	VALUE
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]

[illegible][illegible]

ABSO DETAILS

NAME	VALUE
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	81549

SGW DETAILS

NAME	VALUE
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]

DPDM DETAILS

NAME	VALUE
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	JJXR61MW781549

IDCM DETAILS

NAME	VALUE
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Model Year	2021
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)



WI
TECH 2.0

ECU SUMMARY INFO

[illegible]

[illegible]

ECU	DTC CODE	DTC DESCRIPTION	STATUS

No Environmental Data available

No Snapshot Data available