

Vehicle	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]

[illegible]

AHCP	Auxiliary Hybrid Control Processor	CAN C				
TBM2	Telematic Box Module 2	CAN-C				

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	SERIAL NUMBER	CVNS
TCM	USA / USA					
PCM	USA					
ICS	USA					
RFH	USA / USA					
ESM	USA					
DTCM	USA					
ORC	USA					
EPS	USA					
HVAC	USA / USA					
CSWM	USA					
IPC	USA					
SCCM	USA					
BCM	USA					
RADIO						
OCM	USA					
BPCM	Rest of world / ROW					
HCP	USA					
EAM						
DSM	USA / USA					
AHCP	USA					
ABSO	USA					
SGW						
DPDM	USA					
DASM	USA					
IDCM	USA					

TBM2

CONFIGURATION**TCM CONFIGURATION**

NAME	VALUE	UNITS
Autostick/ERS On/Off Switch Equipped		
Paddle Shift Switches Equipped		
Shifter with Sport Mode Position Equipped		
Shifter with Low Mode Position Equipped		
Sport Mode Switch or Virtual Switch (Non Terrain) Equipped		
Overdrive Off or Tow Haul Mode Switch or Virtual Switch (Non-Terrain) Equipped		
ECO/Optimizer Switch Equipped		
ERS/Autostick/Tip Non-paddle on Steering Wheel equipped		
ERS/Autostick/Tip Non-paddle on Shifter in D position equipped		
ERS/Autostick/Tip Non paddle on Shifter in A or M position equipped		
FWD Equipped		
RWD Equipped		
AWD Equipped		
4WD with switchable Lo Range equipped		
Engine Start/Stop equipped		
Polystable E-shift (Cableless without return-to-center) equipped		
Long Learn Enabled		
Short Learn Enabled		

PCM CONFIGURATION

NAME	VALUE	UNITS
AC Equipped		
AC Equipped Over Bus		
Power Steering Switch Equipped		
4 Button Integrated Cruise Control		
EMAT (Getrag DCT transmission) Equipped		
Vehicle Speed Sensor #1 Calculated from CAN		
Police Package Equipped		
Unleaded Gasoline Fuel		
Unleaded diesel fuel		
6.4 Liter V8 Engine		
4 Speed Automatic Transmission Equipped		
Electronic Automatic Transmission (EATX) Equipped		
Vehicle Speed Sensor #1 Calculated by ECU		
4.7 Liter V8 Engine		
5.7 Liter V8 Engine		
6.1 Liter V8 Engine		

Sensorless FFV Enabled

Electronic Throttle Control Equipped

3.6 Liter V6 Engine

4.0 Liter I6 Engine

3.8 Liter V6 Engine

3.7 Liter V6 Engine

3.5 Liter V6 Engine

3.3 Liter V6 Engine

3.2 Liter V6 Engine

2.7 Liter V6 Engine

MTV Solenoid Equipped

MDS Equipped

Turbocharger Equipped

SRV Equipped

Secondary Air Equipped

Shift Indicator Lamp Equipped

Barometric Sensor Equipped

TIP Equipped

Battery Temp Sensor Equipped

Knock Sensor 1 Equipped

Knock Sensor 2 Equipped

WI4 Variable Valve Timing Equipped

Clutch Interlock Switch Equipped

ESIM Equipped

Linear Purge Equipped

Linear EGR Equipped

Continuous Variable Transmission Equipped

Direct Injection Equipped

Secondary Fuel Pump Equipped

Electronic Coolant Pump Equipped

O2 Sensor Bank 1 Sensor 1 Equipped

O2 Sensor Bank 1 Sensor 2 Equipped

O2 Sensor Bank 1 Sensor 3 Equipped

O2 Sensor Bank 2 Sensor 1 Equipped

O2 Sensor Bank 2 Sensor 2 Equipped

Fixed displacement AC Equipped

WI4 Intake Flow Control Valve Equipped

Electric Coolant Valve Equipped

Engine Oil Heater Cooler Equipped

Transmission Oil Heater Equipped

Electric Water Pump Equipped

Rear Heater Equipped

Starter Relay 2 Equipped
Inrush Current Reduction Relay Equipped
Active Grille Shutter Equipped
Electronic Vacuum Pump Equipped
Wide Range O2 Sensor 1/1 Equipped
Wide Range O2 Sensor 2/1 Equipped
MultiAir Equipped
Engine Stop Start Equipped
Viscosity Sensor Equipped
Duty Cycle Purge Valve Equipped
Electric Thermostat Heater Equipped
Exhaust Cam 1 Equipped
Intake Cam 1 Equipped
1.8 Liter WI4 engine
2.0 Liter WI4 engine
2.4 Liter WI4 engine
3.0 Liter V6 Engine
Tumble Generator Valve Equipped
Hybrid Electric Vehicle Equipped
Dual Speed Fuel Pump Equipped
Exhaust Cam 2 Equipped
Intake Cam 2 Equipped
1 Speed Fan Mechanical Relay System Equipped
2 Speed Fan Mechanical Relay System Equipped
2 Speed Fan PWM Relay System Equipped
Linear PWM Fan Relay System Equipped
PWM Fan Motor System Equipped
3 Speed Fan Mechanical Relay System Equipped
Fan Wake Up Relay System Equipped
2 Speed Fan 3 Driver 3 Relay System Equipped
40TE / 41TE / 41TEA
42RLE
45RFE / 545RFE / 65RFE
62TE
66RFE / 68RFE
VLP Is Learnable Indicator
VLP Equipped Indicator
VFS Actuators Available Indicator
ERS Equipped Indicator
Engine Software In Package
Transmission Software Included
ICC Cruise Equipped

ETC Cruise equipped
Adaptive Cruise Control Equipped
A/C Equipped
Adaptive Cruise Control Hardware Equipped
DUAL ALTERNATOR GEN1 LEARNEDCOPY
TOOLCONFIG Oil Pressure ABS Equipped
GPEC2 Equipped
GPEC2A Equipped
GPEC3 Equipped
Cummins Equipped
GPEC4 Equipped
VMM Equipped
Powernet Equipped
CUSW (11-Bit) Equipped
Fiat 940 Compact Equipped
Next Gen Bus Equipped
Constant Heater Temperature Control Valve Equipped
High Side Port Tumble Valve Equipped
CMCV H-Bridge Equipped
Turbine Volute Valve Actuator Equipped
Wastegate H-Bridge Equipped
Active Exhaust Valve Equipped
Active Exhaust Pressure Sensor Equipped
Engine Idle Shutoff Equipped
Aisin 6 Speed RWD Transmission Equipped
Cooled EGR Equipped
Supercharger Equipped
Low Temperature Radiator Coolant Pump Equipped
Mechanical Coolant Pump Heater Equipped
Auxiliary Coolant Pump Heater Equipped
Compressed Natural Gas Equipped
CUSW PROXI Write Programming Support Enabled
Active Engine Mount Equipped
ZF 9-Speed Transmission Equipped
HPT 6 Speed Transmission Equipped
Variable Speed Fuel Pump Equipped
Operator Idle Speed Request Equipped
PTO System Equipped
Air Shutoff Valve Bank 1 Control Solenoid 1 Equipped
Air Shutoff Valve Bank 1 Control Solenoid 2 Equipped
Air Shutoff Valve Bank 2 Control Solenoid 2 Equipped
Dual Stage Oil Pump Equipped

Auxiliary Coolant Pump Equipped
Trans Skip Shift Equipped
Trans Reverse Lockout Equipped
Port Flap Valve Equipped
Brushless PWM Fan Equipped
6.2 Liter V8 Engine
Primary Lin Alternator Equipped
Coolant On Off Pump Equipped
Oil Pressure Sensor Enabled
Fiat VIN Learning Strategy Equipped
Dual Fuel Tank Equipped
Yaw Rate Sensor ESC Equipped
1.0 Liter I3 Engine
Coolant On-Off Valve Equipped
Buffered Crank Output for ANC (Active Noise Cancellation) Equipped
Buffered Crank Output for PHEV Engine Pulse Calculation Equipped
Throttle Inlet Temp Sensor Equipped
Humidity, Temperature and Pressure Sensor (LIN) Equipped
Dual Fuel Pressure Sensor Equipped
Brake Pedal Sensor Equipped
Dual Fuel Tank Equipped
PTO System Equipped
Low Temp Radiator Coolant Pump Equipped
Engine Idle Shutoff Equipped
A/C Relay Powered from Engine Switched Battery
CNG Large Gas Tank Equipped
Cooled EGR Equipped
Supercharger Equipped
Hybrid MEC Shifter Equipped
Dual Alternator Gen1 Capable
Auxillary Coolant Pump Equipped
ZF 9 Speed Trans Equipped
HPT 6 Speed Trans Equipped
CUSW 4-Button Cruise Equipped
Power Steering Angle Sensor Mandatory
Throttle Inlet Temp Sensor Equipped
LIN Humidity, Temp, and Pressure Sensor Equipped
Dual Fuel Pressure Sensor Equipped
Brake Pedal Sensor Equipped
Clutch Sensor Equipped
SWAP HARDWIRED BRAKE SWITCH INPUTS
Mass Airflow System Equipped

Bi Directional Crank Sensor Equipped
 5 Button Cruise (LIN) Equipped
 Operator Idle Speed Request Equipped
 INTAKE O2 SENSOR EQUIPPED
 Cylinder Pressure Sensor Equipped
 Make Up Air Sensor Equipped
 Active Exhaust Pressure Sensor Equipped
 Secondary Mass Airflow Sensor Equipped
 1.0 Liter I3 Engine
 2.0 Liter I4 Direct Injection Engine
 Variable Valve Lift Equipped
 Coolant On-Off Pump Equipped
 Primary Lin Alternator Equipped
 Electronic Parking Brake Equipped
 Active Exhaust Valve(s) Equipped
 Mechanical Coolant Pump Equipped
 Aux Coolant Pump Heater Equipped
 Heater Temp Control Valve Equipped
 High Side Port Tumble Valve Equipped
 Wastegate HBridge Equipped
 Remote Start Present
 Engine Oil Pressure Sensor Type

None

ICS CONFIGURATION

NAME	VALUE	UNITS
Display Type (Base)		
Display Type (Mid)		
Display Type (High)		

RFH CONFIGURATION

NAME	VALUE	UNITS
PIN Successfully Programmed		
VIN Successfully Programmed		
Valid Key In Ignition		
Keyless Go		
Ignition system type connected		
e-shifter present		
Auto Park Present		
Secret Codes Programmed		
Passive Entry		
RKE		
Module Configuration Status		

Remote Start Present

\$0214 Programmed by

Hardware Configuration: Remote Start Antenna

Hardware Configuration: Front Left Door Handle H/W

Hardware Configuration: Front Right Door Handle H/W

Hardware Configuration: Rear Left Door Handle H/W

Hardware Configuration: Rear Right Door Handle H/W

Hardware Configuration: Trunk Door Handle H/W

RFHub Locked

Fob Location #1 Successfully Programmed

Fob Location #2 Successfully Programmed

Fob Location #3 Successfully Programmed

Fob Location #4 Successfully Programmed

Fob Location #5 Successfully Programmed

Fob Location #6 Successfully Programmed

Fob Location #7 Successfully Programmed

Fob Location #8 Successfully Programmed

Back Up Vehicle Config 1

Back Up Vehicle Config 2

Back Up Vehicle Config 3

Back Up Vehicle Config 4

Back Up Vehicle Config 5

Back Up Vehicle Config 6

Back Up Vehicle Config 7

Back Up ECU Configuration 1

Back Up ECU Configuration 2

Back Up ECU Configuration 3

Back Up ECU Configuration 4

Back Up ECU Configuration 5

Back Up ECU Configuration 6

Back Up ECU Configuration 7

Back Up ECU Configuration 8

Back Up ECU Configuration 9

Back Up ECU Configuration 10

Back Up ECU Configuration 11

Back Up ECU Configuration 12

Back Up ECU Configuration 13

Back Up ECU Configuration 14

Back Up ECU Configuration 15

Back Up ECU Configuration 16

Back Up ECU Configuration 17

Back Up Customer Settings Menu 1 (CSM1)

Back Up Customer Settings Menu 2 (CSM2)

Back Up Programmed ECUs: Cabin Network

Back Up Programmed ECUs: P/T Chassis Network

Secret Key Sent to Body Controller - Most recent attempt

Secret Key Sent to Body Controller Original attempt

Base TPM Present

Full Size Matching Spare Tire Present

ECU Ship Status

Tire Pressure System

Selectable Tire Fill Alert

TPM Auto-Locate Enabled

TPMS Configuration

DTCM CONFIGURATION

NAME	VALUE	UNITS
Full-Time T-Case		
Front Locker Present		
Rear Locker Present		
FAD Present		
Mode Switch Present		
Left/Right Hand Drive		
Axle Ratio		
T-Case Type		
SRT Present		

ORC CONFIGURATION

NAME	VALUE	UNITS
Rollover Sensing		
EPPM		
Occupant Classification (OCM)		
First Row Driver Seatbelt Buckle Switch		
First Row Passenger Seatbelt Buckle Switch		
Second Row Left seat belt Switch		
Second Row Center seat belt Switch		
Second Row Right seat belt Switch		
Driver Seat Track Position Sensor		
Passenger Seat Track Position Sensor		
Passenger Occupant Detection Sensor		
Passenger Airbag Disable Switch		
Passenger Airbag Disable Indicator		
Driver Frontal Squib 1		
Driver Frontal Squib 2		

Driver Frontal Squib 3
Passenger Frontal Squib 1
Passenger Frontal Squib 2
Passenger Frontal Squib 3
Driver Knee Bolster Squib
Passenger Knee Bolster Squib
Driver Seatbelt Retractor Pretensioner
Passenger Seatbelt Retractor Pretensioner
Driver Seatbelt Load Limiter
Passenger Seatbelt Load Limiter
Driver Seatbelt Anchor Pretensioner
Passenger Seatbelt Anchor Pretensioner
Driver Seatbelt Buckle Pretensioner
Passenger Seatbelt Buckle Pretensioner
Left Curtain Squib 1
Right Curtain Squib 1
Left Side Seat Squib 1
Right Side Seat Squib 1
Second Row Left Seat Side Airbag
Second Row Right Seat Side Airbag
Driver Frontal Squib 4
Passenger Frontal Squib 4
Left Up Front Acceleration Sensor
Right Up-Front Acceleration Sensor
Right B Pillar Impact Acceleration Sensor
Left B-Pillar Impact Acceleration Sensor
Left C Pillar Impact Acceleration Sensor
Right C Pillar Impact Acceleration Sensor
Right D-Pillar Impact Acceleration Sensor
Left D Pillar Impact Acceleration Sensor
Left Side Door Pressure Sensor
Right Side Door Pressure Sensor
Configuration Column Identifier



HVAC CONFIGURATION

NAME	VALUE	UNITS
DualZone ATC Control (Factory) (BB)		
DualZone ATC Control (BB)		
Dual Zone MTC Control (BB)		
Single Zone MTC Control (BB)		
MTC With EBL (3Knob)		
MTC Without EBL (3Knob)		

MTC heater only (3Knob)

IPC CONFIGURATION

NAME	VALUE	UNITS
Main Fuel Tank Gauge Empty Stop Calibration	0.000	Volts
Main Fuel Tank Gauge -1/4th Datum Calibration	0.000	Volts
Main Fuel Tank Gauge 1/2 Datum Calibration	0.000	Volts
Main Fuel Tank Gauge - 3/4 Datum Calibration	0.000	Volts
Main Fuel Tank Gauge Full Stop Calibration	0.000	Volts
Sub Fuel Tank Gauge - Empty Stop Calibration	0.000	Volts
Sub Fuel Tank Gauge - 1/4 Datum Calibration	0.000	Volts
Sub Fuel Tank Gauge 1/2 Datum Calibration	0.000	Volts
Sub Fuel Tank Gauge - 3/4 Datum Calibration	0.000	Volts
Sub Fuel Tank Gauge Full Stop Calibration	0.000	Volts

SCCM CONFIGURATION

NAME	VALUE	UNITS
Rear Wiper		
Tilt Telescope		
Paddle Shifter		
Cruise Control / ACC		

BCM CONFIGURATION

NAME	VALUE	UNITS
RBSM		
LBSM		
BCM (Interior Bus)		
HSM		
HVAC		
PTCM		
Radio		
ITM		
AMP		
EDM		
HVAC_R		
TBM		
AHLM/AFLS		
ASCM		
BCM (PT)		
DTCM		
PCM		
EPS		

ESM	
ABS	
RFH	
IPC	
ORC	
PTS	
SCCM	
ELSD	
TCM	
TPM	
AFLS	
ITBM	
OCM	
DPDM	
SGW	
ASBS	
ANC	
Number of Reprogramming Attempts Counter #0	
Vehicle Configuration Programmed Status	
Last Programmed Status	
Last Configuration Odometer	miles
Vehicle Configuration Auto Write Counter	
Vehicle Configuration 1 Write Counter	
Vehicle Configuration 2 - Write Counter	
Vehicle Configuration 3 Write Counter	
Vehicle Configuration 4 - Write Counter	
Vehicle Configuration 5 Write Counter	
Vehicle Configuration 6 Write Counter	
Programmed ECUs: Cabin Network	
Programmed ECUs: P/T Chassis Network	
Programmed Network Configuration - Audio / Telematics Network	
Programmed ECUs: Hybrid LAN Network	
ECU Configuration 1 (CBC Configurable Inputs and Outputs)	
ECU Configuration 2 (CBC Features)	
ECU Configuration 3	
ECU Configuration 4	
ECU Configuration 5 (Wireless)	
ECU Configuration 5 (Doors)	
ECU Configuration 5 (Memory)	
ECU Configuration 6 (Brake)	
ECU Configuration 6 (Suspension)	
ECU Configuration 6 (Powertrain)	

ECU Configuration 6 (Safety)
ECU Configuration 7 (CBC Exterior Lighting Calibrations)
ECU Configuration 8 (LIN and Miscellaneous)
ECU Configuration 9A
ECU Configuration 9 (ITM)
ECU Configuration 10
ECU Configuration 11
ECU Configuration 12
ECU Configuration 13
ECU Configuration 14
ECU Configuration 15 (CBC Features)
ECU Configuration 15 (Suspension)
Vehicle Configuration 7 Write Counter
Vehicle Config CSM1
Vehicle Config CSM2
Model Year
Vehicle Line
Country Code
Left/Right Hand Drive
Remote Start Present
Drive Configuration
Emode Present
Auto Highbeam
Body Style
Maximum Vehicle Speed
Shifter Type
Performance Pages Present
Special Packages
PTS Configuration
Hill Descent Feature Present
Select Speed Control Feature Present
Power Inverter Type
Thatcham Present
Rain Sensor Present
SKIM System Present
Air Conditioning Present
Cruise Feature is Present
Flipper Glass Present
Full Size Spare
Off Road Capable
Special Packages
Max Load Inflation Pressure Rear Tire

MPH

PSI

Max Load Inflation Pressure Front Tire

PSI

Light Load Inflation Pressure Rear Tire

PSI

Police Lighting Feature

Power Lift Gate Present

Power Right Sliding Door Present

Power Left Sliding Door Present

RKE System Present

Sunshade Present

T-Case Type

Wheel Base

FOBIK Safe Enable

ELV Present

Fuel Capacity

gallons

Window Express Feature Configuration

Adjustable Pedal Feature Present (non Memory)

Auto Headlamp Feature Present

Door Alert Feature Present

Two Fuel Sending Units Present

Vehicle is an SRT

Disable Display of Radio Clock

Chassis Type

Display Outside Temperature Present

HVAC Configuration

Vehicle Brand

Display Compass Heading Present

Interior EC Mirror Present

ESCL system present

High Intensity Discharge Head Lamps

Secondary Lock Present

Liftgate/Trunk Type

Collision Mitigation System present

Forward Collision Warning present

Base TPM system present

Premium TPM system present

Paddle Shift Feature Present

Sport Mode Present

Auto Park Present

Passive Entry Present

Keyless Go Present

Transfer Case High Ratio

No Unit

Axle Ratio

Transfer Case Low Range Reduction Ratio

Dynamic Tire Circumference (All or Rear)		inch
Dual Rear Wheel (DRW) Vehicle Present		
Non Regulated Tire Pressure Information System (TPIS) Present		
Steering Ratio at zero		No Unit
Steering Ratio at Positive Angle 1		No Unit
Steering Ratio at Positive Angle 2		No Unit
Steering Ratio at Positive Angle 3		No Unit
Steering Ratio at Positive Angle 4		No Unit
Steering Ratio at Positive Angle 5		No Unit
Analog Door Sensor Configuration		
Air Quality System Present		
Steering Ratio at Negative Angle 1		No Unit
Steering Ratio at Negative Angle 2		No Unit
Steering Ratio at Negative Angle 3		No Unit
Steering Ratio at Negative Angle 4		No Unit
Steering Ratio at Negative Angle 5		No Unit
Ambient Light Dimmer Wheel Input Present Pin G9		
Low Beam Output Present Pin A3, D2		
Rear Wiper Motor Park Present - Pin E29		
Left Rear Door Ajar Input Present Pin F23		
Front Driver Analog Door Ajar Input Present - Pin F9		
Reserved - Pin G12		
Horn Switch Input Present Pin F29		
Reserved - Pin E15		
Hood Ajar Switch Input Present Pin A11		
Hard Top Sense Present - Pin E14		
Reserved F21		
Reserved Pin D20		
Passenger Door Ajar Signal Present - Pin G18		
Reserved Pin E47		
Reserved - Pin E35		
Starter Relay Lowside Coil Drive Pin D7		
Diesel Cabin Heater #2 Output Present Pin D9		
Diesel Cabin Heater #3 Output Present - Pin D10		
Diesel Cabin Heater #1 Output Present Pin D11		
Right Dedicated DRL Lamp Output Present - Pin A22		
Left Dedicated DRL Lamps Output Present Pin D15		
Flipper Glass #2 Output Present		
Foot Well Lamps Output Present - Pin G24		
Front Fog Lamps Output Present Pin A1 & D13		
Inverter Enable Relay Output Present - Pin F35		
Reserved E20		

Gated Park ZFII Output Present Pin D 24
Reserved - Pin E21
Rear Fog Lamps Output Present Pin E39 & F5
Rear Park Lamps Output Present - Pin E4 & F32
Rear Turn Lamps Output Present Pin E3 & F42
Run ACC Y Relay #2 Output Present Pin E9
Side Markers Output Present - Pin A10 & D5
Trailer Backup Lamps Output Present Pin E23
Reserved - Pin F4
UGDO Feed Output Present Pin G15
VTA Warning LED Output Present - Pin G22
Park Brake Input Present - Pin E11
Ambient Temperature Sensor Present Pin D22
Tip Start Enabled
Dual Start Relay System Present
Wiper Service Position Enabled
Trailer Tow Present
Quad Headlamps Enable
Horn Chirp Allowed
Bi Xenon Headlamps Enable
Hazard Lamp Configuration
Park Lamp Loadshed Enable
Front Fog Lamp Dropout Enable
Combined Rear Lighting Enable
Side Repeaters Enable
One Touch Lane Change
Exterior Light Loadshed Enable
Front Wiper Park Enable
Rear Wiper Park Enable
Reversible Washer Pump Enable
Single Element Tail Lamp
DRL Configuration
DRL Lamp Location
DRL Dropout Enable
Tunnel Detection
Military Vehicle Present
LED Reverse Lamps Present
LED Stop Lamps Present
LED Rear Turn Lamps Present
LED Tail Lamps Present
LED Rear Fog Lamps Present
LED License Lamps Present

LED Front Turn Lamps Present
LED Front Fog Lamps Present
LED Dedicated DRL Present
LED Low Beam Lamps Present
LED High Beam Lamps Present
LED Front Park/Marker Lamps Present
Door Lock Switch Signal FT LT Usage (F9)
Door Lock Switch Signal FT RT Usage (F23)
Headlamp Wash Interval
Headlamp Wash Shot
Front Wiper Wipes After Wash
Headlamp Washer Low Fluid Shut-Off Enable
Intermittent Wiper States
LED CHMSL Lamp Present
Rear Camera Present
Power Inverter Present
Front Park Assist Present
Front Heated Seats Present
Front Ventilated Seats Present
Destination
Cabin Equilization Curve Number
Hill Start Assist Customer Setting Option Present
Radio Apps Present
CTP Easy Entry Enable
CTP Passive Entry Present
CTP Auto Lock Disable
SDAR Travel Link Present
DAB Present
Vehicle Theft Alarm Present
Heated Steering Wheel Present
VIN Check Digit Diable
Surround Sound Feature Present
Power Door Locks Present
Antenna Type
CTP Max AC Present
Hybrid Electric Powertrain Present
Disable CD Eject
DTV Front Camera Present
DTV Side Camera Present
Tow Haul Present
Hill Descent Control Present
Audio Steering Wheel Switch Configuration

Radio Display On/Off Softkey Present
Microphone Tuning Parameter
Microphone Configuration
Microphone Type
External Port Type
Splashscreen Type
ERS Available
Rear Wheel Dually
Max Gear
Virtual Speedometer Units
Speedometer Range Max Scale
IC Config Feature
PTO Present
AMB Dimmer
Heated Seat Present
Split Shaft Present
Manual Headlamp Leveling
Gear Shift Indicator
Service Interval
Temperature Celsius for UK
Type of Gallons
Tip Start Present
AP5 Trunk Lock
Airport Scenario Trunk Set
AP1 Left Front
AP2 Right Front
AP3 Left Rear
AP4 Right Rear
Global Up
Global Down
Sun Shade
Puddle Lamp Present
Rear Door Pre Short Drop
Passenger Window Lockout
Auto Power Folding Mirrors Present
Folding mirrors present
Heated Mirrors Present
Mirror turn signals present
Driver Memory Mirrors Present
Passenger Memory Mirror Present
Electro-chromatic driver mirror present
Electro chromatic passenger mirror present

Tow Mirror Present
Blindspot Mirror Present
Window Motor Type
Window Hall Sensors Present
Frameless Window Present
Memory Adjustable Pedals Present
Tilt/Telescope Steering Present
Memory Seat Present
Rear Heated Seats Present
Front Vented Seats Present
Heated Steering Wheel Present
Heated Seat Material Type
Heated Wheel Material Type
Rear Vented Seats Present
Front Heated Seat Present
Brake System ECU Configuration A
Wheel 18 inch overall ESC Maserati
Brake System ECU Configuration B
ECO Mode Configuration
Dual Alternator Present
ODS Present
Driver Kneebag Present
Passenger Kneebag Present
Curtain Airbags Present
Tow Hooks Present
Passive Ped Pro Present
2nd Row Seat Airbags Present
Reserved
Reserved
Integrated EPP Present
BUX vehicle
Signature Light Present
Dual Filament Headlamp
Front Turn Lamp Diagnostics
Auto Headlamp On Threshold
Auto Headlamp Off Threshold
Left Low Beam Voltage Regulation
Left High Beam Voltage Regulation
Right Low Beam Voltage Regulation
Right High Beam Voltage Regulation
Left Front Corner Voltage
Right Front Corner Voltage

Volt
Volt

Left Rear Corner Voltage		
Right Rear Corner Voltage		
Panic Enable		
Compass Mounting Orientation		
Washer Fluid Level Voltage Threshold		
IBS Present		
ASBMM Present		
Humidity Sensor Present		
Manual Trans Present		
DC to DC Converter Present		
ASBM Present		
Auto Relock Time		seconds
VTA System Present		
DC to DC Converter #2 Present		
Illuminated Approach Interior Lighting Target Percentage		
Illuminated Approach Headlamp Target Percentage		
Illuminated Approach Taillamp Target Percentage		
Illuminated Approach Interior Lighting Ramp Up Time		
CRVMM Present		
EVIC Switch Module Present		
Compass Mounting Angle		Degree
Backup Reverse Lamp Left Present - Pin F41		
Backup Reverse Lamp Right Present - Pin E1		
Stop/Turn Lamp or Stop Lamp Present Pin E2 & F40		
Left High Beam Present - Pin D1		
Right High Beam Present - Pin A2		
Left Front Lamp Diagnostics Present - Pin F25		
Right Front Lamp Diagnostics Present - Pin F28		
Left Rear Turn Lamp Diagnostics Present - Pin F27		
Right Rear Turn Lamp Diagnostics Present - Pin F31		
Brake Fluid Level Switch Signal Present - Pin D21		
Siren		
Ultrasonics		
Tilt		
Swing Gate Lock Present - Pin F30		
Swing Gate Unlock Present - Pin F33		
Front Fog Voltage		Volts
Rear Fog Voltage		Volts
CHMSL Lamp Output Disable		
Secondary Door Ajar Present - Pin E28		
Manual Door Locks Present		
Rain Sensor Module #2 Present		

Auto High Beam Module Location



Average Last Lateral Acceleration Values

Excess Longitudinal Acceleration Factor

Excess Lateral Acceleration Factor

Brake Smoothing Duration

Brake Smoothing Factor

Steering Smoothing Duration

Steering Smoothing Factor

Steering Smoothing Threshold

Brake Smoothing Threshold

Maximum Longitudinal Change

Maximum Lateral Change

Acceleration Threshold

Acceleration Factor

Nose Dive Threshold

Nose Dive Factor

RKE Auto Relock Feature Enable

PE Auto-Relock Feature Enable

VTA Hood Ajar Monitoring

Horn Chirp Duration

Pitch and Roll Present

Parking Light Enable

ASBM Minimum Voltage Time

ASBM Battery Minimum Voltage

Interior Lighting Night Threshold

Volt

Interior Lighting Day Threshold

Volt

Axle Locker Configuration

Transmission Equipped

Park Brake Type

TPMS Configuration

Hybrid Type

TSBM Module Present

ADR feature Present

AGS Feature Present

Temperature Display Resolution

PTC Present


Glovebox Control

Glare Free Present

Brake Type

Suspension Type

Park assist customer settings menu



Park assist brake customer settings menu

Park assist front volume customer settings menu

Park assist rear volume customer settings menu

Electric power steering customer settings menu

Forward collision warning customer settings menu

Auto on driver comfort customer settings menu

Auxiliary switches customer settings menu

Rear view camera gridlines customer settings menu

Unit set customer settings menu

Power accessory delay customer settings menu

Ambient dimmer customer settings menu

Tire jack mode customer settings menu

Air suspension warning customer settings menu

Automatic aero mode customer settings menu

Auto high beam customer settings menu

Auto park customer settings menu

Blind spot alert customer settings menu

Clock display customer settings menu

Compass calibration customer settings menu

Compass variance customer settings menu

Consumption unit customer settings menu

Distance unit customer settings menu

Auto door lock customer settings menu

Easy exit seat customer settings menu

Auto entry exit mode customer settings menu

EPB service mode customer settings menu

Headlamp drop customer settings menu

Headlamp off delay customer settings menu

Headlamps on with wiper customer settings menu

Passive entry customer settings menu

Illuminated approach customer settings menu

Lane departure torque customer settings menu

Lane departure warning customer settings menu

Rear camera customer settings menu

Rain sensitive wipers customer settings menu

Power take off customer settings menu

Pressure unit customer settings menu

Power unit customer settings menu


Power liftgate chime customer settings menu

Performance shift enable customer settings menu

Rear view camera delay customer settings menu

RKE unlock customer settings menu

Speed unit customer settings menu
Tilt mirror in reverse customer settings menu
Torque unit customer settings menu
Teen Key Fuel Pop-up Customer Settings Menu
Teen Key Automatic High Beam Customer Settings Menu
Passenger Airbag On/Off Customer Settings Menu
Forward Collision Warning and Brake Customer Settings Menu
Doors and Engine Off Power Delay Customer Settings Menu
Radio Speaker Open Circuit Disable (LF)
Radio Speaker Open Circuit Disable (RF)
Radio Speaker Open Circuit Disable (LR)
Radio Speaker Open Circuit Disable (RR)
ANC Calibration Parameter Data Set
Surround View Camera On/Off Softkey Present
Drive Mode Version
Rear Defrost and Heated Mirrors Present
Show Phone Information in Cluster
Auto Dimming Mirror Hard Button Present
Clari-Fi Present
Automatic Crash Notification Feature Present
Trailer Hitch Camera Present
Park Assist Tuning Set
Rear Defrost Presence
Heated Mirrors Present
Engine Displacement
Steering C Factor
Speedometer Tolerance
Increasing speed constant
Tachometer Type
DTV Present
Tri-State Comfort Climate Softkey Function Present



ms

RADIO CONFIGURATION

NAME	VALUE	UNITS
Satellite Subscription Status		
Reason Code	00	
Suspend Day	00	
Suspend Month	00	
Suspend Year	00	
Distortion Limiting		

High Cut

Automated Loudness

Anti Theft Enable Status

12/24 Time Selection

Front Seat Video Playback

Cabin EQ Curve Number Currently Used by Radio

events

Splash Screen

USB Hubs Detected

No Unit

SD Card Readers Detected

No Unit

Enumerated USB Devices

No Unit

Aux Jack

CAN Architecture

ABSO CONFIGURATION

NAME	VALUE	UNITS
Vehicle Line Identification		
Displacement		No Unit
Hybrid Type		
Trans Type		
Drive Configuration		
Chassis Type		
Axle Ratio		No Unit
Tire Circumference		inch

DASM CONFIGURATION

NAME	VALUE	UNITS
ACC Present		
ACC STOP Present		
ACC GO Present		
FCW Present		
LDW Plus Present		
Auto High Beam Present		
NCC Present		

Vehicle [REDACTED] [REDACTED] [REDACTED]

[illegible]

AHCP	Auxiliary Hybrid Control Processor	CAN C				
TBM2	Telematic Box Module 2	CAN-C				

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	SERIAL NUMBER	CVNS
TCM	USA / USA					
PCM	USA					
ICS	USA					
RFH	USA / USA					
ESM	USA					
DTCM	USA					
ORC	USA					
EPS	USA					
HVAC	USA / USA					
IPC	USA					
SCCM	USA					
RADIO						
OCM	USA					
HCP	USA					
EAM						
DSM	USA / USA					
AHCP	USA					
ABSO	USA					
SGW						
DPDM	USA					
DASM	USA					
IDCM	USA					

TBM2

DTC SUMMARY

ECU	DTC CODE	DTC DESCRIPTION	STATUS
TCM			

ENVIRONMENTAL DATA SUMMARY

TCM|

NAME	VALUE	UNITS
DTC		
Test Failed		
Test Failed This Operation Cycle		
Pending DTC		
Confirmed DTC		
Test Not Completed Since Last Clear		
Test Failed Since Last Clear		
Test Not Completed This Operation Cycle		
Warning Indicator Requested		
DTC Extended Data Record Number All		
Occurrence flag		
Original Odometer Value		miles
Most Recent Odometer Value		miles
Frequency Counter		
Ignition Cycle Counter		

SNAPSHOT DATA SUMMARY

No Snapshot Data available for