

[illegible]

REDACTED

[illegible][illegible]

Sess onID # XXXXXXXXXX

(FOIA) 5 U.S.C. 552 (B) (6)

AHCP	Auxiliary Hybrid Control Processor	CAN C				
TBM2	Telematic Box Module 2	CAN-C				

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	FIRMWARE VERSION	SOFTWARE VERSION	IDENT	SERIAL NUMBER	CVNS
TCM	USA / USA					
PCM	USA					
ICS	USA					
RFH	USA / USA					
ESM	USA					
DTCM	USA					
ORC	USA					
EPS	USA					
HVAC	USA / USA					
PTCM	USA					
IPC	USA					
SCCM	USA					
BCM	USA					
RADIO						
OCM	USA					
BPCM	Rest of world / ROW					
HCP	USA					
EAM						
DSM	USA / USA				T	
AHCP	USA					
ABSO	USA					
SGW						
DPDM	USA					
DASM	USA					
IDCM	USA					

TBM2

CONFIGURATION**TCM CONFIGURATION**

NAME	VALUE	UNITS
Autostick/ERS On/Off Switch Equipped		
Paddle Shift Switches Equipped		
Shifter with Sport Mode Position Equipped		
Shifter with Low Mode Position Equipped		
Sport Mode Switch or Virtual Switch (Non Terrain) Equipped		
Overdrive Off or Tow/Haul Mode Switch or Virtual Switch (Non-Terrain) Equipped		
ECO/Optimizer Switch Equipped		
ERS/Autostick/Tip Non-paddle on Steering Wheel equipped		
ERS/Autostick/Tip Non-paddle on Shifter in D position equipped		
ERS/Autostick/Tip Non paddle on Shifter in A or M position equipped		
FWD Equipped		
RWD Equipped		
AWD Equipped		
4WD with switchable Lo Range equipped		
Engine Start/Stop equipped		
Polystable E-shift (Cableless without return-to-center) equipped		
Long Learn Enabled		
Short Learn Enabled		

PCM CONFIGURATION

NAME	VALUE	UNITS
AC Equipped		
AC Equipped Over Bus		
Power Steering Switch Equipped		
4 Button Integrated Cruise Control		
EMAT (Getrag DCT transmission) Equipped		
Vehicle Speed Sensor #1 Calculated from CAN		
Police Package Equipped		
Unleaded Gasoline Fuel		
Unleaded diesel fuel		
6.4 Liter V8 Engine		
4 Speed Automatic Transmission Equipped		
Electronic Automatic Transmission (EATX) Equipped		
Vehicle Speed Sensor #1 Calculated by ECU		
4.7 Liter V8 Engine		
5.7 Liter V8 Engine		
6.1 Liter V8 Engine		

Sensorless FFV Enabled

Electronic Throttle Control Equipped

3.6 Liter V6 Engine

4.0 Liter I6 Engine

3.8 Liter V6 Engine

3.7 Liter V6 Engine

3.5 Liter V6 Engine

3.3 Liter V6 Engine

3.2 Liter V6 Engine

2.7 Liter V6 Engine

MTV Solenoid Equipped

MDS Equipped

Turbocharger Equipped

SRV Equipped

Secondary Air Equipped

Shift Indicator Lamp Equipped

Barometric Sensor Equipped

TIP Equipped

Battery Temp Sensor Equipped

Knock Sensor 1 Equipped

Knock Sensor 2 Equipped

WI4 Variable Valve Timing Equipped

Clutch Interlock Switch Equipped

ESIM Equipped

Linear Purge Equipped

Linear EGR Equipped

Continuous Variable Transmission Equipped

Direct Injection Equipped

Secondary Fuel Pump Equipped

Electronic Coolant Pump Equipped

O2 Sensor Bank 1 Sensor 1 Equipped

O2 Sensor Bank 1 Sensor 2 Equipped

O2 Sensor Bank 1 Sensor 3 Equipped

O2 Sensor Bank 2 Sensor 1 Equipped

O2 Sensor Bank 2 Sensor 2 Equipped

Fixed displacement AC Equipped

WI4 Intake Flow Control Valve Equipped

Electric Coolant Valve Equipped

Engine Oil Heater Cooler Equipped

Transmission Oil Heater Equipped

Electric Water Pump Equipped

Rear Heater Equipped

Starter Relay 2 Equipped

Inrush Current Reduction Relay Equipped

Active Grille Shutter Equipped

Electronic Vacuum Pump Equipped

Wide Range O2 Sensor 1/1 Equipped

Wide Range O2 Sensor 2/1 Equipped

Multi Air Equipped

Engine Stop Start Equipped

Viscosity Sensor Equipped

Duty Cycle Purge Valve Equipped

Electric Thermostat Heater Equipped

Exhaust Cam 1 Equipped

Intake Cam 1 Equipped

1.8 Liter WI4 engine

2.0 Liter WI4 engine

2.4 Liter WI4 engine

3.0 Liter V6 Engine

Tumble Generator Valve Equipped

Hybrid Electric Vehicle Equipped

Dual Speed Fuel Pump Equipped

Exhaust Cam 2 Equipped

Intake Cam 2 Equipped

1 Speed Fan Mechanical Relay System Equipped

2 Speed Fan Mechanical Relay System Equipped

2 Speed Fan PWM Relay System Equipped

Linear PWM Fan Relay System Equipped

PWM Fan Motor System Equipped

3 Speed Fan Mechanical Relay System Equipped

Fan Wake Up Relay System Equipped

2 Speed Fan 3 Driver 3 Relay System Equipped

40TE / 41TE / 41TEA

42RLE

45RFE / 545RFE / 65RFE

62TE

66RFE / 68RFE

VLP Is Learnable Indicator

VLP Equipped Indicator

VFS Actuators Available Indicator

ERS Equipped Indicator

Engine Software In Package

Transmission Software Included

ICC Cruise Equipped

ETC Cruise equipped

Adaptive Cruise Control Equipped

A/C Equipped

Adaptive Cruise Control Hardware Equipped

DUAL ALTERNATOR GEN1 LEARNEDCOPY

COOLCONFIG Oil Pressure ABS Equipped

GPEC2 Equipped

GPEC2A Equipped

GPEC3 Equipped

Cummins Equipped

GPEC4 Equipped

VMM Equipped

Powernet Equipped

CUSW (11-Bit) Equipped

Fiat 940 Compact Equipped

Next Gen Bus Equipped

Constant Heater Temperature Control Valve Equipped

High Side Port Tumble Valve Equipped

CMCV H-Bridge Equipped

Turbine Volute Valve Actuator Equipped

Wastegate H-Bridge Equipped

Active Exhaust Valve Equipped

Active Exhaust Pressure Sensor Equipped

Engine Idle Shutoff Equipped

Aisin 6 Speed RWD Transmission Equipped

Cooled EGR Equipped

Supercharger Equipped

Low Temperature Radiator Coolant Pump Equipped

Mechanical Coolant Pump Heater Equipped

Auxiliary Coolant Pump Heater Equipped

Compressed Natural Gas Equipped

CUSW PROXI Write Programming Support Enabled

Active Engine Mount Equipped

ZF 9-Speed Transmission Equipped

HPT 6 Speed Transmission Equipped

Variable Speed Fuel Pump Equipped

Operator Idle Speed Request Equipped

PTO System Equipped

Air Shutoff Valve Bank 1 Control Solenoid 1 Equipped

Air Shutoff Valve Bank 1 Control Solenoid 2 Equipped

Air Shutoff Valve Bank 2 Control Solenoid 2 Equipped

Dual Stage Oil Pump Equipped

Auxiliary Coolant Pump Equipped
 Trans Skip Shift Equipped
 Trans Reverse Lockout Equipped
 Port Flap Valve Equipped
 Brushless PWM Fan Equipped
 3.2 Liter V8 Engine
 Primary Lin Alternator Equipped
 Coolant On Off Pump Equipped
 Oil Pressure Sensor Enabled
 Fiat VIN Learning Strategy Equipped
 Dual Fuel Tank Equipped
 Yaw Rate Sensor ESC Equipped
 1.0 Liter I3 Engine
 Coolant On-Off Valve Equipped
 Buffered Crank Output for ANC (Active Noise Cancellation) Equipped
 Buffered Crank Output for PHEV Engine Pulse Calculation Equipped
 Throttle Inlet Temp Sensor Equipped
 Humidity, Temperature and Pressure Sensor (LIN) Equipped
 Dual Fuel Pressure Sensor Equipped
 Brake Pedal Sensor Equipped
 Dual Fuel Tank Equipped
 PTO System Equipped
 Low Temp Radiator Coolant Pump Equipped
 Engine Idle Shutoff Equipped
 A/C Relay Powered from Engine Switched Battery
 CNG Large Gas Tank Equipped
 Cooled EGR Equipped
 Supercharger Equipped
 Hybrid MEC Shifter Equipped
 Dual Alternator Gen1 Capable
 Auxillary Coolant Pump Equipped
 ZF 9 Speed Trans Equipped
 HPT 6 Speed Trans Equipped
 CUSW 4-Button Cruise Equipped
 Power Steering Angle Sensor Mandatory
 Throttle Inlet Temp Sensor Equipped
 LIN Humidity, Temp, and Pressure Sensor Equipped
 Dual Fuel Pressure Sensor Equipped
 Brake Pedal Sensor Equipped
 Clutch Sensor Equipped
 SWAP HARDWIRED BRAKE SWITCH INPUTS
 Mass Airflow System Equipped

Bi Directional Crank Sensor Equipped

5 Button Cruise (LIN) Equipped

Operator Idle Speed Request Equipped

INTAKE O2 SENSOR EQUIPPED

Cylinder Pressure Sensor Equipped

Make Up Air Sensor Equipped

Active Exhaust Pressure Sensor Equipped

Secondary Mass Airflow Sensor Equipped

1.0 Liter I3 Engine

2.0 Liter I4 Direct Injection Engine

Variable Valve Lift Equipped

Coolant On-Off Pump Equipped

Primary Lin Alternator Equipped

Electronic Parking Brake Equipped

Active Exhaust Valve(s) Equipped

Mechanical Coolant Pump Equipped

Aux Coolant Pump Heater Equipped

Heater Temp Control Valve Equipped

High Side Port Tumble Valve Equipped

Wastegate HBridge Equipped

Remote Start Present

Engine Oil Pressure Sensor Type

None

ICS CONFIGURATION

NAME	VALUE	UNITS
Display Type (Base)		
Display Type (Mid)		
Display Type (High)		

RFH CONFIGURATION

NAME	VALUE	UNITS
PIN Successfully Programmed		
VIN Successfully Programmed		
Valid Key In Ignition		
Keyless Go		
Ignition system type connected		
e-shifter present		
Auto Park Present		
Secret Codes Programmed		
Passive Entry		
RKE		
Module Configuration Status		

Remote Start Present

\$0214 Programmed by

Hardware Configuration: Remote Start Antenna

Hardware Configuration: Front Left Door Handle H/W

Hardware Configuration: Front Right Door Handle H/W

Hardware Configuration: Rear Left Door Handle H/W

Hardware Configuration: Rear Right Door Handle H/W

Hardware Configuration: Trunk Door Handle H/W

RFHub Locked

Fob Location #1 Successfully Programmed

Fob Location #2 Successfully Programmed

Fob Location #3 Successfully Programmed

Fob Location #4 Successfully Programmed

Fob Location #5 Successfully Programmed

Fob Location #6 Successfully Programmed

Fob Location #7 Successfully Programmed

Fob Location #8 Successfully Programmed

Back Up Vehicle Config 1

Back Up Vehicle Config 2

Back Up Vehicle Config 3

Back Up Vehicle Config 4

Back Up Vehicle Config 5

Back Up Vehicle Config 6

Back Up Vehicle Config 7

Back Up ECU Configuration 1

Back Up ECU Configuration 2

Back Up ECU Configuration 3

Back Up ECU Configuration 4

Back Up ECU Configuration 5

Back Up ECU Configuration 6

Back Up ECU Configuration 7

Back Up ECU Configuration 8

Back Up ECU Configuration 9

Back Up ECU Configuration 10

Back Up ECU Configuration 11

Back Up ECU Configuration 12

Back Up ECU Configuration 13

Back Up ECU Configuration 14

Back Up ECU Configuration 15

Back Up ECU Configuration 16

Back Up ECU Configuration 17

Back Up Customer Settings Menu 1 (CSM1)

Back Up Customer Settings Menu 2 (CSM2)

Back Up Programmed ECUs: Cabin Network

Back Up Programmed ECUs: P/T Chassis Network

Secret Key Sent to Body Controller - Most recent attempt

Secret Key Sent to Body Controller Original attempt

Base TPM Present

Flt Size Matching Spare Tire Present

ECU Ship Status

Tire Pressure System

Selectable Tire P/A Alert

TPM Auto-Locate Enabled

TPMS Configuration

DTCM CONFIGURATION

NAME	VALUE	UNITS
Full-Time T-Case		
Front Locker Present		
Rear Locker Present		
FAD Present		
Mode Switch Present		
Left/Right Hand Drive		
Axle Ratio		
T-Case Type		
SRT Present		

ORC CONFIGURATION

NAME	VALUE	UNITS
Rollover Sensing		
EPPM		
Occupant Classification (OCM)		
First Row Driver Seatbelt Buckle Switch		
First Row Passenger Seatbelt Buckle Switch		
Second Row Left seat belt Switch		
Second Row Center seat belt Switch		
Second Row Right seat belt Switch		
Driver Seat Track Position Sensor		
Passenger Seat Track Position Sensor		
Passenger Occupant Detection Sensor		
Passenger Airbag Disable Switch		
Passenger Airbag Disable Indicator		
Driver Frontal Squib 1		
Driver Frontal Squib 2		

Driver Frontal Squib 3

Passenger Frontal Squib 1

Passenger Frontal Squib 2

Passenger Frontal Squib 3

Driver Knee Bolster Squib

Passenger Knee Bolster Squib

Driver Seatbelt Retractor Pretensioner

Passenger Seatbelt Retractor Pretensioner

Driver Seatbelt Load Limiter

Passenger Seatbelt Load Limiter

Driver Seatbelt Anchor Pretensioner

Passenger Seatbelt Anchor Pretensioner

Driver Seatbelt Buckle Pretensioner

Passenger Seatbelt Buckle Pretensioner

Left Curtain Squib 1

Right Curtain Squib 1

Left Side Seat Squib 1

Right Side Seat Squib 1

Second Row Left Seat Side Airbag

Second Row Right Seat Side Airbag

Driver Frontal Squib 4

Passenger Frontal Squib 4

Left Up Front Acceleration Sensor

Right Up-Front Acceleration Sensor

Right B Pillar Impact Acceleration Sensor

Left B-Pillar Impact Acceleration Sensor

Left C Pillar Impact Acceleration Sensor

Right C Pillar Impact Acceleration Sensor

Right D-Pillar Impact Acceleration Sensor

Left D Pillar Impact Acceleration Sensor

Left Side Door Pressure Sensor

Right Side Door Pressure Sensor

Configuration Column Identifier

HVAC CONFIGURATION

NAME	VALUE	UNITS
DualZone ATC Control (Factory) (BB)		
DualZone ATC Control (BB)		
Dual Zone MTC Control (BB)		
Single Zone MTC Control (BB)		
MTC With EBL (3Knob)		
MTC Without EBL (3Knob)		

MTC heater only (3Knob)

IPC CONFIGURATION

NAME	VALUE	UNITS
Main Fuel Tank Gauge Empty Stop Calibration	0.000	Volts
Main Fuel Tank Gauge -1/4th Datum Calibration	0.000	Volts
Main Fuel Tank Gauge 1/2 Datum Calibration	0.000	Volts
Main Fuel Tank Gauge - 3/4 Datum Calibration	0.000	Volts
Main Fuel Tank Gauge Full Stop Calibration	0.000	Volts
Sub Fuel Tank Gauge - Empty Stop Calibration	0.000	Volts
Sub Fuel Tank Gauge - 1/4 Datum Calibration	0.000	Volts
Sub Fuel Tank Gauge 1/2 Datum Calibration	0.000	Volts
Sub Fuel Tank Gauge - 3/4 Datum Calibration	0.000	Volts
Sub Fuel Tank Gauge Full Stop Calibration	0.000	Volts

SCCM CONFIGURATION

NAME	VALUE	UNITS
Rear Wiper		
Tilt Telescope		
Paddle Shifter		
Cruise Control / ACC		

BCM CONFIGURATION

NAME	VALUE	UNITS
RBSM		
LBSM		
BCM (Interior Bus)		
HSM		
HVAC		
PTCM		
Radio		
ITM		
AMP		
EDM		
HVAC_R		
TBM		
AHLM/AFLS		
ASCM		
BCM (PT)		
DTCM		
PCM		
EPS		

ESM		
ABS		
RFH		
IPC		
ORC		
PTS		
SYM		
ELSD		
TCM		
TPM		
AFLS		
ITBM		
OCM		
DPDM		
SGW		
ASBS		
ANC		
Number of Reprogramming Attempts Counter #0		
Vehicle Configuration Programmed Status		
Last Programmed Status		
Last Configuration Odometer		miles
Vehicle Configuration Auto Write Counter		
Vehicle Configuration 1 Write Counter		
Vehicle Configuration 2 - Write Counter		
Vehicle Configuration 3 Write Counter		
Vehicle Configuration 4 - Write Counter		
Vehicle Configuration 5 Write Counter		
Vehicle Configuration 6 Write Counter		
Programmed ECUs: Cabin Network		
Programmed ECUs: P/T Chassis Network		
Programmed Network Configuration - Audio / Telematics Network		
Programmed ECUs: Hybrid LAN Network		
ECU Configuration 1 (CBC Configurable Inputs and Outputs)		
ECU Configuration 2 (CBC Features)		
ECU Configuration 3		
ECU Configuration 4		
ECU Configuration 5 (Wireless)		
ECU Configuration 5 (Doors)		
ECU Configuration 5 (Memory)		
ECU Configuration 6 (Brake)		
ECU Configuration 6 (Suspension)		
ECU Configuration 6 (Powertrain)		

ECU Configuration 6 (Safety)

ECU Configuration 7 (CBC Exterior Lighting Calibrations)

ECU Configuration 8 (LIN and Miscellaneous)

ECU Configuration 9A

ECU Configuration 9 (ITM)

ECU Configuration 10

ECU Configuration 11

ECU Configuration 12

ECU Configuration 13

ECU Configuration 14

ECU Configuration 15 (CBC Features)

ECU Configuration 15 (Suspension)

Vehicle Configuration 7 Write Counter

Vehicle Config CSM1

Vehicle Config CSM2

Model Year

Vehicle Line

Country Code

Left/Right Hand Drive

Remote Start Present

Drive Configuration

Emode Present

Auto Highbeam

Body Style

Maximum Vehicle Speed

MPH

Shifter Type

Performance Pages Present

Special Packages

PTS Configuration

Hill Descent Feature Present

Select Speed Control Feature Present

Power Inverter Type

Thatcham Present

Rain Sensor Present

SKIM System Present

Air Conditioning Present

Cruise Feature is Present

Flipper Glass Present

Full Size Spare

Off Road Capable

Special Packages

Max Load Inflation Pressure Rear Tire

PSI

Max Load Inflation Pressure Front Tire		PSI
Light Load Inflation Pressure Rear Tire		PSI
Police Lighting Feature		
Power Lift Gate Present		
Power Right Sliding Door Present		
Power Left Sliding Door Present		
RMA System Present		
Sunshade Present		
T-Case Type		
Wheel Base		
FOBIK Safe Enable		
ELV Present		
Fuel Capacity		gallons
Window Express Feature Configuration		
Adjustable Pedal Feature Present (Hot Memory)		
Auto Headlamp Feature Present		
Door Alert Feature Present		
Two Fuel Sending Units Present		
Vehicle is an SRT		
Disable Display of Radio Clock		
Chassis Type		
Display Outside Temperature Present		
HVAC Configuration		
Vehicle Brand		
Display Compass Heading Present		
Interior EC Mirror Present		
ESCL system present		
High Intensity Discharge Head Lamps		
Secondary Lock Present		
Liftgate/Trunk Type		
Collision Mitigation System present		
Forward Collision Warning present		
Base TPM system present		
Premium TPM system present		
Paddle Shift Feature Present		
Sport Mode Present		
Auto Park Present		
Passive Entry Present		
Keyless Go Present		
Transfer Case High Ratio		No Unit
Axle Ratio		
Transfer Case Low Range Reduction Ratio		

Dynamic Tire Circumference (All or Rear)		inch
Dual Rear Wheel (DRW) Vehicle Present		
Non Regulated Tire Pressure Information System (TPIS) Present		
Steering Ratio at zero		No Unit
Steering Ratio at Positive Angle 1		No Unit
Steering Ratio at Positive Angle 2		No Unit
Steering Ratio at Positive Angle 3		No Unit
Steering Ratio at Positive Angle 4		No Unit
Steering Ratio at Positive Angle 5		No Unit
Analog Door Sensor Configuration		
Air Quality System Present		
Steering Ratio at Negative Angle 1		No Unit
Steering Ratio at Negative Angle 2		No Unit
Steering Ratio at Negative Angle 3		No Unit
Steering Ratio at Negative Angle 4		No Unit
Steering Ratio at Negative Angle 5		No Unit
Ambient Light Dimmer Wheel Input Present Pin G9		
Low Beam Output Present Pin A3, D2		
Rear Wiper Motor Park Present - Pin E29		
Left Rear Door Ajar Input Present Pin F23		
Front Driver Analog Door Ajar Input Present - Pin F9		
Reserved - Pin G12		
Horn Switch Input Present Pin F29		
Reserved - Pin E15		
Hood Ajar Switch Input Present Pin A11		
Hard Top Sense Present - Pin E14		
Reserved F21		
Reserved Pin D20		
Passenger Door Ajar Signal Present - Pin G18		
Reserved Pin E47		
Reserved - Pin E35		
Starter Relay Lowside Coil Drive Pin D7		
Diesel Cabin Heater #2 Output Present Pin D9		
Diesel Cabin Heater #3 Output Present - Pin D10		
Diesel Cabin Heater #1 Output Present Pin D11		
Right Dedicated DRL Lamp Output Present - Pin A22		
Left Dedicated DRL Lamps Output Present Pin D15		
Flipper Glass #2 Output Present		
Foot Well Lamps Output Present - Pin G24		
Front Fog Lamps Output Present Pin A1 & D13		
Inverter Enable Relay Output Present - Pin F35		
Reserved E20		

Gated Park ZFII Output Present Pin D 24

Reserved - Pin E21

Rear Fog Lamps Output Present Pin E39 & F5

Rear Park Lamps Output Present - Pin E4 & F32

Rear Turn Lamps Output Present Pin E3 & F42

Run ACC Y Relay #2 Output Present Pin E9

Stop Markers Output Present - Pin A10 & D5

Trailer Backup Lamps Output Present Pin E23

Reserved - Pin F4

UGDO Feed Output Present Pin G15

VTA Warning LED Output Present - Pin G22

Park Brake Input Present Pin E11

Ambient Temperature Sensor Present Pin D22

Tip Start Enabled

Dual Start Relay System Present

Wiper Service Position Enabled

Trailer Tow Present

Quad Headlamps Enable

Horn Chirp Allowed

Bi Xenon Headlamps Enable

Hazard Lamp Configuration

Park Lamp Loadshed Enable

Front Fog Lamp Dropout Enable

Combined Rear Lighting Enable

Side Repeaters Enable

One Touch Lane Change

Exterior Light Loadshed Enable

Front Wiper Park Enable

Rear Wiper Park Enable

Reversible Washer Pump Enable

Single Element Tail Lamp

DRL Configuration

DRL Lamp Location

DRL Dropout Enable

Tunnel Detection

Military Vehicle Present

LED Reverse Lamps Present

LED Stop Lamps Present

LED Rear Turn Lamps Present

LED Tail Lamps Present

LED Rear Fog Lamps Present

LED License Lamps Present

LED Front Turn Lamps Present		
LED Front Fog Lamps Present		
LED Dedicated DRL Present		
LED Low Beam Lamps Present		
LED High Beam Lamps Present		
LED Front Park/Marker Lamps Present		
Door Lock Switch Signal FT LT Usage (F9)		
Door Lock Switch Signal FT RT Usage (F23)		
Headlamp Wash Interval		
Headlamp Wash Shot		
Front Wiper Wipes After Wash		
Headlamp Washer Low Fluid Shut-Off Enable		
Intermittent Wiper States		
LED CHMSL Lamp Present		
Rear Camera Present		
Power Inverter Present		
Front Park Assist Present		
Front Heated Seats Present		
Front Ventilated Seats Present		
Destination		
Cabin Equilization Curve Number		
Hill Start Assist Customer Setting Option Present		
Radio Apps Present		
CTP Easy Entry Enable		
CTP Passive Entry Present		
CTP Auto Lock Disable		
SDAR Travel Link Present		
DAB Present		
Vehicle Theft Alarm Present		
Heated Steering Wheel Present		
VIN Check Digit Diable		
Surround Sound Feature Present		
Power Door Locks Present		
Antenna Type		
CTP Max AC Present		
Hybrid Electric Powertrain Present		
Disable CD Eject		
DTV Front Camera Present		
DTV Side Camera Present		
Tow Haul Present		
Hill Descent Control Present		
Audio Steering Wheel Switch Configuration		

Radio Display On/Off Softkey Present

Microphone Tuning Parameter

Microphone Configuration

Microphone Type

External Port Type

Splashscreen Type

EM Available

Rear Wheel Dually

Max Gear

Virtual Speedometer Units

Speedometer Range/Max Scale

IC Config Feature

PTO Present

AMB Dimmer

Heated Seat Present

Split Shaft Present

Manual Headlamp Leveling

Gear Shift Indicator

Service Interval

Temperature Celsius for UK

Type of Gallons

Tip Start Present

AP5 Trunk Lock

Airport Scenario Trunk Set

AP1 Left Front

AP2 Right Front

AP3 Left Rear

AP4 Right Rear

Global Up

Global Down

Sun Shade

Puddle Lamp Present

Rear Door Pre Short Drop

Passenger Window Lockout

Auto Power Folding Mirrors Present

Folding mirrors present

Heated Mirrors Present

Mirror turn signals present

Driver Memory Mirrors Present

Passenger Memory Mirror Present

Electro-chromatic driver mirror present

Electro chromatic passenger mirror present

Tow Mirror Present

Blindspot Mirror Present

Window Motor Type

Window Hall Sensors Present

Frameless Window Present

Memory Adjustable Pedals Present

Telescope Steering Present

Memory Seat Present

Rear Heated Seats Present

Front Vented Seats Present

Heated Steering Wheel Present

Heated Seat Material Type

Heated Wheel Material Type

Rear Vented Seats Present

Front Heated Seat Present

Brake System ECU Configuration A

Wheel 18 inch overall ESC Maserati

Brake System ECU Configuration B

ECO Mode Configuration

Dual Alternator Present

ODS Present

Driver Kneebag Present

Passenger Kneebag Present

Curtain Airbags Present

Tow Hooks Present

Passive Ped Pro Present

2nd Row Seat Airbags Present

Reserved

Reserved

Integrated EPP Present

BUX vehicle

Signature Light Present

Dual Filament Headlamp

Front Turn Lamp Diagnostics

Auto Headlamp On Threshold

Auto Headlamp Off Threshold

Left Low Beam Voltage Regulation

Left High Beam Voltage Regulation

Right Low Beam Voltage Regulation

Right High Beam Voltage Regulation

Left Front Corner Voltage

Right Front Corner Voltage

Left Rear Corner Voltage		
Right Rear Corner Voltage		
Panic Enable		
Compass Mounting Orientation		
Washer Fluid Level Voltage Threshold		
ABS Present		
ACM Present		
Humidity Sensor Present		
Manual Trans Present		
DC to DC Converter Present		
ASBM Present		
Auto Relock Time		seconds
VTA System Present		
DC to DC Converter #2 Present		
Illuminated Approach Interior Lighting Target Percentage		
Illuminated Approach Headlamp Target Percentage		
Illuminated Approach Taillamp Target Percentage		
Illuminated Approach Interior Lighting Ramp Up Time		
CRVMM Present		
EVIC Switch Module Present		
Compass Mounting Angle		Degree
Backup Reverse Lamp Left Present - Pin F41		
Backup Reverse Lamp Right Present - Pin E1		
Stop/Turn Lamp or Stop Lamp Present Pin E2 & F40		
Left High Beam Present - Pin D1		
Right High Beam Present - Pin A2		
Left Front Lamp Diagnostics Present - Pin F25		
Right Front Lamp Diagnostics Present - Pin F28		
Left Rear Turn Lamp Diagnostics Present - Pin F27		
Right Rear Turn Lamp Diagnostics Present - Pin F31		
Brake Fluid Level Switch Signal Present - Pin D21		
Siren		
Ultrasonics		
Tilt		
Swing Gate Lock Present - Pin F30		
Swing Gate Unlock Present - Pin F33		
Front Fog Voltage		Volts
Rear Fog Voltage		Volts
CHMSL Lamp Output Disable		
Secondary Door Ajar Present - Pin E28		
Manual Door Locks Present		
Rain Sensor Module #2 Present		

Auto High Beam Module Location

Average Last Longitudinal Acceleration Values

Average Last Lateral Acceleration Values

Excess Longitudinal Acceleration Factor

Excess Lateral Acceleration Factor

Brake Smoothing Duration

Brake Smoothing Factor

Steering Smoothing Duration

Steering Smoothing Factor

Steering Smoothing Threshold

Brake Smoothing Threshold

Maximum Longitudinal Change

Maximum Lateral Change

Acceleration Threshold

Acceleration Factor

Nose Dive Threshold

Nose Dive Factor

RKE Auto Relock Feature Enable

PE Auto-Relock Feature Enable

VTA Hood Ajar Monitoring

Horn Chirp Duration

Pitch and Roll Present

Parking Light Enable

ASBM Minimum Voltage Time

ASBM Battery Minimum Voltage

Interior Lighting Night Threshold

Volt

Interior Lighting Day Threshold

Volt

Axle Locker Configuration

Transmission Equipped

Park Brake Type

TPMS Configuration

Hybrid Type

TSBM Module Present

ADR feature Present

AGS Feature Present

Temperature Display Resolution

PTC Present

Glovebox Control

Glare Free Present

Brake Type

Suspension Type

Park assist customer settings menu

Park assist brake customer settings menu

Park assist front volume customer settings menu

Park assist rear volume customer settings menu

Electric power steering customer settings menu

Forward collision warning customer settings menu

Auto on driver comfort customer settings menu

Auxiliary switches customer settings menu

Rear view camera gridlines customer settings menu

Unit set customer settings menu

Power accessory delay customer settings menu

Ambient dimmer customer settings menu

Tire jack mode customer settings menu

Air suspension warning customer settings menu

Automatic aero mode customer settings menu

Auto high beam customer settings menu

Auto park customer settings menu

Blind spot alert customer settings menu

Clock display customer settings menu

Compass calibration customer settings menu

Compass variance customer settings menu

Consumption unit customer settings menu

Distance unit customer settings menu

Auto door lock customer settings menu

Easy exit seat customer settings menu

Auto entry exit mode customer settings menu

EPB service mode customer settings menu

Headlamp drop customer settings menu

Headlamp off delay customer settings menu

Headlamps on with wiper customer settings menu

Passive entry customer settings menu

Illuminated approach customer settings menu

Lane departure torque customer settings menu

Lane departure warning customer settings menu

Rear camera customer settings menu

Rain sensitive wipers customer settings menu

Power take off customer settings menu

Pressure unit customer settings menu

Power unit customer settings menu

Power liftgate chime customer settings menu

Performance shift enable customer settings menu

Rear view camera delay customer settings menu

RKE unlock customer settings menu

INFORMATION REDACTED PURSUANT TO THE FREED

5 U.S.C. 552 (B) (6)

Speed unit customer settings menu

Tilt mirror in reverse customer settings menu

Torque unit customer settings menu

Teen Key Fuel Pop-up Customer Settings Menu

Teen Key Automatic High Beam Customer Settings Menu

Passenger Airbag On/Off Customer Settings Menu

Forward Collision Warning and Brake Customer Settings Menu

Doors and Engine Off Power Delay Customer Settings Menu

Radio Speaker Open Circuit Disable (LF)

Radio Speaker Open Circuit Disable (RF)

Radio Speaker Open Circuit Disable (LR)

Radio Speaker Open Circuit Disable (RR)

ANC Calibration Parameter Data Set

ms

Surround View Camera On/Off Softkey Present

Drive Mode Version

Rear Defrost and Heated Mirrors Present

Show Phone Information in Cluster

Auto Dimming Mirror Hard Button Present

Clari-Fi Present

Automatic Crash Notification Feature Present

Trailer Hitch Camera Present

Park Assist Tuning Set

Rear Defrost Presence

Heated Mirrors Present

Engine Displacement

Steering C Factor

Speedometer Tolerance

Increasing speed constant

Tachometer Type

DTV Present

Tri-State Comfort Climate Softkey Function Present

RADIO CONFIGURATION

NAME	VALUE	UNITS
Satellite Subscription Status		
Reason Code	00	
Suspend Day	00	
Suspend Month	00	
Suspend Year	00	
Distortion Limiting		
Clock Defeat		
Stereo Blend		

High Cut

Automated Loudness

Anti Theft Enable Status

12/24 Time Selection

Front Seat Video Playback

Cabin EQ Curve Number Currently Used by Radio

Smash Screen

USB Hubs Detected

SD Card Readers Detected

Enumerated USB Devices

Aux Jack

CAN Architecture

events

No Unit

No Unit

No Unit

ABSO CONFIGURATION

NAME	VALUE	UNITS
Vehicle Line Identification		
Displacement		No Unit
Hybrid Type		
Trans Type		
Drive Configuration		
Chassis Type		
Axle Ratio		No Unit
Tire Circumference		inch

DASM CONFIGURATION

NAME	VALUE	UNITS
ACC Present		
ACC STOP Present		
ACC GO Present		
FCW Present		
LDW Plus Present		
Auto High Beam Present		
NCC Present		

Vehicle

[illegible]

AHCP	Auxiliary Hybrid Control Processor	CAN C				
TBM2	Telematic Box Module 2	CAN-C				

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	FIRMWARE VERSION	SOFTWARE VERSION	IDENT	SERIAL NUMBER	CVNS
TCM	USA / USA					
PCM	USA					
ICS	USA					
RFH	USA / USA					
ESM	USA					
DTCM	USA					
ORC	USA					
EPS	USA					
HVAC	USA / USA					
PTCM	USA					
IPC	USA					
SCCM	USA					
BCM	USA					
RADIO						
OCM	USA					
BPCM	Rest of world / ROW					
HCP	USA					
EAM						
DSM	USA / USA					
AHCP	USA					
ABSO	USA					
SGW						
DPDM	USA					
IDCM	USA					

TBM2

DTC SUMMARY

ECU	DTC CODE	DTC DESCRIPTION	STATUS
TCM			Stored

ENVIRONMENTAL DATA SUMMARY

TCM

NAME	VALUE	UNITS
DTC		
Test Failed		
Test Failed This Operation Cycle		
Pending DTC		
Confirmed DTC		
Test Not Completed Since Last Clear		
Test Failed Since Last Clear		
Test Not Completed This Operation Cycle		
Warning Indicator Requested		
DTC Extended Data Record Number All		
Occurrence flag		
Original Odometer Value		miles
Most Recent Odometer Value		miles
Frequency Counter		
Ignition Cycle Counter		

SNAPSHOT DATA SUMMARY

No Snapshot Data available for