INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

CONFIGURATION REPORT

[redacted]

ECU SUMMARY INFO

ECU	NAME	BUS TYPE	FLASH PART #	CURRENT VIN	ORIGINAL VIN	PART #
[redacted]						

[redacted]

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT, 5 U.S.C. 552 (b) (6)

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	SERIAL NUMBER	CVNS
TCM	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
PCM	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
ICS	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
RFH	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
ESM	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
ORC	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
EPS	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
HVAC	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
IPC	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
PTS	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
SCCM	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
BCM	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
RADIO		[redacted]	[redacted]	[redacted]	[redacted]	
OCM	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
LBSS	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
RBSS	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
BPCM	[redacted]	[redacted]	[redacted]	[redacted]		[redacted]
HCP	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
DSM	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
AHCP	[redacted]	[redacted]	[redacted]	[redacted]		

ABSO	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
SGW		[redacted]	[redacted]	[redacted]	[redacted]	
DPDM	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
DASM	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
IDCM	[redacted]	[redacted]		[redacted]	[redacted]	
TBM2	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

CONFIGURATION

TCM CONFIGURATION

NAME	VALUE	UNITS
Autostick/ERS On/Off Switch Equipped	[redacted]	
Paddle Shift Switches Equipped	[redacted]	
Shifter with Sport Mode Position Equipped	[redacted]	
Shifter with Low Mode Position Equipped	[redacted]	
Sport Mode Switch or Virtual Switch (Non Terrain) Equipped	[redacted]	
Overdrive Off or Tow Haul Mode Switch or Virtual Switch (Non-Terrain) Equipped	[redacted]	
[redacted]	[redacted]	
ERS/Autostick/Tip Non-paddle on Steering Wheel equipped	[redacted]	
ERS/Autostick/Tip Non paddle on Shifter in D position equipped	[redacted]	
ERS/Autostick/Tip Non paddle on Shifter in A or M position equipped	[redacted]	
FWD Equipped	[redacted]	
RWD Equipped	[redacted]	
AWD Equipped	[redacted]	
4WD with switchable Lo Range equipped	[redacted]	
Engine Start/Stop equipped	[redacted]	
Polystable E-shift (Cableless without return-to-center) equipped	[redacted]	
Long Learn Enabled	[redacted]	
Short Learn Enabled	[redacted]	

PCM CONFIGURATION

NAME	VALUE	UNITS
AC Equipped	[redacted]	
AC Equipped Over Bus	[redacted]	
Power Steering Switch Equipped	[redacted]	
4 Button Integrated Cruise Control	[redacted]	
EMAT (Getrag DCT transmission) Equipped	[redacted]	
Vehicle Speed Sensor #1 Calculated from CAN	[redacted]	
Police Package Equipped	[redacted]	
Unleaded Gasoline Fuel	[redacted]	
Unleaded diesel fuel	[redacted]	
6.4 Liter V8 Engine	[redacted]	
4 Speed Automatic Transmission Equipped	[redacted]	

Electronic Automatic Transmission (EATX) Equipped	[redacted]	
Vehicle Speed Sensor #1 Calculated by ECU	[redacted]	
4.7 Liter V8 Engine	[redacted]	
5.7 Liter V8 Engine	[redacted]	
6.1 Liter V8 Engine	[redacted]	
Sensorless FFV Enabled	[redacted]	
Electronic Throttle Control Equipped	[redacted]	
3.6 Liter V6 Engine	[redacted]	
4.0 Liter I6 Engine	[redacted]	
3.8 Liter V6 Engine	[redacted]	
3.7 Liter V6 Engine	[redacted]	
3.5 Liter V6 Engine	[redacted]	
3.3 Liter V6 Engine	[redacted]	
3.2 Liter V6 Engine	[redacted]	
2.7 Liter V6 Engine	[redacted]	
MTV Solenoid Equipped	[redacted]	
MDS Equipped	[redacted]	
Turbocharger Equipped	[redacted]	
SRV Equipped	[redacted]	
Secondary Air Equipped	[redacted]	
Shift Indicator Lamp Equipped	[redacted]	
Barometric Sensor Equipped	[redacted]	
TIP Equipped	[redacted]	
[redacted]	[redacted]	
Knock Sensor 1 Equipped	[redacted]	
Knock Sensor 2 Equipped	[redacted]	
WI4 Variable Valve Timing Equipped	[redacted]	
Clutch Interlock Switch Equipped	[redacted]	
ESIM Equipped	[redacted]	
Linear Purge Equipped	[redacted]	
Linear EGR Equipped	[redacted]	
Continuous Variable Transmission Equipped	[redacted]	
Direct Injection Equipped	[redacted]	
Secondary Fuel Pump Equipped	[redacted]	
Electronic Coolant Pump Equipped	[redacted]	
O2 Sensor Bank 1 Sensor 1 Equipped	[redacted]	
O2 Sensor Bank 1 Sensor 2 Equipped	[redacted]	
O2 Sensor Bank 1 Sensor 3 Equipped	[redacted]	
O2 Sensor Bank 2 Sensor 1 Equipped	[redacted]	
O2 Sensor Bank 2 Sensor 2 Equipped	[redacted]	
Fixed displacement AC Equipped	[redacted]	
WI4 Intake Flow Control Valve Equipped	[redacted]	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Electric Coolant Valve Equipped	[redacted]
Engine Oil Heater Cooler Equipped	[redacted]
Transmission Oil Heater Equipped	[redacted]
Electric Water Pump Equipped	[redacted]
Rear Heater Equipped	[redacted]
Starter Relay 2 Equipped	[redacted]
[redacted]	[redacted]
Active Grille Shutter Equipped	[redacted]
Electronic Vacuum Pump Equipped	[redacted]
Wide Range O2 Sensor 1/1 Equipped	[redacted]
Wide Range O2 Sensor 2/1 Equipped	[redacted]
[redacted]	[redacted]
Engine Stop Start Equipped	[redacted]
Viscosity Sensor Equipped	[redacted]
Duty Cycle Purge Valve Equipped	[redacted]
Electric Thermostat Heater Equipped	[redacted]
Exhaust Cam 1 Equipped	[redacted]
Intake Cam 1 Equipped	[redacted]
1.8 Liter WI4 engine	[redacted]
2.0 Liter WI4 engine	[redacted]
2.4 Liter WI4 engine	[redacted]
3.0 Liter V6 Engine	[redacted]
Tumble Generator Valve Equipped	[redacted]
Hybrid Electric Vehicle Equipped	[redacted]
[redacted]	[redacted]
Exhaust Cam 2 Equipped	[redacted]
Intake Cam 2 Equipped	[redacted]
1 Speed Fan Mechanical Relay System Equipped	[redacted]
2 Speed Fan Mechanical Relay System Equipped	[redacted]
2 Speed Fan PWM Relay System Equipped	[redacted]
[redacted]	[redacted]
PWM Fan Motor System Equipped	[redacted]
3 Speed Fan Mechanical Relay System Equipped	[redacted]
Fan Wake Up Relay System Equipped	[redacted]
2 Speed Fan 3 Driver 3 Relay System Equipped	[redacted]
40TE / 41TE / 41TEA	[redacted]
42RLE	[redacted]
45RFE / 545RFE / 65RFE	[redacted]
62TE	[redacted]
66RFE / 68RFE	[redacted]
VLP Is Learnable Indicator	[redacted]
VLP Equipped Indicator	[redacted]

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

VFS Actuators Available Indicator	[redacted]	
ERS Equipped Indicator	[redacted]	
Engine Software In Package	[redacted]	
Transmission Software Included	[redacted]	
ICC Cruise Equipped	[redacted]	
ETC Cruise equipped	[redacted]	
Adaptive Cruise Control Equipped	[redacted]	
A/C Equipped	[redacted]	
Adaptive Cruise Control Hardware Equipped	[redacted]	
DUAL ALTERNATOR GEN1 LEARNEDCOPY	[redacted]	
TOOLCONFIG Oil Pressure ABS Equipped	[redacted]	
GPEC2 Equipped	[redacted]	
GPEC2A Equipped	[redacted]	
GPEC3 Equipped	[redacted]	
[redacted]	[redacted]	
GPEC4 Equipped	[redacted]	
VMM Equipped	[redacted]	
Powernet Equipped	[redacted]	
CUSW (11-Bit) Equipped	[redacted]	
Fiat 940 Compact Equipped	[redacted]	
Next Gen Bus Equipped	[redacted]	
Constant Heater Temperature Control Valve Equipped	[redacted]	
High Side Port Tumble Valve Equipped	[redacted]	
CMCV H-Bridge Equipped	[redacted]	
Turbine Volute Valve Actuator Equipped	[redacted]	
Wastegate H-Bridge Equipped	[redacted]	
Active Exhaust Valve Equipped	[redacted]	
Active Exhaust Pressure Sensor Equipped	[redacted]	
Engine Idle Shutoff Equipped	[redacted]	
Aisin 6 Speed RWD Transmission Equipped	[redacted]	
Cooled EGR Equipped	[redacted]	
Supercharger Equipped	[redacted]	
Low Temperature Radiator Coolant Pump Equipped	[redacted]	
Mechanical Coolant Pump Heater Equipped	[redacted]	
Auxiliary Coolant Pump Heater Equipped	[redacted]	
Compressed Natural Gas Equipped	[redacted]	
CUSW PROXI Write Programming Support Enabled	[redacted]	
Active Engine Mount Equipped	[redacted]	
ZF 9-Speed Transmission Equipped	[redacted]	
HPT 6 Speed Transmission Equipped	[redacted]	
Variable Speed Fuel Pump Equipped	[redacted]	
Operator Idle Speed Request Equipped	[redacted]	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

PTO System Equipped	[redacted]
Air Shutoff Valve Bank 1 Control Solenoid 1 Equipped	[redacted]
Air Shutoff Valve Bank 1 Control Solenoid 2 Equipped	[redacted]
Air Shutoff Valve Bank 2 Control Solenoid 2 Equipped	[redacted]
Dual Stage Oil Pump Equipped	[redacted]
Auxiliary Coolant Pump Equipped	[redacted]
[redacted]	[redacted]
Trans Reverse Lockout Equipped	[redacted]
[redacted]	[redacted]
Brushless PWM Fan Equipped	[redacted]
6.2 Liter V8 Engine	[redacted]
Primary Lin Alternator Equipped	[redacted]
Coolant On Off Pump Equipped	[redacted]
Oil Pressure Sensor Enabled	[redacted]
Fiat VIN Learning Strategy Equipped	[redacted]
Dual Fuel Tank Equipped	[redacted]
Yaw Rate Sensor ESC Equipped	[redacted]
1.0 Liter I3 Engine	[redacted]
Coolant On-Off Valve Equipped	[redacted]
Buffered Crank Output for ANC (Active Noise Cancellation) Equipped	[redacted]
Buffered Crank Output for PHEV Engine Pulse Calculation Equipped	[redacted]
Throttle Inlet Temp Sensor Equipped	[redacted]
[redacted]	[redacted]
[redacted]	[redacted]
Brake Pedal Sensor Equipped	[redacted]
[redacted]	[redacted]
PTO System Equipped	[redacted]
Low Temp Radiator Coolant Pump Equipped	[redacted]
Engine Idle Shutoff Equipped	[redacted]
[redacted]	[redacted]
CNG Large Gas Tank Equipped	[redacted]
Cooled EGR Equipped	[redacted]
Supercharger Equipped	[redacted]
Hybrid MEC Shifter Equipped	[redacted]
Dual Alternator Gen1 Capable	[redacted]
[redacted]	[redacted]
ZF 9 Speed Trans Equipped	[redacted]
HPT 6 Speed Trans Equipped	[redacted]
CUSW 4-Button Cruise Equipped	[redacted]
Power Steering Angle Sensor Mandatory	[redacted]
Throttle Inlet Temp Sensor Equipped	[redacted]
LIN Humidity, Temp, and Pressure Sensor Equipped	[redacted]

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Dual Fuel Pressure Sensor Equipped	[redacted]	
Brake Pedal Sensor Equipped	[redacted]	
Clutch Sensor Equipped	[redacted]	
SWAP HARDWIRED BRAKE SWITCH INPUTS	[redacted]	
Mass Airflow System Equipped	[redacted]	
Bi Directional Crank Sensor Equipped	[redacted]	
5 Button Cruise (LIN) Equipped	[redacted]	
Operator Idle Speed Request Equipped	[redacted]	
INTAKE O2 SENSOR EQUIPPED	[redacted]	
Cylinder Pressure Sensor Equipped	[redacted]	
Make Up Air Sensor Equipped	[redacted]	
Active Exhaust Pressure Sensor Equipped	[redacted]	
Secondary Mass Airflow Sensor Equipped	[redacted]	
1.0 Liter I3 Engine	[redacted]	
2.0 Liter I4 Direct Injection Engine	[redacted]	
Variable Valve Lift Equipped	[redacted]	
Coolant On-Off Pump Equipped	[redacted]	
Primary Lin Alternator Equipped	[redacted]	
Electronic Parking Brake Equipped	[redacted]	
Active Exhaust Valve(s) Equipped	[redacted]	
Mechanical Coolant Pump Equipped	[redacted]	
Aux Coolant Pump Heater Equipped	[redacted]	
Heater Temp Control Valve Equipped	[redacted]	
High Side Port Tumble Valve Equipped	[redacted]	
Wastegate HBridge Equipped	[redacted]	
Remote Start Present	[redacted]	
Engine Oil Pressure Sensor Type	[redacted]	None

ICS CONFIGURATION

NAME	VALUE	UNITS
Display Type (Base)	[redacted]	
Display Type (Mid)	[redacted]	
Display Type (High)	[redacted]	

RFH CONFIGURATION

NAME	VALUE	UNITS
PIN Successfully Programmed	[redacted]	
VIN Successfully Programmed	[redacted]	
Valid Key In Ignition	[redacted]	
Keyless Go	[redacted]	
Ignition system type connected	[redacted]	
e-shifter present	[redacted]	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Back Up ECU Configuration 14	[redacted]
Back Up ECU Configuration 15	[redacted]
Back Up ECU Configuration 16	[redacted]
Back Up ECU Configuration 17	[redacted]
Back Up Customer Settings Menu 1 (CSM1)	[redacted]
Back Up Customer Settings Menu 2 (CSM2)	[redacted]
Back Up Programmed ECUs: Cabin Network	[redacted]
Back Up Programmed ECUs: P/T Chassis Network	[redacted]
Secret Key Sent to Body Controller - Most recent attempt	[redacted]
Secret Key Sent to Body Controller Original attempt	[redacted]
Base TPM Present	[redacted]
Full Size Matching Spare Tire Present	[redacted]
ECU Ship Status	[redacted]
Tire Pressure System	[redacted]
Selectable Tire Fill Alert	[redacted]
TPM Auto-Locate Enabled	[redacted]
TPMS Configuration	[redacted]

DTCM CONFIGURATION

NAME	VALUE	UNITS
Full-Time T-Case	[redacted]	
[redacted]	[redacted]	
Rear Locker Present	[redacted]	
FAD Present	[redacted]	
Mode Switch Present	[redacted]	
Left/Right Hand Drive	[redacted]	
Axle Ratio	[redacted]	
T-Case Type	[redacted]	
SRT Present	[redacted]	

ORC CONFIGURATION

NAME	VALUE	UNITS
Rollover Sensing	[redacted]	
EPPM	[redacted]	
Occupant Classification (OCM)	[redacted]	
First Row Driver Seatbelt Buckle Switch	[redacted]	
First Row Passenger Seatbelt Buckle Switch	[redacted]	
Second Row Left seat belt Switch	[redacted]	
Second Row Center seat belt Switch	[redacted]	
Second Row Right seat belt Switch	[redacted]	
Driver Seat Track Position Sensor	[redacted]	
Passenger Seat Track Position Sensor	[redacted]	

SessionID # [redacted]

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B)(6)

Passenger Occupant Detection Sensor	[redacted]	
Passenger Airbag Disable Switch	[redacted]	
Passenger Airbag Disable Indicator	[redacted]	
Driver Frontal Squib 1	[redacted]	
Driver Frontal Squib 2	[redacted]	
Driver Frontal Squib 3	[redacted]	
Passenger Frontal Squib 1	[redacted]	
Passenger Frontal Squib 2	[redacted]	
Passenger Frontal Squib 3	[redacted]	
Driver Knee Bolster Squib	[redacted]	
Passenger Knee Bolster Squib	[redacted]	
Driver Seatbelt Retractor Pretensioner	[redacted]	
Passenger Seatbelt Retractor Pretensioner	[redacted]	
Driver Seatbelt Load Limiter	[redacted]	
Passenger Seatbelt Load Limiter	[redacted]	
Driver Seatbelt Anchor Pretensioner	[redacted]	
Passenger Seatbelt Anchor Pretensioner	[redacted]	
Driver Seatbelt Buckle Pretensioner	[redacted]	
Passenger Seatbelt Buckle Pretensioner	[redacted]	
Left Curtain Squib 1	[redacted]	
Right Curtain Squib 1	[redacted]	
Left Side Seat Squib 1	[redacted]	
Right Side Seat Squib 1	[redacted]	
Second Row Left Seat Side Airbag	[redacted]	
Second Row Right Seat Side Airbag	[redacted]	
Driver Frontal Squib 4	[redacted]	
Passenger Frontal Squib 4	[redacted]	
Left Up Front Acceleration Sensor	[redacted]	
Right Up-Front Acceleration Sensor	[redacted]	
Right B Pillar Impact Acceleration Sensor	[redacted]	
Left B-Pillar Impact Acceleration Sensor	[redacted]	
Left C Pillar Impact Acceleration Sensor	[redacted]	
Right C Pillar Impact Acceleration Sensor	[redacted]	
Right D-Pillar Impact Acceleration Sensor	[redacted]	
Left D Pillar Impact Acceleration Sensor	[redacted]	
Left Side Door Pressure Sensor	[redacted]	
[redacted]	[redacted]	
Configuration Column Identifier	[redacted]	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

HVAC CONFIGURATION

NAME	VALUE	UNITS
DualZone ATC Control (Factory) (BB)	[redacted]	

DualZone ATC Control (BB)	[redacted]	
Dual Zone MTC Control (BB)	[redacted]	
Single Zone MTC Control (BB)	[redacted]	
MTC With EBL (3Knob)	[redacted]	
MTC Without EBL (3Knob)	[redacted]	
MTC heater only (3Knob)	[redacted]	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

IPC CONFIGURATION

NAME	VALUE	UNITS
Main Fuel Tank Gauge - Empty Stop Calibration	[redacted]	Volts
Main Fuel Tank Gauge -1/4th Datum Calibration	[redacted]	Volts
Main Fuel Tank Gauge - 1/2 Datum Calibration	[redacted]	Volts
Main Fuel Tank Gauge - 3/4 Datum Calibration	[redacted]	Volts
Main Fuel Tank Gauge Full Stop Calibration	[redacted]	Volts
Sub Fuel Tank Gauge - Empty Stop Calibration	[redacted]	Volts
Sub Fuel Tank Gauge - 1/4 Datum Calibration	[redacted]	Volts
Sub Fuel Tank Gauge 1/2 Datum Calibration	[redacted]	Volts
Sub Fuel Tank Gauge - 3/4 Datum Calibration	[redacted]	Volts
Sub Fuel Tank Gauge Full Stop Calibration	[redacted]	Volts

PTS CONFIGURATION

NAME	VALUE	UNITS
Rear System with 6 Front Sensors	[redacted]	
Front System with 6 Rear Sensors	[redacted]	

SCCM CONFIGURATION

NAME	VALUE	UNITS
Rear Wiper	[redacted]	
Tilt Telescope	[redacted]	
Paddle Shifter	[redacted]	
Cruise Control / ACC	[redacted]	

BCM CONFIGURATION

NAME	VALUE	UNITS
RBSM	[redacted]	
LBSM	[redacted]	
BCM (Interior Bus)	[redacted]	
HSM	[redacted]	
HVAC	[redacted]	
PTCM	[redacted]	
Radio	[redacted]	
ITM	[redacted]	

AMP	[redacted]	
EDM	[redacted]	
HVAC R	[redacted]	
TBM	[redacted]	
AHLM/AFLS	[redacted]	
ASCM	[redacted]	
BCM (PT)	[redacted]	
DTCM	[redacted]	
PCM	[redacted]	
EPS	[redacted]	
ESM	[redacted]	
ABS	[redacted]	
RFH	[redacted]	
IPC	[redacted]	
ORC	[redacted]	
PTS	[redacted]	
SCCM	[redacted]	
ELSD	[redacted]	
TCM	[redacted]	
TPM	[redacted]	
AFLS	[redacted]	
ITBM	[redacted]	
OCM	[redacted]	
DPDM	[redacted]	
SGW	[redacted]	
ASBS	[redacted]	
ANC	[redacted]	
Number of Reprogramming Attempts Counter #0	[redacted]	
Vehicle Configuration Programmed Status	[redacted]	
Last Programmed Status	[redacted]	
Last Configuration Odometer	[redacted]	miles
Vehicle Configuration Auto Write Counter	[redacted]	
Vehicle Configuration 1 Write Counter	[redacted]	
Vehicle Configuration 2 - Write Counter	[redacted]	
Vehicle Configuration 3 Write Counter	[redacted]	
Vehicle Configuration 4 - Write Counter	[redacted]	
Vehicle Configuration 5 Write Counter	[redacted]	
Vehicle Configuration 6 Write Counter	[redacted]	
Programmed ECUs: Cabin Network	[redacted]	
Programmed ECUs: P/T Chassis Network	[redacted]	
Programmed Network Configuration - Audio / Telematics Network	[redacted]	
Programmed ECUs: Hybrid LAN Network	[redacted]	

SessionID # [redacted]

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Thatcham Present	[redacted]	
Rain Sensor Present	[redacted]	
SKIM System Present	[redacted]	
Air Conditioning Present	[redacted]	
Cruise Feature is Present	[redacted]	
Flipper Glass Present	[redacted]	
Full Size Spare	[redacted]	
Off Road Capable	[redacted]	
Special Packages	[redacted]	
Max Load Inflation Pressure Rear Tire	[redacted]	PSI
Max Load Inflation Pressure Front Tire	[redacted]	PSI
Light Load Inflation Pressure Rear Tire	0.0	PSI
Police Lighting Feature	[redacted]	
Power Lift Gate Present	[redacted]	
Power Right Sliding Door Present	[redacted]	
Power Left Sliding Door Present	[redacted]	
RKE System Present	[redacted]	
Sunshade Present	[redacted]	
T-Case Type	[redacted]	
[redacted]	[redacted]	
FOBIK Safe Enable	[redacted]	
ELV Present	[redacted]	
Fuel Capacity	[redacted]	gallons
Window Express Feature Configuration	[redacted]	
Adjustable Pedal Feature Present (non Memory)	[redacted]	
Auto Headlamp Feature Present	[redacted]	
Door Alert Feature Present	[redacted]	
Two Fuel Sending Units Present	[redacted]	
[redacted]	[redacted]	
Disable Display of Radio Clock	[redacted]	
Chassis Type	[redacted]	
Display Outside Temperature Present	[redacted]	
HVAC Configuration	[redacted]	
Vehicle Brand	[redacted]	
Display Compass Heading Present	[redacted]	
Interior EC Mirror Present	[redacted]	
ESCL system present	[redacted]	
High Intensity Discharge Head Lamps	[redacted]	
Secondary Lock Present	[redacted]	
Liftgate/Trunk Type	[redacted]	
Collision Mitigation System present	[redacted]	
Forward Collision Warning present	[redacted]	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Base TPM system present	[redacted]	
Premium TPM system present	[redacted]	
Paddle Shift Feature Present	[redacted]	
Sport Mode Present	[redacted]	
Auto Park Present	[redacted]	
[redacted]	[redacted]	
Keyless Go Present	[redacted]	
Transfer Case High Ratio	[redacted]	No Unit
Axle Ratio	[redacted]	
Transfer Case Low Range Reduction Ratio	[redacted]	
Dynamic Tire Circumference (All or Rear)	[redacted]	inch
Dual Rear Wheel (DRW) Vehicle Present	[redacted]	
Non Regulated Tire Pressure Information System (TPIS) Present	[redacted]	
Steering Ratio at zero	0.0	No Unit
Steering Ratio at Positive Angle 1	0.0	No Unit
Steering Ratio at Positive Angle 2	0.0	No Unit
Steering Ratio at Positive Angle 3	0.0	No Unit
Steering Ratio at Positive Angle 4	0.0	No Unit
Steering Ratio at Positive Angle 5	0.0	No Unit
Analog Door Sensor Configuration	[redacted]	
Air Quality System Present	[redacted]	
Steering Ratio at Negative Angle 1	0.0	No Unit
Steering Ratio at Negative Angle 2	0.0	No Unit
Steering Ratio at Negative Angle 3	0.0	No Unit
Steering Ratio at Negative Angle 4	0.0	No Unit
Steering Ratio at Negative Angle 5	0.0	No Unit
Ambient Light Dimmer Wheel Input Present Pin G9	[redacted]	
Low Beam Output Present Pin A3, D2	[redacted]	
Rear Wiper Motor Park Present - Pin E29	[redacted]	
Left Rear Door Ajar Input Present Pin F23	[redacted]	
Front Driver Analog Door Ajar Input Present - Pin F9	[redacted]	
Reserved Pin G12	[redacted]	
Horn Switch Input Present Pin F29	[redacted]	
[redacted]	[redacted]	
Hood Ajar Switch Input Present Pin A11	[redacted]	
Hard Top Sense Present - Pin E14	[redacted]	
Reserved F21	[redacted]	
Reserved Pin D20	[redacted]	
Passenger Door Ajar Signal Present - Pin G18	[redacted]	
Reserved Pin E47	[redacted]	
[redacted]	[redacted]	
Starter Relay Lowside Coil Drive Pin D7	[redacted]	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B)(6)

Diesel Cabin Heater #2 Output Present Pin D9	[redacted]
Diesel Cabin Heater #3 Output Present - Pin D10	[redacted]
[redacted]	[redacted]
Right Dedicated DRL Lamp Output Present - Pin A22	[redacted]
Left Dedicated DRL Lamps Output Present Pin D15	[redacted]
Flipper Glass #2 Output Present	[redacted]
Foot Well Lamps Output Present - Pin G24	[redacted]
Front Fog Lamps Output Present Pin A1 & D13	[redacted]
Inverter Enable Relay Output Present - Pin F35	[redacted]
Reserved E20	[redacted]
Gated Park ZFII Output Present - Pin D-24	[redacted]
Reserved - Pin E21	[redacted]
[redacted]	[redacted]
Rear Park Lamps Output Present Pin E4 & F32	[redacted]
Rear Turn Lamps Output Present Pin E3 & F42	[redacted]
Run-ACC Y Relay #2 Output Present - Pin E9	[redacted]
Side Markers Output Present - Pin A10 & D5	[redacted]
Trailer Backup Lamps Output Present Pin E23	[redacted]
Reserved - Pin F4	[redacted]
UGDO Feed Output Present Pin G15	[redacted]
VTA Warning LED Output Present - Pin G22	[redacted]
Park Brake Input Present - Pin E11	[redacted]
Ambient Temperature Sensor Present Pin D22	[redacted]
Tip Start Enabled	[redacted]
Dual Start Relay System Present	[redacted]
Wiper Service Position Enabled	[redacted]
[redacted]	[redacted]
Quad Headlamps Enable	[redacted]
Horn Chirp Allowed	[redacted]t
Bi Xenon Headlamps Enable	[redacted]
Hazard Lamp Configuration	[redacted]
[redacted]	[redacted]t
Front Fog Lamp Dropout Enable	[redacted]
Combined Rear Lighting Enable	[redacted]
Side Repeaters Enable	[redacted]
One Touch Lane Change	[redacted]
Exterior Light Loadshed Enable	[redacted]
Front Wiper Park Enable	[redacted]
Rear Wiper Park Enable	[redacted]t
Reversible Washer Pump Enable	[redacted]
Single Element Tail Lamp	[redacted]
DRL Configuration	[redacted]

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Dual Filament Headlamp	[redacted]	
Front Turn Lamp Diagnostics	[redacted]t	
Auto Headlamp On Threshold	[redacted]	Volt
Auto Headlamp Off Threshold	[redacted]	[redacted]
[redacted]	[redacted]	
Left High Beam Voltage Regulation	[redacted]	
Right Low Beam Voltage Regulation	[redacted]	
Right High Beam Voltage Regulation	[redacted]	
Left Front Corner Voltage	[redacted]	
Right Front Corner Voltage	[redacted]	
Left Rear Corner Voltage	[redacted]	
Right Rear Corner Voltage	[redacted]	
Panic Enable	[redacted]	
Compass Mounting Orientation	[redacted]	
Washer Fluid Level Voltage Threshold	[redacted]	
IBS Present	[redacted]	
ASBMM Present	[redacted]	
Humidity Sensor Present	[redacted]	
Manual Trans Present	[redacted]	
DC to DC Converter Present	[redacted]	
ASBM Present	[redacted]	
Auto Relock Time	[redacted]	seconds
VTA System Present	[redacted]	
DC to DC Converter #2 Present	[redacted]	
[redacted]	[redacted]	
Illuminated Approach Headlamp Target Percentage	[redacted]	
Illuminated Approach Taillamp Target Percentage	[redacted]	
Illuminated Approach Interior Lighting Ramp Up Time	[redacted]	
CRVMM Present	[redacted]	
EVIC Switch Module Present	[redacted]	
Compass Mounting Angle	0	Degree
Backup Reverse Lamp Left Present Pin F41	[redacted]	
Backup Reverse Lamp Right Present Pin E1	[redacted]	
Stop/Turn Lamp or Stop Lamp Present Pin E2 & F40	[redacted]	
Left High Beam Present Pin D1	[redacted]	
Right High Beam Present - Pin A2	[redacted]	
Left Front Lamp Diagnostics Present Pin F25	[redacted]	
Right Front Lamp Diagnostics Present Pin F28	[redacted]	
Left Rear Turn Lamp Diagnostics Present - Pin F27	[redacted]	
Right Rear Turn Lamp Diagnostics Present Pin F31	[redacted]	
Brake Fluid Level Switch Signal Present - Pin D21	[redacted]	
Siren	[redacted]	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Ultrasonics	[redacted]	
Tilt	[redacted]	
Swing Gate Lock Present Pin F30	[redacted]	
Swing Gate Unlock Present - Pin F33	[redacted]	
Front Fog Voltage	[redacted]	Volts
Rear Fog Voltage	[redacted]	Volts
CHMSL Lamp Output Disable	[redacted]	
Secondary Door Ajar Present Pin E28	[redacted]	
Manual Door Locks Present	[redacted]	
Rain Sensor Module #2 Present	[redacted]	
Auto High Beam Module Location	[redacted]	
Average Last Longitudinal Acceleration Values	[redacted]	
Average Last Lateral Acceleration Values	[redacted]	
Excess Longitudinal Acceleration Factor	[redacted]	
Excess Lateral Acceleration Factor	[redacted]	
Brake Smoothing Duration	[redacted]	
Brake Smoothing Factor	[redacted]	
Steering Smoothing Duration	[redacted]	
Steering Smoothing Factor	[redacted]	
Steering Smoothing Threshold	[redacted]	
Brake Smoothing Threshold	[redacted]	
Maximum Longitudinal Change	[redacted]	
Maximum Lateral Change	[redacted]	
Acceleration Threshold	[redacted]	
Acceleration Factor	[redacted]	
Nose Dive Threshold	[redacted]	
Nose Dive Factor	[redacted]	
RKE Auto Relock Feature Enable	[redacted]	
PE Auto-Relock Feature Enable	[redacted]	
VTA Hood Ajar Monitoring	[redacted]	
Horn Chirp Duration	[redacted]	
Pitch and Roll Present	[redacted]	
Parking Light Enable	[redacted]	
ASBM Minimum Voltage Time	[redacted]	
ASBM Battery Minimum Voltage	[redacted]	
Interior Lighting Night Threshold	[redacted]	Volt
Interior Lighting Day Threshold	[redacted]	Volt
Axle Locker Configuration	[redacted]	
Transmission Equipped	[redacted]	
Park Brake Type	[redacted]	
TPMS Configuration	[redacted]	
Hybrid Type	[redacted]	

SessionID # [redacted]

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

TSBM Module Present	[redacted]
ADR feature Present	[redacted]
AGS Feature Present	[redacted]
Temperature Display Resolution	[redacted]
PTC Present	[redacted]
Glovebox Control	[redacted]
Gate Free Present	[redacted]
[redacted]	[redacted]
Suspension Type	[redacted]
Park assist customer settings menu	[redacted]
Park assist brake customer settings menu	[redacted]
Park assist front volume customer settings menu	[redacted]
Park assist rear volume customer settings menu	[redacted]
Electric power steering customer settings menu	[redacted]
Forward collision warning customer settings menu	[redacted]
[redacted]	[redacted]
Auxiliary switches customer settings menu	[redacted]
Rear view camera gridlines customer settings menu	[redacted]
Unit set customer settings menu	[redacted]
[redacted]	[redacted]
Ambient dimmer customer settings menu	[redacted]
Tire jack mode customer settings menu	[redacted]
Air suspension warning customer settings menu	[redacted]
Automatic aero mode customer settings menu	[redacted]
Auto high beam customer settings menu	[redacted]
Auto park customer settings menu	[redacted]
Blind spot alert customer settings menu	[redacted]
Clock display customer settings menu	[redacted]
Compass calibration customer settings menu	[redacted]
Compass variance customer settings menu	[redacted]
Consumption unit customer settings menu	[redacted]
Distance unit customer settings menu	[redacted]
Auto door lock customer settings menu	[redacted]
Easy exit seat customer settings menu	[redacted]
Auto entry exit mode customer settings menu	[redacted]
EPB service mode customer settings menu	[redacted]
Headlamp drop customer settings menu	[redacted]
Headlamp off delay customer settings menu	[redacted]
Headlamps on with wiper customer settings menu	[redacted]
Passive entry customer settings menu	[redacted]
Illuminated approach customer settings menu	[redacted]
[redacted]	[redacted]

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Lane departure warning customer settings menu	[redacted]	
Rear camera customer settings menu	[redacted]	
Rain sensitive wipers customer settings menu	[redacted]	
Power take off customer settings menu	[redacted]	
Pressure unit customer settings menu	[redacted]	
Power unit customer settings menu	[redacted]	
Power liftgate chime customer settings menu	[redacted]	
Performance shift enable customer settings menu	[redacted]	
[redacted]	[redacted]	
RKE unlock customer settings menu	[redacted]	
Speed unit customer settings menu	[redacted]	
Tilt mirror in reverse customer settings menu	[redacted]	
Torque unit customer settings menu	[redacted]	
Teen Key Fuel Pop-up Customer Settings Menu	[redacted]	
Teen Key Automatic High Beam Customer Settings Menu	[redacted]	
Passenger Airbag On/Off Customer Settings Menu	[redacted]	
Forward Collision Warning and Brake Customer Settings Menu	[redacted]	
Doors and Engine Off Power Delay Customer Settings Menu	[redacted]t	
Radio Speaker Open Circuit Disable (LF)	[redacted]	
Radio Speaker Open Circuit Disable (RF)	[redacted]	
Radio Speaker Open Circuit Disable (LR)	[redacted]	
Radio Speaker Open Circuit Disable (RR)	[redacted]	
ANC Calibration Parameter Data Set	[redacted]	ms
Surround View Camera On/Off Softkey Present	[redacted]	
Drive Mode Version	[redacted]	
Rear Defrost and Heated Mirrors Present	[redacted]	
Show Phone Information in Cluster	[redacted]	
Auto Dimming Mirror Hard Button Present	[redacted]	
[redacted]	[redacted]	
Automatic Crash Notification Feature Present	[redacted]	
Trailer Hitch Camera Present	[redacted]	
Park Assist Tuning Set	[redacted]	
Rear Defrost Presence	[redacted]	
Heated Mirrors Present	[redacted]	
Engine Displacement	[redacted]	
Steering C Factor	[redacted]	
Speedometer Tolerance	[redacted]	
Increasing speed constant	[redacted]	
Tachometer Type	[redacted]	
DTV Present	[redacted]	
Tri-State Comfort Climate Softkey Function Present	[redacted]	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B)(6)

RADIO CONFIGURATION

NAME	VALUE	UNITS
Satellite Subscription Status	[redacted]	
Reason Code	00	
Suspend Day	00	
Suspend Month	00	
Suspend Year	00	
Distortion Limiting	[redacted]	
Clock Defeat	[redacted]	
Stereo Blend	[redacted]	
High Cut	[redacted]	
Automated Loudness	[redacted]	
Anti-Theft Enable Status	[redacted]	
12/24 Time Selection	[redacted]	
Front Seat Video Playback	[redacted]	
Cabin EQ Curve Number Currently Used by Radio	[redacted]	events
Splash Screen	[redacted]	
USB Hubs Detected	[redacted]	No Unit
SD Card Readers Detected	0	No Unit
Enumerated USB Devices	0	No Unit
Aux Jack	[redacted]	
CAN Architecture	[redacted]	

LBSS CONFIGURATION

NAME	VALUE	UNITS
Steering (LHD/RHD)	[redacted]	
Teen Key	[redacted]	
CFG FEATURE	[redacted]	

RBSS CONFIGURATION

NAME	[redacted]	[redacted]
[redacted]	[redacted]	
Teen Key	[redacted]	

ABSO CONFIGURATION

NAME	VALUE	UNITS
Vehicle Line Identification	[redacted]	
Displacement	[redacted]	No Unit
Hybrid Type	[redacted]	
Trans Type	[redacted]	
[redacted]	[redacted]	
Chassis Type	[redacted]	

SessionID # [redacted]

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B)(6)

Axle Ratio	[redacted]	No Unit
Tire Circumference	[redacted]	inch

DASM CONFIGURATION

NAME	VALUE	UNITS
ACC Present	[redacted]	
ACC STOP Present	[redacted]	
ACC GO Present	[redacted]	
FCW Present	[redacted]	
LDW Plus Present	[redacted]	
Auto High Beam Present	[redacted]	
NCC Present	[redacted]	

TBM2 CONFIGURATION

NAME	VALUE	UNITS
Enable Auto Answer		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

[redacted]

FREEZE FRAME DATA

No Carb data available

[redacted]

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

VEHICLE SCAN REPORT

[redacted]

ECU SUMMARY INFO

ECU	NAME	BUS TYPE	FLASH PART #	CURRENT VIN	ORIGINAL VIN	PART #
[redacted]						

[redacted]

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT, 5 U.S.C. 552 (b) (6)

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	SERIAL NUMBER	CVNS
TCM	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
PCM	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
ICS	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
RFH	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
ESM	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
ORC	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
EPS	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
HVAC	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
CSWM	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
IPC	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
PTS	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
SCCM	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
BCM	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
[redacted]		[redacted]	[redacted]	[redacted]	[redacted]	
OCM	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
LBSS	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
RBSS	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
BPCM	[redacted]	[redacted]	[redacted]	[redacted]		[redacted]
HCP	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
DSM	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
AHCP	[redacted]	[redacted]	[redacted]	[redacted]		

ABSO	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
SGW		[redacted]	[redacted]	[redacted]	[redacted]	
DPDM	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	
IDCM	[redacted]	[redacted]		[redacted]	[redacted]	
TBM2	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B)(6)

DTC SUMMARY

ECU	DTC CODE	DTC DESCRIPTION	STATUS
TCM	[redacted]	[redacted]	[redacted]
RADIO	[redacted]	[redacted]	[redacted]
[redacted]	[redacted]	[redacted]	[redacted]

ENVIRONMENTAL DATA SUMMARY

TCM | [redacted]

NAME	VALUE	UNITS
DTC	[redacted]	
Test Failed	[redacted]	
Test Failed This Operation Cycle	[redacted]	
Pending DTC	[redacted]	
Confirmed DTC	[redacted]	
Test Not Completed Since Last Clear	[redacted]	
Test Failed Since Last Clear	[redacted]	
Test Not Completed This Operation Cycle	[redacted]	
Warning Indicator Requested	[redacted]	
DTC Extended Data Record Number - All	[redacted]	
Occurrence flag	[redacted]	
Original Odometer Value	[redacted]	miles
Most Recent Odometer Value	[redacted]	miles
Frequency Counter	[redacted]	
Ignition [redacted]	[redacted]	

[redacted]

NAME	VALUE	UNITS
DTC	[redacted]	
Test Failed	[redacted]	
Test Failed This Operation Cycle	[redacted]	
Pending DTC	[redacted]	
Confirmed DTC	[redacted]	

RADIO | [redacted]

SessionID # [redacted]

NAME	VALUE	UNITS
DTC	[redacted]	
Test Failed	[redacted]	
Test Failed This Operation Cycle	[redacted]	
Pending DTC	[redacted]	
Confirmed DTC	[redacted]	

SNAPSHOT DATA SUMMARY

No Snapshot Data available for [redacted]

RADIO | [redacted]

Record 0

NAME	VALUE	UNITS
DTC	[redacted]	
Test Failed	[redacted]	
Test Failed This Operation Cycle	[redacted]	
Pending DTC	[redacted]	
Confirmed DTC	[redacted]	

Record 1

NAME	VALUE	UNITS
DTC	[redacted]	
Test Failed	[redacted]	
Test Failed This Operation Cycle	[redacted]	
Pending DTC	[redacted]	
Confirmed DTC	[redacted]	

RADIO | [redacted]

Record 0

NAME	VALUE	UNITS
DTC	[redacted]	
Test Failed	[redacted]	
Test Failed This Operation Cycle	[redacted]	
Pending DTC	[redacted]	
Confirmed DTC	[redacted]	

Record 1

NAME	VALUE	UNITS
DTC	[redacted]	
Test Failed	[redacted]	
Test Failed This Operation Cycle	[redacted]	
Pending DTC	[redacted]	
Confirmed DTC	[redacted]	

SessionID # [redacted]

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)