

WI
TECH 2.0

F [REDACTED] **L** [REDACTED]

[illegible]

[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	SERIAL NUMBER	CVNS
TCM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
ASBS	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
ICS	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
TPM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
RFH	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
ESM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
DTCM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
ORC	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
EPS	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
HVAC	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
AMP	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
IPC	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
SCCM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
OCM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
HCP	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
AHCP	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
ABSO	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
SGW	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
DPDM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
IDCM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]

CONFIGURATION

TCM CONFIGURATION

NAME	VALUE	UNITS
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]

Sess onID #

[REDACTED]

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Shifter with Sport Mode Position Equipped		
Shifter with Low Mode Position Equipped		
Sport Mode Switch or Virtual Switch (Non Terrain) Equipped		
Overdrive Off or Tow Haul Mode Switch or Virtual Switch (Non-Terrain) Equipped		
ECO/Optimizer Switch Equipped		
ERS/Autostick/Tip Non paddle on Steering Wheel equipped		
EM/Autostick/Tip Non-paddle on Shifter in D position equipped		
ERS/Autostick/Tip Non paddle on Shifter in A or M position equipped		
FWD Equipped		
RWD Equipped		
AWD Equipped		
4WD with switchable Low Range equipped		
Engine Start/Stop equipped		
Polystable E-shift (Cableless without return-to-center) equipped		
Long Learn Enabled		

PCM CONFIGURATION

NAME	VALUE	UNITS
AC Equipped		
AC Equipped Over Bus		
4 Button Integrated Cruise Control		
EMAT (Getrag DCT transmission) Equipped		
Police Package Equipped		
Unleaded Gasoline Fuel		
Unleaded diesel fuel		
6.4 Liter V8 Engine		
4 Speed Automatic Transmission Equipped		
Electronic Automatic Transmission (EATX) Equipped		
Vehicle Speed Sensor #1 Calculated by ECU		
4.7 Liter V8 Engine		
5.7 Liter V8 Engine		
6.1 Liter V8 Engine		
Sensorless FFV Enabled		
Electronic Throttle Control Equipped		
3.6 Liter V6 Engine		
4.0 Liter I6 Engine		
3.8 Liter V6 Engine		
3.7 Liter V6 Engine		
3.5 Liter V6 Engine		

3.3 Liter V6 Engine		
3.2 Liter V6 Engine		
2.7 Liter V6 Engine		
MTV Solenoid Equipped		
MDS Equipped		
Turbocharger Equipped		
SPM Equipped		
Secondary Air Equipped		
Shift Indicator Lamp Equipped		
Barometric Sensor Equipped		
Battery Temp Sensor Equipped		
Knock Sensor 1 Equipped		
Knock Sensor 2 Equipped		
WI4 Variable Valve Timing Equipped		
Clutch Interlock Switch Equipped		
ESIM Equipped		
Linear Purge Equipped		
Linear EGR Equipped		
Continuous Variable Transmission Equipped		
Direct Injection Equipped		
Secondary Fuel Pump Equipped		
Electronic Coolant Pump Equipped		
O2 Sensor Bank 1 Sensor 1 Equipped		
O2 Sensor Bank 1 Sensor 2 Equipped		
O2 Sensor Bank 1 Sensor 3 Equipped		
O2 Sensor Bank 2 Sensor 1 Equipped		
O2 Sensor Bank 2 Sensor 2 Equipped		
WI4 Intake Flow Control Valve Equipped		
Engine Oil Heater Cooler Equipped		
Transmission Oil Heater Equipped		
Electric Water Pump Equipped		
Rear Heater Equipped		
Starter Relay 2 Equipped		
Inrush Current Reduction Relay Equipped		
Active Grille Shutter Equipped		
Electronic Vacuum Pump Equipped		
Wide Range O2 Sensor 1/1 Equipped		
Wide Range O2 Sensor 2/1 Equipped		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

MultiAir Equipped		
Engine Stop Start Equipped		
Viscosity Sensor Equipped		
Duty Cycle Purge Valve Equipped		
Electric Thermostat Heater Equipped		
Exhaust Cam 1 Equipped		
Intake Cam 1 Equipped		
1.8 Liter W/4 engine		
2.0 Liter W/4 engine		
2.4 Liter W/4 engine		
3.0 Liter V6 Engine		
Tumble Generator Valve Equipped		
Hybrid Electric Vehicle Equipped		
Auxiliary Heater Electric Water Pump Equipped		
Dual Speed Fuel Pump Equipped		
Exhaust Cam 2 Equipped		
Intake Cam 2 Equipped		
1 Speed Fan Mechanical Relay System Equipped		
2 Speed Fan Mechanical Relay System Equipped		
2 Speed Fan PWM Relay System Equipped		
Linear PWM Fan Relay System Equipped		
PWM Fan Motor System Equipped		
3 Speed Fan Mechanical Relay System Equipped		
Fan Wake Up Relay System Equipped		
2 Speed Fan 3 Driver 3 Relay System Equipped		
40TE / 41TE / 41TEA		
42RLE		
45RFE / 545RFE / 65RFE		
62TE		
66RFE / 68RFE		
VLP Is Learnable Indicator		
VLP Equipped Indicator		
VFS Actuators Available Indicator		
ERS Equipped Indicator		
Engine Software In Package		
Transmission Software Included		
ETC Cruise equipped		
Adaptive Cruise Control Equipped		
A/C Equipped		
Adaptive Cruise Control Hardware Equipped		
DUAL ALTERNATOR GEN1 LEARNEDCOPY		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

INFORMATION REQUESTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

[REDACTED]	[REDACTED]	
[REDACTED]	[REDACTED]	
[REDACTED]	[REDACTED]	
[REDACTED]	[REDACTED]	
[REDACTED]	[REDACTED]	
[REDACTED]	[REDACTED]	
[REDACTED]	[REDACTED]	
[REDACTED]	[REDACTED]	
[REDACTED]	[REDACTED]	
[REDACTED]	[REDACTED]	
[REDACTED]	[REDACTED]	
[REDACTED]	[REDACTED]	
[REDACTED]	[REDACTED]	
[REDACTED]	[REDACTED]	
CMCV H Bridge Equipped	[REDACTED]	
Turbine Volute Valve Actuator Equipped	[REDACTED]	
Wastegate H-Bridge Equipped	[REDACTED]	
Active Exhaust Valve Equipped	[REDACTED]	
Active Exhaust Pressure Sensor Equipped	[REDACTED]	
[REDACTED]	[REDACTED]	
Aisin 6-Speed RWD Transmission Equipped	[REDACTED]	
Cooled EGR Equipped	[REDACTED]	
Supercharger Equipped	[REDACTED]	
Low Temperature Radiator Coolant Pump Equipped	[REDACTED]	
Mechanical Coolant Pump Heater Equipped	[REDACTED]	
Auxiliary Coolant Pump Heater Equipped	[REDACTED]	
Compressed Natural Gas Equipped	[REDACTED]	
CUSW PROXI Write Programming Support Enabled	[REDACTED]	
Active Engine Mount Equipped	[REDACTED]	
[REDACTED]	[REDACTED]	
HPT 6-Speed Transmission Equipped	[REDACTED]	
Variable Speed Fuel Pump Equipped	[REDACTED]	
Operator Idle Speed Request Equipped	[REDACTED]	
PTO System Equipped	[REDACTED]	
Air Shutoff Valve Bank 1 Control Solenoid 1 Equipped	[REDACTED]	
Air Shutoff Valve Bank 1 Control Solenoid 2 Equipped	[REDACTED]	
Air Shutoff Valve Bank 2 Control Solenoid 2 Equipped	[REDACTED]	
Dual Stage Oil Pump Equipped	[REDACTED]	
Auxiliary Coolant Pump Equipped	[REDACTED]	
Trans Skip Shift Equipped	[REDACTED]	
Trans Reverse Lockout Equipped	[REDACTED]	
Port Flap Valve Equipped	[REDACTED]	

Brushless PWM Fan Equipped

Primary Lin Alternator Equipped

Coolant On-Off Pump Equipped

Oil Pressure Sensor Enabled

Fiat VIN Learning Strategy Equipped

Dual Fuel Tank Equipped

Yaw Rate Sensor ESC Equipped

1.0 Liter I3 Engine

Coolant On Off Valve Equipped

Buffered Crank Output for ANC (Active Noise Cancellation) Equipped

Buffered Crank Output for PHEV Engine Pulse Calculation Equipped

Throttle Inlet Temp Sensor Equipped

Humidity, Temperature and Pressure Sensor (LIN) Equipped

Dual Fuel Pressure Sensor Equipped

Brake Pedal Sensor Equipped

Dual Fuel Tank Equipped

PTO System Equipped

Low Temp Radiator Coolant Pump Equipped

Engine Idle Shutoff Equipped

A/C Relay Powered from Engine Switched Battery

CNG Large Gas Tank Equipped

Cooled EGR Equipped

Supercharger Equipped

Hybrid MEC Shifter Equipped

Dual Alternator Gen1 Capable

Auxillary Coolant Pump Equipped

ZF 9 Speed Trans Equipped

HPT 6-Speed Trans Equipped

CUSW 4 Button Cruise Equipped

Power Steering Angle Sensor Mandatory

Throttle Inlet Temp Sensor Equipped

LIN Humidity, Temp, and Pressure Sensor Equipped

Dual Fuel Pressure Sensor Equipped

Brake Pedal Sensor Equipped

Clutch Sensor Equipped

SWAP HARDWIRED BRAKE SWITCH INPUTS

Mass Airflow System Equipped

Bi-Directional Crank Sensor Equipped

5 Button Cruise (LIN) Equipped

Operator Idle Speed Request Equipped

INTAKE O2 SENSOR EQUIPPED

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Cylinder Pressure Sensor Equipped		
Make Up Air Sensor Equipped		
Active Exhaust Pressure Sensor Equipped		
Secondary Mass Airflow Sensor Equipped		
1.0 Liter I3 Engine		
1.0 Liter I4 Direct Injection Engine		
Variable Valve Lift Equipped		
Coolant On Off Pump Equipped		
Primary Lin Alternator Equipped		
Electronic Parking Brake Equipped		
Active Exhaust Valve(s) Equipped		
Mechanical Coolant Pump Equipped		
Aux Coolant Pump Heater Equipped		
Heater Temp Control Valve Equipped		
High Side Port Tumble Valve Equipped		
Wastegate HBridge Equipped		
Remote Start Present		
Engine Oil Pressure Sensor Type		None

ICS CONFIGURATION

NAME	VALUE	UNITS
Display Type (Base)		
Display Type (Mid)		
Display Type (High)		

TPM CONFIGURATION

NAME	VALUE	UNITS
TPM System Type		
4/5 Tire System		
RSSI Margin Constant Override Setting		
RSSI Margin 4 Wheel Constant A		No Unit
RSSI Margin 4 Wheel Constant B		No Unit
RSSI Margin 4 Wheel Constant C		No Unit
RSSI Margin 4 Wheel Constant D		No Unit
Current Gain Mode		
WAL Gain Mode Setting		
High Gain Mode Setting		
Run Flat Tire Present		
SRT Vehicle Present		
Base TPM Present		
Premium TPM Present		

BUX Deactivation Flag	[REDACTED]	
TPM Legislation	[REDACTED]	

RFH CONFIGURATION

NAME	VALUE	UNITS
PIN Successfully Programmed	[REDACTED]	
VIN Successfully Programmed	[REDACTED]	
Valid Key In Ignition	[REDACTED]	
Keyless Go	[REDACTED]	
Ignition system type connected	[REDACTED]	
e-shifter present	[REDACTED]	
Auto Park Present	[REDACTED]	
Secret Codes Programmed	[REDACTED]	
Passive Entry	[REDACTED]	
RKE	[REDACTED]	
Module Configuration Status	[REDACTED]	
Remote Start Present	[REDACTED]	
[REDACTED]	[REDACTED]	
Hardware Configuration: Remote Start Antenna	[REDACTED]	
Hardware Configuration: Front Left Door Handle H/W	[REDACTED]	
Hardware Configuration: Front Right Door Handle H/W	[REDACTED]	
Hardware Configuration: Rear Left Door Handle H/W	[REDACTED]	
Hardware Configuration: Rear Right Door Handle H/W	[REDACTED]	
Hardware Configuration: Trunk Door Handle H/W	[REDACTED]	
RFHub Locked	[REDACTED]	
Fob Location #1 Successfully Programmed	[REDACTED]	
Fob Location #2 Successfully Programmed	[REDACTED]	
Fob Location #3 Successfully Programmed	[REDACTED]	
Fob Location #4 Successfully Programmed	[REDACTED]	
[REDACTED]	[REDACTED]	
Fob Location #6 Successfully Programmed	[REDACTED]	
Fob Location #7 Successfully Programmed	[REDACTED]	
Fob Location #8 Successfully Programmed	[REDACTED]	
Back Up Vehicle Config 1	[REDACTED]	
Back Up Vehicle Config 2	[REDACTED]	
Back Up Vehicle Config 3	[REDACTED]	
Back Up Vehicle Config 4	[REDACTED]	
Back Up Vehicle Config 5	[REDACTED]	
[REDACTED]	[REDACTED]	
Back Up Vehicle Config 7	[REDACTED]	
Back Up ECU Configuration 1	[REDACTED]	
Back Up ECU Configuration 2	[REDACTED]	

Back Up ECU Configuration 3		
Back Up ECU Configuration 4		
Back Up ECU Configuration 5		
Back Up ECU Configuration 6		
Back Up ECU Configuration 7		
Back Up ECU Configuration 8		
Back Up ECU Configuration 9		
Back Up ECU Configuration 10		
Back Up ECU Configuration 12		
Back Up ECU Configuration 13		
Back Up ECU Configuration 14		
Back Up ECU Configuration 15		
Back Up ECU Configuration 16		
Back Up ECU Configuration 17		
Back Up Customer Settings Menu 1 (CSM1)		
Back Up Customer Settings Menu 2 (CSM2)		
Back Up Programmed ECUs: Cabin Network		
Back Up Programmed ECUs: P/T Chassis Network		
Secret Key Sent to Body Controller - Most recent attempt		
Secret Key Sent to Body Controller - Original attempt		

DTCM CONFIGURATION

NAME	VALUE	UNITS
Full-Time T-Case		
Front Locker Present		
Rear Locker Present		
FAD Present		
Mode Switch Present		
Left/Right Hand Drive		
Axle Ratio		
T Case Type		
SRT Present	—	

ORC CONFIGURATION

NAME	VALUE	UNITS
Rollover Sensing		
EPPM		
Occupant Classification (OCM)		
First Row Driver Seatbelt Buckle Switch		
Second Row Left seat belt Switch		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Second Row Center seat belt Switch	[REDACTED]		
Second Row Right seat belt Switch	[REDACTED]		
Driver Seat Track Position Sensor	[REDACTED]		
Passenger Seat Track Position Sensor	[REDACTED]		
Passenger Occupant Detection Sensor	[REDACTED]		
Passenger Airbag Disable Switch	[REDACTED]		
[REDACTED]	[REDACTED]		
[REDACTED]	[REDACTED]		
Driver Frontal Squib 2	[REDACTED]		
Driver Frontal Squib 3	[REDACTED]		
Passenger Frontal Squib 1	[REDACTED]		
Passenger Frontal Squib 2	[REDACTED]		
[REDACTED]	[REDACTED]		
Driver Knee Bolster Squib	[REDACTED]		
[REDACTED]	[REDACTED]		
[REDACTED]	[REDACTED]		
Passenger Seatbelt Retractor Pretensioner	[REDACTED]		
Driver Seatbelt Load Limiter	[REDACTED]		
[REDACTED]	[REDACTED]		
[REDACTED]	[REDACTED]		
Passenger Seatbelt Anchor Pretensioner	[REDACTED]		
Driver Seatbelt Buckle Pretensioner	[REDACTED]		
Passenger Seatbelt Buckle Pretensioner	[REDACTED]		
[REDACTED]	[REDACTED]		
Right Curtain Squib 1	[REDACTED]		
Left Side Seat Squib 1	[REDACTED]		
Right Side Seat Squib 1	[REDACTED]		
Second Row Left Seat Side Airbag	[REDACTED]		
Second Row Right Seat Side Airbag	[REDACTED]		
Driver Frontal Squib 4	[REDACTED]		
[REDACTED]	[REDACTED]		
Left Up Front Acceleration Sensor	[REDACTED]		
Right Up Front Acceleration Sensor	[REDACTED]		
[REDACTED]	[REDACTED]		
Left B Pillar Impact Acceleration Sensor	[REDACTED]		
Left C-Pillar Impact Acceleration Sensor	[REDACTED]		
Right C Pillar Impact Acceleration Sensor	[REDACTED]		
Right D Pillar Impact Acceleration Sensor	[REDACTED]		
[REDACTED]	[REDACTED]		
Left Side Door Pressure Sensor	[REDACTED]		
Right Side Door Pressure Sensor	[REDACTED]		
Configuration Column Identifier	[REDACTED]		

HVAC CONFIGURATION

NAME	VALUE	UNITS
DualZone ATC Control (Factory)		
DualZone ATC Control		
Dual Zone MTC Control		
Single Zone MTC Control		
MTC With EBL (3Knob)		
MTC Without EBL (3Knob)		
MTC heater only (3Knob)		

AMP CONFIGURATION

NAME	VALUE	UNITS
ANC Calibration Date Year		
ANC Calibration Date Week		
ANC Calibration Date - Patch Level	0	
Current ANC Calibration ID Service		
ANC Status		
Surround Sound Activated		
Door Module - Left Front		
Door Module - Right Front		
Premuim 1		
Premuim - 2		
Premuim 3		
Non -ANC		
No Rear Doors		
No HALF Chimes		

IPC CONFIGURATION

NAME	VALUE	UNITS
Main Fuel Tank Gauge Empty Stop Calibration		
		Volts
Main Fuel Tank Gauge 1/2 Datum Calibration		Volts
Main Fuel Tank Gauge - 3/4 Datum Calibration		Volts
Main Fuel Tank Gauge Full Stop Calibration		Volts
Sub Fuel Tank Gauge Empty Stop Calibration		Volts
Sub Fuel Tank Gauge - 1/4 Datum Calibration		Volts
Sub Fuel Tank Gauge 1/2 Datum Calibration		
		Volts
Sub Fuel Tank Gauge Full Stop Calibration		Volts

SCCM CONFIGURATION

NAME	VALUE	UNITS
------	-------	-------

Rear Wiper

Tilt Telescope

Paddle Shifter

Cruise Control / ACC

BCM CONFIGURATION

NAME	VALUE	UNITS
RBSM		
LBSM		
BCM (Interior B...		
HSM		
HVAC		
PTCM		
Radio		
ITM		
AMP		
EDM		
HVAC_R		
TBM		
AHLM/AFLS		
ASCM		
BCM (PT)		
PCM		
EPS		
ESM		
RFH		
IPC		
ORC		
PTS		
SCCM		
ELSD		
TCM		
TPM		
AFLS		
ITBM		
OCM		
DPDM		
SGW		
ASBS		
ANC		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Number of Reprogramming Attempts Counter #0	█	
Vehicle Configuration Programmed Status	██	
█	██████████	
Last Configuration Odometer	██	miles
Vehicle Configuration Auto Write Counter	█	
Vehicle Configuration 1 Write Counter	0	
Vehicle Configuration 2 - Write Counter	0	
Vehicle Configuration 3 Write Counter	0	
Vehicle Configuration 4 - Write Counter	0	
Vehicle Configuration 5 Write Counter	0	
Vehicle Configuration 6 - Write Counter	0	
Programmed ECUs: Cabin Network	0	
Programmed ECUs: P/T Chassis Network	0	
Programmed Network Configuration - Audio / Telematics Network	0	
Programmed ECUs: Hybrid LAN Network	0	
ECU Configuration 1 (CBC Configurable Inputs and Outputs)	0	
ECU Configuration 2 (CBC Features)	0	
ECU Configuration 3	0	
ECU Configuration 4	0	
ECU Configuration 5 (Wireless)	0	
ECU Configuration 5 (Doors)	0	
ECU Configuration 5 (Memory)	0	
ECU Configuration 6 (Brake)	0	
ECU Configuration 6 (Suspension)	0	
ECU Configuration 6 (Powertrain)	0	
ECU Configuration 6 (Safety)	0	
ECU Configuration 7 (CBC Exterior Lighting Calibrations)	0	
ECU Configuration 8 (LIN and Miscellaneous)	0	
ECU Configuration 9A	0	
ECU Configuration 9 (ITM)	0	
ECU Configuration 10	0	
ECU Configuration 11	0	
ECU Configuration 12	0	
ECU Configuration 13	0	
ECU Configuration 14	0	
ECU Configuration 15 (CBC Features)	0	
ECU Configuration 15 (Suspension)	0	
Vehicle Configuration 7 Write Counter	0	
Vehicle Config CSM1	0	
Vehicle Config CSM2	0	
Model Year	██	
Vehicle Line	█	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Country Code	[REDACTED]	
Left/Right Hand Drive	[REDACTED]	
Remote Start Present	[REDACTED]	
Drive Configuration	[REDACTED]	
Emode Present	[REDACTED]	
Auto Highbeam	[REDACTED]	
Body Style	[REDACTED]	
Maximum Vehicle Speed	[REDACTED]	MPH
Shifter Type	[REDACTED]	
Performance Pkgs Present	[REDACTED]	
Special Packages	[REDACTED]	
PTS Configuration	[REDACTED]	
Hill Descent Feature Present	[REDACTED]	
Select Speed Control Feature Present	[REDACTED]	
[REDACTED]	[REDACTED]	
Thatcham Present	[REDACTED]	
Rain Sensor Present	[REDACTED]	
SKIM System Present	[REDACTED]	
Air Conditioning Present	[REDACTED]	
Cruise Feature is Present	[REDACTED]	
Flipper Glass Present	[REDACTED]	
Full Size Spare	[REDACTED]	
[REDACTED]	[REDACTED]	
Special Packages	[REDACTED]	
Max Load Inflation Pressure Rear Tire	[REDACTED]	PSI
Max Load Inflation Pressure Front Tire	[REDACTED]	PSI
Light Load Inflation Pressure Rear Tire	0.0	PSI
Police Lighting Feature	[REDACTED]	
Power Lift Gate Present	[REDACTED]	
Power Right Sliding Door Present	[REDACTED]	
Power Left Sliding Door Present	[REDACTED]	
RKE System Present	[REDACTED]	
[REDACTED]	[REDACTED]	
T-Case Type	[REDACTED]	
Wheel Base	[REDACTED]	
FOBIK Safe Enable	[REDACTED]	
ELV Present	[REDACTED]	
Fuel Capacity	[REDACTED]	gallons
Window Express Feature Configuration	[REDACTED]	
Adjustable Pedal Feature Present (non Memory)	[REDACTED]	
Auto Headlamp Feature Present	[REDACTED]	
Door Alert Feature Present	[REDACTED]	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Two Fuel Sending Units Present	[REDACTED]	
Vehicle is an SRT	[REDACTED]	
Disable Display of Radio Clock	[REDACTED]	
[REDACTED]	[REDACTED]	
Display Outside Temperature Present	[REDACTED]	
HVAC Configuration	[REDACTED]	
Vehicle Brand	[REDACTED]	
Display Compass Heading Present	[REDACTED]	
Interior EC Mirror Present	[REDACTED]	
[REDACTED]	[REDACTED]	
High Intensity Discharge Head Lamps	[REDACTED]	
Secondary Lock Present	[REDACTED]	
Liftgate/Trunk Type	[REDACTED]	
Collision Mitigation System present	[REDACTED]	
Forward Collision Warning present	[REDACTED]	
Base TPM system present	[REDACTED]	
Premium TPM system present	[REDACTED]	
Paddle Shift Feature Present	[REDACTED]	
Sport Mode Present	[REDACTED]	
Auto Park Present	[REDACTED]	
Passive Entry Present	[REDACTED]	
Keyless Go Present	[REDACTED]	
Transfer Case High Ratio	[REDACTED]	No Unit
Axle Ratio	[REDACTED]	
Transfer Case Low Range Reduction Ratio	[REDACTED]	
Dynamic Tire Circumference (All or Rear)	[REDACTED]	inch
Dual Rear Wheel (DRW) Vehicle Present	[REDACTED]	
Non Regulated Tire Pressure Information System (TPIS) Present	[REDACTED]	
Steering Ratio at zero	0.0	No Unit
Steering Ratio at Positive Angle 1	0.0	No Unit
Steering Ratio at Positive Angle 2	0.0	No Unit
Steering Ratio at Positive Angle 3	0.0	No Unit
Steering Ratio at Positive Angle 4	0.0	No Unit
Steering Ratio at Positive Angle 5	0.0	No Unit
Analog Door Sensor Configuration	[REDACTED]	
Air Quality System Present	[REDACTED]	
Steering Ratio at Negative Angle 1	0.0	No Unit
Steering Ratio at Negative Angle 2	0.0	No Unit
Steering Ratio at Negative Angle 3	0.0	No Unit
Steering Ratio at Negative Angle 4	0.0	No Unit
Steering Ratio at Negative Angle 5	0.0	No Unit
Ambient Light Dimmer Wheel Input Present Pin G9	[REDACTED]	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552(B)(6)

Low Beam Output Present Pin A3, D2

Rear Wiper Motor Park Present - Pin E29

Left Rear Door Ajar Input Present Pin F23

Front Driver Analog Door Ajar Input Present - Pin F9

Horn Switch Input Present Pin F29

Reserved - Pin E15

Hood Ajar Switch Input Present Pin A11

Hard Top Sense Present - Pin E14

Reserved F21

Reserved - Pin D20

Passenger Door Ajar Signal Present - Pin G18

Reserved Pin E47

Reserved - Pin E35

Starter Relay Lowside Coil Drive Pin D7

Diesel Cabin Heater #3 Output Present - Pin D10

Diesel Cabin Heater #1 Output Present Pin D11

Right Dedicated DRL Lamp Output Present - Pin A22

Left Dedicated DRL Lamps Output Present Pin D15

Flipper Glass #2 Output Present

Foot Well Lamps Output Present - Pin G24

Front Fog Lamps Output Present Pin A1 & D13

Inverter Enable Relay Output Present - Pin F35

Reserved E20

Gated Park ZFII Output Present - Pin D-24

Reserved Pin E21

Rear Fog Lamps Output Present Pin E39 & F5

Rear Park Lamps Output Present - Pin E4 & F32

Run-ACC Y Relay #2 Output Present - Pin E9

Side Markers Output Present Pin A10 & D5

Trailer Backup Lamps Output Present Pin E23

Reserved - Pin F4

UGDO Feed Output Present Pin G15

VTA Warning LED Output Present - Pin G22

Park Brake Input Present Pin E11

Ambient Temperature Sensor Present Pin D22

Tip Start Enabled

Dual Start Relay System Present

Wiper Service Position Enabled

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Quad Headlamps Enable

Horn Chirp Allowed

Bi Xenon Headlamps Enable

Hazard Lamp Configuration

Park Lamp Loadshed Enable

Front Fog Lamp Dropout Enable

Combined Rear Lighting Enable

Side Repeaters Enable

One Touch Lane Change

Exterior Light Loadshed Enable

Front Wiper Park Enable

Rear Wiper Park Enable

Reversible Washer Pump Enable

Single Element Tail Lamp

DRL Configuration

DRL Lamp Location

DRL Dropout Enable

Tunnel Detection

Military Vehicle Present

LED Reverse Lamps Present

LED Stop Lamps Present

LED Rear Turn Lamps Present

LED Tail Lamps Present

LED Rear Fog Lamps Present

LED License Lamps Present

LED Front Turn Lamps Present

LED Front Fog Lamps Present

LED Dedicated DRL Present

LED Low Beam Lamps Present

LED High Beam Lamps Present

LED Front Park/Marker Lamps Present

Door Lock Switch Signal FT LT Usage (F9)

Door Lock Switch Signal FT RT Usage (F23)

Headlamp Wash Interval

Headlamp Wash Shot

Front Wiper Wipes After Wash

Headlamp Washer Low Fluid Shut Off Enable

Intermittent Wiper States

LED CHMSL Lamp Present

Rear Camera Present

Power Inverter Present

Front Park Assist Present

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Front Heated Seats Present	[REDACTED]	
Front Ventilated Seats Present	[REDACTED]	
Destination	[REDACTED]	
Cabin Equilization Curve Number	[REDACTED]	)
Hill Start Assist Customer Setting Option Present	[REDACTED]	
Radio Apps Present	[REDACTED]	
[REDACTED]	[REDACTED]	
CTP Passive Entry Present	[REDACTED]	
CTP Auto Lock Disable	[REDACTED]	
SDAR Travel Link Present	[REDACTED]	
DAB Present	[REDACTED]	
Vehicle Theft Alarm Present	[REDACTED]	
Heated Steering Wheel Present	[REDACTED]	
VIN Check Digit Diabie	[REDACTED]	
Surround Sound Feature Present	[REDACTED]	
Power Door Locks Present	[REDACTED]	
Antenna Type	[REDACTED]	
CTP Max AC Present	[REDACTED]	
Hybrid Electric Powertrain Present	[REDACTED]	
Disable CD Eject	[REDACTED]	
DTV Front Camera Present	[REDACTED]	
DTV Side Camera Present	[REDACTED]	
Tow Haul Present	[REDACTED]	
Hill Descent Control Present	[REDACTED]	
[REDACTED]	[REDACTED]	
Radio Display On/Off Softkey Present	[REDACTED]	
Microphone Tuning Parameter	[REDACTED]	
[REDACTED]	[REDACTED]	
Microphone Type	[REDACTED]	
External Port Type	[REDACTED]	
Splashscreen Type	[REDACTED]	
ERS Available	[REDACTED]	
Rear Wheel Dually	[REDACTED]	
Max Gear	[REDACTED]	
[REDACTED]	[REDACTED]	
Speedometer Range Max Scale	[REDACTED]	
IC Config Feature	[REDACTED]	
PTO Present	[REDACTED]	
AMB Dimmer	[REDACTED]	
Heated Seat Present	[REDACTED]	
Split Shaft Present	[REDACTED]	
Manual Headlamp Leveling	[REDACTED]	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Gear Shift Indicator		
Temperature Celsius for UK		
Type of Gallons		
Tip Start Present		
AP5 Trunk Lock		
Alert Scenario Trunk Set		
AP1 Left Front		
AP2 Right Front		
AP3 Left Rear		
AP4 Right Rear		
Global Up		
Global Down		
Sun Shade		
Puddle Lamp Present		
Rear Door Pre Short Drop		
Passenger Window Lockout		
Auto Power Folding Mirrors Present		
Folding mirrors present		
Heated Mirrors Present		
Mirror turn signals present		
Driver Memory Mirrors Present		
Passenger Memory Mirror Present		
Electro-chromatic driver mirror present		
Electro chromatic passenger mirror present		
Tow Mirror Present		
Blindspot Mirror Present		
Window Hall Sensors Present		
Frameless Window Present		
Memory Adjustable Pedals Present		
Tilt/Telescope Steering Present		
Rear Heated Seats Present		
Front Vented Seats Present		
Heated Wheel Material Type		
Rear Vented Seats Present		
Front Heated Seat Present		
Brake System ECU Configuration A		
Wheel 18 inch overall ESC Maserati		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Brake System ECU Configuration B	[REDACTED]	
ECO Mode Configuration	[REDACTED]	
Dual Alternator Present	[REDACTED]	
ODS Present	[REDACTED]	
Driver Kneebag Present	[REDACTED]	
Passenger Kneebag Present	[REDACTED]	
Curtain Airbags Present	[REDACTED]	
Tow Hooks Present	[REDACTED]	
[REDACTED]	[REDACTED]	
2nd Row Seat Airbags Present	[REDACTED]	
Reserved	[REDACTED]	
Reserved	[REDACTED]	
Integrated EPP Present	[REDACTED]	
BUX vehicle	[REDACTED]	
Signature Light Present	[REDACTED]	
Dual Filament Headlamp	[REDACTED]	
Front Turn Lamp Diagnostics	[REDACTED]	
Auto Headlamp On Threshold	[REDACTED]	Volt
Auto Headlamp Off Threshold	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	
Left High Beam Voltage Regulation	[REDACTED]	
Right Low Beam Voltage Regulation	[REDACTED]	
Right High Beam Voltage Regulation	[REDACTED]	
Left Front Corner Voltage	[REDACTED]	
Right Front Corner Voltage	[REDACTED]	
Left Rear Corner Voltage	[REDACTED]	
Right Rear Corner Voltage	[REDACTED]	
Panic Enable	[REDACTED]	
Compass Mounting Orientation	[REDACTED]	
Washer Fluid Level Voltage Threshold	[REDACTED]	
IBS Present	[REDACTED]	
ASBMM Present	[REDACTED]	
Humidity Sensor Present	[REDACTED]	
Manual Trans Present	[REDACTED]	
DC to DC Converter Present	[REDACTED]	
ASBM Present	[REDACTED]	
Auto Relock Time	[REDACTED]	seconds
VTA System Present	[REDACTED]	
DC to DC Converter #2 Present	[REDACTED]	
[REDACTED]	[REDACTED]	
Illuminated Approach Headlamp Target Percentage	[REDACTED]	
Illuminated Approach Taillamp Target Percentage	[REDACTED]	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Illuminated Approach Interior Lighting Ramp Up Time	[REDACTED]	
CRVMM Present	[REDACTED]	
EVIC Switch Module Present	[REDACTED]	
Compass Mounting Angle	0	Degree
Signature Lamps or Mirror Repeater Present Pin A5 & Pin A7	[REDACTED]	
Backup Reverse Lamp Left Present Pin F41	[REDACTED]	
Backup Reverse Lamp Right Present - Pin E1	[REDACTED]	
Stop/Turn Lamp or Stop Lamp Present Pin E2 & F40	[REDACTED]	
[REDACTED]	[REDACTED]	
Right High Beam Present Pin A2	[REDACTED]	
Left Front Lamp Diagnostics Present - Pin F25	[REDACTED]	
Right Front Lamp Diagnostics Present - Pin F28	[REDACTED]	
Left Rear Turn Lamp Diagnostics Present Pin F27	[REDACTED]	
Right Rear Turn Lamp Diagnostics Present - Pin F31	[REDACTED]	
Brake Fluid Level Switch Signal Present Pin D21	[REDACTED]	
Siren	[REDACTED]	
Ultrasonics	[REDACTED]	
Tilt	[REDACTED]	
Swing Gate Lock Present - Pin F30	[REDACTED]	
Swing Gate Unlock Present Pin F33	[REDACTED]	
Front Fog Voltage	[REDACTED]	Volts
Rear Fog Voltage	[REDACTED]	Volts
CHMSL Lamp Output Disable	[REDACTED]	
Secondary Door Ajar Present - Pin E28	[REDACTED]	
Manual Door Locks Present	[REDACTED]	
Rain Sensor Module #2 Present	[REDACTED]	
Auto High Beam Module Location	[REDACTED]	
Average Last Longitudinal Acceleration Values	[REDACTED]	
Average Last Lateral Acceleration Values	[REDACTED]	
Excess Longitudinal Acceleration Factor	[REDACTED]	
Excess Lateral Acceleration Factor	[REDACTED]	
Brake Smoothing Duration	[REDACTED]	
Brake Smoothing Factor	[REDACTED]	
Steering Smoothing Duration	[REDACTED]	
Steering Smoothing Factor	[REDACTED]	
Steering Smoothing Threshold	[REDACTED]	
Brake Smoothing Threshold	[REDACTED]	
Maximum Longitudinal Change	[REDACTED]	
Maximum Lateral Change	[REDACTED]	
Acceleration Threshold	[REDACTED]	
Acceleration Factor	[REDACTED]	
Nose Dive Threshold	[REDACTED]	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Nose Dive Factor	[REDACTED]	
RKE Auto-Relock Feature Enable	[REDACTED]	
PE Auto Relock Feature Enable	[REDACTED]	
VTA Hood Ajar Monitoring	[REDACTED]	
Horn Chirp Duration	[REDACTED]	
Pitch and Roll Present	[REDACTED]	
Parking Light Enable	[REDACTED]	
ASBM Minimum Voltage Time	[REDACTED]	
[REDACTED]	[REDACTED]	
Interior Lighting Night Threshold	[REDACTED]	Volt
Interior Lighting Day Threshold	[REDACTED]	Volt
Axle Locker Configuration	[REDACTED]	
Transmission Equipped	[REDACTED]	
Park Brake Type	[REDACTED]	
TPMS Configuration	[REDACTED]	
Hybrid Type	[REDACTED]	
TSBM Module Present	[REDACTED]	
ADR feature Present	[REDACTED]	
AGS Feature Present	[REDACTED]	
Temperature Display Resolution	[REDACTED]	
PTC Present	[REDACTED]	
Glovebox Control	[REDACTED]	
Glare Free Present	[REDACTED]	
Brake Type	[REDACTED]	
Suspension Type	[REDACTED]	
Park assist customer settings menu	[REDACTED]	
Park assist brake customer settings menu	[REDACTED]	
Park assist front volume customer settings menu	[REDACTED]	
Park assist rear volume customer settings menu	[REDACTED]	
Electric power steering customer settings menu	[REDACTED]	
Forward collision warning customer settings menu	[REDACTED]	
Auto on driver comfort customer settings menu	[REDACTED]	
Auxiliary switches customer settings menu	[REDACTED]	
Rear view camera gridlines customer settings menu	[REDACTED]	
Unit set customer settings menu	[REDACTED]	
Power accessory delay customer settings menu	[REDACTED]	
Ambient dimmer customer settings menu	[REDACTED]	
Tire jack mode customer settings menu	[REDACTED]	
Air suspension warning customer settings menu	[REDACTED]	
Automatic aero mode customer settings menu	[REDACTED]	
Auto high beam customer settings menu	[REDACTED]	
Auto park customer settings menu	[REDACTED]	

Blind spot alert customer settings menu

Clock display customer settings menu

Compass calibration customer settings menu

Compass variance customer settings menu

Consumption unit customer settings menu

Distance unit customer settings menu

Auto door lock customer settings menu

Easy exit seat customer settings menu

Auto entry tilt mode customer settings menu

EPB service mode customer settings menu

Headlamp drop customer settings menu

Headlamp off delay customer settings menu

Headlamps on with wiper customer settings menu

Passive entry customer settings menu

Illuminated approach customer settings menu

Lane departure torque customer settings menu

Lane departure warning customer settings menu

Rain sensitive wipers customer settings menu

Power take off customer settings menu

Pressure unit customer settings menu

Power unit customer settings menu

Power liftgate chime customer settings menu

Rear view camera delay customer settings menu

RKE unlock customer settings menu

Speed unit customer settings menu

Tilt mirror in reverse customer settings menu

Torque unit customer settings menu

Teen Key Fuel Pop up Customer Settings Menu

Teen Key Automatic High Beam Customer Settings Menu

Passenger Airbag On/Off Customer Settings Menu

Forward Collision Warning and Brake Customer Settings Menu

Doors and Engine Off Power Delay Customer Settings Menu

Radio Speaker Open Circuit Disable (LF)

Radio Speaker Open Circuit Disable (RF)

Radio Speaker Open Circuit Disable (RR)

ANC Calibration Parameter Data Set

ms

Surround View Camera On/Off Softkey Present

Drive Mode Version

Rear Defrost and Heated Mirrors Present

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Show Phone Information in Cluster		
Auto Dimming Mirror Hard Button Present		
Clari Fi Present		
Automatic Crash Notification Feature Present		
Trailer Hitch Camera Present		
Park Assist Tuning Set		
Red Defrost Presence		
Heated Mirrors Present		
Engine Displacement		
Steering C Factor		
Speedometer Tolerance		
Increasing speed constant		
Tachometer Type		
DTV Present		
Tri State Comfort Climate Softkey Function Present		

RADIO CONFIGURATION

NAME	VALUE	UNITS
Satellite Subscription ID		
Satellite Subscription Status		
Satellite Subscription Reason Code	00	
Satellite Subscription Suspend Day		
Satellite Subscription Suspend Month		
Satellite Subscription Suspend Year		
911 Button		
SDARS		
Navigation Active		
Cellular		
Internal CD Player		
Wi-Fi		
Bluetooth		
Application Framework		
FM Diversity		
Clock Defeat		
Automated Loudness		
Anti Theft Enable Status		
12/24 Time Selection		
Front Seat Video Playback		
Cabin EQ Curve Number Currently Used by Radio		
Splash Screen		
Compass on the bus messaging Authorization		
GPS on the Bus messaging Authorization		

USB Hubs Detected	<div><div></div></div>	No Unit
SD Card Readers Detected	0	No Unit
Enumerated USB Devices	0	No Unit
Aux Jack	<div><div></div></div>	
DTV Short Term Configuration		

ABS0 CONFIGURATION

NAME	VALUE	UNITS
Vehicle Line Identification	[REDACTED]	
Displacement	[REDACTED]	No Unit
Hybrid Type	[REDACTED]	
Trans Type	[REDACTED]	
Drive Configuration	[REDACTED]	
Chassis Type	[REDACTED]	
Axle Ratio	[REDACTED]	No Unit
Tire Circumference	[REDACTED]	inch

ECU SUMMARY INFO

[illegible]

[illegible]

ECU	DTC CODE	DTC DESCRIPTION	STATUS
PCM			
DTCM			
RADIO			

Sess onID [REDACTED]

ENVIRONMENTAL DATA SUMMARY

PCM |

NAME	VALUE	UNITS
Number of DTC		
DTC		
DTC Readiness Flag		
DTC Storage State		
Warning Indicator Request State		
Odometer		miles
Accumulation Timer		minutes
Ignition Key Cycles		
Starts Since Set Counter		
Key Cycles Since DTC Last Set Counter		
Warm Up Cycles		
Good Trip Counter		

DTCM |

NAME	VALUE	UNITS
DTC		
Test Failed		
Test Failed This Operation Cycle		
Pending DTC		
Confirmed DTC		
Test Not Completed Since Last Clear		
Test Failed Since Last Clear		
Test Not Completed This Operation Cycle		
Warning Indicator Requested		
DTC Extended Data Record Number All		
Occurrence flag		
Original Odometer Value		miles
Most Recent Odometer Value		miles
Frequency Counter		
Ignition Cycle Counter		
System Battery Voltage		Volts
Module Battery Voltage		Volts
Transercase motor position sensor supply voltage		Volts
Transercase Motor Current		Amps
Transercase Position Sensor		Volts
DTCM Temperature		°F
Transercase Motor Duty Cycle		%
Transercase Motor Direction State		

Front Axle Locker Sensor Feedback		
Rear Axle Locker Sensor Feedback		
Front Axle Locker Low side Driver		
Rear Axle Locker Low side Driver		
FAD Supply Power Voltage		Volts
FAD Feedback Status		
FAD Feedback Voltage		Volts
FAD Lock request		
Transfercase Mode Switch		
Time Since Last Ignition On		minutes
Vehicle Speed		MPH
Left Front Wheel Speed		rpm
Right Front Wheel Speed		rpm
Left Rear Wheel Speed		rpm
Right Rear Wheel Speed		rpm
Brake Pedal		
ESP Requested Center (Transfercase) Differential State		
ESP Requested Center Differential Torque	0	Ft Lbs
Steering Wheel Angle		degrees
Delta Steering Wheel Angle		degrees
Ambient Air Temperature		°F
PRNDL Display		
Transmission Current Gear		
Throttle Pedal Position	0.0	%
Static Engine/Electric Motor Torque		Ft Lbs
Engine RPM		rpm
Actual Mode of Transfercase Clutch		
Actual Transfercase Clutch Lock Torque	0	Ft Lbs
Desired Transfercase Clutch Lock Torque	0	Ft-Lbs
T Case Motor Incremental Position Sensor (IPS)		degrees
T-Case Clutch Wear IPS Position		degrees
DTCM Internal DTC Reason		
Transfer Case Shift Inhibited		
Transfercase Status		
Axle Locker Status (Bus)		
Clutch Calibration Not Learned reason		
Electric Motor RPM		rpm
T Case Clutch Wear Position (Initial)		degrees

RADIO |

NAME	VALUE	UNITS
DTCTable		

TestFailed		
TestFailedThisMonitoringCycle		
Pending DTC		
Confirmed DTC		
Warning Indicator Requested		
ExtendedDataRecordNumber		
Occurrence Flag		
Reserved		
Original Odometer Value		miles
Most Recent Odometer Value		miles
Frequency Counter		
Ignition Counter		
RDI \$6080		
Event Counter		

SNAPSHOT DATA SUMMARY

No Snapshot Data available for

No Snapshot Data available for

No Snapshot Data available for