

ECU SUMMARY INFO

[illegible]

[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	SERIAL NUMBER	CVNS
TCM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
PCM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
ICS	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
RFH	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
ESM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
ORC	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
EPS	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
HVAC	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
CSWM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
IPC	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
PTS	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
SCCM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
BCM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
OCM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
LBSS	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
RBSS	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
BPCM	Rest of world / [REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
HCP	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
DSM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
AHCP	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]

U.S.C. 552 (b) (6)

ABSO						
SGW						
DPDM						
DASM						
BM2						

CONFIGURATION**TCM CONFIGURATION**

NAME	VALUE	UNITS
Autostick/ERS On/Off Switch Equipped		
Paddle Shift Switches Equipped		
Shifter with Sport Mode Position Equipped		
Shifter with Low Mode Position Equipped		
Sport Mode Switch or Virtual Switch (Non-Terrain) Equipped		
Overdrive Off or Tow Haul Mode Switch or Virtual Switch (Non-Terrain) Equipped		
ECO/Optimizer Switch Equipped		
ERS/Autostick/Tip Non-paddle on Steering Wheel Equipped		
ERS/Autostick/Tip Non paddle on Shifter in D position Equipped		
ERS/Autostick/Tip Non paddle on Shifter in A or M position Equipped		
FWD Equipped		
RWD Equipped		
AWD Equipped		
4WD with switchable Lo Range equipped		
Engine Start/Stop equipped		
Polystable E-shift (Cableless without return-to-center) equipped		
Long Learn Enabled		
Short Learn Enabled		

PCM CONFIGURATION

NAME	VALUE	UNITS
AC Equipped		
AC Equipped Over Bus		
Power Steering Switch Equipped		
4 Button Integrated Cruise Control		
EMAT (Getrag DCT transmission) Equipped		
Vehicle Speed Sensor #1 Calculated from CAN		
Police Package Equipped		
Unleaded Gasoline Fuel		
Unleaded diesel fuel		
6.4 Liter V8 Engine		
4 Speed Automatic Transmission Equipped		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Electronic Automatic Transmission (EATX) Equipped		
Vehicle Speed Sensor #1 Calculated by ECU		
5.7 Liter V8 Engine		
6.1 Liter V8 Engine		
Sensorless FFV Enabled		
Electronic Throttle Control Equipped		
3.6 Liter V6 Engine		
4.0 Liter V6 Engine		
3.8 Liter V6 Engine		
3.7 Liter V6 Engine		
3.5 Liter V6 Engine		
3.3 Liter V6 Engine		
3.2 Liter V6 Engine		
2.7 Liter V6 Engine		
MTV Solenoid Equipped		
MDS Equipped		
Turbocharger Equipped		
SRV Equipped		
Secondary Air Equipped		
Shift Indicator Lamp Equipped		
Barometric Sensor Equipped		
TIP Equipped		
Battery Temp Sensor Equipped		
Knock Sensor 1 Equipped		
Knock Sensor 2 Equipped		
WI4 Variable Valve Timing Equipped		
Clutch Interlock Switch Equipped		
ESIM Equipped		
Linear Purge Equipped		
Linear EGR Equipped		
Direct Injection Equipped		
Secondary Fuel Pump Equipped		
Electronic Coolant Pump Equipped		
O2 Sensor Bank 1 Sensor 1 Equipped		
O2 Sensor Bank 1 Sensor 2 Equipped		
O2 Sensor Bank 1 Sensor 3 Equipped		
O2 Sensor Bank 2 Sensor 1 Equipped		
Fixed displacement AC Equipped		
WI4 Intake Flow Control Valve Equipped		

Electric Coolant Valve Equipped

Engine Oil Heater Cooler Equipped

Transmission Oil Heater Equipped

Electric Water Pump Equipped

Starter Relay 2 Equipped

Inrush Current Reduction Relay Equipped

Active Noise Shutter Equipped

Wide Range O2 Sensor 1/1 Equipped

Wide Range O2 Sensor 2/1 Equipped

MultiAir Equipped

Engine Stop Start Equipped

Viscosity Sensor Equipped

Duty Cycle Purge Valve Equipped

Exhaust Cam 1 Equipped

Intake Cam 1 Equipped

1.8 Liter W14 engine

2.0 Liter W14 engine

2.4 Liter W14 engine

3.0 Liter V6 Engine

Tumble Generator Valve Equipped

Hybrid Electric Vehicle Equipped

Dual Speed Fuel Pump Equipped

Exhaust Cam 2 Equipped

Intake Cam 2 Equipped

1 Speed Fan Mechanical Relay System Equipped

2 Speed Fan Mechanical Relay System Equipped

2 Speed Fan PWM Relay System Equipped

Linear PWM Fan Relay System Equipped

PWM Fan Motor System Equipped

3 Speed Fan Mechanical Relay System Equipped

Fan Wake Up Relay System Equipped

2 Speed Fan 3 Driver 3 Relay System Equipped

40TE / 41TE / 41TEA

42RLE

45RFE / 545RFE / 65RFE

62TE

66RFE / 68RFE

VLP Is Learnable Indicator

VFS Actuators Available Indicator

ERS Equipped Indicator

Engine Software In Package

Transmission Software Included

ICC Cruise Equipped

LTC Cruise equipped

Adaptive Cruise Control Equipped

A/C Equipped

Adaptive Cruise Control Hardware Equipped

DUAL ALTERNATOR GEN1 LEARNEDCOPY

TOOLCONFIG Oil Pressure ABS Equipped

GPEC2 Equipped

GPEC2A Equipped

GPEC3 Equipped

Cummins Equipped

GPEC4 Equipped

VMM Equipped

Powernet Equipped

CUSW (11-Bit) Equipped

Fiat 940 Compact Equipped

Next Gen Bus Equipped

Constant Heater Temperature Control Valve Equipped

CMCV H-Bridge Equipped

Turbine Volute Valve Actuator Equipped

Wastegate H-Bridge Equipped

Active Exhaust Valve Equipped

Active Exhaust Pressure Sensor Equipped

Engine Idle Shutoff Equipped

Aisin 6 Speed RWD Transmission Equipped

Cooled EGR Equipped

Supercharger Equipped

Low Temperature Radiator Coolant Pump Equipped

Mechanical Coolant Pump Heater Equipped

Auxiliary Coolant Pump Heater Equipped

Compressed Natural Gas Equipped

CUSW PROXI Write Programming Support Enabled

Active Engine Mount Equipped

ZF 9-Speed Transmission Equipped

HPT 6 Speed Transmission Equipped

Variable Speed Fuel Pump Equipped

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

PTO System Equipped		
Air Shutoff Valve Bank 1 Control Solenoid 1 Equipped		
Air Shutoff Valve Bank 1 Control Solenoid 2 Equipped		
Air Shutoff Valve Bank 2 Control Solenoid 2 Equipped		
Dual Stage Oil Pump Equipped		
Auxiliary Coolant Pump Equipped		
Trans Skip Shift Equipped		
Port Flap Valve Equipped		
Brushless PWM Fan Equipped		
6.2 Liter V8 Engine		
Primary Lin Alternator Equipped		
Coolant On Off Pump Equipped		
Oil Pressure Sensor Enabled		
Fiat VIN Learning Strategy Equipped		
Dual Fuel Tank Equipped		
Yaw Rate Sensor ESC Equipped		
1.0 Liter I3 Engine		
Coolant On-Off Valve Equipped		
Buffered Crank Output for ANC (Active Noise Cancellation) Equipped		
Buffered Crank Output for PHEV Engine Pulse Calculation Equipped		
Throttle Inlet Temp Sensor Equipped		
Humidity, Temperature and Pressure Sensor (LIN) Equipped		
Dual Fuel Pressure Sensor Equipped		
Brake Pedal Sensor Equipped		
Dual Fuel Tank Equipped		
PTO System Equipped		
Low Temp Radiator Coolant Pump Equipped		
Engine Idle Shutoff Equipped		
A/C Relay Powered from Engine Switched Battery		
CNG Large Gas Tank Equipped		
Cooled EGR Equipped		
Hybrid MEC Shifter Equipped		
Dual Alternator Gen1 Capable		
Auxillary Coolant Pump Equipped		
ZF 9 Speed Trans Equipped		
HPT 6 Speed Trans Equipped		
CUSW 4-Button Cruise Equipped		
Power Steering Angle Sensor Mandatory		
Throttle Inlet Temp Sensor Equipped		
LIN Humidity, Temp, and Pressure Sensor Equipped		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Dual Fuel Pressure Sensor Equipped		
Brake Pedal Sensor Equipped		
Clutch Sensor Equipped		
SWAP HARDWIRED BRAKE SWITCH INPUTS		
Mass Airflow System Equipped		
Bi Directional Crank Sensor Equipped		
5th Gear Cruise (LIN) Equipped		
Operator Idle Speed Request Equipped		
INTAKE O2 SENSOR EQUIPPED		
Cylinder Pressure Sensor Equipped		
Make Up Air Sensor Equipped		
Active Exhaust Pressure Sensor Equipped		
Secondary Mass Airflow Sensor Equipped		
1.0 Liter I3 Engine		
2.0 Liter I4 Direct Injection Engine		
Variable Valve Lift Equipped		
Coolant On-Off Pump Equipped		
Primary Lin Alternator Equipped		
Electronic Parking Brake Equipped		
Active Exhaust Valve(s) Equipped		
Mechanical Coolant Pump Equipped		
Aux Coolant Pump Heater Equipped		
Heater Temp Control Valve Equipped		
High Side Port Tumble Valve Equipped		
Wastegate HBridge Equipped		
Remote Start Present		
Engine Oil Pressure Sensor Type		None

ICS CONFIGURATION

NAME	VALUE	UNITS
Display Type (Base)		
Display Type (Mid)		
Display Type (High)		

RFH CONFIGURATION

NAME	VALUE	UNITS
PIN Successfully Programmed		
VIN Successfully Programmed		
Valid Key In Ignition		
Keyless Go		
Ignition system type connected		
e-shifter present		

Auto Park Present

Secret Codes Programmed

Passive Entry

RKE

Module Configuration Status

Remote Start Present

SM14 Programmed by

Hardware Configuration: Remote Start Antenna

Hardware Configuration: Front Left Door Handle H/W

Hardware Configuration: Front Right Door Handle H/W

Hardware Configuration: Rear Left Door Handle H/W

Hardware Configuration: Rear Right Door Handle H/W

Hardware Configuration: Trunk Door Handle H/W

RFHub Locked

Fob Location #1 Successfully Programmed

Fob Location #2 Successfully Programmed

Fob Location #3 Successfully Programmed

Fob Location #4 Successfully Programmed

Fob Location #5 Successfully Programmed

Fob Location #6 Successfully Programmed

Fob Location #7 Successfully Programmed

Fob Location #8 Successfully Programmed

Back Up Vehicle Config 1

Back Up Vehicle Config 2

Back Up Vehicle Config 3

Back Up Vehicle Config 4

Back Up Vehicle Config 5

Back Up Vehicle Config 6

Back Up Vehicle Config 7

Back Up ECU Configuration 1

Back Up ECU Configuration 2

Back Up ECU Configuration 3

Back Up ECU Configuration 4

Back Up ECU Configuration 5

Back Up ECU Configuration 6

Back Up ECU Configuration 7

Back Up ECU Configuration 9

Back Up ECU Configuration 10

Back Up ECU Configuration 11

Back Up ECU Configuration 12

Back Up ECU Configuration 13

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Back Up ECU Configuration 14

Back Up ECU Configuration 15

Back Up ECU Configuration 16

Back Up ECU Configuration 17

Back Up Customer Settings Menu 1 (CSM1)

Back Up Customer Settings Menu 2 (CSM2)

Back Up Programmed ECUs: Cabin Network

Back Up Programmed ECUs: P/T Chassis Network

Secret Key Sent to Body Controller - Most recent attempt

Secret Key Sent to Body Controller - Original attempt

Base TPM Present

Full Size Matching Spare Tire Present

ECU Ship Status

Tire Pressure System

Selectable Tire Fill Alert

TPM Auto-Locate Enabled

TPMS Configuration

DTCM CONFIGURATION

NAME	VALUE	UNITS
Full-Time T-Case		
Front Locker Present		
Rear Locker Present		
FAD Present		
Mode Switch Present		
Left/Right Hand Drive		
Axle Ratio		
T-Case Type		
SRT Present		

ORC CONFIGURATION

NAME	VALUE	UNITS
Rollover Sensing		
EPPM		
Occupant Classification (OCM)		
First Row Driver Seatbelt Buckle Switch		
First Row Passenger Seatbelt Buckle Switch		
Second Row Left seat belt Switch		
Second Row Center seat belt Switch		
Second Row Right seat belt Switch		
Driver Seat Track Position Sensor		
Passenger Seat Track Position Sensor		

SessionID #

DualZone ATC Control (BB)	■■■	
Dual Zone MTC Control (BB)	■■■	
Single Zone MTC Control (BB)	■■■	
MTC With EBL (3Knob)	■■■	
MTC Without EBL (3Knob)	■■■	
MTC heater only (3Knob)	■■■	

IPC CONFIGURATION

NAME	VALUE	UNITS
Main Fuel Tank Gauge - Empty Stop Calibration	0.000	Volts
Main Fuel Tank Gauge - 1/4th Datum Calibration	0.000	Volts
Main Fuel Tank Gauge - 1/2 Datum Calibration	0.000	Volts
Main Fuel Tank Gauge - 3/4 Datum Calibration	0.000	Volts
Main Fuel Tank Gauge Full Stop Calibration	0.000	Volts
Sub Fuel Tank Gauge - Empty Stop Calibration	0.000	Volts
Sub Fuel Tank Gauge - 1/4 Datum Calibration	0.000	Volts
Sub Fuel Tank Gauge 1/2 Datum Calibration	0.000	Volts
Sub Fuel Tank Gauge - 3/4 Datum Calibration	0.000	Volts
Sub Fuel Tank Gauge Full Stop Calibration	0.000	Volts

PTS CONFIGURATION

NAME	VALUE	UNITS
Rear System with 6 Front Sensors	■■■	
Front System with 6 Rear Sensors	■■■	

SCCM CONFIGURATION

NAME	VALUE	UNITS
Rear Wiper	■■■	
Tilt Telescope	■■■	
Paddle Shifter	■■■	
Cruise Control / ACC	■■■	

BCM CONFIGURATION

NAME	VALUE	UNITS
RBSM	■■■	
LBSM	■■■	
BCM (Interior Bus)	■■■	
HSM	■■■	
HVAC	■■■	
PTCM	■■■	
Radio	■■■	
ITM	■■■	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

AMP		
EDM		
HVAC R		
TBM		
AHLM/AFLS		
SCM		
BIM (PT)		
DTCM		
PCM		
EPS		
ESM		
ABS		
RFH		
IPC		
ORC		
PTS		
SCCM		
ELSD		
TCM		
TPM		
AFLS		
ITBM		
OCM		
DPDM		
SGW		
ASBS		
Number of Reprogramming Attempts Counter #0		
Vehicle Configuration Programmed Status		
Last Programmed Status		
Last Configuration Odometer	0	miles
Vehicle Configuration Auto Write Counter		
Vehicle Configuration 1 Write Counter		
Vehicle Configuration 2 - Write Counter		
Vehicle Configuration 3 Write Counter		
Vehicle Configuration 4 - Write Counter		
Vehicle Configuration 5 Write Counter		
Vehicle Configuration 6 Write Counter		
Programmed ECUs: Cabin Network		
Programmed ECUs: P/T Chassis Network		
Programmed Network Configuration - Audio / Telematics Network		
Programmed ECUs: Hybrid LAN Network		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

ECU Configuration 1 (CBC Configurable Inputs and Outputs)

ECU Configuration 2 (CBC Features)

ECU Configuration 3

ECU Configuration 4

ECU Configuration 5 (Wireless)

ECU Configuration 5 (Doors)

ECU Configuration 5 (Memory)

ECU Configuration 6 (Brake)

ECU Configuration 6 (Suspension)

ECU Configuration 6 (Powertrain)

ECU Configuration 6 (Safety)

ECU Configuration 7 (CBC Exterior Lighting Calibrations)

ECU Configuration 8 (LIN and Miscellaneous)

ECU Configuration 9A

ECU Configuration 9 (ITM)

ECU Configuration 10

ECU Configuration 11

ECU Configuration 12

ECU Configuration 13

ECU Configuration 14

ECU Configuration 15 (CBC Features)

ECU Configuration 15 (Suspension)

Vehicle Configuration 7 Write Counter

Vehicle Config CSM1

Vehicle Config CSM2

Model Year

Vehicle Line

Country Code

Left/Right Hand Drive

Remote Start Present

Drive Configuration

Emode Present

Auto Highbeam

Body Style

Maximum Vehicle Speed

Shifter Type

Performance Pages Present

Special Packages

PTS Configuration

Hill Descent Feature Present

Select Speed Control Feature Present

Power Inverter Type

Thatcham Present		
Rain Sensor Present		
SKIM System Present		
Air Conditioning Present		
Cruise Feature is Present		
Flipper Glass Present		
Flt Size Spare		
Special Packages		
Max Load Inflation Pressure Rear Tire		PSI
Max Load Inflation Pressure Front Tire		PSI
Light Load Inflation Pressure Rear Tire	0.0	PSI
Police Lighting Feature		
Power Lift Gate Present		
Power Right Sliding Door Present		
Power Left Sliding Door Present		
RKE System Present		
Sunshade Present		
T-Case Type		
Wheel Base		
FOBIK Safe Enable		
Fuel Capacity		gallons
Window Express Feature Configuration		
Adjustable Pedal Feature Present (non Memory)		
Auto Headlamp Feature Present		
Door Alert Feature Present		
Two Fuel Sending Units Present		
Vehicle is an SRT		
Disable Display of Radio Clock		
Chassis Type		
Display Outside Temperature Present		
HVAC Configuration		
Vehicle Brand		
Display Compass Heading Present		
Interior EC Mirror Present		
ESCL system present		
High Intensity Discharge Head Lamps		
Secondary Lock Present		
Liftgate/Trunk Type		
Collision Mitigation System present		
Forward Collision Warning present		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Base TPM system present		
Premium TPM system present		
Paddle Shift Feature Present		
Sport Mode Present		
Auto Park Present		
Passive Entry Present		
Keyless Go Present		
Transfer Case High Ratio		No Unit
Axle Ratio		
Transfer Case Low Range Reduction Ratio		
Dynamic Tire Circumference (All or Rear)		inch
Dual Rear Wheel (DRW) Vehicle Present		
Non Regulated Tire Pressure Information System (TPIS) Present		
Steering Ratio at zero	0.0	No Unit
Steering Ratio at Positive Angle 1	0.0	No Unit
Steering Ratio at Positive Angle 2	0.0	No Unit
Steering Ratio at Positive Angle 3	0.0	No Unit
Steering Ratio at Positive Angle 4	0.0	No Unit
Steering Ratio at Positive Angle 5	0.0	No Unit
Analog Door Sensor Configuration		
Air Quality System Present		
Steering Ratio at Negative Angle 1	0.0	No Unit
Steering Ratio at Negative Angle 2	0.0	No Unit
Steering Ratio at Negative Angle 3	0.0	No Unit
Steering Ratio at Negative Angle 4	0.0	No Unit
Steering Ratio at Negative Angle 5	0.0	No Unit
Ambient Light Dimmer Wheel Input Present Pin G9		
Low Beam Output Present Pin A3, D2		
Rear Wiper Motor Park Present - Pin E29		
Left Rear Door Ajar Input Present Pin F23		
Front Driver Analog Door Ajar Input Present - Pin F9		
Reserved Pin G12		
Horn Switch Input Present Pin F29		
Reserved - Pin E15		
Hood Ajar Switch Input Present Pin A11		
Hard Top Sense Present - Pin E14		
Reserved F21		
Reserved Pin D20		
Passenger Door Ajar Signal Present - Pin G18		
Reserved Pin E47		
Reserved - Pin E35		

Diesel Cabin Heater #2 Output Present Pin D9

Diesel Cabin Heater #3 Output Present - Pin D10

Diesel Cabin Heater #1 Output Present Pin D11

Right Dedicated DRL Lamp Output Present - Pin A22

Left Dedicated DRL Lamps Output Present Pin D15

Flipper Glass #2 Output Present

Front Well Lamps Output Present - Pin G24

Front Fog Lamps Output Present Pin A1 & D13

Inverter Engine Relay Output Present - Pin F35

Reserved E20

Gated Park ZFII Output Present - Pin D-24

Reserved - Pin E21

Rear Fog Lamps Output Present Pin E39 & F5

Rear Park Lamps Output Present - Pin E4 & F32

Rear Turn Lamps Output Present Pin F3 & F42

Run-ACC Y Relay #2 Output Present - Pin F19

Side Markers Output Present - Pin A10 & D5

Trailer Backup Lamps Output Present Pin E23

Reserved - Pin F4

UGDO Feed Output Present Pin G15

VTA Warning LED Output Present - Pin G22

Park Brake Input Present - Pin E11

Ambient Temperature Sensor Present Pin D22

Dual Start Relay System Present

Wiper Service Position Enabled

Trailer Tow Present

Quad Headlamps Enable

Bi Xenon Headlamps Enable

Hazard Lamp Configuration

Park Lamp Loadshed Enable

Front Fog Lamp Dropout Enable

Combined Rear Lighting Enable

Side Repeaters Enable

One Touch Lane Change

Exterior Light Loadshed Enable

Front Wiper Park Enable

Rear Wiper Park Enable

Reversible Washer Pump Enable

Single Element Tail Lamp

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

DRL Lamp Location	[REDACTED]	
DRL Dropout Enable	[REDACTED]	
Tunnel Detection	[REDACTED]	
Military Vehicle Present	[REDACTED]	
LED Reverse Lamps Present	[REDACTED]	
LED Stop Lamps Present	[REDACTED]	
LED Rear Turn Lamps Present	[REDACTED]	
LED Tail Lamps Present	[REDACTED]	
LED Rear Fog Lamps Present	[REDACTED]	
LED License Lamps Present	[REDACTED]	
LED Front Turn Lamps Present	[REDACTED]	
LED Front Fog Lamps Present	[REDACTED]	
LED Dedicated DRL Present	[REDACTED]	
LED Low Beam Lamps Present	[REDACTED]	
LED High Beam Lamps Present	[REDACTED]	
LED Front Park/Marker Lamps Present	[REDACTED]	
Door Lock Switch Signal FT LT Usage (F9)	[REDACTED]	
Door Lock Switch Signal FT RT Usage (F23)	[REDACTED]	
Headlamp Wash Interval	[REDACTED]	
Headlamp Wash Shot	[REDACTED]	
Front Wiper Wipes After Wash	[REDACTED]	
Headlamp Washer Low Fluid Shut-Off Enable	[REDACTED]	
Intermittent Wiper States	[REDACTED]	
LED CHMSL Lamp Present	[REDACTED]	
Rear Camera Present	[REDACTED]	
Power Inverter Present	[REDACTED]	
Front Park Assist Present	[REDACTED]	
Front Heated Seats Present	[REDACTED]	
Front Ventilated Seats Present	[REDACTED]	
Destination	[REDACTED]	
[REDACTED]	[REDACTED]	
Hill Start Assist Customer Setting Option Present	[REDACTED]	
Radio Apps Present	[REDACTED]	
CTP Easy Entry Enable	[REDACTED]	
CTP Passive Entry Present	[REDACTED]	
CTP Auto Lock Disable	[REDACTED]	
SDAR Travel Link Present	[REDACTED]	
DAB Present	[REDACTED]	
Vehicle Theft Alarm Present	[REDACTED]	
Heated Steering Wheel Present	[REDACTED]	
VIN Check Digit Diabie	[REDACTED]	
Surround Sound Feature Present	[REDACTED]	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Power Door Locks Present

Antenna Type

Hybrid Electric Powertrain Present

Disable CD Eject

DTV Front Camera Present

DTV Side Camera Present

Tow Hook Present

Hill Descent Control Present

Audio Steering Wheel Switch Configuration

Radio Display On/Off Softkey Present

Microphone Tuning Parameter

Microphone Configuration

Microphone Type

External Port Type

Splashscreen Type

ERS Available

Rear Wheel Dually

Max Gear

Virtual Speedometer Units

Speedometer Range Max Scale

IC Config Feature

PTO Present

AMB Dimmer

Heated Seat Present

Split Shaft Present

Manual Headlamp Leveling

Gear Shift Indicator

Service Interval

Temperature Celsius for UK

Type of Gallons

Tip Start Present

AP5 Trunk Lock

Airport Scenario Trunk Set

AP1 Left Front

AP2 Right Front

AP3 Left Rear

AP4 Right Rear

Global Up

Global Down

Sun Shade

Puddle Lamp Present

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Rear Door Pre Short Drop		
Passenger Window Lockout		
Auto Power Folding Mirrors Present		
Folding mirrors present		
Heated Mirrors Present		
Mirror turn signals present		
Driver Memory Mirrors Present		
Passenger Memory Mirror Present		
Electro chromatic passenger mirror present		
Tow Mirror Present		
Window Motor Type		
Window Hall Sensors Present		
Frameless Window Present		
Tilt/Telescope Steering Present		
Memory Seat Present		
Rear Heated Seats Present		
Front Vented Seats Present		
Heated Steering Wheel Present		
Heated Seat Material Type		
Heated Wheel Material Type		
Rear Vented Seats Present		
Brake System ECU Configuration A		
Wheel 18 inch overall ESC Maserati		
Brake System ECU Configuration B		
ECO Mode Configuration		
Driver Kneebag Present		
Passenger Kneebag Present		
Curtain Airbags Present		
Tow Hooks Present		
Passive Ped Pro Present		
2nd Row Seat Airbags Present		
Reserved		
Reserved		
Integrated EPP Present		
BUX vehicle		
Signature Light Present		

Dual Filament Headlamp	[REDACTED]	
Front Turn Lamp Diagnostics	[REDACTED]	
Auto Headlamp On Threshold	[REDACTED]	Volt
Auto Headlamp Off Threshold	[REDACTED]	Volt
Left Low Beam Voltage Regulation	[REDACTED]	
Left High Beam Voltage Regulation	[REDACTED]	
Right Low Beam Voltage Regulation	[REDACTED]	
Right High Beam Voltage Regulation	[REDACTED]	
Left Front Corner Voltage	[REDACTED]	
Right Front Corner Voltage	[REDACTED]	
Left Rear Corner Voltage	[REDACTED]	
Right Rear Corner Voltage	[REDACTED]	
Panic Enable	[REDACTED]	
Compass Mounting Orientation	[REDACTED]	
Washer Fluid Level Voltage Threshold	[REDACTED]	
IBS Present	[REDACTED]	
ASBMM Present	[REDACTED]	
Humidity Sensor Present	[REDACTED]	
Manual Trans Present	[REDACTED]	
DC to DC Converter Present	[REDACTED]	
ASBM Present	[REDACTED]	
Auto Relock Time	[REDACTED]	seconds
VTA System Present	[REDACTED]	
DC to DC Converter #2 Present	[REDACTED]	
Illuminated Approach Interior Lighting Target Percentage	[REDACTED]	
Illuminated Approach Headlamp Target Percentage	[REDACTED]	
Illuminated Approach Taillamp Target Percentage	[REDACTED]	
Illuminated Approach Interior Lighting Ramp Up Time	[REDACTED]	
CRVMM Present	[REDACTED]	
EVIC Switch Module Present	[REDACTED]	
Compass Mounting Angle	0	Degree
Backup Reverse Lamp Left Present Pin F41	[REDACTED]	
Backup Reverse Lamp Right Present Pin E1	[REDACTED]	
Stop/Turn Lamp or Stop Lamp Present Pin E2 & F40	[REDACTED]	
Left High Beam Present Pin D1	[REDACTED]	
Right High Beam Present - Pin A2	[REDACTED]	
Left Front Lamp Diagnostics Present Pin F25	[REDACTED]	
Right Front Lamp Diagnostics Present Pin F28	[REDACTED]	
Left Rear Turn Lamp Diagnostics Present - Pin F27	[REDACTED]	
Right Rear Turn Lamp Diagnostics Present Pin F31	[REDACTED]	
Brake Fluid Level Switch Signal Present - Pin D21	[REDACTED]	
Siren	[REDACTED]	

Ultrasonics	[REDACTED]	
Tilt	[REDACTED]	
Swing Gate Lock Present Pin F30	[REDACTED]	
Swing Gate Unlock Present - Pin F33	[REDACTED]	
Front Fog Voltage	[REDACTED]	Volts
Rear Fog Voltage	[REDACTED]	Volts
CCMSL Lamp Output Disable	[REDACTED]	
Secondary Door Ajar Present Pin E28	[REDACTED]	
Manual Door Locks Present	[REDACTED]	
Rain Sensor Module #2 Present	[REDACTED]	
Auto High Beam Module Location	[REDACTED]	
Average Last Longitudinal Acceleration Values	[REDACTED]	
Average Last Lateral Acceleration Values	[REDACTED]	
Excess Longitudinal Acceleration Factor	[REDACTED]	
Excess Lateral Acceleration Factor	[REDACTED]	
Brake Smoothing Duration	[REDACTED]	
Brake Smoothing Factor	[REDACTED]	
Steering Smoothing Duration	[REDACTED]	
Steering Smoothing Factor	[REDACTED]	
Steering Smoothing Threshold	[REDACTED]	
Brake Smoothing Threshold	[REDACTED]	
Maximum Longitudinal Change	[REDACTED]	
Maximum Lateral Change	[REDACTED]	
Acceleration Threshold	[REDACTED]	
Acceleration Factor	[REDACTED]	
Nose Dive Threshold	[REDACTED]	
Nose Dive Factor	[REDACTED]	
RKE Auto Relock Feature Enable	[REDACTED]	
PE Auto-Relock Feature Enable	[REDACTED]	
[REDACTED]	[REDACTED]	
Horn Chirp Duration	[REDACTED]	
Pitch and Roll Present	[REDACTED]	
[REDACTED]	[REDACTED]	
ASBM Minimum Voltage Time	[REDACTED]	
ASBM Battery Minimum Voltage	[REDACTED]	
Interior Lighting Night Threshold	[REDACTED]	Volts
Interior Lighting Day Threshold	[REDACTED]	Volt
Axle Locker Configuration	[REDACTED]	
Transmission Equipped	[REDACTED]	
Park Brake Type	[REDACTED]	
TPMS Configuration	[REDACTED]	
Hybrid Type	[REDACTED]	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

TSBM Module Present

ADR feature Present

AGS Feature Present

Temperature Display Resolution

PTC Present

Glovebox Control

Gate Free Present

Brake type

Suspension type

Park assist customer settings menu

Park assist brake customer settings menu

Park assist front volume customer settings menu

Park assist rear volume customer settings menu

Electric power steering customer settings menu

Forward collision warning customer settings menu

Auto on driver comfort customer settings menu

Auxiliary switches customer settings menu

Rear view camera gridlines customer settings menu

Unit set customer settings menu

Power accessory delay customer settings menu

Ambient dimmer customer settings menu

Tire jack mode customer settings menu

Air suspension warning customer settings menu

Automatic aero mode customer settings menu

Auto high beam customer settings menu

Auto park customer settings menu

Blind spot alert customer settings menu

Clock display customer settings menu

Compass calibration customer settings menu

Compass variance customer settings menu

Consumption unit customer settings menu

Distance unit customer settings menu

Auto door lock customer settings menu

Easy exit seat customer settings menu

Auto entry exit mode customer settings menu

EPB service mode customer settings menu

Headlamp drop customer settings menu

Headlamp off delay customer settings menu

Headlamps on with wiper customer settings menu

Passive entry customer settings menu

Illuminated approach customer settings menu

Lane departure torque customer settings menu

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Lane departure warning customer settings menu	[REDACTED]	
Rear camera customer settings menu	[REDACTED]	
Rain sensitive wipers customer settings menu	[REDACTED]	
Power take off customer settings menu	[REDACTED]	
Pressure unit customer settings menu	[REDACTED]	
Power unit customer settings menu	[REDACTED]	
Power liftgate chime customer settings menu	[REDACTED]	
Performance shift enable customer settings menu	[REDACTED]	
Rear view camera delay customer settings menu	[REDACTED]	
RKE unlock customer settings menu	[REDACTED]	
Speed unit customer settings menu	[REDACTED]	
Tilt mirror in reverse customer settings menu	[REDACTED]	
Torque unit customer settings menu	[REDACTED]	
Teen Key Fuel Pop-up Customer Settings Menu	[REDACTED]	
Teen Key Automatic High Beam Customer Settings Menu	[REDACTED]	
Passenger Airbag On/Off Customer Settings Menu	[REDACTED]	
Forward Collision Warning and Brake Customer Settings Menu	[REDACTED]	
Doors and Engine Off Power Delay Customer Settings Menu	[REDACTED]	
Radio Speaker Open Circuit Disable (LF)	[REDACTED]	
Radio Speaker Open Circuit Disable (RF)	[REDACTED]	
Radio Speaker Open Circuit Disable (LR)	[REDACTED]	
Radio Speaker Open Circuit Disable (RR)	[REDACTED]	
ANC Calibration Parameter Data Set	[REDACTED]	ms
Surround View Camera On/Off Softkey Present	[REDACTED]	
Drive Mode Version	[REDACTED]	
Rear Defrost and Heated Mirrors Present	[REDACTED]	
Show Phone Information in Cluster	[REDACTED]	
Auto Dimming Mirror Hard Button Present	[REDACTED]	
Clari-Fi Present	[REDACTED]	
Automatic Crash Notification Feature Present	[REDACTED]	
Trailer Hitch Camera Present	[REDACTED]	
Park Assist Tuning Set	[REDACTED]	
[REDACTED]	[REDACTED]	
Heated Mirrors Present	[REDACTED]	
Engine Displacement	[REDACTED]	
Steering C Factor	[REDACTED]	
Speedometer Tolerance	[REDACTED]	
Increasing speed constant	[REDACTED]	
Tachometer Type	[REDACTED]	
DTV Present	[REDACTED]	
Tri-State Comfort Climate Softkey Function Present	[REDACTED]	

RADIO CONFIGURATION

NAME	VALUE	UNITS
Satellite Subscription Status	[REDACTED]	
Reason Code	00	
Suspend Day	00	
Suspend Month	00	
Suspend Year	00	
Distortion Limiting	[REDACTED]	
Clock Defeat	[REDACTED]	
Stereo Blend	[REDACTED]	
High Cut	[REDACTED]	
Automated Loudness	[REDACTED]	
Anti-Theft Enable Status	[REDACTED]	
12/24 Time Selection	[REDACTED]	
Front Seat Video Playback	[REDACTED]	
Cabin EQ Curve Number Currently Used By Radio	[REDACTED]	events
Splash Screen	[REDACTED]	
USB Hubs Detected	[REDACTED]	No Unit
SD Card Readers Detected	0	No Unit
Enumerated USB Devices	0	No Unit
Aux Jack	[REDACTED]	
CAN Architecture	[REDACTED]	

LBSS CONFIGURATION

NAME	VALUE	UNITS
Steering (LHD/RHD)	[REDACTED]	
Teen Key	[REDACTED]	
CFG FEATURE	[REDACTED]	

RBSS CONFIGURATION

NAME	VALUE	UNITS
Steering (LHD/RHD)	[REDACTED]	
Teen Key	[REDACTED]	

ABSO CONFIGURATION

NAME	VALUE	UNITS
Vehicle Line Identification	[REDACTED]	
Displacement	[REDACTED]	No Unit
Hybrid Type	[REDACTED]	
Trans Type	[REDACTED]	
Drive Configuration	[REDACTED]	
Chassis Type	[REDACTED]	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Axle Ratio		No Unit
Tire Circumference		inch

DASM CONFIGURATION

NAME	VALUE	UNITS
ACC Present		
ABS STOP Present		
ACC On Present		
FCW Present		
Auto High Beam Present		
NCC Present		

TBM2 CONFIGURATION

NAME	VALUE	UNITS
Enable Auto Answer		

ECU SUMMARY INFO

[illegible]

[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED] AA

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	SERIAL NUMBER	CVNS
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
ICS	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
RFH	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
ESM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
DTCM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
ORC	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
EPS	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
HVAC	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
CSWM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
IPC	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
PTS	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
SCCM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
BCM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
RADIO		[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
OCM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
LBSS	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
RBSS	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
BPCM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
HCP	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
DSM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
AHCP	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]

ABSO						
SGW						
DPDM						
DASM						
IDCM						

ECU DETAILS

TCM DETAILS

NAME	VALUE
Active Diagnostic Variant	
Active Diagnostic Version	00
ECU Part Number	
HW - Year	
HW - Week	
HW - Patch Level	
VIN Original	
VIN Current	
Hardware Part Number	

PCM DETAILS

NAME	VALUE
Model Year	
ECU Part Number	
Body Style	
Vehicle Line	
VIN - Original	
VIN Current	
Software Version (Major/Middle/Minor)	
Hardware Version (Major/Minor)	
Serial Number	
Supplier ID	
Diagnostic Version	
Variant ID	
Country Code	
Odometer When Original VIN First Written	

ICS DETAILS

NAME	VALUE
Active Diagnostic Variant	
Active Diagnostic Version	
ECU Part Number	

Model Year	[REDACTED]
Vehicle Line	L
Body Style	[REDACTED]
Country Code	[REDACTED]
ECU Serial Number	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]
HW - Year	[REDACTED]
HW - Week	[REDACTED]
HW - Patch Level	[REDACTED]
SW - year	[REDACTED]
SW - week	[REDACTED]
SW - Patch Level	[REDACTED]
Hardware Supplier Identification	[REDACTED]
Software Supplier Identification	[REDACTED]

RFH DETAILS

NAME	VALUE
VIN Original	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
ECU Software Mode	[REDACTED]
ECU Part Number	[REDACTED]
Hardware Part Number	[REDACTED]
Body Style	[REDACTED]
Country Code	[REDACTED]
IAC Data	[REDACTED]
ECU Serial Number	[REDACTED]
Hardware Supplier	[REDACTED]
Software Supplier	[REDACTED]
Hardware Version - Year	[REDACTED]
Hardware Version - Week	[REDACTED]
Hardware Version - Patch Level	[REDACTED]
Software Version - Year	[REDACTED]
Software Version - Week	[REDACTED]
Software Version - Patch Level	[REDACTED]
Active Diagnostic Session	[REDACTED]
Software Logical Block #0 Part Number	[REDACTED]

ESM DETAILS

NAME	VALUE
Active Diagnostic Variant	
Active Diagnostic Version	

DTCM DETAILS

NAME	VALUE
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
ECU Part Number	[REDACTED]
ECU Serial Number	[REDACTED]
ECU Software Model	[REDACTED]
Hardware Part Number	[REDACTED]
HW - Year	[REDACTED]
HW - Week	[REDACTED]
HW - Patch Level	0
Hardware Supplier Identification	[REDACTED]
Hardware Variant	[REDACTED]
Software Part Number	[REDACTED]
SW - year	[REDACTED]
SW - week	[REDACTED]
SW - Patch Level	[REDACTED]
Software Supplier Identification	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
Country Code	[REDACTED]
VIN Current	[REDACTED]

ORC DETAILS

NAME	VALUE
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
Country Code	[REDACTED]
ECU Serial Number	[REDACTED]
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]

EPS DETAILS

NAME	VALUE
Active Diagnostic Variant	■
Active Diagnostic Version	■

ECU Part Number	
HW - Year	
HW - Week	
HW - Patch Level	
SW - year	
SW - week	
SW - Patch Level	
Hardware Supplier Identification	
ECU Serial Number	
VIN Current	
Model Year	
Vehicle Line	
Body Style	
Country Code	
Boot SW - Year	
Boot SW - Week	
Boot SW - Patch Level	
Software Logical Block Supplier Identification	

HVAC DETAILS

NAME	VALUE
VIN Original	
VIN Current	
Model Year	
Body Style	
Country Code	
Active Diagnostic Variant	
Active Diagnostic Version	00
ECU Part Number	

CSWM DETAILS

NAME	VALUE
ECU Software Mode	
Active Diagnostic Variant	
Active Diagnostic Version	
ECU Part Number	
VIN Original	

IPC DETAILS

NAME	VALUE
Active Diagnostic Variant	

Active Diagnostic Version	[REDACTED]
ECU Part Number	[REDACTED]
ECU Serial Number	[REDACTED]
Hardware Part Number	[REDACTED]
HW Year	[REDACTED]
HW Week	[REDACTED]
HW Patch Level	00
Hardware Supplier Identification	[REDACTED]
Software Logical Block #1 Part Number	[REDACTED]
SW year Block 1	[REDACTED]
SW - week - Block 1	[REDACTED]
SW - patch level - Block 1	[REDACTED]
Software Supplier Identification	[REDACTED]
Model Year	[REDACTED]
Body Style	[REDACTED]
Vehicle Line	[REDACTED]
Country Code	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]

PTS DETAILS

NAME	VALUE
ECU Software Mode	[REDACTED]
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
Active Diagnostic Session	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]

SCCM DETAILS

NAME	VALUE
[REDACTED]	[REDACTED]
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
ECU Part Number	[REDACTED]
ECU Serial Number	[REDACTED]
Hardware Supplier Identification	[REDACTED]
Hardware Part Number	[REDACTED]
HW Year	[REDACTED]
HW - Week	[REDACTED]
HW Patch Level	0
Software Logical Block Supplier Identification	[REDACTED]

Software Logical Block #0 Part Number	[REDACTED]
SW - year	[REDACTED]
SW week	[REDACTED]
SW - Patch Level	0
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
[REDACTED]	[REDACTED]
Country Code	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]

BCM DETAILS

NAME	VALUE
Hardware Part Number	[REDACTED]
Software Logical Block #0 Part Number	[REDACTED]
ECU Part Number	[REDACTED]
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
Hardware Supplier Identification	[REDACTED]
Software Logical Block Supplier Identification	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
[REDACTED]	[REDACTED]
Country Code	[REDACTED]
ECU Serial Number	[REDACTED]
VIN Current	[REDACTED]
VIN Original	[REDACTED]

RADIO DETAILS

NAME	VALUE
VIN Original	[REDACTED]
Sales Code	[REDACTED]
Diagnostic Variant	[REDACTED]
Diagnostic Version	[REDACTED]
Flash Definition Number (FDN)	[REDACTED]
Supplier ID	[REDACTED]
SW- Year	[REDACTED]
SW week	[REDACTED]
SW Patch Level	[REDACTED]
SW - Identification	[REDACTED]
Supplier Manufacturer ECU Software Part Number	[REDACTED]

OCM DETAILS

NAME	VALUE
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
[REDACTED]	[REDACTED]
Software Logical Block #0 Part Number	[REDACTED]
ECU Part Number	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
Country Code	[REDACTED]
ECU Serial Number	[REDACTED]
VIN Original	[REDACTED]
[REDACTED]	[REDACTED]

LBSS DETAILS

NAME	VALUE
ECU Software Mode	[REDACTED]
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
ECU Part Number	[REDACTED]
Serial Number	[REDACTED]
Hardware Supplier Identification	[REDACTED]
Hardware Part Number	[REDACTED]
HW - Year	[REDACTED]
HW - Week	[REDACTED]
HW - Patch Level	[REDACTED]
Software Logical Block Supplier Identification	[REDACTED]
Software Logical Block #1 Part Number	[REDACTED]
Software Logical Block #2 Part Number	[REDACTED]
[REDACTED]	[REDACTED]
SW - year - Logical Block #1	[REDACTED]
SW - week - Logical Block #1	[REDACTED]
SW - patch level - Logical Block #1	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
Country Code	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]

RBSS DETAILS

NAME	VALUE
ECU Software Mode	[REDACTED]
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
ECU Part Number	[REDACTED]
[REDACTED]	[REDACTED]
Hardware Part Number	[REDACTED]
Hardware Supplier Identification	[REDACTED]
HW Year	[REDACTED]
HW - Week	[REDACTED]
HW Patch Level	[REDACTED]
Software Logical Block Supplier Identification	[REDACTED]
[REDACTED]	[REDACTED]
Software Logical Block #2 Part Number	[REDACTED]
Software Logical Block #3 Part Number	[REDACTED]
SW year Logical Block #1	[REDACTED]
SW week Logical Block #1	[REDACTED]
SW - patch level - Logical Block #1	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
Country Code	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]

BPCM DETAILS

NAME	VALUE
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
ECU Part Number	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]
SW year	[REDACTED]
SW - week	[REDACTED]
SW Patch Level	[REDACTED]
ECU Serial Number	[REDACTED]
Boot SW - Year	[REDACTED]
Boot SW Week	[REDACTED]
Boot SW - Patch Level	[REDACTED]

HCP DETAILS

NAME	VALUE
------	-------

Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
ECU Part Number	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]

DSM DETAILS

NAME	VALUE
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	00
ECU Part Number	[REDACTED]
Hardware Supplier Identification	[REDACTED]
Hardware - Year	[REDACTED]
Hardware - Week	[REDACTED]
Hardware - Patch Level	00
Software Supplier Identification	[REDACTED]
Software - Year	[REDACTED]
Software - Week	[REDACTED]
Software - Patch Level	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
Country Code	[REDACTED]
VIN Current	[REDACTED]

AHCP DETAILS

NAME	VALUE
AHCP SW Version	[REDACTED]
MCPA SW Version	[REDACTED]
[REDACTED] Variant	[REDACTED]
Active Diagnostic Version	00
Hardware Part Number	[REDACTED]
ECU Part Number	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]

ABSO DETAILS

NAME	VALUE
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	00
Hardware Part Number	[REDACTED]
Software Part Number	[REDACTED]
ECU Part Number	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]

SGW DETAILS

NAME	VALUE
VIN Original	[REDACTED]
Diagnostic Variant ID	[REDACTED]
Diagnostic Version	[REDACTED]
Supplier ID	[REDACTED]
ECU Part Number	[REDACTED]
System Supplier ECU Hardware Number	[REDACTED]
System Supplier ECU Hardware Version Number	[REDACTED]
System Supplier ECU Software Number	[REDACTED]
System Supplier ECU Software Version Number	[REDACTED]
ECU Serial Number	[REDACTED]
Active Diagnostic Session Data Identifier	[REDACTED]

DPDM DETAILS

NAME	VALUE
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	00
Hardware Part Number	[REDACTED]
Software Logical Block #0 Part Number	[REDACTED]
ECU Part Number	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
Country Code	[REDACTED]
ECU Serial Number	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]

DASM DETAILS

NAME	VALUE
Active Diagnostic Variant	[REDACTED]

Active Diagnostic Version	[REDACTED]
ECU Part Number	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
Country Code	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]

IDCM DETAILS

NAME	VALUE
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	00
ECU Part Number	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]

TBM2 DETAILS

NAME	VALUE
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
ECU Part Number	[REDACTED]
ECU Serial Number	[REDACTED]
Hardware Part Number	[REDACTED]
Hardware Year	[REDACTED]
Hardware Week	[REDACTED]
Hardware - Patch Level	[REDACTED]
Hardware Supplier Identification	[REDACTED]
Software Part Number	[REDACTED]
Software Year	[REDACTED]
Software Week	[REDACTED]
Software - Patch Level	[REDACTED]
Software Logical Block Supplier Identification	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
Country Code	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]

IMEI (International Mobile Equipment Identity) Number	[REDACTED]
SIM Identifier ICCID	[REDACTED]
MSD Index	
MSD	—
Network Registration Status	[REDACTED]
Radio Access Technology	[REDACTED]
[REDACTED]	[REDACTED]
IMSI (International Mobile Subscriber Identity) Number	[REDACTED]
Network Connection Status	[REDACTED]
Number of Batteries	
Number of Characters in Battery Serial Number	—
Battery Serial Number	—

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)



WI
TECH 2.0

FREEZE FRAME REPORT

Vehicle

FREEZE FRAME DATA

No Carb data available

No Freeze Frame #1 data available

No Freeze Frame #2 data available

No Freeze Frame #3 data available

No MisFire data available

No Most Recent DTC data available

ECU SUMMARY INFO

[illegible]

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60	61	62	63
64	65	66	67	68	69	70
71	72	73	74	75	76	77
78	79	80	81	82	83	84
85	86	87	88	89	90	91
92	93	94	95	96	97	98
99	100	101	102	103	104	105
106	107	108	109	110	111	112
113	114	115	116	117	118	119
120	121	122	123	124	125	126
127	128	129	130	131	132	133
134	135	136	137	138	139	140
141	142	143	144	145	146	147
148	149	150	151	152	153	154
155	156	157	158	159	160	161
162	163	164	165	166	167	168
169	170	171	172	173	174	175
176	177	178	179	180	181	182
183	184	185	186	187	188	189
190	191	192	193	194	195	196
197	198	199	200	201	202	203
204	205	206	207	208	209	210
211	212	213	214	215	216	217
218	219	220	221	222	223	224
225	226	227	228	229	230	231
232	233	234	235	236	237	238
239	240	241	242	243	244	245
246	247	248	249	250	251	252
253	254	255	256	257	258	259
260	261	262	263	264	265	266
267	268	269	270	271	272	273
274	275	276	277	278	279	280
281	282	283	284	285	286	287
288	289	290	291	292	293	294
295	296	297	298	299	300	301
302	303	304	305	306	307	308
309	310	311	312	313	314	315
316	317	318	319	320	321	322
323	324	325	326	327	328	329
330	331	332	333	334	335	336
337	338	339	340	341	342	343
344	345	346	347	348	349	350
351	352	353	354	355	356	357
358	359	360	361	362	363	364
365	366	367	368	369	370	371
372	373	374	375	376	377	378
379	380	381	382	383	384	385
386	387	388	389	390	391	392
393	394	395	396	397	398	399
400	401	402	403	404	405	406
407	408	409	410	411	412	413
414	415	416	417	418	419	420

ECU SUMMARY INFO (CONT...)

[illegible]

Sess onID # [REDACTED]

(b) (6)

DTC SUMMARY

ECU	DTC CODE	DTC DESCRIPTION	STATUS
TCM			

ENVIRONMENTAL DATA SUMMARY

TCM

NAME	VALUE	UNITS
		miles
		miles

SNAPSHOT DATA SUMMARY

No Snapshot Data available for