



WI
TECH 2.0

CONFIDENTIAL

[illegible]

[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	SERIAL NUMBER	CVNS
TCM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
ICS	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
RFH	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
ESM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
DTCM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
EPS	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
HVAC	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
CSWM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
AMP	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
IPC	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
PTS	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
SCCM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
BCM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
RADIO	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
OCM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
LBSS	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
RBSS	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
BPCM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]

HCP							
DSM							4B0D83D8
AHCP							
ERSO							
SGW							
DPDM							
IDCM							
TBM2							

CONFIGURATION

TCM CONFIGURATION

NAME	VALUE	UNITS
Autostick/ERS On/Off Switch Equipped		
Paddle-Shift Switches Equipped		
Shifter with Sport Mode Position Equipped		
Shifter with Low Mode Position Equipped		
Sport Mode Switch or Virtual Switch (Non Terrain) Equipped		
Overdrive Off or Tow Haul Mode Switch or Virtual Switch (Non Terrain) Equipped		
ECO/Optimizer Switch Equipped		
ERS/Autostick/Tip Non paddle on Steering Wheel equipped		
ERS/Autostick/Tip Non-paddle on Shifter in D position equipped		
ERS/Autostick/Tip Non paddle on Shifter in A or M position equipped		
FWD Equipped		
RWD Equipped		
AWD Equipped		
4WD with switchable Lo Range equipped		
Engine Start/Stop equipped		
Polystable E shift (Cableless without return to center) equipped		
Long Learn Enabled		

PCM CONFIGURATION

NAME	VALUE	UNITS
AC Equipped		
AC Equipped Over Bus		
EMAT (Getrag DCT transmission) Equipped		

Vehicle Speed Sensor #1 Calculated from CAN

Police Package Equipped

Unleaded Gasoline Fuel

6.4 Liter V8 Engine

Electronic Automatic Transmission (EATX) Equipped

Vehicle Speed Sensor #1 Calculated by ECU

4.7 Liter V8 Engine

5.7 Liter V8 Engine

6.1 Liter V8 Engine

Sensorless FFV Enabled

Electronic Throttle Control Equipped

3.6 Liter V6 Engine

4.0 Liter I6 Engine

3.8 Liter V6 Engine

3.7 Liter V6 Engine

3.5 Liter V6 Engine

3.3 Liter V6 Engine

3.2 Liter V6 Engine

2.7 Liter V6 Engine

MTV Solenoid Equipped

MDS Equipped

Turbocharger Equipped

SRV Equipped

Secondary Air Equipped

Shift Indicator Lamp Equipped

Barometric Sensor Equipped

TIP Equipped

Battery Temp Sensor Equipped

Knock Sensor 1 Equipped

Knock Sensor 2 Equipped

WI4 Variable Valve Timing Equipped

Clutch Interlock Switch Equipped

ESIM Equipped

Linear Purge Equipped

Linear EGR Equipped

Continuous Variable Transmission Equipped

Direct Injection Equipped

Secondary Fuel Pump Equipped

Electronic Coolant Pump Equipped

O2 Sensor Bank 1 Sensor 1 Equipped

O2 Sensor Bank 1 Sensor 2 Equipped

O2 Sensor Bank 1 Sensor 3 Equipped

O2 Sensor Bank 2 Sensor 1 Equipped

O2 Sensor Bank 2 Sensor 2 Equipped

WI4 Intake Flow Control Valve Equipped

Electric Coolant Valve Equipped

Engine Oil Heater Cooler Equipped

Transmission Oil Heater Equipped

Electric Water Pump Equipped

Rear Heater Equipped

Starter Relay 2 Equipped

Inrush Current Reduction Relay Equipped

Active Grille Shutter Equipped

Electronic Vacuum Pump Equipped

Wide Range O2 Sensor 1/1 Equipped

Wide Range O2 Sensor 2/1 Equipped

MultiAir Equipped

Engine Stop Start Equipped

Viscosity Sensor Equipped

Duty Cycle Purge Valve Equipped

Electric Thermostat Heater Equipped

Exhaust Cam 1 Equipped

Intake Cam 1 Equipped

2.0 Liter WI4 engine

2.4 Liter WI4 engine

3.0 Liter V6 Engine

Tumble Generator Valve Equipped

Hybrid Electric Vehicle Equipped

Dual Speed Fuel Pump Equipped

Exhaust Cam 2 Equipped

Intake Cam 2 Equipped

1 Speed Fan Mechanical Relay System Equipped

2 Speed Fan PWM Relay System Equipped

Linear PWM Fan Relay System Equipped

3 Speed Fan Mechanical Relay System Equipped

Fan Wake Up Relay System Equipped

2 Speed Fan 3 Driver 3 Relay System Equipped

40TE / 41TE / 41TEA

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

42RLE

45RFE / 545RFE / 65RFE

62TE

66RFE / 68RFE

VLP Is Learnable Indicator

VLP Equipped Indicator

VLA Actuators Available Indicator

ERS Equipped Indicator

Engine Software In Package

ICC Cruise Equipped

ETC Cruise equipped

Adaptive Cruise Control Equipped

A/C Equipped

Adaptive Cruise Control Hardware Equipped

DUAL_ALTERNATOR_GEN1_LEARNEDCOPY

TOOLCONFIG Oil Pressure ABS Equipped

GPEC2 Equipped

GPEC2A Equipped

GPEC3 Equipped

Cummins Equipped

GPEC4 Equipped

VMM Equipped

Powernet Equipped

CUSW (11 Bit) Equipped

Fiat 940 Compact Equipped

Next Gen Bus Equipped

Constant Heater Temperature Control Valve Equipped

High Side Port Tumble Valve Equipped

CMCV H Bridge Equipped

Turbine Volute Valve Actuator Equipped

Wastegate H Bridge Equipped

Active Exhaust Valve Equipped

Active Exhaust Pressure Sensor Equipped

Engine Idle Shutoff Equipped

Aisin 6-Speed RWD Transmission Equipped

Cooled EGR Equipped

Supercharger Equipped

Low Temperature Radiator Coolant Pump Equipped

Mechanical Coolant Pump Heater Equipped

Auxiliary Coolant Pump Heater Equipped

Compressed Natural Gas Equipped

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

CUSW PROXI Write Programming Support Enabled		
--	--	--

Active Engine Mount Equipped		
------------------------------	--	--

ZF 9 Speed Transmission Equipped		
----------------------------------	--	--

HPT 6-Speed Transmission Equipped		
-----------------------------------	--	--

Variable Speed Fuel Pump Equipped		
-----------------------------------	--	--

Operator Idle Speed Request Equipped		
--------------------------------------	--	--

[REDACTED]		
------------	--	--

Air Shutoff Valve Bank 1 Control Solenoid 1 Equipped		
--	--	--

Air Shutoff Valve Bank 1 Control Solenoid 2 Equipped		
--	--	--

Air Shutoff Valve Bank 2 Control Solenoid 2 Equipped		
--	--	--

Dual Stage Oil Pump Equipped		
------------------------------	--	--

Auxiliary Coolant Pump Equipped		
---------------------------------	--	--

Trans Skip Shift Equipped		
---------------------------	--	--

Trans Reverse Lockout Equipped		
--------------------------------	--	--

Port Flap Valve Equipped		
--------------------------	--	--

Brushless PWM Fan Equipped		
----------------------------	--	--

6.2 Liter V8 Engine		
---------------------	--	--

Primary Lin Alternator Equipped		
---------------------------------	--	--

Coolant On-Off Pump Equipped		
------------------------------	--	--

Oil Pressure Sensor Enabled		
-----------------------------	--	--

[REDACTED]		
------------	--	--

Dual Fuel Tank Equipped		
-------------------------	--	--

Yaw Rate Sensor ESC Equipped		
------------------------------	--	--

[REDACTED]		
------------	--	--

Coolant On Off Valve Equipped		
-------------------------------	--	--

[REDACTED]		
------------	--	--

Buffered Crank Output for PHEV Engine Pulse Calculation Equipped		
--	--	--

Throttle Inlet Temp Sensor Equipped		
-------------------------------------	--	--

Humidity, Temperature and Pressure Sensor (LIN) Equipped		
--	--	--

Dual Fuel Pressure Sensor Equipped		
------------------------------------	--	--

Brake Pedal Sensor Equipped		
-----------------------------	--	--

Dual Fuel Tank Equipped		
-------------------------	--	--

[REDACTED]		
------------	--	--

Low Temp Radiator Coolant Pump Equipped		
---	--	--

Engine Idle Shutoff Equipped		
------------------------------	--	--

A/C Relay Powered from Engine Switched Battery		
--	--	--

CNG Large Gas Tank Equipped		
-----------------------------	--	--

Cooled EGR Equipped		
---------------------	--	--

Supercharger Equipped		
-----------------------	--	--

Hybrid MEC Shifter Equipped		
-----------------------------	--	--

Dual Alternator Gen1 Capable		
------------------------------	--	--

Auxillary Coolant Pump Equipped		
---------------------------------	--	--

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

ZF 9 Speed Trans Equipped		
HPT 6-Speed Trans Equipped		
CUSW 4 Button Cruise Equipped		
Power Steering Angle Sensor Mandatory		
Throttle Inlet Temp Sensor Equipped		
LIN Humidity, Temp, and Pressure Sensor Equipped		
Dual Fuel Pressure Sensor Equipped		
Brake Pedal Sensor Equipped		
SWAP HARDWIRED BRAKE SWITCH INPUTS		
Mass Airflow System Equipped		
Bi-Directional Crank Sensor Equipped		
5 Button Cruise (LIN) Equipped		
Operator Idle Speed Request Equipped		
INTAKE O2 SENSOR EQUIPPED		
Cylinder Pressure Sensor Equipped		
Make Up Air Sensor Equipped		
Active Exhaust Pressure Sensor Equipped		
Secondary Mass Airflow Sensor Equipped		
2.0 Liter I4 Direct Injection Engine		
Variable Valve Lift Equipped		
Coolant On Off Pump Equipped		
Electronic Parking Brake Equipped		
Active Exhaust Valve(s) Equipped		
Mechanical Coolant Pump Equipped		
Aux Coolant Pump Heater Equipped		
Heater Temp Control Valve Equipped		
High Side Port Tumble Valve Equipped		
Remote Start Present		
Engine Oil Pressure Sensor Type		None

ICS CONFIGURATION

NAME	VALUE	UNITS
Display Type (Base)		
Display Type (Mid)		
Display Type (High)		

RFH CONFIGURATION

NAME	VALUE	UNITS
------	-------	-------

PIN Successfully Programmed

Valid Key In Ignition

Keyless Go

Ignition system type connected

Shift shifter present

Auto Park Present

Secret Codes Programmed

RKE

Module Configuration Status

Remote Start Present

\$0214 Programmed by

Hardware Configuration: Remote Start Antenna

Hardware Configuration: Front Right Door Handle H/W

Hardware Configuration: Rear Left Door Handle H/W

Hardware Configuration: Rear Right Door Handle H/W

Hardware Configuration: Trunk Door Handle H/W

Fob Location #1 Successfully Programmed

Fob Location #2 Successfully Programmed

Fob Location #3 Successfully Programmed

Fob Location #4 Successfully Programmed

Fob Location #5 Successfully Programmed

Fob Location #6 Successfully Programmed

Fob Location #7 Successfully Programmed

Fob Location #8 Successfully Programmed

Back Up Vehicle Config 1

Back Up Vehicle Config 2

Back Up Vehicle Config 3

Back Up Vehicle Config 4

Back Up Vehicle Config 5

Back Up Vehicle Config 6

Back Up Vehicle Config 7

Back Up ECU Configuration 1

Back Up ECU Configuration 2

Back Up ECU Configuration 3

Back Up ECU Configuration 4

Back Up ECU Configuration 5

Back Up ECU Configuration 6

Back Up ECU Configuration 7

Back Up ECU Configuration 8

Back Up ECU Configuration 9

Back Up ECU Configuration 10

Back Up ECU Configuration 11

Back Up ECU Configuration 13

Back Up ECU Configuration 14

Back Up ECU Configuration 15

Back Up ECU Configuration 16

Back Up ECU Configuration 17

Back Up Customer Settings Menu 1 (CSM1)

Back Up Customer Settings Menu 2 (CSM2)

Back Up Programmed ECUs: Cabin Network

Back Up Programmed ECUs: P/T Chassis Network

Secret Key Sent to Body Controller - Most recent attempt

Secret Key Sent to Body Controller - Original attempt

Base TPM Present

Full Size Matching Spare Tire Present

ECU Ship Status

Tire Pressure System

Selectable Tire Fill Alert

TPM Auto-Locate Enabled

TPMS Configuration

DTCM CONFIGURATION

NAME	VALUE	UNITS
Full Time T Case		
Front Locker Present		
Rear Locker Present		
FAD Present		
Mode Switch Present		
Left/Right Hand Drive		
Axle Ratio		
T Case Type		

ORC CONFIGURATION

NAME	VALUE	UNITS
Rollover Sensing		
EPPM		
Occupant Classification (OCM)		
First Row Driver Seatbelt Buckle Switch		

SessionID #

First Row Passenger Seatbelt Buckle Switch

Second Row Center seat belt Switch

Second Row Right seat belt Switch

Driver Seat Track Position Sensor

Passenger Seat Track Position Sensor

Passenger Occupant Detection Sensor

Passenger Airbag Disable Indicator

Driver Frontal Squib 1

Driver Frontal Squib 2

Driver Frontal Squib 3

Passenger Frontal Squib 1

Passenger Frontal Squib 2

Passenger Frontal Squib 3

Driver Knee Bolster Squib

Driver Seatbelt Retractor Pretensioner

Passenger Seatbelt Retractor Pretensioner

Driver Seatbelt Load Limiter

Passenger Seatbelt Load Limiter

Driver Seatbelt Anchor Pretensioner

Passenger Seatbelt Anchor Pretensioner

Driver Seatbelt Buckle Pretensioner

Passenger Seatbelt Buckle Pretensioner

Left Curtain Squib 1

Right Curtain Squib 1

Left Side Seat Squib 1

Right Side Seat Squib 1

Second Row Right Seat Side Airbag

Driver Frontal Squib 4

Left Up-Front Acceleration Sensor

Right Up Front Acceleration Sensor

Right B-Pillar Impact Acceleration Sensor

Left B Pillar Impact Acceleration Sensor

Right C-Pillar Impact Acceleration Sensor

Right D Pillar Impact Acceleration Sensor

Left Side Door Pressure Sensor

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Right Side Door Pressure Sensor

Configuration Column Identifier

HVAC CONFIGURATION

NAME	VALUE	UNITS
DualZone ATC Control (Factory) (BB)		
DualZone ATC Control (BB)		
DualZone MTC Control (BB)		
SingleZone MTC Control (BB)		
MTC With EBL (3Knob)		
MTC Without EBL (3Knob)		
MTC heater only (3Knob)		

AMP CONFIGURATION

NAME	VALUE	UNITS
ANC Calibration Date Year		
ANC Calibration Date - Week		
ANC Calibration Date Patch Level	0	
Current ANC Calibration ID - Service		
ANC Status		
Surround Sound Activated		
Door Module - Left Front		
Door Module Right Front		
Premuim - 1		
Premuim 2		
Premuim 3		
Non -ANC		
No Rear Doors		
No HALF Chimes		

IPC CONFIGURATION

NAME	VALUE	UNITS
Main Fuel Tank Gauge - Empty Stop Calibration		Volts
Main Fuel Tank Gauge 1/4th Datum Calibration		Volts
Main Fuel Tank Gauge - 1/2 Datum Calibration		Volts
Main Fuel Tank Gauge - 3/4 Datum Calibration		Volts
Main Fuel Tank Gauge Full Stop Calibration		Volts
Sub Fuel Tank Gauge - Empty Stop Calibration		Volts
Sub Fuel Tank Gauge 1/4 Datum Calibration		Volts
Sub Fuel Tank Gauge - 1/2 Datum Calibration		Volts
Sub Fuel Tank Gauge - 3/4 Datum Calibration		Volts
Sub Fuel Tank Gauge Full Stop Calibration		Volts

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

PTS CONFIGURATION

NAME	VALUE	UNITS
Rear System with 6 Front Sensors		
Front System with 6 Rear Sensors		

SCCM CONFIGURATION

NAME	VALUE	UNITS
Rear Wiper		
Tilt Telescope		
Paddle Shifter		
Cruise Control / ACC		

BCM CONFIGURATION

NAME	VALUE	UNITS
RBSM		
LBSM		
BCM (Interior Bus)		
HSM		
HVAC		
PTCM		
Radio		
ITM		
AMP		
HVAC R		
TBM		
ASCM		
BCM (PT)		
DTCM		
PCM		
EPS		
ESM		
ABS		
RFH		
IPC		
ORC		
PTS		
SCCM		
ELSD		
TCM		
TPM		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

AFLS		
ITBM		
OCM		
DPDM		
ASBS		
AM		
Number of Reprogramming Attempts Counter #0		
Vehicle Configuration Programmed Status		
Last Programmed Status		
Last Configuration Odometer		miles
Vehicle Configuration Auto Write Counter		
Vehicle Configuration 1 Write Counter		
Vehicle Configuration 2 - Write Counter		
Vehicle Configuration 3 Write Counter		
Vehicle Configuration 4 - Write Counter		
Vehicle Configuration 5 - Write Counter		
Vehicle Configuration 6 Write Counter		
Programmed ECUs: Cabin Network		
Programmed ECUs: P/T Chassis Network		
Programmed Network Configuration - Audio / Telematics Network		
Programmed ECUs: Hybrid LAN Network		
ECU Configuration 1 (CBC Configurable Inputs and Outputs)		
ECU Configuration 2 (CBC Features)		
ECU Configuration 3		
ECU Configuration 4		
ECU Configuration 5 (Wireless)		
ECU Configuration 5 (Doors)		
ECU Configuration 5 (Memory)		
ECU Configuration 6 (Brake)		
ECU Configuration 6 (Suspension)		
ECU Configuration 6 (Powertrain)		
ECU Configuration 6 (Safety)		
ECU Configuration 7 (CBC Exterior Lighting Calibrations)		
ECU Configuration 8 (LIN and Miscellaneous)		
ECU Configuration 9A		
ECU Configuration 9 (ITM)		
ECU Configuration 10		
ECU Configuration 11		
ECU Configuration 12		
ECU Configuration 13		
ECU Configuration 14		

ECU Configuration 15 (CBC Features)		
ECU Configuration 15 (Suspension)		
Vehicle Configuration 7 Write Counter		
Vehicle Config CSM1		
Vehicle Config CSM2		
Model Year		
Vehicle Line		
Country Code		
Remote Start Present		
Drive Configuration		
Emode Present		
Auto Highbeam		
Body Style		
Maximum Vehicle Speed		MPH
Shifter Type		
Performance Pages Present		
Special Packages		
PTS Configuration		
Hill Descent Feature Present		
Select Speed Control Feature Present		
Power Inverter Type		
Thatcham Present		
Rain Sensor Present		
SKIM System Present		
Air Conditioning Present		
Cruise Feature is Present		
Flipper Glass Present		
Full Size Spare		
Off Road Capable		
Special Packages		
Max Load Inflation Pressure Rear Tire		PSI
Max Load Inflation Pressure Front Tire		PSI
Light Load Inflation Pressure Rear Tire		PSI
Police Lighting Feature		
Power Lift Gate Present		
Power Right Sliding Door Present		
Power Left Sliding Door Present		
RKE System Present		
Sunshade Present		
T-Case Type		
Wheel Base		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

FOBIK Safe Enable		
ELV Present		
Fuel Capacity		gallons
Window Express Feature Configuration		
Adjustable Pedal Feature Present (non Memory)		
Auto Headlamp Feature Present		
Door Alert Feature Present		
Two Fuel Sending Units Present		
Vehicle is an SRT		
Disable Display of Radio Clock		
Chassis Type		
Display Outside Temperature Present		
HVAC Configuration		
Vehicle Brand		
Display Compass Heading Present		
Interior EC Mirror Present		
ESCL system present		
High Intensity Discharge Head Lamps		
Secondary Lock Present		
Liftgate/Trunk Type		
Collision Mitigation System present		
Forward Collision Warning present		
Base TPM system present		
Premium TPM system present		
Paddle Shift Feature Present		
Sport Mode Present		
Auto Park Present		
Passive Entry Present		
Keyless Go Present		
Transfer Case High Ratio		No Unit
Axle Ratio		
Transfer Case Low Range Reduction Ratio		
Dynamic Tire Circumference (All or Rear)		inch
Dual Rear Wheel (DRW) Vehicle Present		
Non Regulated Tire Pressure Information System (TPIS) Present		
Steering Ratio at zero		No Unit
Steering Ratio at Positive Angle 1		No Unit
Steering Ratio at Positive Angle 2		No Unit
Steering Ratio at Positive Angle 3		No Unit
Steering Ratio at Positive Angle 4		No Unit
Steering Ratio at Positive Angle 5		No Unit
Analog Door Sensor Configuration		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (b) (6)

Air Quality System Present		
Steering Ratio at Negative Angle 1		No Unit
Steering Ratio at Negative Angle 2		No Unit
Steering Ratio at Negative Angle 3		No Unit
Steering Ratio at Negative Angle 4		No Unit
Steering Ratio at Negative Angle 5		No Unit
Ambient Light Dimmer Wheel Input Present Pin G9		
Low Beam Output Present Pin A3, D2		
Rear Wiper Motor Park Present - Pin E29		
Left Rear Door Ajar Input Present Pin F23		
Front Driver Analog Door Ajar Input Present - Pin F9		
Reserved - Pin G12		
Horn Switch Input Present Pin F29		
Reserved - Pin E15		
Hood Ajar Switch Input Present Pin D11		
Hard Top Sense Present - Pin E14		
Reserved - F21		
Reserved Pin D20		
Passenger Door Ajar Signal Present - Pin G18		
Reserved Pin E47		
Reserved - Pin E35		
Starter Relay Lowside Coil Drive - Pin D7		
Diesel Cabin Heater #2 Output Present Pin D9		
Diesel Cabin Heater #3 Output Present - Pin D10		
Right Dedicated DRL Lamp Output Present - Pin A22		
Left Dedicated DRL Lamps Output Present Pin D15		
Flipper Glass #2 Output Present		
Foot Well Lamps Output Present - Pin G24		
Front Fog Lamps Output Present Pin A1 & D13		
Inverter Enable Relay Output Present - Pin F35		
Reserved E20		
Gated Park ZFII Output Present Pin D 24		
Reserved - Pin E21		
Rear Fog Lamps Output Present Pin E39 & F5		
Rear Park Lamps Output Present - Pin E4 & F32		
Rear Turn Lamps Output Present Pin E3 & F42		
Run ACC Y Relay #2 Output Present Pin E9		
Side Markers Output Present - Pin A10 & D5		
Trailer Backup Lamps Output Present Pin E23		
Reserved - Pin F4		
UGDO Feed Output Present Pin G15		

VTA Warning LED Output Present Pin G22

Park Brake Input Present - Pin E11

Ambient Temperature Sensor Present Pin D22

Tip Start Enabled

Dual Start Relay System Present

Wiper Service Position Enabled

Trailer Tow Present

Quad Headlamps Enable

Horn Chirp Allowed

Bi Xenon Headlamps Enable

Hazard Lamp Configuration

Park Lamp Loadshed Enable

Front Fog Lamp Dropout Enable

Combined Rear Lighting Enable

Side Repeaters Enable

One Touch Lane Change

Exterior Light Loadshed Enable

Front Wiper Park Enable

Rear Wiper Park Enable

Reversible Washer Pump Enable

Single Element Tail Lamp

DRL Configuration

DRL Lamp Location

DRL Dropout Enable

Tunnel Detection

Military Vehicle Present

LED Reverse Lamps Present

LED Stop Lamps Present

LED Rear Turn Lamps Present

LED Tail Lamps Present

LED Rear Fog Lamps Present

LED License Lamps Present

LED Front Turn Lamps Present

LED Front Fog Lamps Present

LED Dedicated DRL Present

LED Low Beam Lamps Present

LED High Beam Lamps Present

LED Front Park/Marker Lamps Present

Door Lock Switch Signal FT LT Usage (F9)

Door Lock Switch Signal FT RT Usage (F23)

Headlamp Wash Interval

Headlamp Wash Shot

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Front Wiper Wipes After Wash	[REDACTED]	
Headlamp Washer Low Fluid Shut-Off Enable	[REDACTED]	
Intermittent Wiper States	[REDACTED]	
LED CHMSL Lamp Present	[REDACTED]	
Rear Camera Present	[REDACTED]	
Power Inverter Present	[REDACTED]	
Front Park Assist Present	[REDACTED]	
Front Heated Seats Present	[REDACTED]	
Front Ventilated Seats Present	[REDACTED]	
Destination	[REDACTED]	
Cabin Equilization Curve Number	[REDACTED]	
Hill Start Assist Customer Setting Option Present	[REDACTED]	
Radio Apps Present	[REDACTED]	
CTP Easy Entry Enable	[REDACTED]	
CTP Passive Entry Present	[REDACTED]	
CTP Auto Lock Disable	[REDACTED]	
SDAR Travel Link Present	[REDACTED]	
DAB Present	[REDACTED]	
Vehicle Theft Alarm Present	[REDACTED]	
Heated Steering Wheel Present	[REDACTED]	
VIN Check Digit Diable	[REDACTED]	
Surround Sound Feature Present	[REDACTED]	
Power Door Locks Present	[REDACTED]	
Antenna Type	[REDACTED]	
CTP Max AC Present	[REDACTED]	
Hybrid Electric Powertrain Present	[REDACTED]	
Disable CD Eject	[REDACTED]	
DTV Front Camera Present	[REDACTED]	
DTV Side Camera Present	[REDACTED]	
Tow Haul Present	[REDACTED]	
Hill Descent Control Present	[REDACTED]	
Audio Steering Wheel Switch Configuration	[REDACTED]	
Radio Display On/Off Softkey Present	[REDACTED]	
Microphone Tuning Parameter	[REDACTED]	
Microphone Configuration	[REDACTED]	
Microphone Type	[REDACTED]	
External Port Type	[REDACTED]	
Splashscreen Type	[REDACTED]	
ERS Available	[REDACTED]	
Rear Wheel Dually	[REDACTED]	
[REDACTED]	[REDACTED]	
Virtual Speedometer Units	[REDACTED]	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Speedometer Range Max Scale

IC Config Feature

PTO Present

AMB Dimmer

[REDACTED]

Split Shaft Present

Manual Headlamp Leveling

Gear Shift Indicator

Service Interval

Temperature Cautious for UK

Type of Gallons

Tip Start Present

AP5 Trunk Lock

Airport Scenario Trunk Set

AP1 Left Front

AP2 Right Front

AP3 Left Rear

AP4 Right Rear

Global Up

Global Down

Sun Shade

Puddle Lamp Present

Rear Door Pre Short Drop

Passenger Window Lockout

Auto Power Folding Mirrors Present

Folding mirrors present

Heated Mirrors Present

Mirror turn signals present

Driver Memory Mirrors Present

Passenger Memory Mirror Present

Electro-chromatic driver mirror present

[REDACTED]

Tow Mirror Present

Blindspot Mirror Present

Window Motor Type

Window Hall Sensors Present

Frameless Window Present

Memory Adjustable Pedals Present

Tilt/Telescope Steering Present

Memory Seat Present

Rear Heated Seats Present

Front Vented Seats Present

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

[REDACTED]
Heated Seat Material Type

[REDACTED]
Rear Vented Seats Present

Front Heated Seat Present

Brake System ECU Configuration A

Wheel 18 inch overall ESC Maserati

Brake System ECU Configuration B

ECO Mode Configuration

Dual Alternator Present

ODS Present

Driver Kneebag Present

Passenger Kneebag Present

Curtain Airbags Present

Tow Hooks Present

Passive Ped Pro Present

2nd Row Seat Airbags Present

Reserved

Reserved

Integrated EPP Present

BUX vehicle

Signature Light Present

Dual Filament Headlamp

Front Turn Lamp Diagnostics

Auto Headlamp On Threshold

Volt

Auto Headlamp Off Threshold

Volt

Left Low Beam Voltage Regulation

Left High Beam Voltage Regulation

Right Low Beam Voltage Regulation

Right High Beam Voltage Regulation

Left Front Corner Voltage

[REDACTED]
Left Rear Corner Voltage

Right Rear Corner Voltage

Panic Enable

Compass Mounting Orientation

Washer Fluid Level Voltage Threshold

IBS Present

ASBMM Present

Humidity Sensor Present

Not Set

Manual Trans Present

Not Set

DC to DC Converter Present

Not Set

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

ASBM Present		
Auto Relock Time		seconds
VTA System Present		
DC to DC Converter #2 Present		
Illuminated Approach Interior Lighting Target Percentage		
Illuminated Approach Headlamp Target Percentage		
Illuminated Approach Taillamp Target Percentage		
Illuminated Approach Interior Lighting Ramp Up Time		
CRVMM Present		
EVIC Switch Module Present		
Compass Mounting Angle	0	Degree
Backup Reverse Lamp Left Present - Pin F41		
Backup Reverse Lamp Right Present - Pin E1		
Stop/Turn Lamp or Stop Lamp Present Pin E2 & F40		
Left High Beam Present - Pin D1		
Right High Beam Present - Pin A2		
Left Front Lamp Diagnostics Present - Pin F25		
Right Front Lamp Diagnostics Present - Pin F28		
Left Rear Turn Lamp Diagnostics Present - Pin F27		
Right Rear Turn Lamp Diagnostics Present - Pin F31		
Brake Fluid Level Switch Signal Present - Pin D21		
Siren		
Ultrasonics		
Tilt		
Swing Gate Lock Present - Pin F30		
Swing Gate Unlock Present - Pin F33		
Front Fog Voltage		Volts
Rear Fog Voltage		Volts
CHMSL Lamp Output Disable		
Secondary Door Ajar Present - Pin E28		
Manual Door Locks Present		
Rain Sensor Module #2 Present		
Auto High Beam Module Location		
Average Last Longitudinal Acceleration Values		
Excess Longitudinal Acceleration Factor		
Excess Lateral Acceleration Factor		
Brake Smoothing Duration		
Brake Smoothing Factor		
Steering Smoothing Duration		
Steering Smoothing Factor		
Steering Smoothing Threshold		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Brake Smoothing Threshold	[REDACTED]	
Maximum Longitudinal Change	[REDACTED]	
Maximum Lateral Change	[REDACTED]	
Acceleration Threshold	[REDACTED]	
[REDACTED]	[REDACTED]	
Nose Dive Threshold	[REDACTED]	
Nose Dive Factor	[REDACTED]	
RKE Auto Relock Feature Enable	[REDACTED]	
PE Auto Relock Feature Enable	[REDACTED]	
VTA Hood Ajar Monitoring	[REDACTED]	
Horn Chirp Duration	[REDACTED]	
Pitch and Roll Present	[REDACTED]	
Parking Light Enable	[REDACTED]	
ASBM Minimum Voltage Time	[REDACTED]	
ASBM Battery Minimum Voltage	[REDACTED]	
Interior Lighting Night Threshold	[REDACTED]	Volt
Interior Lighting Day Threshold	[REDACTED]	Volt
Axle Locker Configuration	[REDACTED]	
Transmission Equipped	[REDACTED]	
Park Brake Type	[REDACTED]	
TPMS Configuration	[REDACTED]	
Hybrid Type	[REDACTED]	
TSBM Module Present	[REDACTED]	
[REDACTED]	[REDACTED]	
AGS Feature Present	[REDACTED]	
Temperature Display Resolution	[REDACTED]	
PTC Present	[REDACTED]	
Glovebox Control	[REDACTED]	
Glare Free Present	[REDACTED]	
Brake Type	[REDACTED]	
Suspension Type	[REDACTED]	
[REDACTED]	[REDACTED]	
Park assist brake customer settings menu	[REDACTED]	
Park assist front volume customer settings menu	[REDACTED]	
Park assist rear volume customer settings menu	[REDACTED]	
Electric power steering customer settings menu	[REDACTED]	
Forward collision warning customer settings menu	[REDACTED]	
Auto on driver comfort customer settings menu	[REDACTED]	
Auxiliary switches customer settings menu	[REDACTED]	
Rear view camera gridlines customer settings menu	[REDACTED]	
Unit set customer settings menu	[REDACTED]	
Power accessory delay customer settings menu	[REDACTED]	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Ambient dimmer customer settings menu

Tire jack mode customer settings menu

Air suspension warning customer settings menu

Automatic aero mode customer settings menu

Auto high beam customer settings menu

Auto park customer settings menu

Blind spot alert customer settings menu

Clock display customer settings menu

Compass calibration customer settings menu

Compass variance customer settings menu

Consumption unit customer settings menu

Distance unit customer settings menu

Auto door lock customer settings menu

Easy exit seat customer settings menu

Auto entry exit mode customer settings menu

EPB service mode customer settings menu

Headlamp drop customer settings menu

Headlamp off delay customer settings menu

Headlamps on with wiper customer settings menu

Passive entry customer settings menu

Illuminated approach customer settings menu

Lane departure torque customer settings menu

Lane departure warning customer settings menu

Rear camera customer settings menu

Rain sensitive wipers customer settings menu

Power take off customer settings menu

Pressure unit customer settings menu

Power unit customer settings menu

Power liftgate chime customer settings menu

Performance shift enable customer settings menu

Rear view camera delay customer settings menu

RKE unlock customer settings menu

Speed unit customer settings menu

Tilt mirror in reverse customer settings menu

[REDACTED]

Teen Key Fuel Pop-up Customer Settings Menu

Teen Key Automatic High Beam Customer Settings Menu

Passenger Airbag On/Off Customer Settings Menu

Forward Collision Warning and Brake Customer Settings Menu

Doors and Engine Off Power Delay Customer Settings Menu

Radio Speaker Open Circuit Disable (LF)

Radio Speaker Open Circuit Disable (RF)

Radio Speaker Open Circuit Disable (LR)		
Radio Speaker Open Circuit Disable (RR)		
ANC Calibration Parameter Data Set		ms
Surround View Camera On/Off Softkey Present		
Drive Mode Version		
Rear Defrost and Heated Mirrors Present		
Show Phone Information in Cluster		
Auto Dimming Mirror Hard Button Present		
Clari-Fi Present		
Automatic Crash Notification Feature Present		
Trailer Hitch Camera Present		
Park Assist Tuning Set		
Rear Defrost Presence		
Heated Mirrors Present		
Engine Displacement		
Steering C Factor		
Speedometer Tolerance		
Increasing speed constant		
Tachometer Type		
DTV Present		
Tri-State Comfort Climate Softkey Function Present		

RADIO CONFIGURATION

NAME	VALUE	UNITS
Satellite Subscription Status		
Reason Code		
Suspend Day		
Suspend Month		
Suspend Year		
Distortion Limiting		
Clock Defeat		
Stereo Blend		
High Cut		
Automated Loudness		
Anti-Theft Enable Status		
12/24 Time Selection		
Front Seat Video Playback		
Cabin EQ Curve Number Currently Used by Radio		events
Splash Screen		
USB Hubs Detected		No Unit
SD Card Readers Detected		No Unit
Enumerated USB Devices		No Unit

Aux Jack

CAN Architecture

LBSS CONFIGURATION

NAME	VALUE	UNITS
Steering (LHD/RHD)		
Teen Key		
CFG FEATURE		

RBSS CONFIGURATION

NAME	VALUE	UNITS
Steering (LHD/RHD)		
Teen Key		

ABSO CONFIGURATION

NAME	VALUE	UNITS
Vehicle Line Identification		
Displacement		No Unit
Hybrid Type		
Trans Type		
Chassis Type		
Axle Ratio		No Unit
Tire Circumference		inch

DASM CONFIGURATION

NAME	VALUE	UNITS
ACC Present		
ACC STOP Present		
ACC GO Present		
FCW Present		
LDW Plus Present		
Auto High Beam Present		
NCC Present		

TBM2 CONFIGURATION

NAME	VALUE	UNITS
Enable Auto Answer	—	



ECU SUMMARY INFO

[illegible]

[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	SERIAL NUMBER	CVNS
TCM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
PCM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
ICS	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
RFH	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
ESM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
ORC	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
EPS	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
HVAC	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
CSWM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
IPC	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
PTS	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
SCCM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
BCM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
RADIO	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
OCM	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
LBSS	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
RBSS	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]

HCP						
DSM						
CVPM						
AHCP						
SGW						
DPDM						
DASM						
IDCM						
TBM2						

DTC SUMMARY

ECU	DTC CODE	DTC DESCRIPTION	STATUS
TCM			

ENVIRONMENTAL DATA SUMMARY

TCM|

NAME	VALUE	UNITS
DTC		
Test Failed		
Test Failed This Operation Cycle		
Pending DTC		
Confirmed DTC		
Test Not Completed Since Last Clear		
Test Failed Since Last Clear		
Test Not Completed This Operation Cycle		
Warning Indicator Requested		
DTC Extended Data Record Number - All		
Occurrence flag		
Original Odometer Value		miles
Most Recent Odometer Value		miles
Frequency Counter		
Ignition Cycle Counter		

SNAPSHOT DATA SUMMARY

No Snapshot Data available for