

ECU SUMMARY INFO

[illegible]

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	SERIAL NUMBER	CVNS
TCM	USA / USA					
PCM	USA					
ICS	USA					
ESM	USA					
DTCM	USA					
EPS	USA					
HVAC	USA / USA					
CSWM	USA					
IPC	USA					
SCCM	USA					
BCM	USA					
RADIO						
OCM	USA					
BPCM	Rest of world / ROW					
HCP	USA					
DSM	USA / USA					
AHCP	USA					
SGW						
DPDM	USA					
DASM	USA					
IDCM	USA					

CONFIGURATION

SessionID #

TCM CONFIGURATION

NAME	VALUE	UNITS
Autostick/ERS On/Off Switch Equipped		
Paddle-Shift Switches Equipped		
Shifter with Sport Mode Position Equipped		
Shifter with Low Mode Position Equipped		
Sport Mode Switch or Virtual Switch (Non Terrain) Equipped		
Overdrive Off or Tow Haul Mode Switch or Virtual Switch (Non-Terrain) Equipped		
ECO/Optimizer Switch Equipped		
ERS/Autostick/Tip Non paddle on Steering Wheel equipped		
ERS/Autostick/Tip Non-paddle on Shifter in D position equipped		
ERS/Autostick/Tip Non paddle on Shifter in A or M position equipped		
FWD Equipped		
RWD Equipped		
AWD Equipped		
4WD with switchable Lo Range equipped		
Engine Start/Stop equipped		
Polystable E-shift (Cableless without return-to-center) equipped		
Long Learn Enabled		
Short Learn Enabled		

PCM CONFIGURATION

NAME	VALUE	UNITS
AC Equipped		
AC Equipped Over Bus		
Power Steering Switch Equipped		
4 Button Integrated Cruise Control		
EMAT (Getrag DCT transmission) Equipped		
Vehicle Speed Sensor #1 Calculated from CAN		
Police Package Equipped		
Unleaded Gasoline Fuel		
Unleaded diesel fuel		
6.4 Liter V8 Engine		
4 Speed Automatic Transmission Equipped		
Electronic Automatic Transmission (EATX) Equipped		
Vehicle Speed Sensor #1 Calculated by ECU		
4.7 Liter V8 Engine		
5.7 Liter V8 Engine		
6.4 Liter V8 Engine		
Sensorless FFV Enabled		
Electronic Throttle Control Equipped		
3.6 Liter V6 Engine		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

4.0 Liter I6 Engine		
3.8 Liter V6 Engine		
3.7 Liter V6 Engine		
3.5 Liter V6 Engine		
3.3 Liter V6 Engine		
3.2 Liter V6 Engine		
2.7 Liter V6 Engine		
MTV Solenoid Equipped		
MDS Equipped		
Turbocharger Equipped		
SRV Equipped		
Secondary Air Equipped		
Shift Indicator Lamp Equipped		
Barometric Sensor Equipped		
TIP Equipped		
Battery Temp Sensor Equipped		
Knock Sensor 1 Equipped		
Knock Sensor 2 Equipped		
WI4 Variable Valve Timing Equipped		
Clutch Interlock Switch Equipped		
ESIM Equipped		
Linear Purge Equipped		
Linear EGR Equipped		
Continuous Variable Transmission Equipped		
Secondary Fuel Pump Equipped		
Electronic Coolant Pump Equipped		
O2 Sensor Bank 1 Sensor 1 Equipped		
O2 Sensor Bank 1 Sensor 2 Equipped		
O2 Sensor Bank 1 Sensor 3 Equipped		
O2 Sensor Bank 2 Sensor 1 Equipped		
O2 Sensor Bank 2 Sensor 2 Equipped		
Fixed displacement AC Equipped		
WI4 Intake Flow Control Valve Equipped		
Electric Coolant Valve Equipped		
Engine Oil Heater Cooler Equipped		
Transmission Oil Heater Equipped		
Electric Water Pump Equipped		
Rear Heater Equipped		
Starter Relay 2 Equipped		
Inrush Current Reduction Relay Equipped		
Active Grille Shutter Equipped		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Electronic Vacuum Pump Equipped

Wide Range O2 Sensor 1/1 Equipped

Wide Range O2 Sensor 2/1 Equipped

MultiAir Equipped

Engine Stop Start Equipped

Viscosity Sensor Equipped

Dry Cycle Purge Valve Equipped

Electric Thermostat Heater Equipped

Exhaust Cam 1 Equipped

Intake Cam 1 Equipped

1.8 Liter W14 engine

2.0 Liter W14 engine

2.4 Liter W14 engine

3.0 Liter V6 Engine

Tumble Generator Valve Equipped

Hybrid Electric Vehicle Equipped

Dual Speed Fuel Pump Equipped

Exhaust Cam 2 Equipped

Intake Cam 2 Equipped

1 Speed Fan Mechanical Relay System Equipped

2 Speed Fan Mechanical Relay System Equipped

2 Speed Fan PWM Relay System Equipped

Linear PWM Fan Relay System Equipped

PWM Fan Motor System Equipped

3 Speed Fan Mechanical Relay System Equipped

Fan Wake Up Relay System Equipped

2 Speed Fan 3 Driver 3 Relay System Equipped

40TE / 41TE / 41TEA

42RLE

45RFE / 545RFE / 65RFE

62TE

66RFE / 68RFE

VLP Is Learnable Indicator

VLP Equipped Indicator

VFS Actuators Available Indicator

ERS Equipped Indicator

Engine Software In Package

Transmission Software Included

ICC Cruise Equipped

ETC Cruise equipped

Adaptive Cruise Control Equipped

A/C Equipped

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Adaptive Cruise Control Hardware Equipped

DUAL_ALTERNATOR_GEN1_LEARNEDCOPY

TOOLCONFIG Oil Pressure ABS Equipped

GPEC2 Equipped

GPEC2A Equipped

GPEC3 Equipped

Cummins Equipped

GPEC4 Equipped

Powernet Equipped

CUSW (11-Bit) Equipped

Next Gen Bus Equipped

Constant Heater Temperature Control Valve Equipped

High Side Port Tumble Valve Equipped

CMCV H-Bridge Equipped

Turbine Volute Valve Actuator Equipped

Wastegate H Bridge Equipped

Active Exhaust Valve Equipped

Active Exhaust Pressure Sensor Equipped

Engine Idle Shutoff Equipped

Aisin 6-Speed RWD Transmission Equipped

Cooled EGR Equipped

Supercharger Equipped

Low Temperature Radiator Coolant Pump Equipped

Mechanical Coolant Pump Heater Equipped

Auxiliary Coolant Pump Heater Equipped

Compressed Natural Gas Equipped

CUSW PROXI Write Programming Support Enabled

ZF 9-Speed Transmission Equipped

HPT 6 Speed Transmission Equipped

Variable Speed Fuel Pump Equipped

Operator Idle Speed Request Equipped

PTO System Equipped

Air Shutoff Valve Bank 1 Control Solenoid 1 Equipped

Air Shutoff Valve Bank 1 Control Solenoid 2 Equipped

Air Shutoff Valve Bank 2 Control Solenoid 2 Equipped

Dual Stage Oil Pump Equipped

Auxiliary Coolant Pump Equipped

Trans Skip Shift Equipped

Trans Reverse Lockout Equipped

INFORMATION REQUESTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Port Flap Valve Equipped		
Brushless PWM Fan Equipped		
6.2 Liter V8 Engine		
Primary Lin Alternator Equipped		
Coolant On Off Pump Equipped		
Oil Pressure Sensor Enabled		
Flat VIN Learning Strategy Equipped		
Dual Fuel Tank Equipped		
Yaw Rate Sensor ESC Equipped		
1.0 Liter I3 Engine		
Coolant On-Off Valve Equipped		
Buffered Crank Output for ANC (Active Noise Cancellation) Equipped		
Buffered Crank Output for PHEV Engine Pulse Calculation Equipped		
Throttle Inlet Temp Sensor Equipped		
Humidity, Temperature and Pressure Sensor (LIN) Equipped		
Dual Fuel Pressure Sensor Equipped		
Brake Pedal Sensor Equipped		
Dual Fuel Tank Equipped		
PTO System Equipped		
Low Temp Radiator Coolant Pump Equipped		
Engine Idle Shutoff Equipped		
A/C Relay Powered from Engine Switched Battery		
CNG Large Gas Tank Equipped		
Cooled EGR Equipped		
Supercharger Equipped		
Hybrid MEC Shifter Equipped		
Dual Alternator Gen1 Capable		
Auxillary Coolant Pump Equipped		
ZF 9-Speed Trans Equipped		
HPT 6 Speed Trans Equipped		
CUSW 4-Button Cruise Equipped		
Power Steering Angle Sensor Mandatory		
Throttle Inlet Temp Sensor Equipped		
LIN Humidity, Temp, and Pressure Sensor Equipped		
Dual Fuel Pressure Sensor Equipped		
Brake Pedal Sensor Equipped		
Clutch Sensor Equipped		
SWAP HARDWIRED BRAKE SWITCH INPUTS		
Mass Airflow System Equipped		
Bi Directional Crank Sensor Equipped		
5 Button Cruise (LIN) Equipped		
Operator Idle Speed Request Equipped		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

INTAKE O2 SENSOR EQUIPPED		
Cylinder Pressure Sensor Equipped		
Make Up Air Sensor Equipped		
Active Exhaust Pressure Sensor Equipped		
Secondary Mass Airflow Sensor Equipped		
2.0 Liter I3 Engine		
2.0 Liter I4 Direct Injection Engine		
Variable Valve Lift Equipped		
Coolant On/Off Pump Equipped		
Electronic Parking Brake Equipped		
Active Exhaust Valve(s) Equipped		
Mechanical Coolant Pump Equipped		
Aux Coolant Pump Heater Equipped		
Heater Temp Control Valve Equipped		
High Side Port Tumble Valve Equipped		
Wastegate HBridge Equipped		
Engine Oil Pressure Sensor Type		None

ICS CONFIGURATION

NAME	VALUE	UNITS
Display Type (Base)		
Display Type (Mid)		
Display Type (High)		

RFH CONFIGURATION

NAME	VALUE	UNITS
PIN Successfully Programmed		
VIN Successfully Programmed		
Valid Key In Ignition		
Keyless Go		
Ignition system type connected		
e-shifter present		
Auto Park Present		
Passive Entry		
Module Configuration Status		
Remote Start Present		
\$0214 Programmed by		
Hardware Configuration: Remote Start Antenna		

Hardware Configuration: Front Left Door Handle H/W

Hardware Configuration: Front Right Door Handle H/W

Hardware Configuration: Rear Left Door Handle H/W

Hardware Configuration: Rear Right Door Handle H/W

Hardware Configuration: Trunk Door Handle H/W

RFHub Locked

Fob Location #1 Successfully Programmed

Fob Location #2 Successfully Programmed

Fob Location #3 Successfully Programmed

Fob Location #4 Successfully Programmed

Fob Location #5 Successfully Programmed

Fob Location #6 Successfully Programmed

Fob Location #7 Successfully Programmed

Fob Location #8 Successfully Programmed

Back Up Vehicle Config 1

Back Up Vehicle Config 2

Back Up Vehicle Config 3

Back Up Vehicle Config 4

Back Up Vehicle Config 5

Back Up Vehicle Config 6

Back Up Vehicle Config 7

Back Up ECU Configuration 1

Back Up ECU Configuration 2

Back Up ECU Configuration 3

Back Up ECU Configuration 4

Back Up ECU Configuration 5

Back Up ECU Configuration 6

Back Up ECU Configuration 7

Back Up ECU Configuration 8

Back Up ECU Configuration 9

Back Up ECU Configuration 10

Back Up ECU Configuration 11

Back Up ECU Configuration 12

Back Up ECU Configuration 14

Back Up ECU Configuration 15

Back Up ECU Configuration 16

Back Up ECU Configuration 17

Back Up Customer Settings Menu 1 (CSM1)

Back Up Customer Settings Menu 2 (CSM2)

Back Up Programmed ECUs: Cabin Network

Back Up Programmed ECUs: P/T Chassis Network

Secret Key Sent to Body Controller Most recent attempt

Secret Key Sent to Body Controller - Original attempt

Base TPM Present

Full Size Matching Spare Tire Present

ECU Ship Status

Tire Pressure System

Selectable Tire Fill Alert

TPM Auto Locate Enabled

TPMS Configuration

DTCM CONFIGURATION

NAME	VALUE	UNITS
Full-Time T-Case		
Front Locker Present		
Rear Locker Present		
FAD Present		
Mode Switch Present		
Left/Right Hand Drive		
Axle Ratio		
T-Case Type		
SRT Present		

ORC CONFIGURATION

NAME	VALUE	UNITS
Rollover Sensing		
EPPM		
Occupant Classification (OCM)		
First Row Driver Seatbelt Buckle Switch		
First Row Passenger Seatbelt Buckle Switch		
Second Row Left seat belt Switch		
Second Row Right seat belt Switch		
Driver Seat Track Position Sensor		
Passenger Seat Track Position Sensor		
Passenger Occupant Detection Sensor		
Passenger Airbag Disable Switch		
Passenger Airbag Disable Indicator		
Driver Frontal Squib 1		
Driver Frontal Squib 2		
Driver Frontal Squib 3		
Passenger Frontal Squib 1		
Passenger Frontal Squib 2		

SessionID #

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Passenger Frontal Squib 3	[REDACTED]		
Driver Knee Bolster Squib	[REDACTED]		
Passenger Knee Bolster Squib	[REDACTED]		
Driver Seatbelt Retractor Pretensioner	[REDACTED]		
Passenger Seatbelt Retractor Pretensioner	[REDACTED]		
Driver Seatbelt Load Limiter	[REDACTED]		
Passenger Seatbelt Load Limiter	[REDACTED]		
Driver Seatbelt Anchor Pretensioner	[REDACTED]		
Passenger Seatbelt Anchor Pretensioner	[REDACTED]		
Driver Seatbelt Buckle Pretensioner	[REDACTED]		
Passenger Seatbelt Buckle Pretensioner	[REDACTED]		
Left Curtain Squib 1	[REDACTED]		
Right Curtain Squib 1	[REDACTED]		
Left Side Seat Squib 1	[REDACTED]		
Right Side Seat Squib 1	[REDACTED]		
Second Row Left Seat Side Airbag	[REDACTED]		
Second Row Right Seat Side Airbag	[REDACTED]		
Driver Frontal Squib 4	[REDACTED]		
Passenger Frontal Squib 4	[REDACTED]		
Left Up Front Acceleration Sensor	[REDACTED]		
[REDACTED]	[REDACTED]		
Right B-Pillar Impact Acceleration Sensor	[REDACTED]		
Left B Pillar Impact Acceleration Sensor	[REDACTED]		
Left C-Pillar Impact Acceleration Sensor	[REDACTED]		
Right C Pillar Impact Acceleration Sensor	[REDACTED]		
Right D-Pillar Impact Acceleration Sensor	[REDACTED]		
Left D Pillar Impact Acceleration Sensor	[REDACTED]		
Left Side Door Pressure Sensor	[REDACTED]		
Right Side Door Pressure Sensor	[REDACTED]		
Configuration Column Identifier	[REDACTED]		

HVAC CONFIGURATION

NAME	VALUE	UNITS
DualZone ATC Control (Factory) (BB)	[REDACTED]	
DualZone ATC Control (BB)	[REDACTED]	
Dual Zone MTC Control (BB)	[REDACTED]	
Single Zone MTC Control (BB)	[REDACTED]	
[REDACTED]	[REDACTED]	
MTC Without EBL (3Knob)	[REDACTED]	
MTC heater only (3Knob)	[REDACTED]	

IPC CONFIGURATION

SessionID [REDACTED]

NAME	VALUE	UNITS
Main Fuel Tank Gauge Empty Stop Calibration		Volts
Main Fuel Tank Gauge -1/4th Datum Calibration		Volts
Main Fuel Tank Gauge 1/2 Datum Calibration		Volts
Main Fuel Tank Gauge - 3/4 Datum Calibration		Volts
Main Fuel Tank Gauge - Full Stop Calibration		Volts
Sub Fuel Tank Gauge Empty Stop Calibration		Volts
Sub Fuel Tank Gauge - 1/4 Datum Calibration		Volts
Sub Fuel Tank Gauge 1/2 Datum Calibration		Volts
Sub Fuel Tank Gauge - 3/4 Datum Calibration		Volts
Sub Fuel Tank Gauge Full Stop Calibration		Volts

SCCM CONFIGURATION

NAME	VALUE	UNITS
Rear Wiper		
Paddle Shifter		
Cruise Control / ACC		

BCM CONFIGURATION

NAME	VALUE	UNITS
RBSM		
LBSM		
BCM (Interior Bus)		
HSM		
HVAC		
PTCM		
Radio		
ITM		
AMP		
EDM		
HVAC R		
TBM		
BCM (PT)		
DTCM		
PCM		
EPS		
ESM		
ABS		
RFH		

IPC		
ORC		
PTS		
SCCM		
ELSD		
TCM		
TPM		
AFLS		
ITBM		
OCM		
DPDM		
SGW		
ASBS		
ANC		
Number of Reprogramming Attempts Counter #0		
Vehicle Configuration Programmed Status		
Last Programmed Status		
Last Configuration Odometer		miles
Vehicle Configuration Auto Write Counter		
Vehicle Configuration 1 Write Counter		
Vehicle Configuration 2 - Write Counter		
Vehicle Configuration 3 - Write Counter		
Vehicle Configuration 4 Write Counter		
Vehicle Configuration 5 - Write Counter		
Vehicle Configuration 6 Write Counter		
Programmed ECUs: Cabin Network		
Programmed ECUs: P/T Chassis Network		
Programmed Network Configuration Audio / Telematics Network		
Programmed ECUs: Hybrid LAN Network		
ECU Configuration 1 (CBC Configurable Inputs and Outputs)		
ECU Configuration 2 (CBC Features)		
ECU Configuration 3		
ECU Configuration 4		
ECU Configuration 5 (Wireless)		
ECU Configuration 5 (Doors)		
ECU Configuration 5 (Memory)		
ECU Configuration 6 (Brake)		
ECU Configuration 6 (Suspension)		
ECU Configuration 6 (Powertrain)		
ECU Configuration 6 (Safety)		
ECU Configuration 7 (CBC Exterior Lighting Calibrations)		
ECU Configuration 8 (LIN and Miscellaneous)		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

ECU Configuration 9A		
ECU Configuration 9 (ITM)		
ECU Configuration 10		
ECU Configuration 11		
ECU Configuration 12		
ECU Configuration 13		
ECU Configuration 14		
ECU Configuration 15 (CBC Features)		
ECU Configuration 15 (Suspension)		
Vehicle Configuration 7 Write Counter		
Vehicle Config CSM1		
Vehicle Config CSM2		
Model Year		
Vehicle Line		
Country Code		
Left/Right Hand Drive		
Remote Start Present		
Drive Configuration		
Emode Present		
Auto Highbeam		
Body Style		
Maximum Vehicle Speed		MPH
Shifter Type		
Performance Pages Present		
Special Packages		
PTS Configuration		
Hill Descent Feature Present		
Select Speed Control Feature Present		
Power Inverter Type		
Thatcham Present		
Rain Sensor Present		
SKIM System Present		
Air Conditioning Present		
Cruise Feature is Present		
Flipper Glass Present		
Full Size Spare		
Off Road Capable		
Special Packages		
Max Load Inflation Pressure Rear Tire		PSI
Max Load Inflation Pressure Front Tire		PSI
Light Load Inflation Pressure Rear Tire		PSI
Police Lighting Feature		

Power Lift Gate Present		
Power Right Sliding Door Present		
Power Left Sliding Door Present		
RKE System Present		
Sunshade Present		
Case Type		
Wheel Base		
FOB/Kill Switch Enable		
ELV Present		
Fuel Capacity		
Adjustable Pedal Feature Present (non-Memory)		
Auto Headlamp Feature Present		
Door Alert Feature Present		
Vehicle is an SRT		
Disable Display of Radio Clock		
Chassis Type		
Display Outside Temperature Present		
HVAC Configuration		
Vehicle Brand		
Display Compass Heading Present		
Interior EC Mirror Present		
ESCL system present		
High Intensity Discharge Head Lamps		
Secondary Lock Present		
Liftgate/Trunk Type		
Collision Mitigation System present		
Forward Collision Warning present		
Base TPM system present		
Premium TPM system present		
Paddle Shift Feature Present		
Sport Mode Present		
Auto Park Present		
Passive Entry Present		
Keyless Go Present		
Transfer Case High Ratio		No Unit
Axle Ratio		
Transfer Case Low Range Reduction Ratio		
Dynamic Tire Circumference (All or Rear)		inch
Dual Rear Wheel (DRW) Vehicle Present		
Non Regulated Tire Pressure Information System (TPIS) Present		

INFORMATION REQUESTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Steering Ratio at zero		No Unit
Steering Ratio at Positive Angle 1		No Unit
Steering Ratio at Positive Angle 2		No Unit
Steering Ratio at Positive Angle 3		No Unit
Steering Ratio at Positive Angle 4		No Unit
Steering Ratio at Positive Angle 5		No Unit
Analog Door Sensor Configuration		
Air Quality System Present		
Steering Ratio at Negative Angle 1		No Unit
Steering Ratio at Negative Angle 2		No Unit
Steering Ratio at Negative Angle 3		No Unit
Steering Ratio at Negative Angle 4		No Unit
Steering Ratio at Negative Angle 5		No Unit
Ambient Light Dimmer Wheel Input Present Pin G9		
Low Beam Output Present Pin A3, 13		
Rear Wiper Motor Park Present - Pin E29		
Left Rear Door Ajar Input Present - Pin F23		
Front Driver Analog Door Ajar Input Present Pin F9		
Reserved - Pin G12		
Horn Switch Input Present Pin F29		
Reserved - Pin E15		
Hood Ajar Switch Input Present - Pin A11		
Hard Top Sense Present Pin E14		
Reserved Pin D20		
Passenger Door Ajar Signal Present - Pin G18		
Reserved Pin E47		
Reserved Pin E35		
Starter Relay Lowside Coil Drive - Pin D7		
Diesel Cabin Heater #2 Output Present Pin D9		
Diesel Cabin Heater #3 Output Present - Pin D10		
Diesel Cabin Heater #1 Output Present Pin D11		
Right Dedicated DRL Lamp Output Present Pin A22		
Left Dedicated DRL Lamps Output Present - Pin D15		
Flipper Glass #2 Output Present		
Foot Well Lamps Output Present - Pin G24		
Front Fog Lamps Output Present Pin A1 & D13		
Reserved - E20		
Gated Park ZFI Output Present Pin D 24		
Reserved - Pin E21		
Rear Fog Lamps Output Present Pin E39 & F5		

Rear Park Lamps Output Present Pin E4 & F32

Rear Turn Lamps Output Present - Pin E3 & F42

Run ACC Y Relay #2 Output Present Pin E9

Side Markers Output Present - Pin A10 & D5

Trailer Backup Lamps Output Present Pin E23

Reserved Pin F4

UGO Feed Output Present - Pin G15

VTA Warning LED Output Present Pin G22

Park Brake Input Present - Pin E11

Ambient Temperature Sensor Present Pin D22

Tip Start Enabled

Dual Start Relay System Present

Wiper Service Position Enabled

Trailer Tow Present

Quad Headlamps Enable

Horn Chirp Allowed

Bi Xenon Headlamps Enable

Hazard Lamp Configuration

Park Lamp Loadshed Enable

Front Fog Lamp Dropout Enable

Combined Rear Lighting Enable

One Touch Lane Change

Exterior Light Loadshed Enable

Front Wiper Park Enable

Rear Wiper Park Enable

Reversible Washer Pump Enable

Single Element Tail Lamp

DRL Configuration

DRL Lamp Location

DRL Dropout Enable

Tunnel Detection

Military Vehicle Present

LED Reverse Lamps Present

LED Stop Lamps Present

LED Rear Turn Lamps Present

LED Tail Lamps Present

LED Rear Fog Lamps Present

LED License Lamps Present

LED Front Turn Lamps Present

LED Front Fog Lamps Present

LED Dedicated DRL Present

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

LED Low Beam Lamps Present	[REDACTED]	
LED High Beam Lamps Present	[REDACTED]	
LED Front Park/Marker Lamps Present	[REDACTED]	
Door Lock Switch Signal FT LT Usage (F9)	[REDACTED]	
Door Lock Switch Signal FT RT Usage (F23)	[REDACTED]	
Headlamp Wash Interval	[REDACTED]	
Headlamp Wash Shot	[REDACTED]	
Front Wiper Wipes After Wash	[REDACTED]	
Headlamp Washer Low Fluid Shut-Off Enable	[REDACTED]	
Intermittent Wiper States	[REDACTED]	
LED CHMSL Lamp Present	[REDACTED]	
Rear Camera Present	[REDACTED]	
Power Inverter Present	[REDACTED]	
Front Park Assist Present	[REDACTED]	
Front Heated Seats Present	[REDACTED]	
Front Ventilated Seats Present	[REDACTED]	
Destination	[REDACTED]	
Cabin Equilization Curve Number	[REDACTED]	
Hill Start Assist Customer Setting Option Present	[REDACTED]	
Radio Apps Present	[REDACTED]	
CTP Easy Entry Enable	[REDACTED]	
CTP Passive Entry Present	[REDACTED]	
CTP Auto Lock Disable	[REDACTED]	
SDAR Travel Link Present	[REDACTED]	
DAB Present	[REDACTED]	
Vehicle Theft Alarm Present	[REDACTED]	
Heated Steering Wheel Present	[REDACTED]	
VIN Check Digit Diable	[REDACTED]	
Surround Sound Feature Present	[REDACTED]	
Power Door Locks Present	[REDACTED]	
Antenna Type	[REDACTED]	
CTP Max AC Present	[REDACTED]	
Hybrid Electric Powertrain Present	[REDACTED]	
Disable CD Eject	[REDACTED]	
DTV Front Camera Present	[REDACTED]	
DTV Side Camera Present	[REDACTED]	
Tow Haul Present	[REDACTED]	
Hill Descent Control Present	[REDACTED]	
Audio Steering Wheel Switch Configuration	[REDACTED]	
Radio Display On/Off Softkey Present	[REDACTED]	
Microphone Tuning Parameter	[REDACTED]	
[REDACTED]	[REDACTED]	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Microphone Type	[REDACTED]	
External Port Type	[REDACTED]	
Splashscreen Type	[REDACTED]	
[REDACTED]	[REDACTED]	
Rear Wheel Dually	[REDACTED]	
Max Gear	[REDACTED]	
Virtual Speedometer Units	[REDACTED]	
Speedometer Range Max Scale	[REDACTED]	
IC Config Feature	[REDACTED]	
PTO Present	[REDACTED]	
AMB Dimmer	[REDACTED]	
Heated Seat Present	[REDACTED]	
Split Shaft Present	[REDACTED]	
Manual Headlamp Leveling	[REDACTED]	
Gear Shift Indicator	[REDACTED]	
Service Interval	[REDACTED]	
Temperature Celsius for UK	[REDACTED]	
Type of Gallons	[REDACTED]	
Tip Start Present	[REDACTED]	
AP5 Trunk Lock	[REDACTED]	
Airport Scenario Trunk Set	[REDACTED]	
AP1 Left Front	[REDACTED]	
AP2 Right Front	[REDACTED]	
AP3 Left Rear	[REDACTED]	
AP4 Right Rear	[REDACTED]	
Global Up	[REDACTED]	
Global Down	[REDACTED]	
Sun Shade	[REDACTED]	
Puddle Lamp Present	[REDACTED]	
Rear Door Pre Short Drop	[REDACTED]	
Passenger Window Lockout	[REDACTED]	
Auto Power Folding Mirrors Present	[REDACTED]	
Folding mirrors present	[REDACTED]	
Heated Mirrors Present	[REDACTED]	
Mirror turn signals present	[REDACTED]	
Driver Memory Mirrors Present	[REDACTED]	
Passenger Memory Mirror Present	[REDACTED]	
Electro chromatic driver mirror present	[REDACTED]	
Electro-chromatic passenger mirror present	[REDACTED]	
Tow Mirror Present	[REDACTED]	
Blindspot Mirror Present	[REDACTED]	
Window Motor Type	[REDACTED]	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Window Hall Sensors Present		
Frameless Window Present		
Memory Adjustable Pedals Present		
Tilt/Telescope Steering Present		
Memory Seat Present		
Rear Heated Seats Present		
Front Vented Seats Present		
Heated Steering Wheel Present		
Heated Seat Material Type		
Heated Wheel Material Type		
Front Heated Seat Present		
Wheel 18 inch overall ESC Maserati		
Brake System ECU Configuration B		
ECO Mode Configuration		
Dual Alternator Present		
ODS Present		
Driver Kneebag Present		
Passenger Kneebag Present		
Curtain Airbags Present		
Tow Hooks Present		
Passive Ped Pro Present		
2nd Row Seat Airbags Present		
Reserved		
Reserved		
Integrated EPP Present		
BUX vehicle		
Signature Light Present		
Dual Filament Headlamp		
Front Turn Lamp Diagnostics		
Auto Headlamp On Threshold		Volt
Auto Headlamp Off Threshold		Volt
Left Low Beam Voltage Regulation		
Left High Beam Voltage Regulation		
Right Low Beam Voltage Regulation		
Right High Beam Voltage Regulation		
Left Front Corner Voltage		
Right Front Corner Voltage		
Left Rear Corner Voltage		
Right Rear Corner Voltage		
Panic Enable	Set	

INFORMATION RECEIVED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Compass Mounting Orientation	[REDACTED]	
Washer Fluid Level Voltage Threshold	[REDACTED]	
IBS Present	[REDACTED]	
[REDACTED]	[REDACTED]	
Humidity Sensor Present	[REDACTED]	
Manual Trans Present	[REDACTED]	
DC to DC Converter Present	[REDACTED]	
ASBM Present	[REDACTED]	
Auto Relock Time	[REDACTED]	seconds
VTA System Present	[REDACTED]	
DC to DC Converter #2 Present	[REDACTED]	
Illuminated Approach Interior Lighting Target Percentage	[REDACTED]	
Illuminated Approach Headlamp Target Percentage	[REDACTED]	
[REDACTED]	[REDACTED]	
Illuminated Approach Interior Lighting Ramp Up Time	[REDACTED]	
CRVMM Present	[REDACTED]	
EVIC Switch Module Present	[REDACTED]	
Compass Mounting Angle	[REDACTED]	Degree
Backup Reverse Lamp Left Present - Pin F41	[REDACTED]	
Backup Reverse Lamp Right Present Pin E1	[REDACTED]	
Stop/Turn Lamp or Stop Lamp Present Pin E2 & F40	[REDACTED]	
Left High Beam Present - Pin D1	[REDACTED]	
Right High Beam Present Pin A2	[REDACTED]	
Left Front Lamp Diagnostics Present - Pin F25	[REDACTED]	
Right Front Lamp Diagnostics Present Pin F28	[REDACTED]	
Left Rear Turn Lamp Diagnostics Present - Pin F27	[REDACTED]	
Right Rear Turn Lamp Diagnostics Present Pin F31	[REDACTED]	
Brake Fluid Level Switch Signal Present Pin D21	[REDACTED]	
Siren	[REDACTED]	
Ultrasonics	[REDACTED]	
Tilt	[REDACTED]	
Swing Gate Lock Present Pin F30	[REDACTED]	
Swing Gate Unlock Present Pin F33	[REDACTED]	
Front Fog Voltage	[REDACTED]	Volts
Rear Fog Voltage	[REDACTED]	Volts
CHMSL Lamp Output Disable	[REDACTED]	
Secondary Door Ajar Present Pin E28	[REDACTED]	
Manual Door Locks Present	[REDACTED]	
Rain Sensor Module #2 Present	[REDACTED]	
Auto High Beam Module Location	[REDACTED]	
Average Last Longitudinal Acceleration Values	[REDACTED]	
[REDACTED]	[REDACTED]	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Excess Longitudinal Acceleration Factor	[REDACTED]	
Excess Lateral Acceleration Factor	[REDACTED]	
Brake Smoothing Duration	[REDACTED]	
Brake Smoothing Factor	[REDACTED]	
Steering Smoothing Duration	[REDACTED]	
Steering Smoothing Factor	[REDACTED]	
Steering Smoothing Threshold	[REDACTED]	
Brake Smoothing Threshold	[REDACTED]	
Maximum Longitudinal Change	[REDACTED]	
Maximum Lateral Change	[REDACTED]	
Acceleration Threshold	[REDACTED]	
Acceleration Factor	[REDACTED]	
Nose Dive Threshold	[REDACTED]	
Nose Dive Factor	[REDACTED]	
RKE Auto Relock Feature Enable	[REDACTED]	
PE Auto-Relock Feature Enable	[REDACTED]	
VTA Hood Ajar Monitoring	[REDACTED]	
Horn Chirp Duration	[REDACTED]	
Pitch and Roll Present	[REDACTED]	
Parking Light Enable	[REDACTED]	
ASBM Minimum Voltage Time	[REDACTED]	
ASBM Battery Minimum Voltage	[REDACTED]	
Interior Lighting Night Threshold	[REDACTED]	Volt
Interior Lighting Day Threshold	[REDACTED]	Volt
Axle Locker Configuration	[REDACTED]	
Transmission Equipped	[REDACTED]	
Park Brake Type	[REDACTED]	
TPMS Configuration	[REDACTED]	
Hybrid Type	[REDACTED]	
TSBM Module Present	[REDACTED]	
ADR feature Present	[REDACTED]	
AGS Feature Present	[REDACTED]	
Temperature Display Resolution	[REDACTED]	
PTC Present	[REDACTED]	
Glovebox Control	[REDACTED]	
Glare Free Present	[REDACTED]	
Brake Type	[REDACTED]	
Suspension Type	[REDACTED]	
Park assist customer settings menu	[REDACTED]	
Park assist brake customer settings menu	[REDACTED]	
Park assist front volume customer settings menu	[REDACTED]	
Park assist rear volume customer settings menu	[REDACTED]	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Electric power steering customer settings menu

Forward collision warning customer settings menu

Auxiliary switches customer settings menu

Rear view camera gridlines customer settings menu

Unit set customer settings menu

Power accessory delay customer settings menu

Ambient dimmer customer settings menu

Tire jack mode customer settings menu

Air suspension warning customer settings menu

Automatic aero mode customer settings menu

Auto high beam customer settings menu

Blind spot alert customer settings menu

Clock display customer settings menu

Compass calibration customer settings menu

Compass variance customer settings menu

Consumption unit customer settings menu

Distance unit customer settings menu

Auto door lock customer settings menu

Easy exit seat customer settings menu

Auto entry exit mode customer settings menu

EPB service mode customer settings menu

Headlamp drop customer settings menu

Headlamp off delay customer settings menu

Headlamps on with wiper customer settings menu

Passive entry customer settings menu

Illuminated approach customer settings menu

Lane departure torque customer settings menu

Lane departure warning customer settings menu

Rear camera customer settings menu

Rain sensitive wipers customer settings menu

Power take off customer settings menu

Pressure unit customer settings menu

Power unit customer settings menu

Power liftgate chime customer settings menu

Performance shift enable customer settings menu

Rear view camera delay customer settings menu

RKE unlock customer settings menu

Speed unit customer settings menu

Tilt mirror in reverse customer settings menu

Torque unit customer settings menu

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Teen Key Fuel Pop up Customer Settings Menu	[REDACTED]	
Teen Key Automatic High Beam Customer Settings Menu	[REDACTED]	
Passenger Airbag On/Off Customer Settings Menu	[REDACTED]	
Forward Collision Warning and Brake Customer Settings Menu	[REDACTED]	
Doors and Engine Off Power Delay Customer Settings Menu	[REDACTED]	
Radio Speaker Open Circuit Disable (LF)	[REDACTED]	
Radio Speaker Open Circuit Disable (RF)	[REDACTED]	
Radio Speaker Open Circuit Disable (LR)	[REDACTED]	
Radio Speaker Open Circuit Disable (RR)	[REDACTED]	
ANC Calibration Parameter Data Set	[REDACTED]	ms
Surround View Camera On/Off Softkey Present	[REDACTED]	
Drive Mode Version	[REDACTED]	
Rear Defrost and Heated Mirrors Present	[REDACTED]	
Show Phone Information in Cluster	[REDACTED]	
Auto Dimming Mirror Hard Button Present	[REDACTED]	
Clari-Fi Present	[REDACTED]	
Automatic Crash Notification Feature Present	[REDACTED]	
Trailer Hitch Camera Present	[REDACTED]	
Park Assist Tuning Set	[REDACTED]	
Rear Defrost Presence	[REDACTED]	
Heated Mirrors Present	[REDACTED]	
[REDACTED]	[REDACTED]	
Steering C Factor	[REDACTED]	
Speedometer Tolerance	[REDACTED]	
Increasing speed constant	[REDACTED]	
Tachometer Type	[REDACTED]	
DTV Present	[REDACTED]	
Tri State Comfort Climate Softkey Function Present	[REDACTED]	

RADIO CONFIGURATION

NAME	VALUE	UNITS
Satellite Subscription Status	[REDACTED]	
Reason Code	[REDACTED]	
Suspend Day	[REDACTED]	
Suspend Month	[REDACTED]	
Suspend Year	[REDACTED]	
Distortion Limiting	[REDACTED]	
Clock Defeat	[REDACTED]	
Stereo Blend	[REDACTED]	
High Cut	[REDACTED]	
Automated Loudness	[REDACTED]	
Anti-Theft Enable Status	[REDACTED]	

12/24 Time Selection	[REDACTED]	
Front Seat Video Playback	[REDACTED]	
Cabin EQ Curve Number Currently Used by Radio	[REDACTED]	events
Splash Screen	[REDACTED]	
USB Hubs Detected	[REDACTED]	No Unit
SD Card Readers Detected	[REDACTED]	No Unit
Enumerated USB Devices	[REDACTED]	No Unit
Aux Jack	[REDACTED]	
CAN Architecture	[REDACTED]	

ABSO CONFIGURATION

NAME	VALUE	UNITS
[REDACTED]	[REDACTED]	
Displacement	[REDACTED]	No Unit
Hybrid Type	[REDACTED]	
Trans Type	[REDACTED]	
Drive Configuration	[REDACTED]	
Chassis Type	[REDACTED]	
Axle Ratio	[REDACTED]	No Unit
Tire Circumference	[REDACTED]	inch

DASM CONFIGURATION

NAME	VALUE	UNITS
ACC Present	[REDACTED]	
ACC STOP Present	[REDACTED]	
ACC GO Present	[REDACTED]	
FCW Present	[REDACTED]	
LDW Plus Present	[REDACTED]	
Auto High Beam Present	[REDACTED]	
NCC Present	[REDACTED]	

TBM2 CONFIGURATION

NAME	VALUE	UNITS
Enable Auto Answer		



CONFIDENTIAL

ECU SUMMARY INFO

[illegible][illegible]

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	SERIAL NUMBER	CVNS
TCM						
PCM						
ICS						
ESM						
DTCM						
ORC						
HVAC						
CSWM						
IPC						
SCCM	US					
BCM						
OCM	USA					
BPCM	Rest of world / ROW					
HCP	USA					
DSM	USA / USA					
AHCP	USA					
ABSO	USA					
SGW						
DPDM	USA					
DASM	USA					
IDCM	USA					
TBM2	USA					

ECU DETAILS

SessionID #

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

TCM DETAILS

NAME	VALUE
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
ECU Part Number	[REDACTED]
HW - Year	[REDACTED]
HW - Week	[REDACTED]
HW - Patch Level	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]
Hardware Part Number	[REDACTED]

PCM DETAILS

NAME	VALUE
Model Year	[REDACTED]
ECU Part Number	[REDACTED]
Body Style	[REDACTED]
Vehicle Line	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]
Software Version (Major/Middle/Minor)	[REDACTED]
Hardware Version (Major/Minor)	[REDACTED]
Serial Number	[REDACTED]
Supplier ID	[REDACTED]
Diagnostic Version	[REDACTED]
Variant ID	[REDACTED]
Country Code	[REDACTED]
Odometer When Original VIN First Written	[REDACTED]

ICS DETAILS

NAME	VALUE
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
ECU Part Number	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
Country Code	[REDACTED]
ECU Serial Number	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]
HW - Year	[REDACTED]

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

HW Week	■
HW - Patch Level	■
SW year	■
SW - week	■
SW Patch Level	■
Hardware Supplier Identification	■
Software Supplier Identification	■

RFH DETAILS

NAME	VALUE
VIN Original	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
ECU Software Mode	[REDACTED]
ECU Part Number	[REDACTED]
[REDACTED]	[REDACTED]
Body Style	[REDACTED]
Country Code	[REDACTED]
IAC Data	[REDACTED]
ECU Serial Number	[REDACTED]
Hardware Supplier	[REDACTED]
Software Supplier	[REDACTED]
Hardware Version - Year	[REDACTED]
Hardware Version - Week	[REDACTED]
Hardware Version - Patch Level	[REDACTED]
Software Version - Year	[REDACTED]
Software Version - Week	[REDACTED]
Software Version - Patch Level	[REDACTED]
Active Diagnostic Session	[REDACTED]
Software Logical Block #0 Part Number	[REDACTED]

ESM DETAILS

NAME	VALUE
Active Diagnostic Variant	■
Active Diagnostic Version	■

DTCM DETAILS

NAME	VALUE
Active Diagnostic Variant	<div></div>
Active Diagnostic Version	<div></div>

ECU Part Number	[REDACTED]
ECU Serial Number	[REDACTED]
ECU Software Mode	[REDACTED]
Hardware Part Number	[REDACTED]
HW Year	[REDACTED]
HW Week	[REDACTED]
HW Patch Level	[REDACTED]
Hardware Supplier Identification	[REDACTED]
Hardware Variant	[REDACTED]
Software Part Number	[REDACTED]
SW - year	[REDACTED]
SW - week	[REDACTED]
SW Patch Level	[REDACTED]
Software Supplier Identification	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
Country Code	[REDACTED]
VIN Current	[REDACTED]

ORC DETAILS

NAME	VALUE
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
Country Code	[REDACTED]
ECU Serial Number	[REDACTED]
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]

EPS DETAILS

NAME	VALUE
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
ECU Part Number	[REDACTED]
HW Year	[REDACTED]
HW - Week	[REDACTED]
HW Patch Level	[REDACTED]
SW year	[REDACTED]
SW - week	[REDACTED]
SW Patch Level	[REDACTED]
Hardware Supplier Identification	[REDACTED]

ECU Serial Number

VIN Current

Model Year

Vehicle Line

Body Style

Country Code

Boot SW - Year

Boot SW - Week

Boot SW - Patch Level

Software Logical Block Supplier Identification

HVAC DETAILS

NAME	VALUE
VIN Original	
Current	
Model Year	
Country Code	
Active Diagnostic Variant	
Active Diagnostic Version	
ECU Part Number	

CSWM DETAILS

NAME	VALUE
ECU Software Mode	
Active Diagnostic Variant	
Active Diagnostic Version	
ECU Part Number	
VIN Original	

IPC DETAILS

NAME	VALUE
Active Diagnostic Variant	
Active Diagnostic Version	
ECU Part Number	
ECU Serial Number	
Hardware Part Number	
HW - Year	
HW - Week	
HW - Patch Level	
Hardware Supplier Identification	

Software Logical Block #1 Part Number	[REDACTED]
SW - year - Block 1	[REDACTED]
SW week Block 1	[REDACTED]
SW - patch level - Block 1	[REDACTED]
Software Supplier Identification	[REDACTED]
Model Year	[REDACTED]
Body Style	[REDACTED]
Vehicle Line	[REDACTED]
Country Code	[REDACTED]
VIN Original	[REDACTED]
[REDACTED]	[REDACTED]

SCCM DETAILS

NAME	VALUE
ECU Software Mode	[REDACTED]
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
ECU Part Number	[REDACTED]
ECU Serial Number	[REDACTED]
Hardware Supplier Identification	[REDACTED]
Hardware Part Number	[REDACTED]
HW Year	[REDACTED]
HW - Week	[REDACTED]
HW Patch Level	[REDACTED]
Software Logical Block Supplier Identification	[REDACTED]
Software Logical Block #0 Part Number	[REDACTED]
SW year	[REDACTED]
SW - week	[REDACTED]
SW Patch Level	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
Country Code	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]

BCM DETAILS

NAME	VALUE
Hardware Part Number	[REDACTED]
Software Logical Block #0 Part Number	[REDACTED]
ECU Part Number	[REDACTED]
Active Diagnostic Variant	[REDACTED]

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Active Diagnostic Version 35

Hardware Supplier Identification

Software Logical Block Supplier Identification

Model Year

Vehicle Line

Body Style

Country Code

ECU Serial Number

VIN Current

VIN Original

RADIO DETAILS

NAME	VALUE
VIN Original	
Sales Code	
Diagnostic Variant	
Diagnostic Version	
Flash Definition Number (FDN)	
Supplier ID	
SW Year	
SW - week	
SW Patch Level	
SW - Identification	
Supplier Manufacturer ECU Software Part Number	

OCM DETAILS

NAME	VALUE
Active Diagnostic Variant	
Active Diagnostic Version	
Hardware Part Number	
Software Logical Block #0 Part Number	
ECU Part Number	
Model Year	
Vehicle Line	
Body Style	
Country Code	
ECU Serial Number	
VIN Original	
Current	

BPCM DETAILS

NAME	VALUE
------	-------

Active Diagnostic Variant

Active Diagnostic Version

ECU Part Number

VIN Original

VIN Current

SW - year

SW - week

SW - Patch Level

ECU Serial Number

Boot SW - Year

Boot SW - Week

Boot SW - Patch Level

HCP DETAILS

NAME	VALUE
Active Diagnostic Variant	
Active Diagnostic Version	
ECU Part Number	
Model Year	
Vehicle Line	
Body Style	
VIN Current	

DSM DETAILS

NAME	VALUE
Active Diagnostic Variant	
Active Diagnostic Version	
ECU Part Number	
Hardware Supplier Identification	
Hardware - Year	
Hardware - Week	
Hardware - Patch Level	
Software Supplier Identification	
Software - Year	
Software - Week	
Software - Patch Level	
Model Year	
Vehicle Line	
Body Style	
Country Code	
VIN Current	

AHCP DETAILS

NAME	VALUE
AHCP SW Version	[REDACTED]
MCPA SW Version	[REDACTED]
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
Hardware Part Number	[REDACTED]
ECU Part Number	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]

ABSO DETAILS

NAME	VALUE
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]
Hardware Part Number	[REDACTED]
Software Part Number	[REDACTED]
ECU Part Number	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]

SGW DETAILS

NAME	VALUE
VIN Original	[REDACTED]
Diagnostic Variant ID	[REDACTED]
Diagnostic Version	[REDACTED]
Supplier ID	[REDACTED]
ECU Part Number	[REDACTED]
System Supplier ECU Hardware Number	[REDACTED]
System Supplier ECU Hardware Version Number	[REDACTED]
System Supplier ECU Software Number	[REDACTED]
System Supplier ECU Software Version Number	[REDACTED]
[REDACTED]	[REDACTED]
Active Diagnostic Session Data Identifier	[REDACTED]

DPDM DETAILS

NAME	VALUE
Active Diagnostic Variant	[REDACTED]
Active Diagnostic Version	[REDACTED]

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Hardware Part Number

Software Logical Block #0 Part Number

ECU Part Number

Model Year

Vehicle Line

Body Style

Country Code

ECU Serial Number

VIN Original

VIN Current

DASM DETAILS

NAME	VALUE
Active Diagnostic Variant	
Active Diagnostic Version	
ECU Part Number	
Model Year	
Vehicle Line	
Body Style	
Country Code	
VIN Original	

IDCM DETAILS

NAME	VALUE
Active Diagnostic Variant	
Active Diagnostic Version	
ECU Part Number	
Model Year	
Vehicle Line	
Body Style	
VIN Original	
VIN Current	

TBM2 DETAILS

NAME	VALUE
Active Diagnostic Variant	
Active Diagnostic Version	
ECU Part Number	
ECU Serial Number	
Hardware Part Number	
Hardware Year	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Hardware Week	[REDACTED]
Hardware - Patch Level	[REDACTED]
Hardware Supplier Identification	[REDACTED]
Software Part Number	[REDACTED]
Software Year	[REDACTED]
Software Week	[REDACTED]
Software - Patch Level	[REDACTED]
Software Logical Block Supplier Identification	[REDACTED]
Model Year	[REDACTED]
Vehicle Line	[REDACTED]
Body Style	[REDACTED]
Country Code	[REDACTED]
VIN Original	[REDACTED]
VIN Current	[REDACTED]
IMEI (International Mobile Equipment Identity) Number	[REDACTED]
SIM Identifier ICCID	[REDACTED]
MSD Index	—
MSD	
Network Registration Status	[REDACTED]
Radio Access Technology	[REDACTED]
MSISDN (Mobile Subscriber ISDN) Number	[REDACTED]
IMSI (International Mobile Subscriber Identity) Number	[REDACTED]
Network Connection Status	[REDACTED]
Number of Batteries	—
Number of Characters in Battery Serial Number	
Battery Serial Number	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

ECU SUMMARY INFO

[illegible]

ABS0	Anti Lock Brakes					

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	SERIAL NUMBER	CVNS
TCM						
ICS						
RFH						
ESM						
DTCM						
EPS						
HVAC						
CSWM						
IPC						
SCCM						
RADIO						
OCM	USA					
BPCM	Rest of world / ROW					
HCP	USA					
DSM	USA / USA					
AHCP	USA					
ABS0	USA					
SGW						
DPDM	USA					
DASM	USA					
IDCM	USA					
TBM2	USA					

DTC SUMMARY

SessionID #

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

ECU	DTC CODE	DTC DESCRIPTION	STATUS
HCP			Stored
HCP			Stored

ENVIRONMENTAL DATA SUMMARY

NAME	VALUE	UNITS
DTC		
Test Failed		
Test Failed This Operation Cycle		
Pending DTC		
Confirmed DTC		
Test Failed Since Last Clear		
Test Not Completed This Operation Cycle		
Warning Indicator Requested		
DTC Extended Data Record Number		
Occurrence flag		
Original Odometer Value		miles
Most Recent Odometer Value		miles
Frequency Counter		
Ignition Cycle Counter		
Microcontroller reset reason Core 1		
Real time clock		sec
RAM stamps keyOn		sec
RAM Stamps		Min
Accelerator Pedal Position		%
Barometric Pressure		PSI
Engine Coolant Temperature		°F
Engine Speed		rpm
Vehicle Speed		MPH
HV Battery SOC		%
Brake Switch Status		
Battery Feed Voltage 1 Sense		Volts
Battery Feed Voltage 2 Sense		Volts
Battery Feed Voltage 3 Sense		Volts
Internal EPS Voltage Sense A		Volts
Internal EPS Voltage Sense B		Volts
Hybrid System State		
Actual Torque Motor A		Ft Lbs

Actual Torque Motor B		Ft Lbs
Available Motor Torque - Motor A		Ft-Lbs
Available Motor Torque Motor B		Ft Lbs
Available Regen Torque - Motor A		Ft-Lbs
Available Regen Torque Motor B		Ft Lbs
Commanded Torque Motor A		Ft Lbs
Commanded Torque - Motor B		Ft-Lbs
Motor A Inverter Current phase A		AMP
Motor A Inverter Current - phase B		AMP
Motor A Inverter Current phase C		AMP
Motor B - Inverter Current - phase A		AMP
Motor B - Inverter Current - phase B		AMP
Motor B Inverter Current phase C		AMP
Motor A Resolver Angle		Degree
Motor B Resolver Angle		Degree
Motor A Temp Sensor		°F
Motor B Temp Sensor		°F
Outside Air Temperature		°F
Ignition State		
HCP ePT Wake Up Output		
CBC Wake-Up Input		
EPT LOC Diag Enable		
Propulsion System Active		
HV Contactor Status		
HV Battery Voltage from BPCM		Volts
Electric Motor A Speed		rpm
Electric Motor B Speed		rpm
PIM DC Link Voltage A		Volts
PIM DC Link Voltage - B		Volts
Inverter A IGBT Temperature for phase A		°F
Inverter A IGBT Temperature for phase B		°F
Inverter A IGBT Temperature for phase C		°F
Inverter B IGBT Temperature for phase A		°F
Inverter B IGBT Temperature for phase B		°F
Inverter B IGBT Temperature for phase C		
APM Status		
Impact Event		
PRND Position Display		
HCP System Shutdown Command		
PHEV Charging Status		
Distance Travelled with Light ON		miles
OBCM Operating Mode		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

J1772 Prox Detected State		
HV Battery Sleep Time	0	Days
SW Build Release Version		
HCP SW Version		
High Voltage bus voltage fault status		
Lv1 Engine Speed	0	rpm
Lv1 Vehicle Speed	0.00	MPH
Lv1 Ignition State		
Commanded Ignition State		
Ignition Switch		
HV Battery Contactor Fault Active		
eMotor A Mode Command		
HV Battery Contractor State		
Lv2 Vehicle Speed	0.00	MPH
Lv1 In Field Mode		
Lv1 Resolver Offset Learn		
Lv2 CAN-C BusOff		
Lv2 CAN ePT BusOff		
Lv1 Post Code Clear Diag Disabled		
CAN Key Status Fault Active		
Lv2 Test Device Present		
Lv2 Output Torque Max Limit Fail		
Lv2 Output Torque Min Limit Fail		
Lv1 Diagnostic System Disabled		
Lv1 Disabled Diagnostic Fail Safe		
CAN Hybrid Feedback ECM		
eMotor B Mode Command		
Motor A Inverter SW Command		
Motor B Inverter SW Command		
Lv2 Output Torque Command Fault		
Lv1 Retarded Shutdown		
Lv1 System Shutdown		
Lv2 Motor Mode Failure		
Lv2 Key Run Crank Active		
Lv2 CAN Key In Run		
Lv2 Motor Mode Monitor Not Allowed		
Lv2 Motor Mode Falling		
Lv2 Motor Mode Monitor Set		
Lv2 Prime Running		
Lv2 Motor Mode Fault Count		
HCP Level 2 Commanded Reduced Performance Torque		Ft-Lbs
HCP Level 2 Flag to trigger Reduced Performance Mode		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

HCP Level 2 Output Torque Monitor Failing Max Lim Violated

HCP Level 2 Output Torque Monitor Failing - Min Lim Violated

HCP Level 2 Output Torque Monitor Failed Max Lim Violated

HCP Level 2 Output Torque Monitor Failed - Min Lim Violated

HCP Level 2 Regen Monitor Fault

HCP Level 2 Reduced Performance Mode

Count

GPS Date - Year

Year

GPS Date - Month

GPS Date - Day

Days

UTC Time - Hours

Hours

UTC Time - Minutes

UTC Time - Seconds

seconds

ECU Time - Milliseconds

ms

HCP |

NAME

VALUE

UNITS

DTC

Test Failed

Test Failed This Operation Cycle

Pending DTC

Confirmed DTC

Test Not Completed Since Last Clear

Test Failed Since Last Clear

Test Not Completed This Operation Cycle

Warning Indicator Requested

DTC Extended Data Record Number

Occurrence flag

Original Odometer Value

miles

Most Recent Odometer Value

miles

Frequency Counter

Ignition Cycle Counter

Microcontroller reset reason - Core 0

Microcontroller reset reason - Core 1

Real time clock

sec

RAM stamps keyOn

sec

RAM Stamps

ms

Accelerator Pedal Position

0

%

Barometric Pressure

PSI

Engine Coolant Temperature

°F

Engine Speed

rpm

Vehicle Speed

MPH

HV Battery SOC

%

Brake Switch Status		
Battery Feed Voltage 1 Sense		Volts
Battery Feed Voltage 2 Sense		Volts
Battery Feed Voltage 3 Sense		Volts
Internal EPS Voltage Sense A		Volts
Internal EPS Voltage Sense B		Volts
Hybrid System State		
Actual Torque - Motor A	0.000	Ft Lbs
Actual Torque - Motor B		Ft-Lbs
Available Motor Torque - Motor A		Ft Lbs
Available Motor Torque - Motor B		Ft-Lbs
Available Regen Torque - Motor A		Ft-Lbs
Available Regen Torque - Motor B		Ft Lbs
Commanded Torque - Motor A	0.000	Ft-Lbs
Commanded Torque - Motor B		Ft Lbs
Motor A - Inverter Current - phase A		AMP
Motor A - Inverter Current - phase B	0	AMP
Motor A - Inverter Current - phase C		AMP
Motor B - Inverter Current - phase A		AMP
Motor B - Inverter Current - phase B	0	AMP
Motor B - Inverter Current - phase C	0	AMP
Motor A Resolver Angle		Degree
Motor B Resolver Angle		Degree
Motor A Temp Sensor		°F
Motor B Temp Sensor		°F
Outside Air Temperature		°F
Ignition State		
HCP ePT Wake Up Output		
CBC Wake-Up Input		
EPT LOC Diag Enable		
Propulsion System Active		
HV Contactor Status		
HV Battery Voltage from BPCM		Volts
Electric Motor A Speed		rpm
Electric Motor B Speed		rpm
PIM DC Link Voltage - A		Volts
PIM DC Link Voltage - B		Volts
Inverter A IGBT Temperature for phase A		°F
Inverter A IGBT Temperature for phase B		°F
Inverter A IGBT Temperature for phase C		°F
Inverter B IGBT Temperature for phase A		°F
Inverter B IGBT Temperature for phase B		°F

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Inverter B IGBT Temperature for phase C		°F
APM Status		
Impact Event		
PRND Position Display		
HCP System Shutdown Command		
PHEV Charging Status		
Distance Travelled with Light ON	0	miles
OBCM Operating Mode		
J1772 Pin Detected State		
HV Battery Sleep Time	0	Days
SW Build Release Version		
HCP SW Version		
High Voltage bus voltage fault status		
Lv1 Engine Speed		rpm
Lv1 Vehicle Speed		MPH
Lv1 Ignition State		
Commanded Ignition State		
Ignition Switch		
HV Battery Contactor Fault Active		
eMotor A Mode Command		
HV Battery Contractor State		
Lv2 Vehicle Speed		MPH
Lv1 In Field Mode		
Lv1 Resolver Offset Learn		
Lv2 CAN C BusOff		
Lv2 CAN-ePT BusOff		
Lv1 Post Code Clear Diag Disabled		
CAN Key Status Fault Active		
Lv2 Test Device Present		
Lv2 Output Torque Max Limit Fail		
Lv2 Output Torque Min Limit Fail		
Lv1 Diagnostic System Disabled		
Lv1 Disabled Diagnostic Fail Safe		
CAN Hybrid Feedback ECM		
eMotor B Mode Command		
Motor A Inverter SW Command		
Motor B Inverter SW Command		
Lv2 Output Torque Command Fault		
Lv1 Retarded Shutdown		
Lv1 System Shutdown		
Lv2 Motor Mode Failure		
Lv2 Key Run Crank Active		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Lv2 CAN Key In Run		
Lv2 Motor Mode Falling		
Lv2 Motor Mode Monitor Set		
Lv2 Prime Running		
Lv2 Motor Mode Fault Count	0	
HCP Level 2 Commanded Reduced Performance Torque	0	Ft-Lbs
HCP Level 2 Flag to trigger Reduced Performance Mode		
HCP Level 2 Output Torque Monitor Failing - Max Lim Violated		
HCP Level 2 Output Torque Monitor Failing - Min Lim Violated		
HCP Level 2 Output Torque Monitor Failed - Max Lim Violated		
HCP Level 2 Output Torque Monitor Failed - Min Lim Violated		
HCP Level 2 Regen Monitor Fault		
HCP Level 2 Reduced Performance Mode		Count
GPS Date - Year		Year
GPS Date - Month		
GPS Date - Day		Days
UTC Time - Hours		Hours
UTC Time - Minutes		
UTC Time - Seconds	0	seconds
ECU Time - Milliseconds		ms

SNAPSHOT DATA SUMMARY

No Snapshot Data available for

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)